



GO BEYOND DASHBOARDS

How to Build your Own “Talk with Your Data” App

Belmont Hackathon

Adam Doyle | October 2025

Agenda

- > Hackathon Rules
- > Agentic AI
- > Accessing Your Account
- > Semantic Views with Cortex Analyst
- > Unstructured Data via Cortex Search
- > Cortex Agents & Snowflake Intelligence
- > Evaluations

Hackathon Rules



Hackathon Rules

Individually evaluated

Select a Structured Data Source and an Unstructured Data Source.

Create an Agent

Ask it a question

Evaluated on question and thoroughness of the response

Evaluations start at 2:00



Can I ... ?

Bring in my own structured data?

Yes. But you would need to write the create table script on your own.

Bring in my own unstructured data?

Yes. But you need to make sure that it can be processed in time.

Work ahead of the group?

Yes. But the people from Snowflake will be focused on the presentation subject areas.



Agentic AI



Snowflake: The AI Data Cloud

PLATFORM



CONTENT



ANALYTICS



AI



DATA
ENGINEERING



APPLICATIONS &
COLLABORATION



SECURITY & GOVERNANCE



COMPUTE



DATA

Top Categories



Demographics



Commerce



Geospatial



Financial



Health and Life
Sciences



Marketing



Economy



Government



Energy



Weather

All Data Products >



Apps & AI Products

Accelerate enterprise AI by taking advantage of third-party products and realize use cases faster with Snowflake Native Apps. [Click here for more.](#)



Kumo Free Trial
KUMU.AI



SNP Glue Connector for SAP
SNP



dbt
dbt Labs



RelationalAI
RelationalAI



Observe For Snowflake
Observe Inc.



MadConnect
MadTech

Featured Providers

All Providers >



Consumer Edge



Snap Inc.



Ockam



GoldenSource LLC



InSights



Data & Apps Across Industries and Use Cases

Discover best-in-class data and apps to address a wide range of use cases. [Click here for more.](#)



CARTO Analytics Toolbox
CARTO




Refining Margins & Crude Arbitrage
SAP Global Commodity Insights



Fivetran PostgreSQL
Fivetran



Snowflake Platform Architecture



BRING AI TO YOUR DATA

Reduce complexity and optimize across quality and cost



BUILT-IN GOVERNANCE

Secures both data & AI models




SOLID DATA FOUNDATION

Helps improve quality & reduce hallucinations



Unified Platform for End-to-End Gen AI and ML



EASY

Fully managed and tightly integrated Data and AI infrastructure built for enterprise scale. Accessible via no-code Studio, SQL, Python, and REST APIs **to reduce development costs and complexity**

CONNECTED

Accelerate innovation by using one interconnected platform for Data and AI. Seamlessly bring leading AI models and apps directly to your data, **eliminating silos and reducing operational complexity**

TRUSTED

Protect the value of your IP at scale with **industry-leading security and unified governance for data and models** trusted by thousands of organizations



Cortex AI: Making Gen AI Easy, Connected, and Trusted

POWERFUL AI APPS

No-code, powerful AI apps for code assistance, document understanding, and chatbots

TALK TO YOUR DATA

State of the art Search and Text2SQL capabilities to build BI and AI chatbots easily

MODELS

Top tier models, easily accessible, fully managed, tightly integrated, all inside of Snowflake



AGENTS & INSIGHTS

Agent Apps
Snowflake Intelligence

Agent APIs
Cortex Agents

Multimodal AI-powered SQL
Cortex AISQL

PROCESSING & RETRIEVAL

Unstructured Data Retrieval
Cortex Search

Structured Data Retrieval
Cortex Analyst

Document Processing
Document AI, Parse, Embed

DATA

Data Connectors
Openflow




AI Ready Data & Apps
Snowflake Marketplace



Multimodal Data
Snowflake, External



MODELS



OpenAI

ANTHROPIC



Inference & Fine-Tuning APIs

Embedding Models

GOVERNANCE

RBAC

Guardrails

Evaluations

Monitoring

AI Gateway



What Is An Agent?



AI Agents refers to artificial intelligence systems that can be configured to reason through a task by breaking it into smaller subtasks for accomplishing a specific goal.



Planning




Track details



Tool use




Reflection




AI agents dynamically handle multi-step actions and complex reasoning, a significant improvement over the mostly reactive software tools available today.



Agentic Orchestration (Cortex Agents API)



AI Applications Framework



ANTHROPIC

Meta

MISTRAL
AI

VOYAGE AI

OpenAI

snowflake



Accessing Your Account



Getting your account



<https://go.dataops.live/belmont-hackathon/register>



Get Snowflake Documentation from Marketplace

1. Click on **Marketplace**
2. Search for **Snowflake Documentation**
3. Select **Snowflake Documentation**.
4. Click **Get**
5. Click **Get** (again)

The screenshot displays the Snowflake Marketplace interface. On the left is a navigation sidebar with the Snowflake logo at the top, followed by a search bar and a list of categories: 'Work with data' (Projects, Ingestion, Transformation, AI & ML, Monitoring), 'Horizon Catalog' (Catalog, Data sharing, Governance & security), and 'Manage' (Compute, Admin). The 'Marketplace' option is highlighted. The main content area is titled 'Snowflake Marketplace' and features a search bar with 'pubmed' entered. Below the search bar are filters for 'Your Region - US East (N. Virginia)' and 'Clear all'. A list of filters on the left includes Availability, Pricing, Categories, Business needs, Cloud region availability, Geographic coverage, Legal terms, Provider, and Time coverage. The search results show '11 data products' with a relevance filter. The top result is 'PubMed Research Data Product: Biomedical Citations' by 'The Data Developers LLC', described as 'PubMed Corpus, Optimized for Large-Scale NLP and AI-Driven Biomedical Discovery'. It includes tags for 'ARTICLES', 'REFERENCES', 'KEYWORDS', 'MESH HEADINGS', 'GRANTS', 'OTHER IDS', and 'PUBLICATION TYPES'. Below this is a section for 'PubMed Biomedical Research Corpus' by 'Snowflake', described as 'Leverage research articles from NCB's PubMed Central in Snowflake Intelligence or apps built on Cortex AI'. It mentions 'PubMed Central® PMC is a free full-text archive of biomedical and life sciences journal articles in the U.S. National Institutes of Health's National Library of Medicine NIH/NLM.' and includes a tag 'PUBMED_OA_VW'. Both products are marked as 'Instantly accessible'.



Get Data

Go to the following website:

<https://github.com/mypetrockstl/belmont-hackathon>

This repository will contain all of the data and the instructions for completing the hackathon.

Navigate to the main page of the repository on GitHub.

Locate the green "Code" button, usually near the top right of the file list.


Click the "Code" button and select "Download ZIP" from the dropdown menu.

The repository's files will be downloaded as a compressed ZIP file to your computer. You will need to extract this file to access the contents.



Run Setup

1. Click on **Projects**.
2. Click on **+ Add new**.
3. Select **SQL File**
4. Copy the code from the Setup.sql file.
5. Click the **Blue Play** Icon in the upper left corner.



This will create our objects in the
BELMONT_HACKATHON database.



Find Your Stages


Under the data folder, there are two directories - structured and unstructured. You will select one folder from each directory as your source material.

1. In the Snowsight UI, click the cylinder icon or Data label and click **Database Explorer**.
2. In the central window, click on **BELMONT_HACKATHON**.
3. Click on **Public**.
4. Click on **Stages**.
5. Click on the folder name corresponding to your structured data. It will start with MUSIC_.



Load Your Data

1. Click on + Files in the upper right corner.
2. Click Browse.
3. Use the file browser to find your directory.
4. Select the CSV file in the directory to upload.
5. Click Upload.



Create the Table

1. Click on **Projects**.
2. Click on **+ Add new**.
3. Select **SQL File**
4. Copy the code from the Table.sql file.
5. Click the **Blue Play** Icon in the upper left corner.



Repeat for Unstructured Data

1. Find Your Stage that lines up with your unstructured data.
2. Load your data, but this time select all of the PDF files in the directory.
3. Create the table from your unstructured data.
4. Click **Enable Directory Table**.



Unstructured Data via Cortex Search




Cortex Search is a search engine that powers customized LLM apps in Snowflake

What is it?

Hybrid search engine: leverages vector embeddings for semantic similarity plus keyword search for lexical similarity, achieving state-of-the-art retrieval quality

Fully managed: automatically updates with your underlying data, secure and governed in Snowflake, exposed via simple APIs with no operational overhead



Semantic View with Cortex Analyst



Snowflake Semantic Views

Unlock conversational analytics

Semantic Views enable high quality, consistent, and governed conversational analytics in Cortex Analyst, Snowflake Intelligence, and other text-to-sql clients.

Extensible across agents/apps

Whether you are talking to your data, writing a SQL query, or using a BI client, Semantic Views help ensure that all analytics consumers get consistent answers, regardless of the UI.

Governance

Semantic Views are securable schema, support object-level RBAC and respect underlying data access controls. Replication and DR capabilities are built-in.

The screenshot displays the Snowflake Semantic Views interface. On the left, a navigation pane shows a tree structure of databases and schemas, with 'TOTAL_SALES_ANALYSIS_SV' selected under 'TPCDS_SF10TCL'. The main panel shows the 'Semantic Concepts' for this view, including a description, metrics, dimensions, facts, and model-wide concepts.

MY_SAMPLE_DATA / TPCDS_SF10TCL / TOTAL_SALES_ANALYSIS_SV

Semantic view | ACCOUNTADMIN | 2 hours ago

Semantic View Details | **Semantic Concepts**

Logical Table Concepts

Store Sales | Web Sales | Customers

Description

Fact table for sales transactions in physical stores

Metrics

NAME	EXPRESSION	SYNONYMS	DE
# total_net_revenue	SUM(store_sales.net_revenue) + SUM(web...	"Store area", "Store location"	-
# profit_margin	(SUM(total_net_revenue) - SUM(total_cost)) /	"Store zone", "Store division"	-

Dimensions

NAME	EXPRESSION	SYNONYMS	DE
store_region	store_region	"Store area", "Store location"	-
store_district	store_district	"Store zone", "Store division"	-

Facts

NAME	EXPRESSION	SYNONYMS	DE
# store_net_revenue	SUM(ss.net_paid)	"Store area", "Store location"	-
# store_total_units_sold	SUM(ss.quantity)	"Store zone", "Store division"	-

Model-wide Concepts

Relationships

NAME	LEFT TABLE	RIGHT TABLE	RELATIONSHIP COLUMNS
customer_to_store_sales	customer	store_sales	customer_c_customer_sk = store...
customer_to_web_sales	customer	web_sales	customer_c_customer_sk = store...



Create Semantic View

1. Hover over **AI & ML**.
2. Click **Cortex Analyst**.
3. Choose Database **BELMONT_HACKATHON**
4. Choose Schema **PUBLIC**
5. Click **Create semantic view**

Semantic views Semantic models

BELMONT_HACKATHON.PUBLIC




Create your first semantic view

Semantic views let you explore your data using plain language. Set one up now to start asking questions and getting instant answers.

If you expect to see existing semantic views here, check that your role has access to them.

Create semantic view



Create Semantic View - Getting Started

1. In the Name field, enter **Music_Analyst**
2. In the Description field, enter your description. This is important. The LLM will use this description to help answer your questions. You may need to update it during testing.
3. Click **Next**

The screenshot shows the 'Create Semantic View' dialog box. On the left, there are three tabs: 'Getting started' (selected), 'Select tables', and 'Select columns'. The main area is titled 'Getting started' and contains the following fields:


- Location to store:** A dropdown menu showing 'BELMONT_HACKATHON.PUBLIC'.
- Name:** A text input field containing 'MUSIC_ANALYST'.
- Description (optional):** A text area containing 'YOUR DESCRIPTION'.

At the bottom left is a 'Cancel' button, and at the bottom right is a 'Next' button.



Select Tables for Semantic View

1. Find your Music Dataset and click on it.
2. Click on **Public**.
3. Click on **2 tables**. If you have loaded more tables, it might show a different number
4. Select your structured data
5. Click **Next**



Select Columns for Semantic View

1. For each table, click on the white square. This selects all of the columns in the table.
2. Leave checked **Add sample values to the semantic view** and **Add descriptions to the semantic view**.
3. Click **Create and Save**

Create Semantic View ACCOUNTADMIN FAA_WH (Medium)

Getting started
Select tables
Select columns

Select columns

Select only the columns required to answer the business questions your users want to ask.

Columns (30 selected) Expand all

Search columns

> ☒ BELMONT_HACKATHON.PUBLIC.MUSIC_FEATURES

☒ **Add sample values to the semantic view**
A few real values from each column helps Cortex Analyst give better answers. [Learn more](#)

☒ **Add descriptions to the semantic view**
We'll use AI to figure out sensible descriptions to add in, saving you time.

☐ **Not sure how many columns to select?**
Starting with fewer columns can make the semantic model easier to manage. This is a suggestion, not a hard limit.

Cancel Previous **Create and Save**



Edit Semantic View - Provide Synonyms

1. For your table, click the Edit button on the right side of the center window.
2. Click on **Synonyms** field
3. Add other synonyms for the data in the table
4. There are other fields that you may want to experiment with during testing like Custom Instructions and Verified Queries.
5. Click **Save** in the upper right hand corner.

The screenshot displays the Snowflake Semantic View editor interface. At the top, the database is identified as 'MUSIC_ANALYST'. Below this, there are sections for 'YOUR DESCRIPTION', 'Custom Instructions', and 'Logical tables'. The 'Logical tables' section shows a list of tables, with 'MUSIC_FEATURES' selected. The details for 'MUSIC_FEATURES' are shown, including its description: 'This table stores audio features extracted from music files, including tempo, beats, spectral characteristics, and mel-frequency cepstral coefficients (MFCCs), along with a corresponding label, likely used for music classification or recommendation purposes.' Below the description, there are expandable sections for 'Dimensions' (2), 'Time Dimensions' (0), 'Facts' (28), 'Named Filters' (0), and 'Metrics' (0). There are also sections for 'Derived metrics' (0) and 'Relationships' (0). At the bottom, there is a 'Edit' button. Below the main editor, there is a 'Edit logical table' modal window. This modal window contains fields for 'Base tables' (showing 'BELMONT_HACKATHON_PUBLIC.MUSIC_FEATURES'), 'Logical table name' (set to 'MUSIC_FEATURES'), 'Logical table description' (optional), 'Synonyms' (optional), 'Primary key' (optional), 'Unique key' (optional), and a 'Remove' button. The 'Synonyms' field is currently empty, and the 'Primary key' and 'Unique key' fields are also empty. The 'Save' button is highlighted in blue.




Activating Data with Cortex Agents




What is an Cortex Agent ?

Cortex Agent unifies many standalone AI tools inside Snowflake (like Cortex Analyst, Cortex Search etc) under one API, provide reasoning, picks right tools for the task and gives answers



Create Agent

1. Hover over AI & ML.
2. Click Agents
3. Click Create Agent
4. In the Agent object name field, enter Music_Analyst
5. In the Display name field, enter Music Analyst
6. Click Create agent



Documentation [Create agent](#)

Created By: Anyone

Create agent

Platform integration

☒ Create this agent for Snowflake Intelligence

Database and schema

SNOWFLAKE_INTELLIGENCE.AGENTS

Agent object name

Enter agent object name

① API URL is based on the agent's name. Changing the name later may break the link./databases/SNOWFLAKE_INTELLIGENCE/schemas/AGENTS/agents/agent

Display name

Enter display name



[Cancel](#) [Create agent](#)



Add Semantic Model


< MUSIC_ANALYST
SNOWFLAKE_INTELLIGENCE AGENTS Oct 22, 2025

1. Click MUSIC_ANALYST
2. Click **Edit**
3. You will want to add text to the Description
4. You may want to the Example questions



Add Semantic Model - Add Tools

1. Click **Tools**
2. Click **+ Add** next to Cortex Analyst
3. Click **Database**
4. Select Database BELMONT_HACKATHON_DB
5. Select Schema PUBLIC
6. Click Select Semantic View
7. In the Name field, enter Music_Analyst.
8. Click **Generate with Cortex**
9. Click **Add**



The screenshot shows the 'Add tool: Cortex Analyst' configuration form. It includes a 'Cortex Analyst' section with radio buttons for 'Semantic view' (selected) and 'Semantic model file'. Below this is a 'Schema' dropdown menu set to 'BELMONT_HACKATHON.PUBLIC' and a 'MUSIC_ANALYST' dropdown menu. The 'Tool details' section contains a 'Name' field with 'Music_Analyst' and a 'Description' field with a 'Generating description...' button. The 'Warehouse' section has radio buttons for 'User's default' (selected) and 'Custom'. The 'Query timeout' section has a text input field for 'Enter timeout in seconds'.

Add tool: Cortex Analyst

Cortex Analyst ☒ Semantic view ☐ Semantic model file

Schema **BELMONT_HACKATHON.PUBLIC** x v

MUSIC_ANALYST v

Tool details

Name

Music_Analyst

Description [Generating description...](#)

Will be used during orchestration to guide how the agent uses this tool

Warehouse

Warehouse to execute the SQL query

☒ User's default ☐ Custom

Query timeout

Maximum time in seconds for query execution (max 300s)



Enter timeout in seconds

[Learn more](#) [Cancel](#) [Add](#)



Add Cortex Search

1. Select the **BELMONT_HACKATHON** database and the **PUBLIC** schema.
2. Select the **Cortex Search Service**.
3. Set Max results to **4**
4. For the ID column, select **FILE_URL**.
5. For the TITLE column, select **RelativePath**
6. For the Name, enter **Text_Search**
7. For the Description, enter a description.
8. Click **Add**.
9. Click **Save**.




Insights with Snowflake Intelligence



Snowflake Intelligence


Typical flow of SI request

- Ask question
- Thinking
- Tools calling
- Providing answer and insights



Call Snowflake Intelligence

1. Hover over AI & ML.
2. Click **Snowflake Intelligence**.
3. In the new window, enter your questions.



 intelligence 

 New chat

 Agents

 Recent

Good afternoon, Adam
What insights can I help with?

Ask Snowflake Intelligence...

Documentation

Sources: Auto



Work Time!



Evaluations





Q&A Session



Unstructured Data via Cortex Search



Create Cortex Search Service

1. Hover over **AI & ML**.
2. Click **Cortex Search**.
3. Choose Database **BELMONT_HACKATHON**
4. Choose Schema **PUBLIC**
5. Click **Create**

Cortex Search PREVIEW

Playground **Create**



Why use Cortex Search?

Build performant, high-quality search bars and RAG chatbots on unstructured data.

[Tutorials](#)



Cortex Search Documentation

Learn more about creation, usage, and management of Cortex Search Services.

[Documentation](#)

Schema **BELMONT_HACKATHON.PUBLIC**

Search

0 services



No Search Services found

No Search Services match your current filters.
Try clearing the filters and try again.



1. In the Service Name field, enter a name that describes the data
2. Click Next

Create Search Service

☒ New service

☐ Select data

☐ Select search column

☐ Select attributes

☐ Select columns

☐ Configure indexing

Let's create a new Cortex Search Service

We'll guide you through the steps of selecting a data source, setting service parameters, and creating the Search Service.

Your default role and warehouse will be used to create the service. The warehouse will be used for materializing the results of the source query upon creation and refresh.

Service database and schema

Schema BELMONT_HACKATHON.PUBLIC x

Service name

Enter service name

Cancel

Next



1. Select the table ending in `_CHUNKS` for your data set.
2. Click Next

Create Search Service

☐ New service
☒ Select data
☐ Select search column
☐ Select attributes
☐ Select columns
☐ Configure indexing

Select data to be indexed

Select a table or view containing the text data you want indexed for searching.

Search

- > ADO_DB
- > AISQL_HOL
- > AISQL_DEMO_DB
- > AISQL_TEAM_DB
- > BELMONT_HACKATHON
- > INFORMATION_SCHEMA
- > PUBLIC
 - Tables
 - FEATURE_CHUNKS
 - FEATURE_DOCUMENTS
 - GENRE_CHUNKS
 - GENRE_DOCUMENTS
 - LYRIC_CHUNKS
 - LYRIC_DOCUMENTS

Data Preview

Select data to preview

Cancel Previous Next



1. Click the box in front of CHUNK
2. Click Next.

Create Search Service

☒ New service

☒ Select data

☒ Select search column

☐ Select attributes

☐ Select columns

☐ Configure indexing

Select a search column

Enable searching across multiple indexes or columns for more comprehensive results.

Q Search Columns

☐  RELATIVE_PATH

☐  FILE_URL

☐  **CHUNK**

☐  LANGUAGE

Data Preview

 BELMONT_HACKATHON.PUBLIC.POPULARITY_CHUNKS

	RELATIVE_PATH	FILE_URL	CHUNK
1	can big data really predict ...	https://cuc80067.us-east-...	can big data really predict ...
2	can big data really predict ...	https://cuc80067.us-east-...	can big data really predict ...
3	can big data really predict ...	https://cuc80067.us-east-...	can big data really predict ...
4	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
5	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
6	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
7	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
8	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
9	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
10	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
11	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...

Cancel

PreviousNext



1. Select all four columns
2. Click Next

Create Search Service

☒ New service

☒ Select data

☒ Select search column

☒ Select attributes

☐ Select columns

☐ Configure indexing

Select attribute column(s)

Select a set of columns that you'd wish to use as filters when querying the service. These columns must be text, numeric, or array types.

Search Columns

☐ ▲ RELATIVE_PATH

☐ ▲ FILE_URL

☐ ▲ CHUNK

☐ ▲ LANGUAGE

Select all

Clear all

Data Preview

BELMONT_HACKATHON.PUBLIC.POPULARITY_CHUNKS

	RELATIVE_PATH	FILE_URL	CHUNK
1	can big data really predict ...	https://cuc80067.us-east-...	can big data really predict ...
2	can big data really predict ...	https://cuc80067.us-east-...	can big data really predict ...
3	can big data really predict ...	https://cuc80067.us-east-...	can big data really predict ...
4	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
5	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
6	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
7	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
8	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
9	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
10	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...
11	What makes a song a timel...	https://cuc80067.us-east-...	What makes a song a timel...

Cancel

Previous

Next



Cortex Search Service - Additional columns

1. Click Next

Create Search Service

☒ New service

☒ Select data

☒ Select search column

☒ Select attributes

☒ Select columns

☐ Configure indexing

Select columns to include in the service

Select the columns that you want to include in the search index. The data in these columns will be included in the search service and will be available for querying. Previously selected search and filter columns are automatically included.

Search Columns

☒ RELATIVE_PATH

☒ FILE_URL

☒ CHUNK

☒ LANGUAGE

Select all

Clear all

Data Preview

BELMONT_HACKATHON.PUBLIC.POPULARITY_CHUNKS

	FILE_URL	CHUNK	LANGUAGE
1	https://cuc80067.us-east-...	can big data really predict ...	English
2	https://cuc80067.us-east-...	can big data really predict ...	English
3	https://cuc80067.us-east-...	can big data really predict ...	English
4	https://cuc80067.us-east-...	What makes a song a timel...	English
5	https://cuc80067.us-east-...	What makes a song a timel...	English
6	https://cuc80067.us-east-...	What makes a song a timel...	English
7	https://cuc80067.us-east-...	What makes a song a timel...	English
8	https://cuc80067.us-east-...	What makes a song a timel...	English
9	https://cuc80067.us-east-...	What makes a song a timel...	English
10	https://cuc80067.us-east-...	What makes a song a timel...	English
11	https://cuc80067.us-east-...	What makes a song a timel...	English

Cancel

Previous

Next



1. Select the BELMONT_HACKATHON_WH
2. Click Next

Create Search Service

New service

Select data

Select search column

Select attributes

Select columns

Configure indexing

Configure your Search Service

Select your desired configuration parameters for the service.

Target Lag

1

hours

Target Lag parameter specifies the maximum frequency with which the service will check for and materialize updates based on changes to its source data.

Embedding model

snowflake-arctic-embed-m-v1.5

Each model may incur a different cost per million input tokens processed. Refer to the [Snowflake Service Consumption Table](#).

For more information about each embedding model, refer to the [Cortex Search documentation](#).

Warehouse for indexing

Select Warehouse

Indexing can take couple minutes to an hour depending on size of data. [See documentation](#)

Cancel

Previous

Create