


Lime Microsystems Limited

Surrey Technology Centre
Occam Road
The Surrey Research Park
Guildford, Surrey GU2 7YG
United Kingdom



Tel: +44 (0) 1483 685 063
e-mail: enquiries@limemicro.com

LMS8001 Companion Board Windows 11 Driver Installation



The information contained in this document is subject to change without prior notice. Lime Microsystems assumes no responsibility for its use, nor for infringement of patents or other rights of third parties. Lime Microsystems' standard terms and conditions apply at all times.

Contents

1	Observed Issue	1
2	Solution	2

1

Observed Issue

On Windows 11, when the evaluation board is connected to the computer, Device Manager shows the following:




Figure 1.1: Device Manager before driver installation

When the driver installation was tried using the **dpinst_amd64.exe** file, the installation failed.




Figure 1.2: Driver installation failed

2

Solution

Install the driver manually. Download the **.inf** and **.cat** files from the link below:

https://github.com/myriadrf/LMS8001-Companion/tree/master/drivers/STM32_VCP/Win8





Figure 2.1: Marked files for manual driver installation

Run Windows Terminal as Administrator, navigate to the directory containing the **.inf** and **.cat** files, and run the following command:

pnputil /add-driver ".\stmcdc.inf" /install



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\pavle> cd .\Downloads\STdriver\
PS C:\Users\pavle\Downloads\STdriver> pnputil /add-driver ".\stmcdc.inf" /install
Microsoft PnP Utility

Adding driver package: stmcdc.inf
Driver package added successfully.
Published Name: oem91.inf
Driver package installed on device: USB\VID_0483&PID_5740\LMS8001_EVB

Total driver packages: 1
Added driver packages: 1
PS C:\Users\pavle\Downloads\STdriver> |
```

Figure 2.2: Windows Terminal commands for manual driver installation

After this, Device Manager should show that everything is working correctly with the evaluation board and that communication with the board is established.




Figure 2.3: Device Manager after successful driver installation