WRIST DISABILITY Mini-DBQ (Disability Benefits Questionnaire)

Please mark your diagnosed condition and side affected:

	Left	Right		Left	Right
☐ Wrist sprain	☐	☐	☐ Tendinitis	☐	☐
☐ Ganglion cyst	☐	☐	☐ Carpal metacarpal arthritis	☐	☐
☐ Osteoarthritis	☐	☐	☐ deQuervain's syndrome	☐	☐
☐ Ankylosis of wrist	☐	☐	☐ Carpal instability	☐	☐
☐ Avascular necrosis of carpal bones	☐	☐	☐ Wrist arthroplasty	☐	☐
☐ Triangular fibrocartilaginous complex (TFCC) injury				☐	☐
☐ Other:				☐	☐

Please answer the following questions related to your disease:

a) Briefly describe the history of your wrist condition/s (Date, where, and how):

b) In your own words, how does this condition affect your daily life and ability to work? (Please explain in detail)

c) Did the symptoms get worse over time? If so, what makes the symptoms worse? (e.g. lifting weights, working etc.)

d) Do you experience flare-ups (worsening of symptoms)? If so, how do these flare-ups affect you (e.g.weakness, fatigue, loss of movement

Are you right-handed or left-handed?


☐ Right-Handed ☐ Left-Handed ☐ Ambidextrous

Which wrist is Service Connected?

☐ Right Wrist ☐ Left Wrist ☐ Both Wrists


WRIST DISABILITY Mini-DBQ (Disability Benefits Questionnaire)

RANGE OF MOTION FOR WRIST/S – Palmar Flexion and Dorsiflexion To get dorsiflexion bend your wrist down as low as you can as shown in picture to the right.	
Left wrist palmar flex	**Right Wrist Palmar Flex**
To which degree can you bend your wrist down? (80 degrees is full range of motion)	To which degree can you bend your wrist down? (80 degrees is full range of motion)
Flare-Ups: Think about when your wrist is HURTING. This number should be LESS than the one above!	
Left wrist palmar flex	**Right Wrist Palmar Flex**
To which degree can you bend your wrist down during flare up?	To which degree can you bend your wrist down during flare up?)




RANGE OF MOTION:

RANGE OF MOTION FOR WRIST/S – Dorsiflexion To get dorsiflexion bend your wrist up as shown in picture to the right.	
Left wrist Dorsiflexion	**Right Wrist Dorsiflexion**
To which degree can you bend your wrist up? (70 degrees is full range of motion)	To which degree can you bend your wrist up? (70 degrees is full range of motion)
Flare-Ups: Think about when your wrist is HURTING. This number should be LESS than the one above!	
Left wrist Dorsiflexion	**Right Wrist Dorsiflexion**
To which degree can you bend your wrist up during flare up?	To which degree can you bend your wrist up during flare up?



WRIST DISABILITY Mini-DBQ (Disability Benefits Questionnaire)

RANGE OF MOTION FOR WRIST/S – Ulnar Deviation Bend your wrist bend your wrist away from your body as shown in picture to the right.	
Left wrist Ulnar Deviation	**Right Wrist Ulnar Deviation**
To which degree can you bend your wrist? (45 degrees is full range of motion)	To which degree can you bend your wrist? (45 degrees is full range of motion)
Flare-Ups: Think about when your Wrist is HURTING. This number should be LESS than the one above!	
Left wrist Ulnar Deviation	**Right Wrist Ulnar Deviation**
To which degree can you bend your wrist during flare up?	To which degree can you bend your wrist during flare up?



RANGE OF MOTION FOR WRIST/S Radial Deviation Bend your wrist bend your wrist into your body as shown in picture to the right.	
Left wrist Radial Deviation	**Right Wrist Radial Deviation**
To which degree can you bend your wrist? (20 degrees is full range of motion)	To which degree can you bend your wrist? (20 degrees is full range of motion)
Flare-Ups: Think about when your Wrist is HURTING. This number should be LESS than the one above!	
Left wrist Dorsiflexion	**Right Wrist Dorsiflexion**
To which degree can you bend your wrist during flare up?	To which degree can you bend your wrist during flare up?



CHECK THE CONTRIBUTING FACTORS AFFECTING THE FUNCTIONALITY OF YOUR WRIST/S:

☐ Less movement than normal ☐ Weakened movement ☐ More movement than normal

☐ Pain on Movement ☐ Easily Fatigued ☐ Incoordination ☐ Swelling

☐ Deformity ☐ Disturbance of locomotion ☐ Atrophy of disuse

☐ Interference with sitting ☐ Interference with standing

WRIST DISABILITY Mini-DBQ (Disability Benefits Questionnaire)

VERY IMPORTANT: History of Wrist Surgery – Provide type of surgery, indicate if VA did surgery or private doctor, and date

Ankylosis

Ankylosis is the immobilization and consolidation of a joint due to disease, injury or surgical procedure. (Please skip this section if you are not diagnosed with ankylosis)

Please indicate the side affected with ankylosis: ☐ Right wrist ☐ Left wrist

Do you have any scars related to your wrist condition? If so, are the scars painful?

Do you use any assistive device? ☐ Yes ☐ No

If yes, identify assistive devices used: (check all that apply and indicate frequency)

☐ Brace	☐ Frequency of use	☐ Occasional	☐ Regular	☐ Constant
☐ Other:	☐ Frequency of use	☐ Occasional	☐ Regular	☐ Constant

WRIST DISABILITY Mini-DBQ (Disability Benefits Questionnaire)

Additional Information

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current. I understand that overstating the severity of my conditions on official Disability Benefits Questionnaires (DBQs) could result in loss of benefits and/or be consider fraudulent. I am conveying the severity of my symptoms to the best of my ability on this personal assessment form. No one has advised me to misrepresent my conditions or overstate the severity of my symptoms.