CS 301 High-Performance Computing

<u>Lab 2: Problem C2</u>

Vivek Godhasara (202001451) Harsh Makwana (202001264)

February 8, 2023

Contents

1	Introduction						
	1.1 Brief description of the problem.						
	1.2 The complexity of the algorithm (serial)						
2	Hardware Details						
	2.1 Hardware Details of LAB207 Computer						
	2.2 Hardware Details of Cluster						
3	PART 1: LAB207 Computer						
	3.1 Profiling information						
	3.2 Graph						
4	PART 2: Cluster						
	4.1 Profiling information						
	4.2 Graph						

1 Introduction

1.1 Brief description of the problem.

Problem C-2 -> Sorting - Merge Sort.

In this problem, our task is to Sort a given array with size N. According to the instruction in sorting, we will be using the Merge sort algorithm as a sorting algorithm.

Now our goal is to write an optimal algorithm for calculating the upper problem so that we can get optimal use of our processor.

1.2 The complexity of the algorithm (serial).

As you can see in the uploaded code, In this algorithm we are using a recursive function for sorting the array, which is dividing the array into two halves and then using O(N) function for recursion so it has total N*log(N) time complexity, where N is the array size.

So The time complexity of the algorithm is: $O(N^*log(N))$ and The space complexity of the algorithm is: O(N)

2 Hardware Details

2.1 Hardware Details of LAB207 Computer

- CPU 4
- Socket 1
- Cores per Socket 4
- Size of L1 cache 64KB
- Size of L2 cache 256KB
- Size of L3 cache 6MB

2.2 Hardware Details of Cluster

- CPU 16
- Socket 2
- Cores per Socket 8
- Size of L1 cache 64KB
- Size of L2 cache 256KB
- Size of L3 cache 20MB

3 PART 1: LAB207 Computer

3.1 Profiling information

Here we have described the profiling information of the Lab207 Computer.

Call graph (explanation follows)								
granularity: each sample hit covers 2 byte(s) for 24.89% of 0.04 seconds								
index	% time	self	childre	n called				
				199998		1]		
				1/1				
[1]	100.0			1+199998				
		0.03	0.00		merge [3]	_		
				199998	mergeSort [:	1]		
[2]	100.0	0.00	0.04		<pre><spontaneous< pre=""></spontaneous<></pre>	5>		
[2]	100.0			1 /1	main [2]	. 1		
					mergeSort [:	r J		
		0.00	0.00	2/2	a1TT [4]			
		0.03	0.00	99999/99999	mergeSort [:	11		
[3]	75.0			99999		-,		
					6- [-]			
		0.00	0.00	2/2	main [2]			
[4]	0.0			2				

Figure 1: Profiling information- PC

3.2 Graph

Below we have depicted the Mean execution time vs problem size for Lab207 Computer.




Figure 2: Algorithm time vs problem size - PC




Figure 3: End-to-end execution time vs problem size - PC

4 PART 2: Cluster

4.1 Profiling information

Here we have described the profiling information of the Cluster.



Figure 4: Profiling information - Cluster

4.2 Graph

Below we have depicted the Mean execution time vs problem size for Cluster.




Figure 5: Algorithm time vs problem size - Cluster




Figure 6: End-to-end execution time vs problem size - Cluster $\,$