

Generated by Scopus AI, Mon Apr 27 2026

Anomaly detection in computer networks using LSTM encoder

Recent Advances in Anomaly Detection on Computer Networks Using LSTM Encoder Models

Quick Reference
Key Findings Table

Theme	Summary	Supporting Citations
Hybrid Architectures Enhance Performance	LSTM-CNN, LSTM-Transformer, and attention-based hybrids outperform pure LSTM encoders	1 2 3
Dynamic Thresholding and Adaptivity	Adaptive thresholding (e.g., EVT) reduces false positives in real-time detection	4 5 6
Metaheuristic Optimization	WCO, ChCSO, SCA-AL, PSO, and L-SHADE improve LSTM hyperparameter tuning	7 8 9
Explainability and Interpretability	SHAP, LIME, and attention mechanisms increase transparency and trust in LSTM models	10
LSTM vs. Transformer Models	LSTM excels in short-term, small datasets; Transformers outperform in long-range, large	11 12 13

Direct Answer

The latest research on anomaly detection in computer networks using LSTM encoder models focuses on several innovative directions:

- Hybrid models (LSTM-CNN, LSTM-Transformer) improve performance and reduce false positives.
- Adaptive thresholding techniques (e.g., extreme value theory) dynamically adjust detection thresholds for real-time applications.
- Metaheuristic optimization (WCO, ChCSO, SCA-AL) enhances performance on benchmark datasets (CICIDS2017, CIC-IoT, NSL-KDD).
- Explainable AI methods (SHAP, LIME) are increasingly integrated to improve interpretability and operational trust in cybersecurity environments.

Study Scope

- **Time Period:** 2022–2024
- **Disciplines:** Computer network security, deep learning, time series analysis, explainable AI
- **Methods:** LSTM encoder autoencoders, hybrid architectures, metaheuristic optimization, adaptive thresholding, transfer learning, comparative benchmarking

Assumptions & Limitations

- Most studies focus on publicly available datasets; real-world deployment may face additional challenges (e.g., evolving attack patterns, class imbalance) [14](#) [15](#).
- Interpretability remains limited in complex hybrid models despite advances in explainable AI [10](#).
- Feature reduction techniques tailored for LSTM-based anomaly detection are underexplored [10](#).
- Comparative studies with Transformer models are ongoing; hybrid solutions are promising but computationally intensive [3](#) [11](#).

Suggested Further Research

- Develop closed-loop adaptive frameworks combining thresholding, explainability, and real-time feedback.
- Explore explicit feature reduction methods for LSTM-based anomaly detection.
- Advance hybrid architectures for balancing accuracy, interpretability, and computational efficiency.
- Investigate operational deployment in evolving, large-scale network environments.

1. Introduction

Background and Motivation

Anomaly detection in computer networks is a critical task for identifying cyber threats, intrusions, and operational failures. The complexity and volume of network traffic, coupled with evolving attack patterns, demand robust and adaptive detection methods. Long Short-Term Memory (LSTM) encoder models have emerged as a leading approach due to their ability to capture temporal dependencies and reconstruct normal behavior patterns, making them well-suited for detecting irregularities in sequential network data [16](#) [17](#) [18](#).

Recent years have witnessed a surge in deep learning-based anomaly detection, with LSTM encoders at the forefront. Their adoption is driven by:

- Superior performance in modeling time series and sequential data.
- Flexibility in unsupervised, semi-supervised, and hybrid learning settings.
- Ability to detect both known and unknown (zero-day) anomalies [16](#) [17](#) [19](#).

However, challenges persist in reducing false positives, improving interpretability, and scaling to real-time, large-scale environments. This report synthesizes the latest research, bridging theoretical foundations with practical insights.

2. State-of-the-Art LSTM Encoder Models for Network Anomaly Detection

Recent Methodologies and Model Variants

LSTM encoder models have evolved significantly, with notable advancements including:

- **Autoencoders:** LSTM autoencoders learn normal patterns and flag anomalies based on reconstruction error [16](#) [19](#) [20](#).
- **Hybrid Architectures:** Integration with CNNs (LSTM-CNN), attention mechanisms, and Transformer modules enhances spatial and temporal feature extraction [19](#) [20](#) [21](#) [22](#).
- **Bi-LSTM and Quantile-LSTM:** Bidirectional LSTM autoencoders and quantile-based LSTM models improve detection of subtle and slow-developing anomalies, address class imbalance, and mitigate vanishing gradient issues [21](#) [22](#).
- **Unsupervised and Semi-supervised Approaches:** Unsupervised LSTM autoencoders excel in zero-day anomaly detection, while semi-supervised variants leverage limited labeled data for improved accuracy and reduced false positives [10](#) [16](#) [18](#) [23](#) [24](#).

Synthesis: The field is moving toward hybrid and adaptive models, leveraging the strengths of LSTM encoders in temporal modeling and integrating complementary techniques for enhanced robustness and interpretability.

Datasets and Benchmarking

The most commonly used datasets for evaluation include:

- **NSL-KDD:** Classic benchmark for network intrusion detection [17](#).
- **CICIDS2017, CICDoS2019, CIC-IoT2023:** Modern datasets capturing diverse attack types and IoT traffic [25](#) [26](#) [27](#).
- **Industrial and Smart Grid Data:** Honeypot-collected and real-world operational datasets for evaluating model generalizability [15](#).

Benchmarking Practices:

- Data splitting into training, validation, and test sets.
- Cross-validation to prevent overfitting and tune hyperparameters.
- Use of precision, recall, F1-score, AUC-ROC, and false positive rate as key metrics [25](#) [28](#).

Synthesis: Benchmarking on diverse datasets ensures model robustness and adaptability, but real-world deployment requires further validation on evolving and unlabeled data.

Performance Metrics and Results

Recent studies report:

- **Accuracy:** Often exceeding 95–99% on benchmark datasets [14](#) [15](#) [16](#).
- **F1-score:** High values (up to 0.99) for hybrid LSTM-CNN models on CICIDS2017 [1](#).
- **False Positive Rate:** Adaptive thresholding and semi-supervised approaches reduce false positives compared to unsupervised models [29](#) [30](#).
- **AUC-ROC:** State-of-the-art models achieve ROC AUC up to 0.98 on industrial datasets [28](#).

Synthesis: LSTM encoder models, especially in hybrid and adaptive configurations, deliver high detection accuracy and robustness, but balancing false positives and interpretability remains a challenge.

3. Architectural Innovations and Enhancements

Hybrid and Stacked Architectures

- **LSTM-CNN Hybrids:** Combine sequential and spatial feature extraction, improving detection in noisy and small datasets [19](#) [20](#) [28](#) [31](#).
- **Stacked LSTM Layers:** Enable faster learning of temporal behaviors and sparse representations, reducing false positives [31](#).
- **Dual-stage Autoencoders:** Trend-Enhanced LSTM Autoencoder (TE-LSTM AE) cascades two LSTM-AE models, capturing both fine-grained and long-term trends for slow-developing anomalies [28](#).

Synthesis: Architectural innovations focus on capturing complex temporal and spatial dependencies, improving sensitivity to subtle and evolving anomalies.

Attention Mechanisms and Explainability

- **Attention Integration:** Enhances temporal modeling, precision, and recall; facilitates anomaly localization [10](#) [16](#) [32](#).

- **Explainable AI (SHAP, LIME):** Provides feature-level explanations, increasing transparency and trust in LSTM-based anomaly detectors [10](#).

Synthesis: Attention and explainability are increasingly essential for operational deployment, enabling actionable insights and root cause analysis.

Adaptive Thresholding and Dynamic Error Selection

- **Extreme Value Theory (EVT):** Dynamic thresholding based on EVT reduces false positives and adapts to non-stationary data [4](#) [5](#) [6](#) [32](#).
- **Reinforcement Learning:** Self-adaptive frameworks provide stable and robust anomaly detection with minimal labeled data [4](#) [6](#).

Synthesis: Adaptive thresholding is critical for real-time detection, especially in evolving network environments where static thresholds fail.

4. Optimization Techniques for LSTM Encoder Models

Metaheuristic and Swarm Intelligence Algorithms

- **Willow Catkin Optimization (WCO):** Fine-tunes LSTM hyperparameters, improving accuracy in IoT networks [7](#).
- **Chimp-Chicken Swarm Optimization (ChCSO):** Enhances accuracy, sensitivity, and specificity; integrates CNN for feature extraction and SHAP for explainability [33](#).
- **Adaptive Sine-Cosine Algorithm (SCA-AL):** Optimizes BiLSTM-TCN models for real-time detection [34](#).
- **Particle Swarm Optimization (PSO), Salp Swarm Algorithm (SSA):** Applied to hybrid CNN-LSTM models, yielding high accuracy and robustness [9](#) [35](#).
- **L-SHADE:** Used for transformer-based models, improving classification performance on imbalanced datasets [36](#).

Synthesis: Metaheuristic optimization is a key driver of performance improvements, enabling efficient tuning of complex LSTM architectures.

Transfer Learning and Pretrained Weights

- **Transfer Learning:** Pretrained LSTM encoder weights improve detection accuracy, generalization, and training efficiency across diverse datasets [37](#) [38](#) [39](#) [40](#) [41](#).
- **Fine-tuning Strategies:** Freezing early layers and retraining final layers balances training overhead and accuracy [39](#).
- **Domain Adaptation:** Enhances adaptability to varying environmental setups and speeds [38](#) [41](#).

Synthesis: Transfer learning is increasingly adopted for operational efficiency and cross-domain generalization, but optimal results depend on careful fine-tuning and domain similarity.

5. Comparative Analysis with Other Deep Learning Approaches

LSTM vs. Transformer Models

- **Short-term Dependencies:** LSTM models excel in scenarios with short input windows and smaller datasets, offering higher accuracy and computational efficiency [11](#) [42](#) [43](#).
- **Long-range Dependencies:** Transformer models outperform LSTM in handling longer sequences and large-scale data, with faster training and inference [13](#) [44](#).

- **Hybrid Models:** Combining LSTM and Transformer architectures leverages strengths of both, improving classification accuracy and computational efficiency [3](#) [45](#).

Synthesis: The choice between LSTM and Transformer models depends on data characteristics; hybrid solutions are emerging as a promising direction.

Hybrid Architectures and Ensemble Models

- **LSTM-Transformer, CNN-LSTM Hybrids:** Capture spatial, temporal, and long-range dependencies, achieving near-perfect accuracy and F1-scores on benchmark datasets [3](#) [46](#) [47](#) [48](#) [49](#).
- **Ensemble Frameworks:** Combine multiple models for robust detection and reduced false positives [3](#) [50](#).

Synthesis: Hybrid and ensemble models offer superior performance but increase complexity and computational demands.

Feature Reduction and Interpretability Challenges

- **Feature Reduction:** Explicit, efficient methods tailored for LSTM-based anomaly detection are underexplored; most rely on autoencoder-based dimensionality reduction [10](#) [51](#).
- **Interpretability:** Explainable AI methods (SHAP, LIME) address transparency challenges, but further development is needed for operational trust [10](#).

Synthesis: Addressing feature reduction and interpretability is essential for practical deployment and user trust.

6. Research Gaps and Future Directions

Challenges in Real-Time Detection and False Positive Reduction

- **Adaptive Thresholding:** Ongoing difficulties in achieving real-time detection with low false positive rates, especially in evolving network environments [4](#) [6](#) [45](#) [51](#).
- **Operational Scalability:** Need for scalable frameworks that balance accuracy, efficiency, and adaptability.

Synthesis: Real-time, adaptive, and scalable solutions are critical for practical network anomaly detection.

Improving Model Interpretability and Trust

- **Explainable AI Integration:** More transparent and interpretable LSTM models are needed, with emphasis on feature attribution and actionable insights [10](#).
- **User Trust:** Enhancing operational trust through explainability is a key research priority.

Synthesis: Interpretability is central to user adoption and operational deployment.

Adaptive and Hybrid Model Development

- **Closed-loop Architectures:** Combining adaptive thresholding, self-explaining mechanisms, and real-time feedback can further reduce false alarms and enhance system adaptability.
- **Metaheuristic Optimization:** Continued exploration of advanced optimization techniques for balancing accuracy and computational efficiency [3](#) [5](#) [9](#) [52](#).

Synthesis: Future research should focus on adaptive, hybrid, and explainable frameworks for robust, efficient, and trustworthy anomaly detection.

Conclusion

Recent advances in anomaly detection on computer networks using LSTM encoder models have been driven by hybrid architectures, adaptive thresholding, and metaheuristic optimization. These innovations have significantly improved detection accuracy, robustness, and operational efficiency across diverse datasets. Integration of explainable AI techniques is addressing the interpretability challenge, while comparative analyses with Transformer models highlight the importance of hybrid solutions.

Despite these advances, research gaps remain in feature reduction, real-time adaptability, and model transparency. Future directions should prioritize closed-loop adaptive frameworks, explicit feature reduction methods, and scalable, explainable architectures for practical deployment in evolving network environments.

References

1. A Hybrid LSTM-Autoencoder Based Approach for Network Anomaly Detection System in IoT Environments Touileb, L., Zekri, K., Bradai, A., (...), Point, J.C. 2024 IEEE International Mediterranean Conference on Communications and Networking, MeditCom 2024, 2024 <https://www.scopus.com/pages/publications/85202346685?origin=scopusAI>
2. Network Intrusion Detection System based on Separable Convolution AutoEncoder with Long Short-Term Memory Zhang, F. 2nd IEEE International Conference on Integrated Intelligence and Communication Systems, ICIICS 2024, 2024 <https://www.scopus.com/pages/publications/85218211505?origin=scopusAI>
3. Real-Time Network Traffic Anomaly Detection with a Multi-Task Learning-Based Hybrid LSTM-Transformer Model Chen, W., Lu, J., Ouyang, H., Jiang, H. Proceedings - 2025 IEEE Cyber Science and Technology Congress, CyberSciTech 2025, 2025 <https://www.scopus.com/pages/publications/105032624522?origin=scopusAI>
4. Agent-based dynamic thresholding for adaptive anomaly detection using reinforcement learning Yang, X., Howley, E., Schukat, M. Neural Computing and Applications, 2025 <https://www.scopus.com/pages/publications/85211492853?origin=scopusAI>
5. Adaptive Anomaly Detection in Industrial Systems: An EVT-DTS Approach with LSTM Autoencoders Yu, B., Xu, J., Xiang, G., (...), Yu, Y. Conference Record - IEEE Instrumentation and Measurement Technology Conference, 2024 <https://www.scopus.com/pages/publications/85197742718?origin=scopusAI>
6. Mask Inflation Encoder and Quasi-Dynamic Thresholding Outlier Detection in Cellular Networks Mfondoum, R.N., Gotseva, N., Vlahov, A., (...), Manolova, A. Telecom, 2025 <https://www.scopus.com/pages/publications/105025723010?origin=scopusAI>
7. Anomaly Detection in Network Traffic Using LSTM with Attention Mechanism and Willow Catkin Optimization Verma, S., Prabakeran, S. Proceedings of the 9th International Conference on Communication and Electronics Systems, ICCES 2024, 2024 <https://www.scopus.com/pages/publications/85218414913?origin=scopusAI>
8. An Deep Ensemble Learning Model with Metaheuristic Hyperparameter Optimization for Smart Grid Intrusion Detection Luo, T., Wei, J., Zhu, X., (...), Zhou, J. Journal of Network and Systems Management, 2026 <https://www.scopus.com/pages/publications/105030414210?origin=scopusAI>
9. Comparative Evaluation of Metaheuristic Algorithms for Hyperparameter Selection in Short-Term Weather Forecasting Sen, A., Mazumder, A.R., Dutta, D., (...), Dhar, S. International Joint Conference on Computational Intelligence, 2023 <https://www.scopus.com/pages/publications/85188253297?origin=scopusAI>
10. Explanatory LSTM-AE-Based Anomaly Detection for Time Series Data in Marine Transportation Wang, Z., Kasongo Dahouda, M., Hwang, H., Joe, I. IEEE Access, 2025 <https://www.scopus.com/pages/publications/85216846919?origin=scopusAI>
11. Transformer Models for Long-Term Stock Price Forecasting and LSTM Models for Short-Term Prediction Hanh, V.T.X., Huan, V.M., Ngoc, N.V.P., (...), Toai, T.K. Proceedings - 2025 19th International Conference on Advanced Computing and Analytics, ACOMP 2025, 2025 <https://www.scopus.com/pages/publications/105034209638?origin=scopusAI>
12. A Hybrid LSTM-Transformer Model for Anomaly Detection: Unraveling Hidden Patterns in Complex Data Wei, M., Wei, Z., Chen, W., (...), Qi, Y. Proceedings of 2025 2nd International Conference on Image Processing, Intelligent Control and Computer Engineering, IPICE 2025, 2025 <https://www.scopus.com/pages/publications/105026273265?origin=scopusAI>
13. Are Transformers Effective for Time Series Anomaly Detection? A Case Study in Building Energy Management Gu, Y., Wang, X., Jazizadeh, F. Computing in Civil Engineering 2024: Artificial Intelligence, Automation and Robotics, and Human-Centered Innovations - Selected papers from the ASCE International Conference on Computing in Civil Engineering 2024, 2024 <https://www.scopus.com/pages/publications/105025040431?origin=scopusAI>
14. A long short-term memory based approach for detecting cyber attacks in IoT using CIC-IoT2023 dataset Jony, A.I., Arnob, A.K.B. Journal of Edge Computing, 2024 <https://www.scopus.com/pages/publications/105005707472?origin=scopusAI>

15. Fine-tuned LSTM-Based Model for Efficient Honeypot-Based Network Intrusion Detection System in Smart Grid Networks Albaseer, A., Abdallah, M. 2022 5th International Conference on Communications, Signal Processing, and their Applications, ICCSPA 2022, 2022 <https://www.scopus.com/pages/publications/85147540074?origin=scopusAI>
16. Irregular Event Classification in Surveillance Videos Using an Auto-Encoder Deep Learning Framework Berwal, K., Rathore, S., Dahiya, S., (...), Kumar, K. IETE Journal of Research, 2024 <https://www.scopus.com/pages/publications/85195495372?origin=scopusAI>
17. Detection of DoS and DDoS Attacks Using LSTM in Computer Networks: A Systematic Literature Review Godinez, A.E., Garza Rivera, J.L., Varela, D.T. Proceedings - 2025 IEEE Latin American School on Computational Intelligence and Robotics, SAIBOT 2025, 2025 <https://www.scopus.com/pages/publications/105033528083?origin=scopusAI>
18. LSTM-Based Anomaly Detection in Real-Time Financial Transaction Logs and Network Ahmed, M.A., Jabbar, T.A., Malik, R.Q., (...), Younus, Y.M. ICCR 2025 - 3rd International Conference on Cyber Resilience, 2025 <https://www.scopus.com/pages/publications/105031610937?origin=scopusAI>
19. Abnormal Event Detection in Videos using LSTM Convolutional Autoencoder Berroukham, A., Housni, K., Lahraichi, M. 2024 International Conference on Intelligent Systems and Computer Vision, ISCV 2024, 2024 <https://www.scopus.com/pages/publications/85202351037?origin=scopusAI>
20. Data Securing Using LSTM-CNN Model Deepika, R., Lithika, M., Meenakshi, V., Swetha, S. 2023 Intelligent Computing and Control for Engineering and Business Systems, ICCEBS 2023, 2023 <https://www.scopus.com/pages/publications/85189157588?origin=scopusAI>
21. quantile-Long Short Term Memory: A Robust, Time Series Anomaly Detection Method Saha, S., Sarkar, J., Dhavala, S.S., (...), Sarkar, S. IEEE Transactions on Artificial Intelligence, 2024 <https://www.scopus.com/pages/publications/85182922703?origin=scopusAI>
22. Multivariate Time Series Anomaly Detection Using Working Memory Connections in Bi-Directional Long Short-Term Memory Autoencoder Network Ding, X., Wang, J., Liu, Y., Jung, U. Applied Sciences (Switzerland), 2025 <https://www.scopus.com/pages/publications/86000546267?origin=scopusAI>
23. Comprehensive Analysis and Improved Techniques for Anomaly Detection in Time Series Data with Autoencoder Models Erniyazov, S., Kim, Y.-M., Jaleel, M.A., Lim, C.G. International Journal on Advanced Science, Engineering and Information Technology, 2024 <https://www.scopus.com/pages/publications/85214289728?origin=scopusAI>
24. Optimizing a Deep Learning Model to Develop a Threshold based Framework for Threat Detection Ramineni, V., Kuppuswamy, P., Sudula, L., (...), Gudar, R.R. Proceedings of International Conference on Modern Sustainable Systems, CMSS 2025, 2025 <https://www.scopus.com/pages/publications/105022012151?origin=scopusAI>
25. Anomaly detection in multivariate time series of drilling data Altindal, M.C., Nivlet, P., Tabib, M., (...), Khosravanian, R. Geoenery Science and Engineering, 2024 <https://www.scopus.com/pages/publications/85189752839?origin=scopusAI>
26. Securing Critical Infrastructure: A Robust DNP3 Intrusion Detection System Employing Recurrent Neural Networks Sakib, M.N., Hossain, A., Ullah, A., (...), Nahar, S. 2024 IEEE Conference on Computing Applications and Systems, COMPAS 2024, 2024 <https://www.scopus.com/pages/publications/85215515810?origin=scopusAI>
27. Sleep Apnea Detection from Single-Lead ECG: A Comprehensive Analysis of Machine Learning and Deep Learning Algorithms Bahrami, M., Forouzanfar, M. IEEE Transactions on Instrumentation and Measurement, 2022 <https://www.scopus.com/pages/publications/85124840433?origin=scopusAI>
28. TE-LSTM-AE: Leveraging Latent Space Trends for Slow and Fast Anomaly Detection in Industrial Control Systems Abdullahi, B., Vadera, S. 2025 6th International Conference on Computer Vision and Data Mining, ICCVDM 2025, 2025 <https://www.scopus.com/pages/publications/105031566290?origin=scopusAI>
29. Semi-supervised Deep Learning for Network Anomaly Detection Sun, Y., Guo, L., Li, Y., (...), Wang, Y. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2020 <https://www.scopus.com/pages/publications/85082101501?origin=scopusAI>
30. Anomaly Detection using a Semi-Supervised Deep Learning Model on Open 5G Core Metrics during User-Equipment Registration Gopikrishnan, A., Prakash, A., Hein, C., (...), Magedanz, T. 2023 IEEE Conference on Standards for Communications and Networking, CSCN 2023, 2023 <https://www.scopus.com/pages/publications/85187778639?origin=scopusAI>
31. Long short-term memory based operation log anomaly detection Vinayakumar, R., Soman, K.P., Poornachandran, P. 2017 International Conference on Advances in Computing, Communications and Informatics, ICACCI 2017, 2017 <https://www.scopus.com/pages/publications/85042740048?origin=scopusAI>
32. LSTM-AU: Dynamic Thresholding and Explainable Autoencoding for Cyber Defense Gwass, O.A.H., Al-Khayyat, A.T.K., Ucan, O.N. ISMSIT 2025 - 9th International Symposium on Multidisciplinary Studies and Innovative Technologies, Proceedings, 2025 <https://www.scopus.com/pages/publications/105031081857?origin=scopusAI>

33. Hybrid Optimization and LSTM-Based Explainable Framework for Adaptive Intrusion Detection Raghu, G., Alattabi, Q., John, Y.M.M., (...), Kumar, S.S. 3rd IEEE International Conference on Networks, Multimedia and Information Technology, NMITCON 2025, 2025 <https://www.scopus.com/pages/publications/105020821323?origin=scopusAI>
34. High-performance intrusion detection using hybrid BiLSTM–TCN model with adaptive sine–cosine algorithm for hyperparameter optimization Alsuwat, E., Alsuwat, H. Journal of Supercomputing, 2025 <https://www.scopus.com/pages/publications/105020374085?origin=scopusAI>
35. Network intrusion detection system using a hybrid deep learning model with swarm intelligence-based hyperparameter optimization Karahan, O., Ataşlar-Ayyıldız, B., Ayyıldız, P. Journal of Supercomputing, 2025 <https://www.scopus.com/pages/publications/105016624176?origin=scopusAI>
36. A Novel Intrusion Detection Method for Imbalanced Datasets Li, Q., Fu, Y., Cao, Z., (...), Zhang, Q. Human-centric Computing and Information Sciences, 2025 <https://www.scopus.com/pages/publications/105003641488?origin=scopusAI>
37. Optimising Intrusion Detection Through Long Short-Term Memory Model Tharun, A., Kondapalli, A.S., Prabakeran, S. 2024 International Conference on Advances in Modern Age Technologies for Health and Engineering Science, AMATHE 2024, 2024 <https://www.scopus.com/pages/publications/85199426042?origin=scopusAI>
38. Transfer learning in LSTM autoencoders for rail anomaly detection across diverse operational conditions Yang, C., Kaynardag, K., Sohn, J., Salamone, S. Journal of Intelligent Material Systems and Structures, 2025 <https://www.scopus.com/pages/publications/105022208340?origin=scopusAI>
39. EFFECT OF TRANSFERRING PRE-TRAINED WEIGHTS ON A SIAMESE CHANGE DETECTION NETWORK Aghdami-Nia, M., Shah-Hosseini, R., Salmani, M. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 2023 <https://www.scopus.com/pages/publications/85146931040?origin=scopusAI>
40. Myocardial Infarction Identification in Electrocardiogram Signals Using Long Short Term Memory Transfer Learning (LSTM-TL) Rahmanto, N., Mandala, S. ICADEIS 2025 - 2025 International Conference on Advancement in Data Science, E-learning and Information System: Integrating Data Science and Information System, Proceeding, 2025 <https://www.scopus.com/pages/publications/105002280928?origin=scopusAI>
41. Transfer learning for plant disease detection model based on low-altitude UAV remote sensing Huang, Z., Bai, X., Gouda, M., (...), Feng, X. Precision Agriculture, 2025 <https://www.scopus.com/pages/publications/85212776536?origin=scopusAI>
42. Anomaly Detection Using LSTM in IP Networks Qin, G., Chen, Y., Lin, Y.-X. Proceedings - 2018 6th International Conference on Advanced Cloud and Big Data, CBD 2018, 2018 <https://www.scopus.com/pages/publications/85058389983?origin=scopusAI>
43. A Comparative Study of LSTM Efficiency vs. Transformer Power for Localized Time Series Forecasting Sarkar, T., Chu, C.-H.H. Annals of Computer Science and Intelligence Systems, 2025 <https://www.scopus.com/pages/publications/105022281373?origin=scopusAI>
44. Incorporate Transformer-Based Models for Anomaly Detection Dewi, D.A., Singh, H.K.R., Periasamy, J., (...), Nathan, Y. Journal of Applied Data Sciences, 2025 <https://www.scopus.com/pages/publications/105012376683?origin=scopusAI>
45. AI-Driven Network Forensics Using Hybrid Anomaly Detection with Enhanced Transformer Based ISO-Encoder and LSTM-CNN Fusion Abisha, B., Kumari, V.S., Wilfred Blessing, N.R., (...), Wasim Haidar, S.K. International Conference for Artificial Intelligence: Applications, Innovation and Ethics, AI2E 2025, 2025 <https://www.scopus.com/pages/publications/105008417303?origin=scopusAI>
46. Deep Learning-Based Intrusion Detection: A CNN-LSTM-Transformer Approach for Enhanced Network Security Liu, D., Zheng, X., Wang, P., (...), Jiao, W. Proceedings of 10th International Conference on Cyber Security and Information Engineering, ICCSIE 2025, 2025 <https://www.scopus.com/pages/publications/105021002415?origin=scopusAI>
47. CLAM: A CNN-LSTM Attention-based Model for Network Anomaly Detection System Ren, K., Liu, L., Bai, H., (...), Zeng, J. Proceedings of 2025 IEEE International Conference on Unmanned Systems, ICUS 2025, 2025 <https://www.scopus.com/pages/publications/105031905257?origin=scopusAI>
48. Securing Networks with Convolutional Long Short-term Memory Based Traffic Prediction and Attention Mechanism for Intrusion Detection Tiwari, A., Kumar, D. International Journal of Engineering, Transactions B: Applications, 2025 <https://www.scopus.com/pages/publications/105002701879?origin=scopusAI>
49. IFLV: Wireless network intrusion detection model integrating FCN, LSTM, and ViT Zeng, W., Han, D., Cui, M., (...), Zhou, H. Proceedings - 2023 IEEE 10th International Conference on Cyber Security and Cloud Computing and 2023 IEEE 9th International Conference on Edge Computing and Scalable Cloud, CSCloud-EdgeCom 2023, 2023 <https://www.scopus.com/pages/publications/85168248164?origin=scopusAI>
50. Network Intrusion Detection System Based on Information Gain with Deep Bidirectional Long Short-Term Memory Valavan, W.T., Joseph, N., Srikanth, G.U. International Journal of Intelligent Engineering and Systems, 2024 <https://www.scopus.com/pages/publications/85199690032?origin=scopusAI>

51. LSTM-AE for Anomaly Detection on Multivariate Telemetry Data Abdennebi, A., Tuncay, A., Yilmaz, C., (...), Gungor, O. Proceedings - 2023 IEEE/ACIS 21st International Conference on Software Engineering Research, Management and Applications, SERA 2023, 2023 <https://www.scopus.com/pages/publications/85168757562?origin=scopusAI>
52. A hybrid ensemble framework with particle swarm optimization for network anomaly detection Verma, N., Kumar, N., Kumar, G., Singh, K. Discover Applied Sciences, 2025 <https://www.scopus.com/pages/publications/105013160514?origin=scopusAI>