Overview statistical tests

Analysis	Question	paired/unpaired	Uni-/bi-/multivariate	DV	IV	Type DV	Type IV	CV	Typ KV	parametric/non parametric	Method
one-sample Test	Compare grouop with hypothetical value		Univariate	1	0	dichotomic		0		np	Binomial test
										np	Chi-squared "Goodness of fit" Test
										np	Wilcoxon signed-rank test (Wilcoxon T)
										p	one-sample t-test
Test for significant differences of the mean	Comparison of two unpaired groups	unpaired	Univariate	1	1	nominal +	dichotomic	0		np	Chi-squared test of Independency
						nominal +				np	Fischer's exact Test
						ordinal +				np	Wilcoxon Mann-Whitney U Test (Rangsummen Test)
						interval				p	unpaired sample t-Test
	Comparison of thre or more unpaired groups	unpaired	Univariate	1	1	Nominal +	nominal +	0		np	Chi-squared test of Independency
						ordinal +				np	Kruskal-Wallis H-Test
						interval				p	ANOVA 1
					>1	interval				p	Factorial ANOVA
	Comparison of two paired groups	paired/unpaired	Univariate	1	1	dichotomic	dichotomic	0		np	McNemar Test
						ordinal +				np	Sign test
						ordinal +				np	Wilcoxon signed-rank test (Wilcoxon T)
						interval				p	paired sample t-test
	Comparison of thre or more paired groups	paired	Univariate	1	1	dichotomic	nominal +	0		np	Cochran's Q-Test
						ordinal +				np	Friedmann ANOVA 2
						interval				p	ANOVA 1 with repeated measurements
					>1	interval				p	factorial ANOVA with repeated measurements
Determine correlation	Quantifictaion of the association strength of two 2 variables		Bivariate	2	0	ordinal +		0		np	Kendall rank correlation
						ordinal +				np	Spearman rang correlation
						interval				p	Pearson correlation
						interval		1+	Intervall	p	Partial correlation

DP dependent variable **IV** independent variable **CV** control variable

p parametric + means this or a higher scaling can be used

np non-parametric

Dr. Steven R. Talbot[2020], https://talbotsr.com