

Company: Infosys

Role: Systems Engineer

Round: SQL Logical Assessment

Question 1

Create table **Employee**:

- id INT
- name VARCHAR(50)
- salary DECIMAL(10,2)
- department VARCHAR(30)

Insert 4 records where two employees have the same name but different salaries.

Write a query to increase salary by 5000 only for one specific employee without using constraints.

Question 2

After inserting 5 rows into **Employee**, execute:

```
UPDATE Employee SET salary = 75000;
```

Explain what will happen and how to prevent unintended updates in production systems.

Company: Tata Consultancy Services

Role: Assistant System Engineer

Round: SQL Scenario Round

Question 3

Create table **Orders**:

- order_id INT
- customer_name VARCHAR(50)
- amount DECIMAL(8,2)

Insert 5 records where two customers share the same name.

Write a query to delete only one specific order of that customer.

Question 4

Insert multiple rows into **Orders**.

Delete records where amount > 2000.

Undo the deletion using transaction control.

Write all required SQL statements.

Company: Wipro

Role: Project Engineer

Round: Debugging SQL

Question 5

Create table **Students**:

- roll_no INT

- name VARCHAR(50)
- marks INT

Insert 5 records including duplicate names.

Write a query to update marks of only one student where name is duplicated.

Question 6

Drop a column from **Students**.

Attempt to restore it using transaction control.

Write the SQL statements and explain the expected behaviour.

Company: Accenture

Role: Associate Software Engineer

Round: Multi-Step Execution

Question 7

Create table **Payroll**:

- emp_id INT
- emp_name VARCHAR(50)
- basic_salary DECIMAL(10,2)
- bonus DECIMAL(10,2)

Insert 3 records.

Perform the following in order:

1. Update bonus for emp_id = 1
2. Delete emp_id = 2
3. Rename table to **Employee_Payroll**
4. Rollback the transaction

Write the SQL statements and determine final table state.

Company: Cognizant

Role: Programmer Analyst
Round: Production Safety Test

Question 8

Create table **Users**:

- user_id INT
- username VARCHAR(50)
- salary DECIMAL(8,2)

Insert duplicate usernames.

Write a query to update salary of only one user where username is same for multiple rows.

Question 9

Delete a record that does not exist in the table.

Write the SQL statement.

Explain expected affected rows behaviour.

Company: Amazon

Role: SDE Intern

Round: Edge Case SQL

Question 10

Create table **Transactions**:

- txn_id INT
- account_no VARCHAR(20)
- amount DECIMAL(10,2)

Insert 4 records.

Increase amount by 10% only for transactions below 1000.

Then accidentally update all rows. Write SQL statements to correct the mistake using transaction control.