

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8"/>
<meta name="viewport" content="width=device-width,initial-scale=1.0"/>
<title>Hostel HMS – Room Allocation System</title>
<link
href="https://fonts.googleapis.com/css2?family=Nunito:wght@400;500;600;700;800;900&family
=DM+Serif+Display:ital@0;1&display=swap" rel="stylesheet"/>
<style>
*{box-sizing:border-box;margin:0;padding:0;}
:root{
--lav1:#faf5ff;--lav2:#f3e8ff;--lav3:#e9d5ff;--lav4:#d8b4fe;
--lav5:#c084fc;--lav6:#a855f7;--lav7:#9333ea;--lav8:#7e22ce;
--dark:#3b0764;--mid:#5b21b6;--soft:#7c3aed;--pale:#a78bfa;
--glass:rgba(255,255,255,0.72);--gborder:rgba(168,85,247,0.2);
--shadow:0 8px 32px rgba(139,92,246,0.13);--sw:260px;
}
body{font-family:'Nunito',sans-serif;background:var(--lav1);}
.app{min-height:100vh;background:linear-gradient(135deg,#faf5ff 0%,#f0e6ff 40%,#ede9fe
100%);position:relative;}
.app::before{content:"";position:fixed;width:600px;height:600px;background:radial-gradient(circle,
rgba(168,85,247,.15) 0%,transparent
70%);top:-200px;right:-200px;pointer-events:none;z-index:0;}
.app::after{content:"";position:fixed;width:400px;height:400px;background:radial-gradient(circle,rg
ba(139,92,246,.1) 0%,transparent
70%);bottom:-100px;left:-100px;pointer-events:none;z-index:0;}

/* AUTH */
.auth-wrap{min-height:100vh;display:flex;align-items:center;justify-content:center;background:lin
ear-gradient(135deg,#faf5ff,#ede9fe,#ddd6fe);padding:20px;position:relative;}
.auth-wrap::before{content:"";position:absolute;inset:0;background:url("data:image/svg+xml,%3C
svg width='60' height='60' viewBox='0 0 60 60' xmlns='http://www.w3.org/2000/svg'%3E%3Cg
fill='%239333ea' fill-opacity='0.04'%3E%3Ccircle cx='30' cy='30'
r='4'%3E%3C/g%3E%3C/svg%3E");}
.auth-card{background:rgba(255,255,255,.88);backdrop-filter:blur(20px);border:1px solid
rgba(168,85,247,.25);border-radius:28px;padding:48px
40px;width:100%;max-width:440px;box-shadow:0 24px 64px
rgba(139,92,246,.18);position:relative;z-index:1;animation:fadeUp .5s ease;}
.auth-logo{width:64px;height:64px;background:linear-gradient(135deg,#a855f7,#7c3aed);border
-radius:20px;display:flex;align-items:center;justify-content:center;margin:0 auto
20px;box-shadow:0 8px 24px rgba(124,58,237,.35);font-size:28px;}
.auth-title{font-family:'DM Serif
Display',serif;font-size:28px;color:#4c1d95;text-align:center;margin-bottom:6px;}

```

```

.auth-sub{font-size:14px;color:#7c3aed;text-align:center;margin-bottom:28px;font-weight:600;}
.role-tabs{display:flex;gap:8px;margin-bottom:22px;background:rgba(168,85,247,.08);border-radius:14px;padding:4px;}
.role-tab{flex:1;padding:10px;border-radius:10px;border:none;cursor:pointer;font-family:'Nunito', sans-serif;font-weight:700;font-size:14px;transition:all .2s;background:transparent;color:#7c3aed;}
.role-tab.active{background:#fff;color:#6d28d9;box-shadow:0 2px 8px rgba(109,40,217,.15);}
.form-group{margin-bottom:15px;}
.form-label{display:block;font-size:13px;font-weight:700;color:#5b21b6;margin-bottom:6px;}
.form-input{width:100%;padding:12px 16px;background:rgba(255,255,255,.7);border:1.5px solid rgba(168,85,247,.25);border-radius:12px;font-family:'Nunito', sans-serif;font-size:14px;color:#3b0764;outline:none;transition:all .2s;}
.form-input:focus{border-color:#a855f7;box-shadow:0 0 0 3px rgba(168,85,247,.12);background:#fff;}
.form-input::placeholder{color:#c4b5fd;}
.form-input.disabled{opacity:.6;cursor:not-allowed;}
.btn-primary{width:100%;padding:13px;background:linear-gradient(135deg,#a855f7,#7c3aed);border:none;border-radius:12px;color:#fff;font-family:'Nunito', sans-serif;font-weight:800;font-size:15px;cursor:pointer;transition:all .2s;box-shadow:0 4px 16px rgba(124,58,237,.3);}
.btn-primary:hover{transform:translateY(-1px);box-shadow:0 8px 24px rgba(124,58,237,.4);}
.auth-switch{text-align:center;margin-top:18px;font-size:13px;color:#7c3aed;}
.auth-switch span{font-weight:800;cursor:pointer;color:#6d28d9;text-decoration:underline;}
.auth-links{display:flex;justify-content:space-between;align-items:center;gap:12px;margin-top:14px;font-size:13px;color:#7c3aed;flex-wrap:wrap;}
.auth-links span{font-weight:800;cursor:pointer;color:#6d28d9;text-decoration:underline;}
.error-msg{background:rgba(239,68,68,.1);border:1px solid rgba(239,68,68,.3);border-radius:10px;padding:10px 14px;color:#dc2626;font-size:13px;margin-bottom:14px;}
.success-msg{background:rgba(34,197,94,.1);border:1px solid rgba(34,197,94,.3);border-radius:10px;padding:10px 14px;color:#15803d;font-size:13px;margin-bottom:14px;}
.grid2{display:grid;grid-template-columns:1fr 1fr;gap:12px;}
.grid3{display:grid;grid-template-columns:1fr 1fr 1fr;gap:12px;}
.mini-grid{display:grid;grid-template-columns:repeat(4,1fr);gap:12px;margin-bottom:18px;}
.insight-card{padding:18px;border-radius:18px;background:linear-gradient(135deg,rgba(255,255,255,.86),rgba(255,255,255,.62));border:1px solid rgba(168,85,247,.18);box-shadow:0 6px 22px rgba(139,92,246,.08);}
.insight-label{font-size:11px;color:#8b5cf6;font-weight:900;letter-spacing:.8px;text-transform:uppercase;}
.insight-value{font-family:'DM Serif Display', serif;font-size:28px;color:#3b0764;line-height:1.05;margin-top:6px;}
.insight-note{font-size:12px;color:#8b5cf6;font-weight:700;margin-top:5px;}
.health-card{display:grid;grid-template-columns:140px 1fr;gap:18px;align-items:center;padding:22px;}

```

```

.health-ring{width:118px;height:118px;border-radius:50%;display:grid;place-items:center;background:conic-gradient(#22c55e calc(var(--score)*1%),rgba(168,85,247,.12) 0);position:relative;}
.health-ring::after{content:"";position:absolute;inset:13px;border-radius:50%;background:#fff;}
.health-ring span{position:relative;z-index:1;font-family:'DM Serif Display',serif;font-size:30px;color:#3b0764;}
.bar-row{display:grid;grid-template-columns:92px 1fr 48px;gap:10px;align-items:center;margin-bottom:12px;}
.bar-label{font-size:12px;font-weight:900;color:#4c1d95;overflow:hidden;text-overflow:ellipsis;white-space:nowrap;}
.bar-track{height:10px;border-radius:20px;background:rgba(168,85,247,.12);overflow:hidden;}
.bar-fill{height:100%;border-radius:20px;background:linear-gradient(90deg,#14b8a6,#8b5cf6);}
.bar-num{font-size:12px;font-weight:900;color:#7c3aed;text-align:right;}
.recommend-grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(210px,1fr));gap:12px;}
.recommend-card{padding:16px;border-radius:16px;background:rgba(255,255,255,.76);border:1px solid rgba(168,85,247,.16);}
.metric-pill{display:inline-flex;align-items:center;gap:5px;border-radius:999px;padding:5px 10px;background:rgba(124,58,237,.08);color:#6d28d9;font-size:12px;font-weight:900;}

/* LAYOUT */
.layout{display:flex;min-height:100vh;position:relative;z-index:1;}
.sidebar{width:var(--sw);min-height:100vh;background:rgba(255,255,255,.78);backdrop-filter:blur(20px);border-right:1px solid rgba(168,85,247,.15);display:flex;flex-direction:column;padding:24px 0;position:fixed;left:0;top:0;bottom:0;box-shadow:4px 0 24px rgba(139,92,246,.07);z-index:100;}
.sidebar-logo{padding:0 20px 22px;border-bottom:1px solid rgba(168,85,247,.12);margin-bottom:14px;}
.logo-inner{display:flex;align-items:center;gap:12px;}
.logo-icon{width:44px;height:44px;background:linear-gradient(135deg,#a855f7,#7c3aed);border-radius:14px;display:flex;align-items:center;justify-content:center;box-shadow:0 4px 12px rgba(124,58,237,.3);font-size:20px;}
.logo-text{font-family:'DM Serif Display',serif;font-size:18px;color:#4c1d95;line-height:1.1;}
.logo-sub{font-size:11px;color:#a78bfa;font-weight:700;letter-spacing:.5px;}
.nav-section{padding:0 12px;margin-bottom:6px;}
.nav-label{font-size:10px;font-weight:800;color:#c4b5fd;letter-spacing:1.2px;text-transform:uppercase;padding:0 8px;margin-bottom:4px;}
.nav-item{display:flex;align-items:center;gap:12px;padding:11px 12px;border-radius:12px;cursor:pointer;transition:all 2s;color:#7c3aed;font-weight:700;font-size:14px;margin-bottom:2px;position:relative;}
.nav-item:hover{background:rgba(168,85,247,.08);color:#6d28d9;}
.nav-item.active{background:linear-gradient(135deg,rgba(168,85,247,.18),rgba(124,58,237,.12));color:#6d28d9;}
.nav-dot{width:6px;height:6px;background:#a855f7;border-radius:50%;margin-left:auto;box-shadow:0 0 6px rgba(168,85,247,.6);}

```

```

.sidebar-user{margin-top:auto;padding:16px 20px;border-top:1px solid rgba(168,85,247,.12);}
.user-chip{display:flex;align-items:center;gap:10px;padding:10px 12px;border-radius:12px;background:rgba(168,85,247,.06);cursor:pointer;transition:background .2s;}
.user-chip:hover{background:rgba(168,85,247,.12);}
.avatar{width:36px;height:36px;border-radius:10px;background:linear-gradient(135deg,#c084fc,#a855f7);display:flex;align-items:center;justify-content:center;font-weight:800;font-size:13px;color:#fff;flex-shrink:0;}
.avatar.lg{width:60px;height:60px;border-radius:18px;font-size:22px;}
.user-name{font-weight:800;font-size:13px;color:#4c1d95;overflow:hidden;text-overflow:ellipsis;white-space:nowrap;}
.user-role{font-size:11px;color:#a78bfa;font-weight:600;}
.logout-btn{display:flex;align-items:center;gap:12px;padding:10px 12px;border-radius:12px;cursor:pointer;color:#ef4444;font-weight:700;font-size:14px;margin-top:6px;transition:all .2s;}
.logout-btn:hover{background:rgba(239,68,68,.08);}

```

/* MAIN */

```

.main{margin-left:var(--sw);flex:1;padding:28px;min-height:100vh;}
.topbar{display:flex;align-items:center;justify-content:space-between;margin-bottom:26px;flex-wrap:wrap;gap:12px;}
.page-title{font-family:'DM Serif Display',serif;font-size:28px;color:#4c1d95;}
.page-sub{font-size:14px;color:#a78bfa;margin-top:2px;font-weight:600;}
.topbar-right{display:flex;align-items:center;gap:12px;}
.icon-btn{width:40px;height:40px;border-radius:12px;background:rgba(255,255,255,.7);border:1px solid rgba(168,85,247,.2);display:flex;align-items:center;justify-content:center;cursor:pointer;transition:all .2s;color:#7c3aed;font-size:18px;}
.icon-btn:hover{background:#fff;box-shadow:0 4px 12px rgba(124,58,237,.12);}

```

/* GLASS CARD */

```

.card{background:rgba(255,255,255,.72);backdrop-filter:blur(12px);border:1px solid rgba(168,85,247,.18);border-radius:20px;box-shadow:0 4px 24px rgba(139,92,246,.08);transition:all .25s;animation:pop .3s ease;}
.card:hover{box-shadow:0 8px 32px rgba(139,92,246,.14);}

```

/* STATS */

```

.stats-grid{display:grid;grid-template-columns:repeat(4,1fr);gap:16px;margin-bottom:22px;}
.stat-card{padding:20px 22px;display:flex;align-items:center;gap:16px;}
.stat-icon{width:52px;height:52px;border-radius:16px;display:flex;align-items:center;justify-content:center;flex-shrink:0;font-size:22px;}
.stat-val{font-family:'DM Serif Display',serif;font-size:28px;color:#3b0764;line-height:1;}
.stat-lbl{font-size:13px;color:#7c3aed;font-weight:700;margin-top:3px;}
.stat-chg{font-size:11px;color:#a78bfa;margin-top:3px;}

```

/* SECTION HEADER */

.sec-head{display:flex;align-items:center;justify-content:space-between;padding:18px 22px;border-bottom:1px solid rgba(168,85,247,.1);flex-wrap:wrap;gap:8px;}

.sec-title{font-weight:800;font-size:16px;color:#4c1d95;}

.sec-sub{font-size:12px;color:#a78bfa;margin-top:2px;}

/* TABLE */

.table-wrap{overflow-x:auto;}

table{width:100%;border-collapse:collapse;}

th{text-align:left;padding:12px

16px;font-size:11px;font-weight:800;color:#7c3aed;text-transform:uppercase;letter-spacing:.8px;

border-bottom:1px solid rgba(168,85,247,.12);}

td{padding:13px 16px;font-size:14px;color:#4c1d95;border-bottom:1px solid

rgba(168,85,247,.06);transition:background .15s;}

tr:last-child td{border-bottom:none;}

tr:hover td{background:rgba(168,85,247,.03);}

/* BADGES */

.badge{display:inline-flex;align-items:center;gap:4px;padding:4px

10px;border-radius:20px;font-size:12px;font-weight:800;}

.bg{background:rgba(34,197,94,.12);color:#15803d;}

.br{background:rgba(239,68,68,.12);color:#dc2626;}

.by{background:rgba(245,158,11,.12);color:#b45309;}

.bp{background:rgba(168,85,247,.12);color:#7c3aed;}

.bb{background:rgba(59,130,246,.12);color:#1d4ed8;}

.bt{background:rgba(20,184,166,.12);color:#0f766e;}

/* BUTTONS */

.btn{padding:8px

16px;border-radius:10px;border:none;font-family:'Nunito',sans-serif;font-weight:800;font-size:13px;cursor:pointer;transition:all .2s;display:inline-flex;align-items:center;gap:6px;}

.btn-sm{padding:6px 12px;font-size:12px;border-radius:8px;}

.btn-xs{padding:4px 9px;font-size:11px;border-radius:7px;}

.btn-app{background:rgba(34,197,94,.12);color:#15803d;}

.btn-app:hover{background:rgba(34,197,94,.22);transform:translateY(-1px);}

.btn-rej{background:rgba(239,68,68,.12);color:#dc2626;}

.btn-rej:hover{background:rgba(239,68,68,.22);transform:translateY(-1px);}

.btn-pur{background:linear-gradient(135deg,#a855f7,#7c3aed);color:#fff;box-shadow:0 4px 12px rgba(124,58,237,.25);}

.btn-pur:hover{transform:translateY(-1px);box-shadow:0 6px 18px rgba(124,58,237,.35);}

.btn-out{background:transparent;color:#7c3aed;border:1.5px solid rgba(168,85,247,.4);}

.btn-out:hover{background:rgba(168,85,247,.08);}

.btn-ghost{background:transparent;color:#9ca3af;}

```

.btn-ghost:hover{color:#dc2626;background:rgba(239,68,68,.08);}
.btn-edit{background:rgba(59,130,246,.12);color:#1d4ed8;}
.btn-edit:hover{background:rgba(59,130,246,.22);transform:translateY(-1px);}
.btn-save{background:linear-gradient(135deg,#22c55e,#16a34a);color:#fff;box-shadow:0 4px 12px rgba(34,197,94,.25);}
.btn-save:hover{transform:translateY(-1px);box-shadow:0 6px 18px rgba(34,197,94,.35);}

/* ROOM CARDS */
.rooms-grid{display:grid;grid-template-columns:repeat(auto-fill,minmax(290px,1fr));gap:16px;}
.room-card{padding:22px;position:relative;overflow:hidden;}
.room-card::before{content:"";position:absolute;top:0;left:0;right:0;height:3px;background:linear-gradient(90deg,#a855f7,#7c3aed);border-radius:20px 20px 0 0;}
.room-card.full::before{background:linear-gradient(90deg,#871717,#dc2626);}
.room-num{font-family:'DM Serif Display',serif;font-size:22px;color:#4c1d95;}
.room-type{font-size:13px;color:#a78bfa;font-weight:700;}
.cap-bar{height:6px;border-radius:3px;background:rgba(168,85,247,.12);margin:14px 0 6px 0;overflow:hidden;}
.cap-fill{height:100%;border-radius:3px;transition:width .4s ease;}
.amenity{display:inline-flex;align-items:center;gap:4px;background:rgba(168,85,247,.08);color:#7c3aed;border-radius:8px;padding:3px 8px;font-size:11px;font-weight:700;margin:2px;}

/* PRICE TAG */
.price-tag{display:inline-flex;align-items:center;gap:5px;background:linear-gradient(135deg,rgba(168,85,247,.12),rgba(124,58,237,.08));color:#6d28d9;border-radius:10px;padding:5px 12px;font-size:14px;font-weight:800;border:1px solid rgba(168,85,247,.2);}
.price-big{font-family:'DM Serif Display',serif;font-size:22px;color:#4c1d95;}

/* MODAL */
.overlay{position:fixed;inset:0;z-index:1000;background:rgba(74,4,78,.25);backdrop-filter:blur(6px);display:flex;align-items:center;justify-content:center;padding:20px;animation:fadeIn .2s ease;overflow-y:auto;}
.modal{background:#fff;border-radius:24px;padding:32px;width:100%;max-width:520px;box-shadow:0 32px 80px rgba(74,4,78,.25);animation:pop .25s ease;border:1px solid rgba(168,85,247,.2);margin:auto;}
.modal-lg{max-width:640px;}
.modal-title{font-family:'DM Serif Display',serif;font-size:22px;color:#4c1d95;margin-bottom:6px;}
.modal-sub{font-size:13px;color:#a78bfa;margin-bottom:20px;font-weight:600;}
.modal-actions{display:flex;gap:10px;justify-content:flex-end;margin-top:20px;flex-wrap:wrap;}

/* TOAST */
.toast{position:fixed;bottom:24px;right:24px;z-index:9999;background:#fff;border-radius:14px;padding:14px 20px;box-shadow:0 8px 32px rgba(74,4,78,.2);border-left:4px solid #a855f7;display:flex;align-items:center;gap:10px;font-size:14px;font-weight:700;color:#4c1d95;animation:slideR .3s ease;max-width:340px;}

```

```

.toast.success{border-color:#22c55e;}
.toast.error{border-color:#ef4444;}
.toast.info{border-color:#3b82f6;}

/* PROFILE EDIT */
.prof-head{padding:28px;display:flex;align-items:center;gap:20px;background:linear-gradient(135deg,rgba(168,85,247,.1),rgba(124,58,237,.05));border-radius:20px 20px 0 0;}
.info-row{display:flex;align-items:center;justify-content:space-between;padding:10px 0;border-bottom:1px solid rgba(168,85,247,.07);}
.info-lbl{font-size:13px;color:#a78bfa;font-weight:700;}
.info-val{font-size:14px;color:#4c1d95;font-weight:800;}

/* TABS */
.tab-bar{display:flex;gap:4px;padding:4px;background:rgba(168,85,247,.08);border-radius:14px;}
.tab{padding:8px 16px;border-radius:10px;border:none;font-family:'Nunito',sans-serif;font-weight:800;font-size:13px;cursor:pointer;transition:all .2s;color:#9333ea;background:transparent;}
.tab.active{background:#fff;color:#6d28d9;box-shadow:0 2px 8px rgba(109,40,217,.12);}

/* SEARCH */
.search-wrap{position:relative;}
.search-icon{position:absolute;left:12px;top:50%;transform:translateY(-50%);color:#c4b5fd;font-size:16px;}
.search-wrap .form-input{padding-left:38px;}

/* EDIT PANEL */
.edit-panel{background:linear-gradient(135deg,rgba(168,85,247,.06),rgba(124,58,237,.04));border:1.5px dashed rgba(168,85,247,.3);border-radius:16px;padding:20px;margin-bottom:16px;animation:slideIn .3s ease;}
.edit-panel-title{font-weight:800;font-size:15px;color:#4c1d95;margin-bottom:16px;display:flex;align-items:center;gap:8px;}

/* MISC */
.divider{height:1px;background:rgba(168,85,247,.1);margin:14px 0;}
.empty{text-align:center;padding:48px 20px;color:#c4b5fd;}
.empty-icon{font-size:40px;margin-bottom:10px;}
.empty-text{font-size:15px;font-weight:700;color:#a78bfa;}
.empty-sub{font-size:13px;margin-top:4px;}
.g2{display:grid;grid-template-columns:1fr 1fr;gap:16px;}
.select-input{padding:11px 14px;background:rgba(255,255,255,.7);border:1.5px solid rgba(168,85,247,.25);border-radius:12px;font-family:'Nunito',sans-serif;font-size:14px;color:#3b0764;outline:none;cursor:pointer;width:100%;}

```

```

.select-input:focus{border-color:#a855f7;}
.warn-banner{background:rgba(245,158,11,.1);border:1px solid
rgba(245,158,11,.25);border-radius:14px;padding:12px
18px;margin-bottom:16px;font-size:13px;color:#b45309;font-weight:700;}
.info-banner{background:rgba(59,130,246,.08);border:1px solid
rgba(59,130,246,.2);border-radius:14px;padding:12px
18px;margin-bottom:16px;font-size:13px;color:#1d4ed8;font-weight:700;}
.qa-item{display:flex;align-items:center;gap:14px;padding:14px
16px;border-radius:14px;cursor:pointer;transition:all .2s;margin-bottom:8px;}
.qa-item:hover{transform:translateX(4px);}
.occ-row{display:flex;align-items:center;justify-content:space-between;margin-bottom:5px;}
.occ-label{font-size:13px;font-weight:800;color:#4c1d95;}
.occ-num{font-size:12px;color:#a78bfa;}
.status-grid{display:grid;grid-template-columns:repeat(auto-fill,minmax(130px,1fr));gap:10px;padding:20px 22px;}
.status-box{padding:14px;border-radius:14px;text-align:center;}
.status-box.avail{background:rgba(34,197,94,.06);border:1px solid rgba(34,197,94,.15);}
.status-box.full{background:rgba(239,68,68,.06);border:1px solid rgba(239,68,68,.15);}

```

/* PRICING TABLE */

```

.price-table{width:100%;border-collapse:collapse;}
.price-table
th{background:linear-gradient(135deg,rgba(168,85,247,.1),rgba(124,58,237,.06));padding:12px
16px;text-align:left;font-size:12px;font-weight:800;color:#7c3aed;text-transform:uppercase;letter-
spacing:.8px;}
.price-table td{padding:14px 16px;border-bottom:1px solid
rgba(168,85,247,.07);font-size:14px;color:#4c1d95;}
.price-table tr:last-child td{border-bottom:none;}
.price-table tr:hover td{background:rgba(168,85,247,.03);}

```

@keyframes

fadeUp{from{opacity:0;transform:translateY(20px)}to{opacity:1;transform:translateY(0)}}

@keyframes pop{0%{transform:scale(.93);opacity:0}100%{transform:scale(1);opacity:1}}

@keyframes fadeIn{from{opacity:0}to{opacity:1}}

@keyframes

slideR{from{opacity:0;transform:translateX(40px)}to{opacity:1;transform:translateX(0)}}

@keyframes

slideIn{from{opacity:0;transform:translateY(-10px)}to{opacity:1;transform:translateY(0)}}

.anim{animation:fadeUp .4s ease;}

@media(max-width:1100px){.stats-grid{grid-template-columns:repeat(2,1fr);}.mini-grid{grid-template-columns:repeat(2,1fr);}.health-card{grid-template-columns:1fr;text-align:center}.health-ring{margin:auto;}}

@media(max-width:900px){.g2{grid-template-columns:1fr;}}


```
@media(max-width:768px){:root{--sw:0px;}.sidebar{display:none;}.main{margin-left:0;padding:14px;}.stats-grid{grid-template-columns:repeat(2,1fr);}.mini-grid{grid-template-columns:1fr;}.bar-row{grid-template-columns:78px 1fr 42px;}}
</style>
</head>
<body>
<div class="app" id="app"></div>
```

```
<script>
//
```

```
// PRICING ENGINE — price per month based on type/capacity
//
```

```
const ROOM_PRICES = {
  Single: { perSeat: 8000, label: '₹8,000/mo', color: 'rgba(168,85,247,.12)', tc: '#7c3aed' },
  Double: { perSeat: 6000, label: '₹6,000/mo', color: 'rgba(59,130,246,.12)', tc: '#1d4ed8' },
  Triple: { perSeat: 4500, label: '₹4,500/mo', color: 'rgba(20,184,166,.12)', tc: '#0f766e' },
  Quad: { perSeat: 3500, label: '₹3,500/mo', color: 'rgba(34,197,94,.12)', tc: '#15803d' },
};
function roomPrice(type, seats){
  const p = ROOM_PRICES[type] || ROOM_PRICES.Single;
  return p.perSeat * seats;
}
function fmtPrice(n){ return '₹' + n.toLocaleString('en-IN'); }
```

```
//
```

```
// STATE
//
```

```
let state = {
  page:'dashboard', currentUser:null, authMode:'login', authRole:'student',
  toast:null, modal:null, roomFilter:'all', reqFilter:'all', search:"",
  showAddRoom:false, showAddStudent:false, editRoomId:null, editStudentId:null,
  editAllocId:null, editProfileMode:false,
  newRoom:{number:"",capacity:2,type:'Double',floor:'Ground',amenities:[],price:6000},
  newStudent:{name:"",email:"",password:"",phone:"",department:"",year:'1st
Year',roomId:"",allocationStatus:'Pending'},
  editRoom:{},
```

```
authForm:{name:"",email:"",password:"",resetPassword:"",confirmPassword:"",dept:"",year:'1st
Year',phone:""},
authError:"",
rooms:[

{id:1,number:'A-101',capacity:2,occupied:1,type:'Double',floor:'Ground',amenities:['WiFi','AC'],sta
tus:'Available',price:6000},

{id:2,number:'A-102',capacity:1,occupied:1,type:'Single',floor:'Ground',amenities:['WiFi'],status:'F
ull',price:8000},

{id:3,number:'A-201',capacity:3,occupied:2,type:'Triple',floor:'First',amenities:['WiFi','AC','Balcony
'],status:'Available',price:4500},

{id:4,number:'B-101',capacity:2,occupied:0,type:'Double',floor:'Ground',amenities:['WiFi','AC'],sta
tus:'Available',price:6000},

{id:5,number:'B-201',capacity:1,occupied:0,type:'Single',floor:'First',amenities:['WiFi','AC'],status:'
Available',price:8000},

{id:6,number:'C-101',capacity:4,occupied:4,type:'Quad',floor:'Ground',amenities:['WiFi'],status:'F
ull',price:3500},

{id:7,number:'C-201',capacity:2,occupied:1,type:'Double',floor:'First',amenities:['WiFi','AC','Study
Desk'],status:'Available',price:6000},

{id:8,number:'D-101',capacity:3,occupied:0,type:'Triple',floor:'Ground',amenities:['WiFi','Balcony']
,status:'Available',price:4500},
],
users:[
  {id:1,name:'Admin
User',email:'admin@hostel.com',password:'admin123',role:'admin',avatar:'AU',department:'Admi
nistration',joined:'2024-01-01',phone:'+91 9000000001',year:""},
  {id:2,name:'Aryan
Sharma',email:'aryan@student.com',password:'pass123',role:'student',avatar:'AS',department:'C
omputer Science',joined:'2025-06-15',year:'2nd Year',phone:'+91 9876543210'},
  {id:3,name:'Priya
Patel',email:'priya@student.com',password:'pass123',role:'student',avatar:'PP',department:'Elect
ronics',joined:'2025-06-20',year:'3rd Year',phone:'+91 9123456789'},
],
allocations:[

{id:1,userId:2,roomId:1,status:'Approved',requestDate:'2025-07-01',approvedDate:'2025-07-02',c
heckIn:'2025-07-05',checkOut:'2026-05-30'},
```

```
{id:2,userId:3,roomId:1,status:'Pending',requestDate:'2025-07-10',approvedDate:null,checkIn:'2025-07-15',checkOut:'2026-05-30'},
],
};
```

```
const STORE_KEY='hostel-hms-state-v2';
const API_BASE=location.protocol==='http:'?'':'http://localhost:3000';
let mysqlConnected=false;
let mysqlSaveTimer=null;
let persistencePaused=false;
function persistState(){
  if(persistencePaused)return;
  if(typeof localStorage==='undefined')return;
  const payload={
    rooms:state.rooms,
    users:state.users,
    allocations:state.allocations,
    currentUserId:state.currentUser?state.currentUser.id:null,
    page:state.currentUser?state.page:'dashboard'
  };
  try{localStorage.setItem(STORE_KEY,JSON.stringify(payload));}catch(e){
    queueMySQLSave();
  }
}
function hydrateState(){
  if(typeof localStorage==='undefined')return;
  try{
    const saved=JSON.parse(localStorage.getItem(STORE_KEY)||'null');
    if(!saved)return;
    if(Array.isArray(saved.rooms))state.rooms=saved.rooms;
    if(Array.isArray(saved.users))state.users=saved.users;
    if(Array.isArray(saved.allocations))state.allocations=saved.allocations;
    if(saved.currentUserId){
      state.currentUser=state.users.find(u=>u.id===saved.currentUserId)||null;
      state.page=saved.page||'dashboard';
    }
  }catch(e){}
}
async function loadMySQLState(){
  try{
    const res=await fetch(`${API_BASE}/api/state`);
    if(!res.ok)throw new Error('API not ready');
    const data=await res.json();
    if(Array.isArray(data.rooms))state.rooms=data.rooms;
```

```

    if(Array.isArray(data.users))state.users=data.users;
    if(Array.isArray(data.allocations))state.allocations=data.allocations;
    mysqlConnected=true;
    syncCurrentUser();
    render();
    showToast('Connected to MySQL database.','success');
  }catch(e){
    mysqlConnected=false;
    console.info('MySQL API not connected. Running with local browser data.');
```

```

  }
}
function queueMySQLSave(){
  if(!mysqlConnected)return;
  clearTimeout(mysqlSaveTimer);
  mysqlSaveTimer=setTimeout(saveMySQLState,350);
}
async function saveMySQLState(){
  if(!mysqlConnected)return;
  try{
    await fetch(`${API_BASE}/api/state`,{
      method:'POST',
      headers:{'Content-Type':'application/json'},
      body:JSON.stringify({rooms:state.rooms,users:state.users,allocations:state.allocations})
    });
  }catch(e){
    mysqlConnected=false;
    showToast('MySQL sync stopped. Start the server again.','error');
  }
}
function syncCurrentUser(){
  if(!state.currentUser)return;
  const fresh=state.users.find(u=>u.id===state.currentUser.id);
  if(fresh)state.currentUser=fresh;
}
function resetDemoData(){
  persistencePaused=true;
  if(typeof localStorage!=='undefined')localStorage.removeItem(STORE_KEY);
  showToast('Demo data reset. Reloading...','info');
  setTimeout(()=>location.reload(),650);
}
function setState(patch){ Object.assign(state,patch); syncCurrentUser(); persistState(); render();
}
function showToast(msg,type='success'){
  setState({toast:{msg,type}});
}

```

```

    setTimeout(()=>setState({toast:null}),3500);
  }
function today(){ return new Date().toISOString().split('T')[0]; }
function dashboardMetrics(){
  const rooms=state.rooms;
  const totalCap=rooms.reduce((s,r)=>s+r.capacity,0);
  const totalOcc=rooms.reduce((s,r)=>s+r.occupied,0);
  const approved=state.allocations.filter(a=>a.status==='Approved');
  const pending=state.allocations.filter(a=>a.status==='Pending');
  const revenue=approved.reduce((s,a)=>s+(state.rooms.find(r=>r.id===a.roomId)?.price||0),0);
  const occPct=totalCap?Math.round((totalOcc/totalCap)*100):0;
  const
  health=Math.min(100,Math.max(0,Math.round((occPct*.55)+(Math.max(0,100-pending.length*1
2)*.25)+(rooms.filter(r=>r.status==='Available').length/Math.max(rooms.length,1)*100*.2)))));
  return
  {totalCap,totalOcc,approved,pending,revenue,occPct,health,openBeds:Math.max(totalCap-total
  Occ,0)};
}
function groupCount(items,keyFn){
  return items.reduce((acc,item)=>{const k=keyFn(item);acc[k]=(acc[k]||0)+1;return acc;},{});
}
function escapeCSV(v){
  const s=String(v??'');
  return /[",\n]/.test(s)?`"${s.replace(/"/g,"""")}"`:s;
}
function exportCSV(name,headers,rows){
  const
  csv=[headers.join(','),...rows.map(row=>headers.map(h=>escapeCSV(row[h])).join(','))].join('\n');
  const blob=new Blob([csv},{type:'text/csv;charset=utf-8'});
  const url=URL.createObjectURL(blob);
  const a=document.createElement('a');
  a.href=url;a.download=name;a.click();
  URL.revokeObjectURL(url);
  showToast(` ${name} exported.`, 'success');
}
function exportRoomsCSV(){

exportCSV('hostel-rooms.csv',['number','type','floor','capacity','occupied','status','price','amenities
'],state.rooms.map(r=>({...r,amenities:r.amenities.join('|')})));
}
function exportRequestsCSV(){

exportCSV('hostel-requests.csv',['id','student','room','status','requestDate','approvedDate','checkI
n','checkOut'],state.allocations.map(a=>{

```

```

    const u=state.users.find(x=>x.id===a.userId)||{};
    const r=state.rooms.find(x=>x.id===a.roomId)||{};
    return
    {id:a.id,student:u.name||",room:r.number||",status:a.status,requestDate:a.requestDate,approved
    Date:a.approvedDate||",checkIn:a.checkIn,checkOut:a.checkOut};
    });
}
function recommendedRooms(limit=3){
    return state.rooms.filter(r=>r.status==='Available'&&r.occupied<r.capacity)

    .map(r=>({room:r,score:(r.amenities.length*12)+(r.capacity-r.occupied)*18+(r.price<=5000?20:r.p
    rice<=6500?12:6})))
    .sort((a,b)=>b.score-a.score)
    .slice(0,limit);
}

//
=====
// RENDER
//
=====
function render(){
    syncCurrentUser();
    persistState();
    const app=document.getElementById('app');
    if(!state.currentUser){
        app.innerHTML=authHTML(); bindEvents(); return;
    }
    app.innerHTML=`<div class="layout">${sidebarHTML()}<main
class="main">${mainHTML()}</main></div>
    ${state.toast?toastHTML():""}${state.modal?modalHTML():""}`;
    bindEvents();
}

//
=====
// AUTH
//
=====
function authHTML(){

```

```

const f=state.authForm;
const
formHTML=state.authMode=== 'login'?loginFormHTML():state.authMode=== 'forgot'?forgotPass
wordHTML():registerFormHTML();
return `<div class="auth-wrap"><div class="auth-card">
  <div class="auth-logo"> 🏠 </div>
  <h1 class="auth-title">Hostel HMS</h1>
  <p class="auth-sub">Hostel Management System</p>
  <div class="role-tabs">
    <button class="role-tab ${state.authRole==='student'? 'active':''}"
onclick="setAuthRole('student')"> 👤 Student</button>
    <button class="role-tab ${state.authRole==='admin'? 'active':''}"
onclick="setAuthRole('admin')"> 🛡 Admin</button>
  </div>
  ${state.authError?`<div class="error-msg">⚠ ${state.authError}</div>`:''}
  ${formHTML}
</div></div>`;
}
function loginFormHTML(){
  return `
    <div class="form-group"><label class="form-label">Email Address</label>
    <input class="form-input" type="email" placeholder="you@example.com"
value="${state.authForm.email}" oninput="state.authForm.email=this.value"/></div>
    <div class="form-group"><label class="form-label">Password</label>
    <input class="form-input" type="password" placeholder="....."
value="${state.authForm.password}" oninput="state.authForm.password=this.value"
onkeydown="if(event.key==='Enter')doLogin()"/></div>
    <button class="btn-primary" onclick="doLogin()">Sign In →</button>
    <div class="auth-links">
      ${state.authRole==='student'?`<span
onclick="setState({authMode:'register',authError:''})>Register here</span>`:`<span></span>`}
      <span
onclick="setState({authMode:'forgot',authError:'',authForm:{...state.authForm,password:'',resetP
assword:'',confirmPassword:''})>Forgot password?</span>
    </div>`;
}
function registerFormHTML(){
  return `
    <div class="form-group"><label class="form-label">Full Name *</label>
    <input class="form-input" placeholder="John Doe"
oninput="state.authForm.name=this.value"/></div>
    <div class="form-group"><label class="form-label">Email *</label>
    <input class="form-input" type="email" placeholder="you@student.com"
oninput="state.authForm.email=this.value"/></div>

```

```

    <div class="form-group"><label class="form-label">Password *</label>
      <input class="form-input" type="password" placeholder="Min 6 characters"
oninput="state.authForm.password=this.value"/></div>
    <div class="grid2">
      <div class="form-group"><label class="form-label">Department</label>
        <input class="form-input" placeholder="CS / ECE..."
oninput="state.authForm.dept=this.value"/></div>
      <div class="form-group"><label class="form-label">Year</label>
        <select class="select-input" onchange="state.authForm.year=this.value">
          ${['1st Year','2nd Year','3rd Year','4th Year'].map(y=><option${state.authForm.year===y?'
selected':''}>${y}</option>`).join("")}
        </select></div>
    </div>
    <div class="form-group"><label class="form-label">Phone Number</label>
      <input class="form-input" placeholder="+91 9XXXXXXXXXX"
oninput="state.authForm.phone=this.value"/></div>
    <button class="btn-primary" onclick="doRegister()">Create Account →</button>
    <p class="auth-switch">Already registered? <span
onclick="setState({authMode:'login',authError:''})">Sign in</span></p>;
  }
function forgotPasswordHTML(){
  return `
    <div class="form-group"><label class="form-label">Registered Email</label>
      <input class="form-input" type="email" placeholder="you@example.com"
value="${state.authForm.email}" oninput="state.authForm.email=this.value"/></div>
    <div class="form-group"><label class="form-label">New Password</label>
      <input class="form-input" type="password" placeholder="Min 6 characters"
value="${state.authForm.resetPassword}"
oninput="state.authForm.resetPassword=this.value"/></div>
    <div class="form-group"><label class="form-label">Confirm Password</label>
      <input class="form-input" type="password" placeholder="Re-enter password"
value="${state.authForm.confirmPassword}"
oninput="state.authForm.confirmPassword=this.value"
onkeydown="if(event.key==='Enter')doResetPassword()"/></div>
    <button class="btn-primary" onclick="doResetPassword()">Reset Password</button>
    <p class="auth-switch">Remembered it? <span
onclick="setState({authMode:'login',authError:'',authForm:{...state.authForm,resetPassword:'',co
nfirmPassword:''}})">Sign in</span></p>;
  }
function doLogin(){
  const
u=state.users.find(u=>u.email===state.authForm.email&&u.password===state.authForm.passw
ord&&u.role===state.authRole);
  if(!u){setState({authError:'Invalid email, password, or selected role.'});return;}

```



```

    setState({currentUser:u,page:'dashboard',authError:"",authForm:{name:"",email:"",password:"",resetPassword:"",confirmPassword:"",dept:"",year:'1st Year',phone:""}});
  }
  function doRegister(){
    const f=state.authForm;
    if(!f.name||!f.email||!f.password){setState({authError:'Name, email and password are required.'});return;}
    if(f.password.length<6){setState({authError:'Password must be at least 6 characters.'});return;}
    if(state.users.find(u=>u.email===f.email)){setState({authError:'Email already registered.'});return;}
    const initials=f.name.split(' ').map(n=>n[0]).join('').toUpperCase().slice(0,2);
    const
    nu={id:state.users.length+1,name:f.name,email:f.email,password:f.password,role:'student',
      avatar:initials,department:f.dept||'General',year:f.year,phone:f.phone,joined:today()};
    state.users.push(nu);

    setState({currentUser:nu,page:'dashboard',authError:"",authForm:{name:"",email:"",password:"",resetPassword:"",confirmPassword:"",dept:"",year:'1st Year',phone:""}});
    showToast('Account created! Welcome 🎉','success');
  }
  function doResetPassword(){
    const f=state.authForm;
    const u=state.users.find(u=>u.email===f.email&&u.role===state.authRole);
    if(!f.email||!f.resetPassword||!f.confirmPassword){setState({authError:'Email, new password, and confirmation are required.'});return;}
    if(!u){setState({authError:'No account found for this email and role.'});return;}
    if(f.resetPassword.length<6){setState({authError:'Password must be at least 6 characters.'});return;}
    if(f.resetPassword!==f.confirmPassword){setState({authError:'Passwords do not match.'});return;}
    u.password=f.resetPassword;

    setState({authMode:'login',authError:"",authForm:{name:"",email:f.email,password:"",resetPassword:"",confirmPassword:"",dept:"",year:'1st Year',phone:"}});
    showToast('Password reset successfully. Please sign in.','success');
  }
  function setAuthRole(r){setState({authRole:r,authMode:'login',authError:"});}
  function
  doLogout(){setState({currentUser:null,page:'dashboard',authMode:'login',editProfileMode:false,authForm:{name:"",email:"",password:"",resetPassword:"",confirmPassword:"",dept:"",year:'1st Year',phone:"}});}

```

```
//
```

```
// SIDEBAR
```

```
//
```

```
function sidebarHTML(){
  const u=state.currentUser;
  const
  adminNav=[{id:'dashboard',icon:'🏠',label:'Dashboard'},{id:'rooms',icon:'🏠',label:'Manage
  Rooms'},{id:'pricing',icon:'💰',label:'Room Pricing'},{id:'students',icon:'👥',label:'Manage
  Students'},{id:'requests',icon:'📋',label:'Requests'},{id:'insights',icon:'📊',label:'Insights'}];
  const stuNav=[{id:'dashboard',icon:'🏠',label:'Dashboard'},{id:'explore',icon:'🔍',label:'Room
  Explorer'},{id:'myrequests',icon:'📋',label:'My Requests'},{id:'profile',icon:'👤',label:'My Profile'}];
  const nav=u.role==='admin'?adminNav:stuNav;
  const pendingCount=state.allocations.filter(a=>a.status==='Pending').length;
  return `
```

```
}  
function  
goPage(p){setState({page:p,search:"",roomFilter:'all',reqFilter:'all',showAddRoom:false,showAdd  
Student:false,editRoomId:null,editStudentId:null,editAllocId:null});}
```

```
//
```

```
// MAIN ROUTER
```

```
//
```

```
function mainHTML(){  
  const u=state.currentUser;  
  if(u.role==='admin'){  
    if(state.page==='dashboard') return adminDashHTML();  
    if(state.page==='rooms') return manageRoomsHTML();  
    if(state.page==='pricing') return pricingHTML();  
    if(state.page==='students') return studentsHTML();  
    if(state.page==='requests') return requestsHTML();  
    if(state.page==='insights') return insightsHTML();  
  } else {  
    if(state.page==='dashboard') return stuDashHTML();  
    if(state.page==='explore') return exploreHTML();  
    if(state.page==='myrequests') return myRequestsHTML();  
    if(state.page==='profile') return profileHTML();  
  }  
  return "";  
}
```

```
//
```

```
// ADMIN DASHBOARD
```

```
//
```

```
function adminDashHTML(){  
  const rooms=state.rooms,students=state.users.filter(u=>u.role==='student');  
  const m=dashboardMetrics();  
  const avail=rooms.filter(r=>r.status==='Available').length;  
  const pending=state.allocations.filter(a=>a.status==='Pending');  
  const totalRev=state.allocations.filter(a=>a.status==='Approved').reduce((s,a)=>{  
    const r=state.rooms.find(x=>x.id===a.roomId);
```

```

    return s+(r?r.price:0);
  },0);
const totalCap=rooms.reduce((s,r)=>s+r.capacity,0);
const totalOcc=rooms.reduce((s,r)=>s+r.occupied,0);
const occPct=totalCap>0?Math.round((totalOcc/totalCap)*100):0;
return `<div class="anim">
<div class="topbar">
  <div><h1 class="page-title">Good morning, Admin! 🙌</h1>
  <p class="page-sub">Here's what's happening at the hostel today.</p></div>
  <div class="topbar-right"><button class="btn btn-out" onclick="goPage('insights')">View
  Insights</button><div class="icon-btn">🔔</div><div class="avatar">AU</div></div>
</div>
<div class="mini-grid">
  <div class="insight-card"><div class="insight-label">Readiness</div><div
  class="insight-value">${m.health}%</div><div class="insight-note">Overall hostel
  health</div></div>
  <div class="insight-card"><div class="insight-label">Open Beds</div><div
  class="insight-value">${m.openBeds}</div><div class="insight-note">Ready for
  allocation</div></div>
  <div class="insight-card"><div class="insight-label">Pending Load</div><div
  class="insight-value">${m.pending.length}</div><div class="insight-note">Needs admin
  action</div></div>
  <div class="insight-card"><div class="insight-label">Capacity Used</div><div
  class="insight-value">${m.occPct}%</div><div class="insight-note">${m.totalOcc}/${m.totalCap}
  beds filled</div></div>
</div>
<div class="stats-grid">
  ${[
    {label:'Total Rooms',val:rooms.length,icon:'🏠',color:'rgba(168,85,247,.12)',chg:'All blocks'},
    {label:'Available
  Rooms',val:avail,icon:'✅',color:'rgba(34,197,94,.12)',chg:`${rooms.length-avail} occupied`},
    {label:'Total
  Students',val:students.length,icon:'👥',color:'rgba(59,130,246,.12)',chg:'Registered'},
    {label:'Monthly
  Revenue',val:fmtPrice(totalRev),icon:'💰',color:'rgba(245,158,11,.12)',chg:'Approved allocs'},
  ].map(s=>`<div class="card stat-card">
    <div class="stat-icon" style="background:${s.color}">${s.icon}</div>
    <div><div class="stat-val"
  style="font-size:${s.val.toString().length>6?'18px':'28px'">${s.val}</div>
    <div class="stat-lbl">${s.label}</div><div class="stat-chg">${s.chg}</div></div>
  </div>`).join("")}
</div>
<div class="g2" style="margin-bottom:16px">
  <div class="card">

```

```

<div class="sec-head">
  <div><div class="sec-title">Occupancy Overview</div><div class="sec-sub">${occPct}%
overall capacity used</div></div>
  <span class="badge bp">${occPct}% Full</span>
</div>
<div style="padding:18px 22px">
  ${rooms.map(r=>`<div style="margin-bottom:14px">
    <div class="occ-row"><span class="occ-label">Room ${r.number}</span>
    <div style="display:flex;align-items:center;gap:8px">
      <span class="occ-num">${r.occupied}/${r.capacity}</span>
      <span class="price-tag" style="font-size:11px;padding:2px
7px">${fmtPrice(r.price)}</span>
    </div>
  </div>
  <div class="cap-bar"><div class="cap-fill"
style="width:${(r.occupied/r.capacity)*100}%;background:${r.occupied>=r.capacity?'linear-gradien
t(90deg,#f87171,#dc2626)':`linear-gradient(90deg,#a855f7,#7c3aed)`}></div></div>
  </div>`).join("")}
</div>
</div>
<div class="card">
  <div class="sec-head">
    <div><div class="sec-title">Pending Requests</div><div class="sec-sub">Quick approve
or reject</div></div>
    <button class="btn btn-out btn-sm" onclick="goPage('requests')>View All</button>
  </div>
  <div style="padding:4px 0">
    ${pending.length===0?`<div class="empty"><div class="empty-icon">🎉</div><div
class="empty-text">All clear!</div><div class="empty-sub">No pending requests</div></div>`
:pending.map(a=>quickReqRowHTML(a)).join("")}
  </div>
</div>
</div>
<div class="card">
  <div class="sec-head">
    <div><div class="sec-title">Room Status Board</div><div class="sec-sub">Live availability
+ pricing</div></div>
    <button class="btn btn-pur btn-sm" onclick="goPage('rooms')>➕ Add Room</button>
  </div>
  <div class="status-grid">
    ${rooms.map(r=>`<div class="status-box ${r.status==='Full'?`full`:`avail`}"
style="cursor:pointer" onclick="goPage('rooms')>
      <div style="font-size:18px;margin-bottom:4px">${r.status==='Full'?`🔴`:`🟢`}</div>
      <div style="font-weight:800;font-size:14px;color:#4c1d95">${r.number}</div>
    `})}
  </div>
</div>

```

```

    <div style="font-size:11px;color:#a78bfa;font-weight:700">${r.type}</div>
    <div style="font-size:11px;color:#7c3aed;margin-top:2px">${r.occupied}/${r.capacity}
beds</div>
    <div
style="font-size:11px;color:#6d28d9;font-weight:800;margin-top:3px">${fmtPrice(r.price)}/mo</di
v>
    </div>`).join("")}
  </div>
</div>
</div>`;
}

```

```

function quickReqRowHTML(a){
  const u=state.users.find(x=>x.id===a.userId)||{name:'Student',avatar:'ST',department:''};
  const r=state.rooms.find(x=>x.id===a.roomId)||{number:'?',price:0};
  return `<div style="display:flex;align-items:center;gap:12px;padding:12px
22px;border-bottom:1px solid rgba(168,85,247,.06)">
    <div class="avatar"
style="width:34px;height:34px;border-radius:10px;font-size:12px">${u.avatar}</div>
    <div style="flex:1;min-width:0">
      <div
style="font-size:13px;font-weight:800;color:#4c1d95;overflow:hidden;text-overflow:ellipsis;white-
space:nowrap">${u.name}</div>
      <div style="font-size:11px;color:#a78bfa">Room ${r.number} • ${fmtPrice(r.price)}/mo •
${a.requestDate}</div>
    </div>
    <button class="btn btn-app btn-sm" onclick="approveReq(${a.id})">✓ </button>
    <button class="btn btn-rej btn-sm" onclick="rejectReq(${a.id})">X </button>
  </div>`;
}

```

```

function approveReq(id){
  const a=state.allocations.find(x=>x.id===id); if(!a)return;
  a.status='Approved'; a.approvedDate=today();
  const r=state.rooms.find(x=>x.id===a.roomId);
  if(r){r.occupied++;if(r.occupied>=r.capacity)r.status='Full';}
  showToast('✅ Request approved!','success');
}
function rejectReq(id){
  const a=state.allocations.find(x=>x.id===id); if(a){a.status='Rejected';}
  showToast('Request rejected.','error');
}

```

```
//
```

```
// MANAGE ROOMS (with EDIT + UPDATE)
```

```
//
```

```
// INSIGHTS
```

```
function insightsHTML(){
  const m=dashboardMetrics();
  const typeCounts=groupCount(state.rooms,r=>r.type);
  const floorCounts=groupCount(state.rooms,r=>r.floor);
  const statuses=groupCount(state.allocations,a=>a.status);
  const maxType=Math.max(...Object.values(typeCounts),1);
  const maxFloor=Math.max(...Object.values(floorCounts),1);
  const maxStatus=Math.max(...Object.values(statuses),1);
  const
avgPrice=state.rooms.length?Math.round(state.rooms.reduce((s,r)=>s+r.price,0)/state.rooms.length):0;
  const
projected=m.revenue+(m.pending.reduce((s,a)=>s+(state.rooms.find(r=>r.id===a.roomId)?.price||0),0));
  return `
```

```

</div>
<div class="g2" style="margin-bottom:16px">
  <div class="card health-card">
    <div class="health-ring" style="--score:${m.health}"><span>${m.health}</span></div>
    <div>
      <div class="sec-title" style="font-size:20px;margin-bottom:8px">Hostel Readiness</div>
      <p class="page-sub" style="margin-bottom:14px">A quick signal for whether rooms,
approvals, and available beds are balanced.</p>
      <div style="display:flex;gap:8px;flex-wrap:wrap">
        <span class="metric-pill">${m.totalOcc}/${m.totalCap} beds filled</span>
        <span class="metric-pill">${m.pending.length} pending</span>
        <span class="metric-pill">${state.rooms.filter(r=>r.status==='Available').length} rooms
available</span>
      </div>
    </div>
  </div>
</div>
<div class="card">
  <div class="sec-head"><div><div class="sec-title">Request Pipeline</div><div
class="sec-sub">Status mix across all allocations</div></div></div>
  <div style="padding:18px 22px">
    ${['Approved','Pending','Rejected','Cancelled'].map(s=>`<div class="bar-row">
      <div class="bar-label">${s}</div>
      <div class="bar-track"><div class="bar-fill"
style="width:${((statuses[s]||0)/maxStatus)*100}%;background:${s==='Approved'?`linear-gradien
t(90deg,#22c55e,#14b8a6)`:`s==='Pending'?`linear-gradient(90deg,#f59e0b,#a855f7)`:`s==='Reje
cted'?`linear-gradient(90deg,#ef4444,#f97316)`:`linear-gradient(90deg,#94a3b8,#8b5cf6)`}`"></div>
></div>
      <div class="bar-num">${statuses[s]||0}</div>
    </div>`).join("")}
  </div>
</div>
<div class="g2" style="margin-bottom:16px">
  <div class="card">
    <div class="sec-head"><div><div class="sec-title">Rooms By Type</div><div
class="sec-sub">Inventory composition</div></div></div>
    <div style="padding:18px 22px">
      ${Object.keys(typeCounts).map(t=>`<div class="bar-row">
        <div class="bar-label">${t}</div>
        <div class="bar-track"><div class="bar-fill"
style="width:${(typeCounts[t]/maxType)*100}%`"></div></div>
        <div class="bar-num">${typeCounts[t]}</div>
      </div>`).join("")}
    </div>
  </div>

```



```

    </div>
    <div class="card">
      <div class="sec-head"><div><div class="sec-title">Rooms By Floor</div><div
class="sec-sub">Distribution by block level</div></div></div>
      <div style="padding:18px 22px">
        ${Object.keys(floorCounts).map(f=>`<div class="bar-row">
          <div class="bar-label">${f}</div>
          <div class="bar-track"><div class="bar-fill"
style="width:${(floorCounts[f]/maxFloor)*100}%;background:linear-gradient(90deg,#3b82f6,#8b5
cf6)"></div></div>
          <div class="bar-num">${floorCounts[f]}</div>
        </div>`).join("")}
      </div>
    </div>
  </div>
  <div class="card" style="padding:18px
22px;display:flex;align-items:center;justify-content:space-between;gap:14px;flex-wrap:wrap">
    <div><div class="sec-title">Demo Controls</div><div class="sec-sub">Use this while
presenting or testing the project.</div></div>
    <button class="btn btn-rej" onclick="resetDemoData()">Reset Saved Data</button>
  </div>
</div>`;
}

```

```
const amenOpts=['WiFi','AC','Balcony','Study Desk','Attached Bath','Hot Water','Gym Access'];
```

```

function manageRoomsHTML(){
  const filtered=state.rooms.filter(r=>{
    const
mf=state.roomFilter==='all'||(state.roomFilter==='available'&& r.status==='Available')||(state.room
Filter==='full'&& r.status==='Full');
    const
ms=r.number.toLowerCase().includes(state.search.toLowerCase())||r.type.toLowerCase().includ
es(state.search.toLowerCase());
    return mf&&ms;
  });
  const er=state.editRoomId?state.rooms.find(r=>r.id===state.editRoomId):null;
  return `<div class="anim">
    <div class="topbar">
      <div><h1 class="page-title">Manage Rooms</h1><p class="page-sub">Add, edit, update or
remove hostel rooms</p></div>
      <button class="btn btn-pur"
onclick="setState({showAddRoom:!state.showAddRoom,editRoomId:null})">+
      ${state.showAddRoom?'Cancel':'Add Room'}</button>
    </div>
  </div>`;
}

```

</div>

```

    ${state.showAddRoom?`<div class="edit-panel">
      <div class="edit-panel-title">✚ New Room Details</div>
      <div class="grid3" style="margin-bottom:14px">
        <div><label class="form-label">Room Number *</label>
          <input class="form-input" placeholder="A-101" value="${state.newRoom.number}"
oninput="state.newRoom.number=this.value"/></div>
        <div><label class="form-label">Capacity</label>
          <select class="select-input" onchange="updateNewRoomCapacity(+this.value)">
            ${[1,2,3,4].map(n=>`<option value="${n}"${state.newRoom.capacity===n?
selected:'.'}>${n} Person${n>1?'s':'.'}</option>`).join("")}
          </select></div>
        <div><label class="form-label">Type</label>
          <select class="select-input" onchange="updateNewRoomType(this.value)">
            ${['Single','Double','Triple','Quad'].map(t=>`<option${state.newRoom.type===t?
selected:'.'}>${t}</option>`).join("")}
          </select></div>
        <div><label class="form-label">Floor</label>
          <select class="select-input" onchange="state.newRoom.floor=this.value;render()">
            ${['Ground','First','Second','Third'].map(f=>`<option${state.newRoom.floor===f?
selected:'.'}>${f}</option>`).join("")}
          </select></div>
        <div><label class="form-label">Monthly Price (₹)</label>
          <input class="form-input" type="number" value="${state.newRoom.price}"
oninput="state.newRoom.price+=this.value"/></div>
        <div style="display:flex;align-items:flex-end">
          <div
style="background:linear-gradient(135deg,rgba(168,85,247,.1),rgba(124,58,237,.06));border-rad
ius:12px;padding:12px 16px;width:100%">
            <div style="font-size:11px;color:#a78bfa;font-weight:800">AUTO PRICE</div>
            <div
style="font-size:18px;font-weight:800;color:#4c1d95">${fmtPrice(state.newRoom.price)}<span
style="font-size:12px;color:#a78bfa">/mo</span></div>
          </div>
        </div>
      </div>
    </div>
    <div style="margin-bottom:16px"><label class="form-label">Amenities</label>
      <div style="display:flex;gap:8px;flex-wrap:wrap">
        ${amenOpts.map(a=>`<label
style="display:flex;align-items:center;gap:5px;cursor:pointer">
          <input type="checkbox" ${state.newRoom.amenities.includes(a)?'checked':''}>
onchange="toggleAmenity('new','${a}')"/>
          <span class="amenity">${a}</span></label>`).join("")}
      </div>
    </div>
  `}
```

```

    </div></div>
    <div style="display:flex;gap:10px">
      <button class="btn btn-save" onclick="addRoom()"><img alt="Save icon" data-bbox="560 128 580 145"/> Save Room</button>
      <button class="btn btn-out" onclick="setState({showAddRoom:false})">Cancel</button>
    </div>
  </div>`.:"}

  ${er?`<div class="edit-panel"
style="border-color:rgba(59,130,246,.4);background:rgba(59,130,246,.04)">
  <div class="edit-panel-title" style="color:#1d4ed8"><img alt="Pencil icon" data-bbox="540 255 560 272"/> Editing Room ${er.number}</div>
  <div class="grid3" style="margin-bottom:14px">
    <div><label class="form-label">Room Number</label>
    <input class="form-input" value="${er.number}"
oninput="updateEditRoom('number',this.value)"/></div>
    <div><label class="form-label">Capacity</label>
    <select class="select-input" onchange="updateEditRoomCapacity(+this.value)">
      ${[1,2,3,4].map(n=>`<option value="${n}"${er.capacity===n? 'selected':''}>${n}
Person${n>1?'s':''}</option>`).join("")}
    </select></div>
    <div><label class="form-label">Type</label>
    <select class="select-input" onchange="updateEditRoomType(this.value)">
      ${['Single','Double','Triple','Quad'].map(t=>`<option${er.type===t?
selected:''}>${t}</option>`).join("")}
    </select></div>
    <div><label class="form-label">Floor</label>
    <select class="select-input" onchange="updateEditRoom('floor',this.value)">
      ${['Ground','First','Second','Third'].map(f=>`<option${er.floor===f?
selected:''}>${f}</option>`).join("")}
    </select></div>
    <div><label class="form-label">Monthly Price (₹)</label>
    <input class="form-input" type="number" value="${er.price}"
oninput="updateEditRoom('price',+this.value)"/></div>
    <div><label class="form-label">Status</label>
    <select class="select-input" onchange="updateEditRoom('status',this.value)">
      ${['Available','Full'].map(s=>`<option${er.status===s? 'selected':''}>${s}</option>`).join("")}
    </select></div>
  </div>
  <div style="margin-bottom:16px"><label class="form-label">Amenities</label>
  <div style="display:flex;gap:8px;flex-wrap:wrap">
    ${amenOpts.map(a=>`<label
style="display:flex;align-items:center;gap:5px;cursor:pointer">
    <input type="checkbox" ${er.amenities.includes(a)?'checked':''}>
onchange="toggleAmenity('edit','${a}')"/>
    <span class="amenity">${a}</span></label>`).join("")}
  </div>

```

```

    </div></div>
    <div style="display:flex;gap:10px">
      <button class="btn btn-save" onclick="saveEditRoom()"><img alt="save icon" data-bbox="598 128 621 145"/> Update Room</button>
      <button class="btn btn-out" onclick="setState({editRoomId:null})">Cancel</button>
    </div>
  </div>`:`}

  <div class="card" style="margin-bottom:16px;padding:14px
18px;display:flex;gap:12px;align-items:center;flex-wrap:wrap">
    <div class="search-wrap" style="flex:1;min-width:180px"><span
class="search-icon"><img alt="search icon" data-bbox="285 275 308 292"/></span>
      <input class="form-input" placeholder="Search rooms..." value="{state.search}"
oninput="setState({search:this.value})"/></div>
      <div class="tab-bar">
        ${['all','available','full'].map(f=>`<button class="tab ${state.roomFilter===f?'active':''}"
onclick="setState({roomFilter:'${f}}')">${f.charAt(0).toUpperCase()+f.slice(1)}</button>`).join("")}
      </div>
    </div>

  <div class="card"><div class="table-wrap"><table>
    <thead><tr><th>Room</th><th>Type</th><th>Floor</th><th>Monthly
Price</th><th>Occupancy</th><th>Status</th><th>Amenities</th><th>Actions</th></tr></thead>
    <tbody>
      ${filtered.map(r=>`<tr>
        <td><strong>${r.number}</strong></td>
        <td>${r.type}</td><td>${r.floor}</td>
        <td><span class="price-tag">${fmtPrice(r.price)}</span></td>
        <td><div style="display:flex;align-items:center;gap:8px">
          <div class="cap-bar" style="flex:1;margin:0;min-width:60px">
            <div class="cap-fill"
style="width:${(r.occupied/r.capacity)*100}%;background:${r.occupied>=r.capacity?'#ef4444':'#a
855f7'}"></div>
          <span
style="font-size:12px;color:#7c3aed;font-weight:800">${r.occupied}/${r.capacity}</span>
        </div></td>
        <td><span class="badge ${r.status==='Available'?'bg':'br'}">● ${r.status}</span></td>
        <td><div style="display:flex;flex-wrap:wrap;gap:2px">${r.amenities.map(a=>`<span
class="amenity">${a}</span>`).join("")}</div></td>
        <td><div style="display:flex;gap:5px">
          <button class="btn btn-edit btn-xs" onclick="startEditRoom(${r.id})"><img alt="edit icon" data-bbox="708 845 731 862"/> Edit</button>
          <button class="btn btn-ghost btn-xs" onclick="deleteRoom(${r.id})"><img alt="trash icon" data-bbox="708 865 731 882"/> </button>
        </div></td>
      `)}
    </tbody>
  </table>
  </div>
  </div>

```

```

        </tr>`}).join("")}
    </tbody>
</table>
    ${filtered.length===0?`<div class="empty"><div class="empty-icon">

```

```

state.rooms.push(nr);
state.newRoom={number:"",capacity:2,type:'Double',floor:'Ground',amenities:[],price:6000};
state.showAddRoom=false;
showToast('✅ Room ${nr.number} added!', 'success');
}
function deleteRoom(id){
  const hasActive=state.allocations.some(a=>a.roomId===id&&a.status==='Approved');
  if(hasActive){showToast('Cannot delete room with active allocations.', 'error');return;}
  setState({modal:{title:'Delete Room',body:'Are you sure you want to delete this room? This
action cannot be undone.',confirm:'Delete',danger:true,
  onConfirm:()=>{state.rooms=state.rooms.filter(r=>r.id!==id);showToast('Room
deleted.', 'success')}}});
}

```

```
//
```

```
// PRICING PAGE
```

```
//
```

```

function pricingHTML(){
  return `<div class="anim">
    <div class="topbar">
      <div><h1 class="page-title">Room Pricing</h1><p class="page-sub">Monthly fee structure
per room type and capacity</p></div>
    </div>
    <div class="info-banner">💡 Prices are auto-calculated based on room type. You can override
the price individually in Manage Rooms → Edit.</div>

    <div class="stats-grid" style="margin-bottom:22px">
      ${Object.entries(ROOM_PRICES).map(([type,info])=>{
        const typeRooms=state.rooms.filter(r=>r.type===type);
        return `<div class="card stat-card">
          <div class="stat-icon" style="background:${info.color}">
            ${type==='Single'?'🛏️':type==='Double'?'🛏️🛏️':type==='Triple'?'🏠🏠🏠':''}
          </div>
          <div>
            <div class="stat-val" style="font-size:20px">${fmtPrice(info.perSeat)}</div>
            <div class="stat-lbl">${type} Room</div>
            <div class="stat-chg">${typeRooms.length} rooms • per seat/mo</div>
          </div>
        </div>`;
      })}.join("")
    </div>
  `;
}

```

</div>

<div class="card" style="margin-bottom:16px">

<div class="sec-head">

<div><div class="sec-title"> Pricing Breakdown by Room</div><div class="sec-sub">All rooms with their current monthly fee</div></div>

</div>

<div class="table-wrap"><table class="price-table">

<thead><tr><th>Room No.</th><th>Type</th><th>Capacity</th><th>Per Seat/Month</th><th>Total Room/Month</th><th>Annual Fee</th><th>Status</th></tr></thead>

<tbody>

{state.rooms.map(r=>`<tr>

<td>\${r.number}</td>

<td>\${r.type}</td>

<td>\${r.capacity} Persons</td>

<td>\${fmtPrice(r.price)}</td>

<td><strong style="color:#6d28d9">\${fmtPrice(r.price*r.capacity)}</td>

<td style="color:#a78bfa">\${fmtPrice(r.price*12)}</td>

<td>● \${r.status}</td>

</tr>`).join("")

</tbody>

</table></div>

</div>

<div class="g2">

<div class="card" style="padding:22px">

<div style="font-weight:800;font-size:15px;color:#4c1d95;margin-bottom:16px"> Revenue Summary</div>

\${[

{!:'Total Monthly

Potential',v:fmtPrice(state.rooms.reduce((s,r)=>s+r.price*r.capacity,0)),icon:'',

{!:'Current Monthly

Revenue',v:fmtPrice(state.allocations.filter(a=>a.status==='Approved').reduce((s,a)=>{const r=state.rooms.find(x=>x.id===a.roomId);return s+(r?r.price:0);},0)),icon:'',

{!:'Vacant Room

Loss',v:fmtPrice(state.rooms.filter(r=>r.status==='Available').reduce((s,r)=>s+r.price*(r.capacity-r.occupied),0)),icon:'',

].map(x=>`<div

style="display:flex;align-items:center;justify-content:space-between;padding:12px 0;border-bottom:1px solid rgba(168,85,247,.07)">

\${x.icon} \${x.l}

\${x.v}

</div>`).join("")

</div>

```

<div class="card" style="padding:22px">
  <div style="font-weight:800;font-size:15px;color:#4c1d95;margin-bottom:16px">🔗 Pricing
  Guide</div>
  ${Object.entries(ROOM_PRICES).map(([type,info])=>`<div
style="display:flex;align-items:center;justify-content:space-between;padding:11px
14px;border-radius:12px;background:${info.color};margin-bottom:8px">
    <div>
      <div style="font-weight:800;font-size:14px;color:#4c1d95">${type} Room</div>
      <div style="font-size:11px;color:#7c3aed">Per seat per month</div>
    </div>
    <div style="font-weight:900;font-size:16px;color:${info.tc}">${fmtPrice(info.perSeat)}</div>
  </div>`).join("")}
</div>
</div>
</div>`;
}

```

```
//
```

```
// MANAGE STUDENTS (with EDIT + UPDATE + DELETE)
```

```
//
```

```

function studentsHTML(){
  const students=state.users.filter(u=>u.role==='student');
  const filtered=students.filter(s=>
    s.name.toLowerCase().includes(state.search.toLowerCase())||
    s.email.toLowerCase().includes(state.search.toLowerCase())||
    (s.department||").toLowerCase().includes(state.search.toLowerCase())
  );
  const es=state.editStudentId?state.users.find(u=>u.id===state.editStudentId):null;
  const ns=state.newStudent;
  const
  assigned=students.filter(s=>state.allocations.some(a=>a.userId===s.id&&a.status==='Approved
')).length;
  const
  pending=students.filter(s=>state.allocations.some(a=>a.userId===s.id&&a.status==='Pending')).
  length;
  const unassigned=students.length-assigned-pending;
  const availableRooms=state.rooms.filter(r=>r.occupied<r.capacity);
  return `<div class="anim">
  <div class="topbar">

```



```
<div><h1 class="page-title">Manage Students</h1><p class="page-sub">Manage every student in the hostel from one place. Rooms stay safely in Manage Rooms.</p></div>
```

```
<button class="btn btn-pur"
onclick="setState({showAddStudent:!state.showAddStudent,editStudentId:null})">✚
${state.showAddStudent?'Cancel':'Add Student'}</button>
</div>
```

```
<div class="mini-grid">
  <div class="insight-card"><div class="insight-label">All Students</div><div
class="insight-value">${students.length}</div><div class="insight-note">Registered hostel
members</div></div>
  <div class="insight-card"><div class="insight-label">Assigned</div><div
class="insight-value">${assigned}</div><div class="insight-note">Approved room
allocation</div></div>
  <div class="insight-card"><div class="insight-label">Pending</div><div
class="insight-value">${pending}</div><div class="insight-note">Waiting for admin
action</div></div>
  <div class="insight-card"><div class="insight-label">Unassigned</div><div
class="insight-value">${Math.max(unassigned,0)}</div><div class="insight-note">No active
room request</div></div>
</div>
```

```
${state.showAddStudent?`<div class="edit-panel">
  <div class="edit-panel-title">✚ Add New Hostel Student</div>
  <div class="grid3" style="margin-bottom:14px">
    <div><label class="form-label">Full Name *</label>
    <input class="form-input" placeholder="Student name" value="${ns.name}"
oninput="state.newStudent.name=this.value"/></div>
    <div><label class="form-label">Email *</label>
    <input class="form-input" type="email" placeholder="student@hostel.com"
value="${ns.email}" oninput="state.newStudent.email=this.value"/></div>
    <div><label class="form-label">Password *</label>
    <input class="form-input" type="password" placeholder="Min 6 characters"
value="${ns.password}" oninput="state.newStudent.password=this.value"/></div>
    <div><label class="form-label">Phone</label>
    <input class="form-input" placeholder="+91 9XXXXXXXXXX" value="${ns.phone}"
oninput="state.newStudent.phone=this.value"/></div>
    <div><label class="form-label">Department</label>
    <input class="form-input" placeholder="CS / ECE..." value="${ns.department}"
oninput="state.newStudent.department=this.value"/></div>
    <div><label class="form-label">Year</label>
    <select class="select-input" onchange="state.newStudent.year=this.value">
      ${['1st Year','2nd Year','3rd Year','4th Year'].map(y=>`<option${ns.year===y?
selected:'`>${y}</option>`}).join('')
  </select>
</div>`}
```

```

    </select></div>
    <div><label class="form-label">Assign Room</label>
    <select class="select-input"
onchange="state.newStudent.roomId=this.value?+this.value:";render()">
    <option value="">No room now</option>
    ${availableRooms.map(r=>`<option value="${r.id}"${ns.roomId===r.id?'
selected':""}>${r.number} (${r.type}) - ${r.capacity-r.occupied} bed open</option>`).join("")}
    </select></div>
    <div><label class="form-label">Allocation Status</label>
    <select class="select-input" ${ns.roomId?"':'disabled'}
onchange="state.newStudent.allocationStatus=this.value">
    ${['Pending','Approved'].map(s=>`<option${ns.allocationStatus===s?'
selected':""}>${s}</option>`).join("")}
    </select></div>
    <div style="display:flex;align-items:flex-end">
    <button class="btn btn-save" style="width:100%;justify-content:center"
onclick="addStudent()">📁 Save Student</button>
    </div>
</div>
<div class="info-banner" style="margin-bottom:0">Student creation is separate from room
management. Assigning a room updates occupancy, but never deletes a room.</div>
</div>`:"}

```

```

${es?}`<div class="edit-panel"
style="border-color:rgba(59,130,246,.4);background:rgba(59,130,246,.04)">
    <div class="edit-panel-title" style="color:#1d4ed8">✏️ Editing — ${es.name}</div>
    <div class="grid3" style="margin-bottom:14px">
    <div><label class="form-label">Full Name</label>
    <input class="form-input" value="${es.name}"
oninput="updateStudent(${es.id},'name',this.value)"/></div>
    <div><label class="form-label">Email</label>
    <input class="form-input" type="email" value="${es.email}"
oninput="updateStudent(${es.id},'email',this.value)"/></div>
    <div><label class="form-label">Phone</label>
    <input class="form-input" value="${es.phone||}"
oninput="updateStudent(${es.id},'phone',this.value)"/></div>
    <div><label class="form-label">Department</label>
    <input class="form-input" value="${es.department||}"
oninput="updateStudent(${es.id},'department',this.value)"/></div>
    <div><label class="form-label">Year</label>
    <select class="select-input" onchange="updateStudent(${es.id},'year',this.value)">
    ${['1st Year','2nd Year','3rd Year','4th Year'].map(y=>`<option${es.year===y?'
selected':""}>${y}</option>`).join("")}
    </select></div>

```

```

    <div><label class="form-label">Reset Password</label>
    <input class="form-input" type="password" placeholder="New password (optional)"
oninput="if(this.value)updateStudent({es.id},'password',this.value)"/></div>
    </div>
    <div style="display:flex;gap:10px">
    <button class="btn btn-save" onclick="saveStudent({es.id})"><img alt="save icon" data-bbox="640 180 660 200"/> Update Student</button>
    <button class="btn btn-out" onclick="setState({editStudentId:null})">Cancel</button>
    </div>
  </div>`:`}`

<div class="card" style="margin-bottom:16px;padding:14px 18px">
  <div class="search-wrap"><span class="search-icon"><img alt="search icon" data-bbox="570 290 590 310"/></span>
  <input class="form-input" placeholder="Search students..." value="{state.search}"
oninput="setState({search:this.value})"/>
  </div>
</div>
<div class="card"><div class="table-wrap"><table>

<thead><tr><th>Student</th><th>Department</th><th>Year</th><th>Phone</th><th>Room</th>
><th>Status</th><th>Actions</th></tr></thead>
  <tbody>
    ${filtered.map(s=>{
      const alloc=state.allocations.find(a=>a.userId===s.id);
      const room=alloc?state.rooms.find(r=>r.id===alloc.roomId):null;
      return `<tr>
        <td><div style="display:flex;align-items:center;gap:10px">
          <div class="avatar"
style="width:34px;height:34px;border-radius:10px;font-size:12px">${s.avatar}</div>
          <div><div style="font-weight:800;color:#4c1d95">${s.name}</div>
            <div style="font-size:12px;color:#a78bfa">${s.email}</div></div>
        </div></td>
        <td>${s.department||'—'}</td>
        <td>${s.year||'—'}</td>
        <td style="font-size:13px">${s.phone||'—'}</td>
        <td>${room?'<span class="badge bp">Room ${room.number}</span><div
style="font-size:11px;color:#a78bfa;margin-top:2px">${fmtPrice(room.price)}mo</div>':<span
class="badge by">No Room</span>}`</td>
        <td>${alloc?'<span class="badge
${alloc.status==='Approved'?'bg':alloc.status==='Pending'?'by':'br'}">${alloc.status}</span>':<s
pan class="badge"
style="background:rgba(168,85,247,.08);color:#c4b5fd">None</span>}`</td>
        <td><div style="display:flex;gap:5px;flex-wrap:wrap">

```

```

        <button class="btn btn-edit btn-xs"
onclick="setState({editStudentId:${s.id},showAddStudent:false,showAddRoom:false})">✎
Edit</button>
        <button class="btn btn-ghost btn-xs" onclick="deleteStudent(${s.id})">🗑️
Delete</button>
    </div></td>
</tr>`;
}).join("")
</tbody>
</table>
${filtered.length===0?`<div class="empty"><div class="empty-icon">👤</div><div
class="empty-text">No students found</div></div>`:''}
</div></div></div>`;
}
function addStudent(){
    const f=state.newStudent;
    if(!f.name||!f.email||!f.password){showToast('Name, email and password are
required.','error');return;}
    if(f.password.length<6){showToast('Password must be at least 6 characters.','error');return;}
    if(state.users.some(u=>u.email===f.email)){showToast('Email already
registered.','error');return;}
    const room=f.roomId?state.rooms.find(r=>r.id===+f.roomId):null;
    if(f.roomId&&(!room||room.occupied>=room.capacity)){showToast('Selected room is no longer
available.','error');return;}
    const initials=f.name.split(' ').map(n=>n[0]).join("").toUpperCase().slice(0,2)||'ST';
    const userId=Math.max(...state.users.map(u=>u.id),0)+1;
    const
student={id:userId,name:f.name,email:f.email,password:f.password,role:'student',avatar:initials,
    department:f.department||'General',joined:today(),phone:f.phone,year:f.year};
    state.users.push(student);
    if(room){
        const status=f.allocationStatus||'Pending';

state.allocations.push({id:Math.max(...state.allocations.map(a=>a.id),0)+1,userId,roomId:room.i
d,status,

requestDate:today(),approvedDate:status==='Approved'?today():null,checkIn:today(),checkOut:'
2026-05-30'});
        if(status==='Approved'){
            room.occupied=Math.min(room.capacity,room.occupied+1);
            room.status=room.occupied>=room.capacity?'Full':'Available';
        }
    }
}

```

```

    state.newStudent={name:"",email:"",password:"",phone:"",department:"",year:'1st
Year',roomId:"",allocationStatus:'Pending'};
    state.showAddStudent=false;
    showToast(`${student.name} added to the hostel.`, 'success');
  }
  function updateStudent(id,k,v){
    const u=state.users.find(x=>x.id===id);
    if(u){u[k]=v; if(k==='name'){u.avatar=v.split(' ').map(n=>n[0]).join('').toUpperCase().slice(0,2);}}
    render();
  }
  function saveStudent(id){
    setState({editStudentId:null});
    showToast('✅ Student details updated!', 'success');
  }
  function deleteStudent(id){
    const student=state.users.find(u=>u.id===id&&u.role==='student');
    if(!student){showToast('Student not found.', 'error');return;}
    const linkedAllocs=state.allocations.filter(a=>a.userId===id);
    setState({modal:{
      title:'Delete Student',
      body:`Delete ${student.name}? Their room requests/allocation history will be removed, but
the room itself will stay in Manage Rooms.`,
      confirm:'Delete Student',
      danger:true,
      onConfirm:()=>{
        linkedAllocs.filter(a=>a.status==='Approved').forEach(a=>{
          const room=state.rooms.find(r=>r.id===a.roomId);
          if(room){
            room.occupied=Math.max(0,room.occupied-1);
            room.status=room.occupied>=room.capacity?'Full':'Available';
          }
        });
        state.allocations=state.allocations.filter(a=>a.userId!==id);
        state.users=state.users.filter(u=>u.id!==id);
        state.editStudentId=null;
        showToast(`${student.name} deleted. Room records were kept.`, 'success');
      }
    });
  }
}

```

//

// REQUESTS (with EDIT check-in/check-out + re-assign room)

```
//
```

```
function requestsHTML(){
  const
  filtered=state.allocations.filter(a=>state.reqFilter=== 'all' || a.status.toLowerCase()===state.reqFilter);
  const ea=state.editAllocId?state.allocations.find(a=>a.id===state.editAllocId):null;
  return `<div class="anim">
    <div class="topbar">
      <div><h1 class="page-title">Room Requests</h1><p class="page-sub">Approve, reject, or
update allocation details</p></div>
      <div class="tab-bar">
        ${['all','pending','approved','rejected'].map(f=>`<button class="tab
${state.reqFilter===f?'active':''}" onclick="setState({reqFilter:'${f}})">
          ${f.charAt(0).toUpperCase()+f.slice(1)} <span
style="font-size:11px;opacity:.7">${f==='all'?state.allocations.length:state.allocations.filter(a=>a.
status.toLowerCase()===f).length}</span>
        </button>`).join("")}
      </div>
    </div>

    ${ea?`<div class="edit-panel"
style="border-color:rgba(59,130,246,.4);background:rgba(59,130,246,.04)">
      <div class="edit-panel-title" style="color:#1d4ed8">✎ Editing Allocation #${ea.id}</div>
      <div class="grid3" style="margin-bottom:14px">
        <div><label class="form-label">Assign Room</label>
        <select class="select-input" onchange="updateAlloc(${ea.id},'roomId',+this.value)">
          ${state.rooms.map(r=>`<option value="${r.id}"${ea.roomId===r.id?'
selected':''}>${r.number} (${r.type}) — ${fmtPrice(r.price)}/mo</option>`).join("")}
        </select></div>
        <div><label class="form-label">Status</label>
        <select class="select-input" onchange="updateAlloc(${ea.id},'status',this.value)">
          ${['Pending','Approved','Rejected'].map(s=>`<option${ea.status===s?'
selected':''}>${s}</option>`).join("")}
        </select></div>
        <div><label class="form-label">Check-In Date</label>
        <input class="form-input" type="date" value="${ea.checkIn}"
oninput="updateAlloc(${ea.id},'checkIn',this.value)"/></div>
        <div><label class="form-label">Check-Out Date</label>
        <input class="form-input" type="date" value="${ea.checkOut}"
oninput="updateAlloc(${ea.id},'checkOut',this.value)"/></div>
        <div><label class="form-label">Approved Date</label>
```

```

        <input class="form-input" type="date" value="{ea.approvedDate||}"
oninput="updateAlloc({ea.id},'approvedDate',this.value)"/></div>
    </div>
    <div style="display:flex;gap:10px">
        <button class="btn btn-save" onclick="saveAlloc({ea.id})"><img alt="save icon" data-bbox="618 165 640 185"/> Update Allocation</button>
        <button class="btn btn-out" onclick="setState({editAllocId:null})">Cancel</button>
    </div>
</div>`:"}

<div class="card"><div class="table-wrap"><table>
    <thead><tr><th>Student</th><th>Room & Price</th><th>Request
Date</th><th>Check-In</th><th>Check-Out</th><th>Status</th><th>Actions</th></tr></thead>
    <tbody>
        ${filtered.map(a=>{
            const u=state.users.find(x=>x.id===a.userId)||{name:'Unknown',avatar:'??',department:''};
            const r=state.rooms.find(x=>x.id===a.roomId)||{number:'?',type:'?',price:0};
            return `<tr>
                <td><div style="display:flex;align-items:center;gap:10px">
                    <div class="avatar"
style="width:32px;height:32px;border-radius:9px;font-size:11px">${u.avatar}</div>
                    <div><div style="font-weight:800;color:#4c1d95;font-size:13px">${u.name}</div>
                        <div style="font-size:11px;color:#a78bfa">${u.department}</div></div>
                </td><span class="badge bp">${r.number} (${r.type})</span>
                <div
style="font-size:11px;color:#6d28d9;font-weight:800;margin-top:2px">${fmtPrice(r.price)}/mo</div>
                </td>
                <td style="font-size:13px">${a.requestDate}</td>
                <td style="font-size:13px">${a.checkIn}</td>
                <td style="font-size:13px">${a.checkOut}</td>
                <td><span class="badge ${a.status==='Approved'?'bg':a.status==='Pending'?'by':'br'}">
                    ${a.status==='Approved'?'✓':a.status==='Pending'?'⌚': 'X'} ${a.status}</span></td>
                <td><div style="display:flex;gap:4px;flex-wrap:wrap">
                    <button class="btn btn-edit btn-xs" onclick="setState({editAllocId:${a.id}})"><img alt="edit icon" data-bbox="770 695 795 715"/>
Edit</button>
                    ${a.status==='Pending'?
                        <button class="btn btn-app btn-xs" onclick="approveReq(${a.id})">✓ </button>
                        <button class="btn btn-rej btn-xs" onclick="rejectReq(${a.id})">X </button>`:"}
                </div></td>
            </tr>`;
        }).join("")}
    </tbody>
</table>

```

```

    ${filtered.length===0?`<div class="empty"><div class="empty-icon">📄</div><div
class="empty-text">No ${state.reqFilter} requests</div></div>`:''}
    </div></div></div>`;
}
function updateAlloc(id,k,v){ const a=state.allocations.find(x=>x.id===id); if(a){a[k]=v;} render(); }
function saveAlloc(id){ setState({editAllocId:null}); showToast('✅ Allocation updated!','success');
}

//

```

```

// STUDENT DASHBOARD
//

```

```

function stuDashHTML(){
  const u=state.currentUser;
  const myAllocs=state.allocations.filter(a=>a.userId===u.id);
  const approved=myAllocs.find(a=>a.status==='Approved');
  const pending=myAllocs.find(a=>a.status==='Pending');
  const myRoom=approved?state.rooms.find(r=>r.id===approved.roomId):null;
  const avail=state.rooms.filter(r=>r.status==='Available').length;
  const picks=recommendedRooms(3);
  return `<div class="anim">
    <div class="topbar">
      <div><h1 class="page-title">Welcome, ${u.name.split(' ')[0]}! 🌸</h1>
        <p class="page-sub">${u.department} · ${u.year||''}</p></div>
      <div class="topbar-right"><div class="icon-btn">🔔</div><div
class="avatar">${u.avatar}</div></div>
    </div>
    <div class="stats-grid">
      ${[
        {label:'My
Room',val:myRoom?myRoom.number:'—',icon:'🏠',color:'rgba(168,85,247,.12)',chg:myRoom?
myRoom.type:'Not assigned'},
        {label:'Monthly
Fee',val:myRoom?fmtPrice(myRoom.price):'—',icon:'💰',color:'rgba(245,158,11,.1)',chg:myRoo
m?'${myRoom.type} Room':'No allocation'},
        {label:'Request
Status',val:approved?'Active':pending?'Pending':'None',icon:approved?'✅':pending?'⌚':❌, col
or:approved?'rgba(34,197,94,.1)':'rgba(245,158,11,.1)',chg:approved?'Approved':pending?'Unde
r review':'No request'},
        {label:'Available Rooms',val:avail,icon:'🔑',color:'rgba(59,130,246,.1)',chg:'Rooms open
now'},

```



```

].map(s=>`<div class="card stat-card">
  <div class="stat-icon" style="background:${s.color}">${s.icon}</div>
  <div><div class="stat-val"
style="font-size:${s.val.toString().length>6?'18px':'28px'}">${s.val}</div>
  <div class="stat-lbl">${s.label}</div><div class="stat-chg">${s.chg}</div></div>
  </div>`).join("")}
</div>
${!myRoom&&!pending&&picks.length?'<div class="card" style="margin-bottom:16px">
  <div class="sec-head"><div><div class="sec-title">Recommended For You</div><div
class="sec-sub">Best available rooms by space, amenities, and value</div></div>
  <button class="btn btn-out btn-sm" onclick="goPage('explore')">Explore All</button></div>
  <div class="recommend-grid" style="padding:18px 22px">
    ${picks.map(({room,score})=>`<div class="recommend-card">
      <div style="display:flex;justify-content:space-between;gap:8px;align-items:flex-start">
        <div><div class="room-num" style="font-size:20px">Room ${room.number}</div><div
class="room-type">${room.type} · ${room.floor} Floor</div></div>
        <span class="metric-pill">${score} match</span>
      </div>
      <div class="price-tag" style="margin:12px 0">${fmtPrice(room.price)}/mo</div>
      <div
style="font-size:12px;color:#7c3aed;font-weight:800;margin-bottom:10px">${room.capacity-roo
m.occupied} bed${room.capacity-room.occupied>1?'s':""} open</div>
      <div style="margin-bottom:12px">${room.amenities.slice(0,3).map(a=>`<span
class="amenity">${a}</span>`).join("")}</div>
      <button class="btn btn-pur btn-sm" onclick="requestRoom(${room.id})">Request
Room</button>
    </div>`).join("")}
  </div>
</div>`}
<div class="g2">
  ${myRoom?'<div class="card">
    <div class="sec-head"><div><div class="sec-title">My Room</div><div
class="sec-sub">Current allocation</div></div>
    <span class="badge bg">✓ Approved</span></div>
    <div style="padding:22px">
      <div style="display:flex;align-items:center;gap:16px;margin-bottom:18px">
        <div
style="width:56px;height:56px;border-radius:18px;background:linear-gradient(135deg,#a855f7,#
7c3aed);display:flex;align-items:center;justify-content:center;font-size:26px">🏠</div>
        <div><div style="font-family:'DM Serif Display',serif;font-size:24px;color:#4c1d95">Room
${myRoom.number}</div>
        <div style="color:#a78bfa;font-size:13px;font-weight:700">${myRoom.type} ·
${myRoom.floor} Floor</div>

```

```

        <div class="price-tag"
style="margin-top:6px;font-size:15px">${fmtPrice(myRoom.price)}/month</div>
    </div>
</div>
    ${[['Capacity',myRoom.capacity+'
Persons'],['Check-In',approved.checkIn],['Check-Out',approved.checkOut]].map(([,v])=>`
    <div style="display:flex;justify-content:space-between;padding:9px 0;border-bottom:1px
solid rgba(168,85,247,.07)">
        <span style="font-size:13px;color:#a78bfa;font-weight:700">${l}</span>
        <span style="font-size:14px;color:#4c1d95;font-weight:800">${v}</span>
    </div>`)}.join("")}
    <div style="margin-top:12px">${myRoom.amenities.map(a=>`<span class="amenity">✓
${a}</span>`)}.join(""))</div>
</div>`:`<div class="card"
style="padding:32px;display:flex;flex-direction:column;align-items:center;justify-content:center;g
ap:12px;text-align:center;min-height:220px">
    <div style="font-size:48px">🏠</div>
    <div style="font-family:'DM Serif Display',serif;font-size:20px;color:#4c1d95">No Room
Yet</div>
    <div style="font-size:14px;color:#a78bfa;max-width:200px">${pending?'Your request is
under admin review.':'Browse and request a room from the Room Explorer.'}</div>
    ${!pending?'<button class="btn btn-pur" onclick="goPage('explore')">🔍 Explore
Rooms</button>':""}
</div>`}
<div class="card">
    <div class="sec-head"><div><div class="sec-title">Quick Actions</div><div
class="sec-sub">What would you like to do?</div></div></div>
    <div style="padding:14px 18px">
        ${[
            {icon:'🔍',label:'Explore Available Rooms',sub:`${avail} rooms
available`,page:'explore',color:'rgba(168,85,247,.08)'},
            {icon:'📋',label:'View My Requests',sub:`${myAllocs.length} total
requests`,page:'myrequests',color:'rgba(59,130,246,.08)'},
            {icon:'👤',label:'Edit My Profile',sub:'Update your personal
details',page:'profile',color:'rgba(20,184,166,.08)'},
        ].map(a=>`<div class="qa-item" style="background:${a.color}"
onclick="goPage('${a.page}')"
onmouseover="this.style.transform='translateX(4px)'"
onmouseout="this.style.transform='translateX(0)'">
            <span style="font-size:22px">${a.icon}</span>
            <div><div style="font-weight:800;font-size:14px;color:#4c1d95">${a.label}</div>
            <div style="font-size:12px;color:#a78bfa">${a.sub}</div></div>
            <span style="margin-left:auto;color:#c4b5fd;font-size:20px">></span>

```

```

        </div>`).join("")}
    </div>
</div>
</div></div>`;
}

//
=====
// ROOM EXPLORER (with pricing shown)
//
=====
function exploreHTML(){
    const u=state.currentUser;
    const myAllocs=state.allocations.filter(a=>a.userId===u.id);
    const hasActive=myAllocs.some(a=>a.status!=='Rejected');
    const filtered=state.rooms.filter(r=>{
        const mf=state.roomFilter==='all'||(state.roomFilter==='available'&&r.status==='Available')||
        (state.roomFilter==='single'&&r.type==='Single')||(state.roomFilter==='double'&&r.type==='Double')||
        (state.roomFilter==='triple'&&r.type==='Triple');
        const ms=r.number.toLowerCase().includes(state.search.toLowerCase())||
        r.type.toLowerCase().includes(state.search.toLowerCase())||r.floor.toLowerCase().includes(state
        .search.toLowerCase());
        return mf&&ms;
    });
    return `<div class="anim">
    <div class="topbar">
        <div><h1 class="page-title">Room Explorer</h1><p class="page-sub">Find and request your
        perfect room</p></div>
    </div>
    ${hasActive?`<div class="warn-banner">⚠ You have an active request or approved allocation.
    Cancel it from My Requests to request a new room.</div>:`:''}
    <div class="card" style="padding:14px
    18px;margin-bottom:16px;display:flex;gap:12px;flex-wrap:wrap;align-items:center">
        <div class="search-wrap" style="flex:1;min-width:180px"><span
        class="search-icon">🔍</span>
        <input class="form-input" placeholder="Search rooms..." value="${state.search}"
        oninput="setState({search:this.value})"/></div>
    <div class="tab-bar">

```

```

$([[['all','All'],['available','Available'],['single','Single'],['double','Double'],['triple','Triple']]).map(([,l])=>
,
    <button class="tab ${state.roomFilter===f?'active':''}"
onclick="setState({roomFilter:'${f}}")>${l}</button>`).join("")
</div>
</div>
<div class="rooms-grid">
    ${filtered.map(r=>{
        const isFull=r.status==='Full';
        return `<div class="card room-card ${isFull?'full':''}" style="opacity:${isFull?.7:1}">
            <div
style="display:flex;justify-content:space-between;align-items:flex-start;margin-bottom:10px">
                <div><div class="room-num">Room ${r.number}</div>
                <div class="room-type">${r.type} · ${r.floor} Floor</div></div>
                <span class="badge ${isFull?'br':'bg'}">${isFull?'● Full':'● Free'}</span>
            </div>
            <div style="margin-bottom:12px">
                <div class="price-big">${fmtPrice(r.price)}<span
style="font-size:14px;color:#a78bfa;font-weight:700">/month</span></div>
                <div style="font-size:12px;color:#a78bfa;margin-top:2px">Per person · ${r.type}
sharing</div>
            </div>
            <div class="cap-bar">
                <div class="cap-fill"
style="width:${(r.occupied/r.capacity)*100}%;background:${isFull?'linear-gradient(90deg,#f8717
1,#dc2626)':'linear-gradient(90deg,#a855f7,#7c3aed)}"></div>
            </div>
            <div
style="display:flex;justify-content:space-between;font-size:12px;color:#a78bfa;margin-bottom:12
px">
                <span>${r.occupied} occupied</span><span>${r.capacity-r.occupied} free of
${r.capacity}</span>
            </div>
            <div style="margin-bottom:14px">${r.amenities.map(a=>`<span
class="amenity">${a}</span>`).join("")}</div>
            <button class="btn btn-pur"
style="width:100%;justify-content:center;opacity:${(isFull||hasActive)?.5:1}"
    ${isFull||hasActive?'disabled':''} onclick="requestRoom(${r.id})">
    ${isFull?'● Room Full':hasActive?'Already Requested':'🔑 Request Room'}
            </button>
        </div>`;
    }).join("")
</div>

```

```

    ${filtered.length===0?`<div class="card" style="padding:40px"><div class="empty"><div
class="empty-icon"><img alt="empty icon" data-bbox="280 108 298 126"/></div><div class="empty-text">No rooms found</div></div></div>`:`}
    </div>`;
  }
  function requestRoom(roomId){
    const u=state.currentUser, r=state.rooms.find(x=>x.id===roomId);
    if(!r)return;
    setState({modal:{title:`Request Room ${r.number}`,
      body:`You're requesting a ${r.type} room on the ${r.floor} floor at
<strong>${fmtPrice(r.price)}/month</strong>. Your request will be reviewed by the admin.` ,
      room:r,confirm:'Confirm Request',
      onConfirm:()=>{
        const td=today(), co=new Date(Date.now()+300*24*60*60*1000).toISOString().split('T')[0];
        state.allocations.push({id:state.allocations.length+Date.now()%1000,userId:u.id,roomId:r.id,
          status:'Pending',requestDate:td,approvedDate:null,checkIn:td,checkOut:co});
        showToast(`Room request for ${r.number} submitted!`,`success`);
      }
    });
  }
}

```

//

// MY REQUESTS (student can cancel pending)

//

```

function myRequestsHTML(){
  const u=state.currentUser;
  const myAllocs=state.allocations.filter(a=>a.userId===u.id);
  return `<div class="anim">
    <div class="topbar">
      <div><h1 class="page-title">My Requests</h1><p class="page-sub">Track and manage your
room allocation requests</p></div>
    </div>
    ${myAllocs.length===0?`<div class="card" style="padding:60px;text-align:center">
      <div style="font-size:52px;margin-bottom:12px"><img alt="empty icon" data-bbox="525 752 543 770"/></div>
      <div style="font-family:'DM Serif
Display',serif;font-size:22px;color:#4c1d95;margin-bottom:6px">No Requests Yet</div>
      <div style="color:#a78bfa;font-size:14px;margin-bottom:16px">Go to Room Explorer to find
and request a room.</div>
      <button class="btn btn-pur" onclick="goPage('explore')"><img alt="empty icon" data-bbox="588 842 606 860"/> Explore Rooms</button>
    </div>`:`}
    <div style="display:flex;flex-direction:column;gap:14px">
      ${myAllocs.map(a=>{

```



```

</div>`}
</div>`;
}
function cancelRequest(id){
  setState({modal:{title:'Cancel Request',body:'Are you sure you want to cancel this room
request?',confirm:'Yes, Cancel',danger:true,
  onConfirm:()=>{
    state.allocations=state.allocations.filter(a=>a.id!==id);
    showToast('Request cancelled.','info');
  }
  }});
}

```

```
//
```

```
// STUDENT PROFILE (fully editable)
```

```
//
```

```

function profileHTML(){
  const u=state.currentUser;
  const myAllocs=state.allocations.filter(a=>a.userId===u.id);
  const approved=myAllocs.find(a=>a.status==='Approved');
  const myRoom=approved?state.rooms.find(r=>r.id===approved.roomId):null;
  const edit=state.editProfileMode;
  return `<div class="anim">
<div class="topbar">
  <div><h1 class="page-title">My Profile</h1><p class="page-sub">View and update your
personal information</p></div>
  <button class="btn ${edit?'btn-save':'btn-edit'}" onclick="toggleProfileEdit()">
    ${edit?'💾 Save Changes':'✏ Edit Profile'}
  </button>
</div>
<div style="display:grid;grid-template-columns:380px 1fr;gap:16px">
  <div class="card" style="overflow:hidden">
    <div class="prof-head">
      <div class="avatar lg"
style="background:linear-gradient(135deg,#c084fc,#7c3aed);font-size:24px">${u.avatar}</div>
      <div>
        <div style="font-family:'DM Serif
Display',serif;font-size:22px;color:#4c1d95">${u.name}</div>
        <div style="font-size:13px;color:#7c3aed;font-weight:700">${u.email}</div>
        <span class="badge bp" style="margin-top:6px">🎓 Student</span>

```

```

    </div>
  </div>
  <div style="padding:20px 22px">
    ${edit?`
      <div class="form-group"><label class="form-label">Full Name</label>
        <input class="form-input" value="${u.name}"
oninput="liveUpdateProfile('name',this.value)"/></div>
        <div class="form-group"><label class="form-label">Email</label>
        <input class="form-input" type="email" value="${u.email}"
oninput="liveUpdateProfile('email',this.value)"/></div>
        <div class="form-group"><label class="form-label">Phone</label>
        <input class="form-input" value="${u.phone||}"`
oninput="liveUpdateProfile('phone',this.value)"/></div>
        <div class="form-group"><label class="form-label">Department</label>
        <input class="form-input" value="${u.department||}"
oninput="liveUpdateProfile('department',this.value)"/></div>
        <div class="form-group"><label class="form-label">Year</label>
        <select class="select-input" onchange="liveUpdateProfile('year',this.value)">
          ${['1st Year','2nd Year','3rd Year','4th Year'].map(y=>`<option${u.year===y?'
selected':""}>${y}</option>`).join("")}
        </select></div>
        <div class="form-group"><label class="form-label">New Password (optional)</label>
        <input class="form-input" type="password" placeholder="Leave blank to keep current"
oninput="if(this.value.length>=6)liveUpdateProfile('password',this.value)"/></div>
        <div style="display:flex;gap:8px;margin-top:4px">
          <button class="btn btn-save" style="flex:1;justify-content:center"
onclick="saveProfile()">📁 Save All Changes</button>
          <button class="btn btn-out btn-sm"
onclick="setState({editProfileMode:false})">X</button>
        </div>`
      :`${['Department',u.department],['Year',u.year||'—'],['Phone',u.phone||'Not
provided'],['Member Since',u.joined]].map(([l,v])=>`
        <div style="display:flex;align-items:center;justify-content:space-between;padding:10px
0;border-bottom:1px solid rgba(168,85,247,.07)">
          <span style="font-size:13px;color:#a78bfa;font-weight:700">${l}</span>
          <span style="font-size:14px;color:#4c1d95;font-weight:800">${v}</span>
        </div>`).join("")}
        <div style="margin-top:14px;text-align:center">
          <button class="btn btn-edit" style="width:100%;justify-content:center"
onclick="toggleProfileEdit()">✎ Edit Profile</button>
        </div>`}
    </div>
  </div>
  <div style="display:flex;flex-direction:column;gap:14px">

```



```

<div class="card" style="padding:24px">
  <div style="font-weight:800;font-size:15px;color:#4c1d95;margin-bottom:16px">🏠
Accommodation Details</div>
  ${myRoom?`
    <div style="display:flex;gap:16px;align-items:center;margin-bottom:14px">
      <div
style="width:48px;height:48px;border-radius:14px;background:linear-gradient(135deg,#a855f7,#
7c3aed);display:flex;align-items:center;justify-content:center;font-size:22px">🏠</div>
      <div><div style="font-family:'DM Serif Display',serif;font-size:20px;color:#4c1d95">Room
${myRoom.number}</div>
        <div style="font-size:13px;color:#a78bfa">${myRoom.type} · ${myRoom.floor}
Floor</div>
        <div class="price-tag"
style="margin-top:5px">${fmtPrice(myRoom.price)}/month</div></div>
        <span class="badge bg" style="margin-left:auto">✓ Active</span>
      </div>
      <div style="display:grid;grid-template-columns:1fr 1fr;gap:10px;margin-bottom:12px">
        ${[['Check-In',approved.checkIn],['Check-Out',approved.checkOut]].map(([,v])=>`
          <div style="background:rgba(168,85,247,.05);border-radius:10px;padding:10px 14px">
            <div style="font-size:11px;color:#a78bfa;font-weight:800">${l}</div>
            <div style="font-size:14px;font-weight:800;color:#4c1d95;margin-top:2px">${v}</div>
          </div>`).join("")}
        </div>
        <div>${myRoom.amenities.map(a=>`<span class="amenity">✓
${a}</span>`).join("")}</div>
      `:.`<div style="text-align:center;padding:20px 0"><div
style="font-size:32px;margin-bottom:8px">🚧</div>
      <div style="font-size:14px;color:#a78bfa;font-weight:700;margin-bottom:12px">No room
allocated yet</div>
      <button class="btn btn-pur btn-sm" onclick="goPage('explore')">🔍 Explore
Rooms</button></div>`}
    </div>
  <div class="card" style="padding:24px">
    <div style="font-weight:800;font-size:15px;color:#4c1d95;margin-bottom:14px">📊 Activity
Summary</div>
    <div style="display:grid;grid-template-columns:repeat(3,1fr);gap:10px">
      ${[
        {v:myAllocs.length,l:'Total Requests',i:'📋'},
        {v:myAllocs.filter(a=>a.status==='Approved').length,l:'Approved',i:'✅'},
        {v:myAllocs.filter(a=>a.status==='Pending').length,l:'Pending',i:'⌚'},
      ].map(s=>`<div
style="text-align:center;background:rgba(168,85,247,.05);border-radius:12px;padding:16px
10px">
        <div style="font-size:22px;margin-bottom:4px">${s.i}</div>

```

```

        <div style="font-family:'DM Serif
Display',serif;font-size:24px;color:#4c1d95">${s.v}</div>
        <div style="font-size:11px;color:#a78bfa;font-weight:700">${s.l}</div>
    </div>`).join("")}
    </div>
    </div>
    </div>
    </div></div>`;
}
function toggleProfileEdit(){
    if(state.editProfileMode) saveProfile();
    else setState({editProfileMode:true});
}
function liveUpdateProfile(k,v){
    const u=state.currentUser;
    state.users=state.users.map(x=>x.id===u.id?{...x,[k]:v}:x);
    state.currentUser={...state.currentUser,[k]:v};
    if(k==='name'){
        const initials=v.split(' ').map(n=>n[0]).join("").toUpperCase().slice(0,2);
        state.currentUser.avatar=initials;
        state.users=state.users.map(x=>x.id===state.currentUser.id?{...x,avatar:initials}:x);
    }
    render();
}
function saveProfile(){
    setState({editProfileMode:false});
    showToast('✅ Profile updated successfully!','success');
}

//
=====
// MODAL
//
=====
function modalHTML(){
    const m=state.modal;
    return `<div class="overlay" onclick="setState({modal:null})">
    <div class="modal" onclick="event.stopPropagation()">
        <div class="modal-title">${m.title}</div>
        <div class="modal-sub">${m.body}</div>
        ${m.room?'<div
style="background:rgba(168,85,247,.06);border-radius:14px;padding:16px;margin-bottom:4px">

```

```

<div style="display:flex;gap:12px;align-items:center">
  <div style="font-size:28px">🏠</div>
  <div>
    <div style="font-weight:800;color:#4c1d95;font-size:16px">Room
    ${m.room.number}</div>
    <div style="font-size:13px;color:#a78bfa">${m.room.type} · ${m.room.floor} Floor ·
    ${m.room.capacity} beds</div>
    <div class="price-tag" style="margin-top:6px">${fmtPrice(m.room.price)}/month</div>
    <div style="margin-top:6px">${m.room.amenities.map(a=>`<span
class="amenity">${a}</span>`).join("")}</div>
  </div>
</div>`:"}
<div class="modal-actions">
  <button class="btn btn-out" onclick="setState({modal:null})">Cancel</button>
  <button class="btn"
style="background:${m.danger?'linear-gradient(135deg,#ef4444,#dc2626)':`linear-gradient(135deg,#a855f7,#7c3aed)`};color:#fff;box-shadow:0 4px 12px
${m.danger?'rgba(239,68,68,.3)':`rgba(124,58,237,.3)`}"
  onclick="doModalConfirm()">${m.confirm}</button>
</div>
</div></div>`;
}
function doModalConfirm(){
  if(state.modal&&state.modal.onConfirm) state.modal.onConfirm();
  setState({modal:null});
}

//
=====
// TOAST
//
=====
function toastHTML(){
  return `<div class="toast ${state.toast.type}">

  <span>${state.toast.type==='success'?`✅`:state.toast.type==='error'?`❌`:`ℹ️`}</span>${state.to
ast.msg}
  </div>`;
}

function bindEvents(){

```

```
// INIT
hydrateState();
render();
loadMySQLState();
</script>
</body>
</html>
```