


Electric Vehicle market in India

Mythri k



Abstract

Market segmentation becomes a crucial tool for evolving transportation technology such as electric vehicles (EVs) in emerging markets to explore and implement for extensive adoption. EVs adoption is expected to grow phenomenally in near future as low emission and low operating cost vehicle, and thus, it drives a considerable amount of forthcoming academic research curiosity. The main aim of this study is to explore and identify distinct sets of potential buyer segments for EVs based on psychographic, behavioural, and socio-economic characterization by employing an integrated research framework of 'perceived benefits-attitude-intention'. The study applied robust analytical procedures including cluster analysis, multiple discriminant analysis and Chi-square test to operationalize and validate segments from the data collected of 563 respondents using a cross-sectional online survey. The findings posit that the three distinct sets of young consumer groups have been identified and labelled as 'Conservatives', 'In differ- ents', and 'Enthusiasts' which are deemed to be budding EV buyers. The implications are recommended, which may offer some pertinent guidance for scholars and policy- makers to encourage EVs adoption in the backdrop of emerging sustainable transport market.

In this report we are going to analyse the data and solve the problem using Fermi Estimation by breaking down the problem.

Keywords : Electric vehicles, Market segmentation, Cluster analysis, Attitude towards electric vehicles, Subjective norms, Adoption intention, Sustainable transportation.

Data Collection

The data has been collected manually, and the sources used for this process are listed below :

- <https://www.kaggle.com/datasets>
- <https://data.gov.in/>
- <https://www.data.gov/>
- <https://en.wikipedia.org/wiki/>
- <https://datasetsearch.research.google.com/>

Market Segmentation

Target Market:

The target market of Electric Vehicle Market Segmentation can be categorized into Geographic, Sociodemographic, Behavioural, and Psychographic Segmentation.

Behavioural Segmentation: searches directly for similarities in behaviour or reported behaviour.

Example: prior experience with the product, amount spent on the purchase, etc.




Figure 1: *Behavioural Segmentation*


Advantage: uses the very behaviour of interest is used as the basis of segment extraction

Disadvantage: not always readily available.

Psychographic Segmentation: grouped based on beliefs, interests, preferences, aspirations, or benefits sought when purchasing a product. Suitable for lifestyle segmentation. Involves many segmentation variables.

Advantage: generally, more reflective of the underlying reasons for differences in consumer behaviour.

Disadvantage: increased complexity of determining segment memberships for consumers



Socio-Demographic Segmentation: includes age, gender, income and education. Useful in industry.




Figure 3: *Behavioural Segmentation*

Advantage: segment membership can easily be determined for every customer.

Disadvantage: if this criterion is not the cause for customers product preferences then it does not provide sufficient market insight for optimal segmentation decisions.

Segmenting for Electric Vehicle Market

The market segmentation approach aims at defining actionable, manageable, homogenous subgroups of individual customers to whom the marketers can target with a similar set of marketing strategies. In practice, there are two ways of segmenting the market-a-priori and post-hoc. An a-priori approach utilizes predefined characteristics such as age, gender, income, education, etc. to predefine the segments followed by pro- filing based on a host of measured variables (behavioural, psychographic or benefit). In the post-hoc approach to segmentation on other hand,

the segments are identified based on the relationship among the multiple measured variables. The commonality between both approaches lies in the fact that the measured variables determine the 'segmentation theme'. The present study utilizes an a-priori approach to segmentation so as to divide the potential EV customers into sub-groups.

Figure 4: *Market Segmentation Electric Vehicles*




Figure 4: *Market Segmentation Electric Vehicles*

It is argued that the blended approach of psychographic and socioeconomic attributes for market segmentation enables the formulation of sub-market strategies which in turn satisfy the specific tastes and preferences of the consumer groups. Straughan and Roberts presented a comparison between the usefulness of psychographic, demographic, and economic characteristics based on consumer evaluation for eco-friendly products.

They pinpointed the perceived superiority of the psychographic characteristics over the socio-demographic and economic ones in explaining the environmentally-conscious consumer behaviour and thus, the study recommended the use of psychographic characteristics in profiling the consumer segments in the market for eco-friendly products. The present study adds perceived-benefit characteristics

guided by blended psychographic and socio-economic aspects for segmenting the consumer market.

Implementation

Packages/Tools used:

- 1.NumPy: To calculate various calculations related to arrays.
- 2.Pandas: To read or load the datasets.
- 3.matplotlib and seaborn: To visualize the datasets.

Data-Preprocessing

Data Cleaning

The data collected is compact and is partly used for visualization purposes and partly for clustering. Python libraries such as NumPy, Pandas, matplotlib and seaborn are used for the workflow, and the results obtained are ensured to be reproducible.

```
In [82]: #Import all the relevant libraries
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import warnings
warnings.filterwarnings('ignore')
```

```
In [83]: ## Read & Loading Dataset
df = pd.read_csv("ElectricCarData_Clean.csv")
df
```


Out[83]:

	Brand	Model	AccelSec	TopSpeed_KmH	Range_Km	Efficiency_WhKm	FastCharge_KmH	RapidCharge	PowerTrain	PlugType	BodyStyle	Segr
0	Tesla	Model 3 Long Range Dual Motor	4.6	233	450	161	940	Yes	AWD	Type 2 CCS	Sedan	
1	Volkswagen	ID.3 Pure	10.0	160	270	167	250	Yes	RWD	Type 2 CCS	Hatchback	
2	Polestar	2	4.7	210	400	181	620	Yes	AWD	Type 2 CCS	Liftback	
3	BMW	IX3	6.8	180	360	206	560	Yes	RWD	Type 2 CCS	SUV	

EDA:

We start the Exploratory Data Analysis with some data Analysis drawn from the data KDE Plot described as Kernel Density Estimate is used for visualizing the Probability Density of a continuous variable. It depicts the probability density at different values in a continuous variable. We can also plot a single graph for multiple samples which helps in more efficient data visualization. It tells you where is the density of the attributes in the dataset


```
[97]: #It tells you where is the density of the attributes in the dataset
plt.figure(figsize=(20,35))
for i, col in enumerate(df.columns):
    if df[col].dtype != 'object':
        ax = plt.subplot(7, 2, i+1)
        sns.kdeplot(df[col], ax=ax)
        plt.xlabel(col)
plt.show()
```




No of seats in the EV cars in different brand.

```
[104]: #Number of seats in each car
ax = plt.figure(figsize=(20,5))
sb.barplot(x='Brand', y='Seats', data=df, palette='husl')
plt.grid(axis='y')
plt.title('Seats in a car')
plt.xlabel('Brand')
plt.ylabel('Seats')
```


```
[104]: Text(0, 0.5, 'Seats')
```




Speed of the car vs brand




A histogram is basically used to represent data provided in a form of some groups. It is accurate method for the graphical representation of numerical data distribution. The `matplotlib.pyplot()` function is used to compute and create histogram of x.



Types of Plug used for charging:




Correlation Matrix: A correlation matrix is simply a table that displays the correlation. It is best used in variables that demonstrate a linear relationship between each other. Coefficients for different variables. The matrix depicts the correlation between all the possible pairs of values through the heatmap in the below figure. The relationship between two variables is usually considered strong when their correlation coefficient value is larger than 0.7.



Extracting Segments

Dendrogram:


This technique is specific to the agglomerative hierarchical method of clustering. The agglomerative hierarchical method of clustering starts by considering each point as a separate cluster and starts joining points to clusters in a hierarchical fashion based on their distances. To get the optimal number of clusters for hierarchical clustering, we make use of a dendrogram which is a tree-like chart that shows the sequences of merges or splits of clusters. If two clusters are merged, the dendrogram will join them in a graph and the height of the join will be the distance between those clusters. As shown in Figure, we can choose the optimal number of clusters based on hierarchical structure of the dendrogram. As highlighted by other cluster validation metrics, four to five clusters can be considered for the agglomerative hierarchical as well.



Elbow Method

The Elbow method is a popular method for determining the optimal number of clusters. The method is based on calculating the Within-Cluster-Sum of Squared Errors (WSS) for a different number of clusters (k) and selecting the k for which change in WSS first starts to diminish. The idea behind the elbow method is that the explained variation changes rapidly for a small number of clusters and then it slows down leading to an elbow formation in the curve. The elbow point is the number of clusters we can use for our clustering algorithm.

The `KElbowVisualizer` function fits the K-Means model for a range of clusters values between 2 to 8. As shown in Figure, the elbow point is achieved which is highlighted by the function itself. The function also informs us about how much time was needed to plot models for various numbers of clusters through the blue line.



Analysis and Approaches used for Segmentation

Clustering

Clustering is one of the most common exploratory data analysis techniques used to get an intuition about the structure of the data. It can be defined as the task of identifying subgroups in the data such that data points in the same subgroup (cluster) are very similar while data points in different clusters are very different. In other words, we try to find homogeneous subgroups within the data such that data points in each cluster are as similar as possible according to a similarity measure such as Euclidean-based distance or correlation-based distance.

The decision of which similarity measure to use is application-specific. Clustering analysis can be done on the basis of features where we try to find subgroups of samples based on features or on the basis of samples where we try to find subgroups of features based on samples.

K-Means Algorithm

K Means algorithm is an iterative algorithm that tries to partition the dataset into pre-defined distinct non-overlapping subgroups (clusters) where each data point belongs to only one group. It tries to make the intra-cluster data points as similar as possible while also keeping the clusters as different (far) as possible. It assigns data points to a cluster such that the sum of the squared distance between the data points and the cluster's centroid (arithmetic mean of all the data points that belong to that

cluster) is at the minimum. The less variation we have within clusters, the more homogeneous (similar) the data points are within the same cluster.

The way k means algorithm works is as follows:

- Specify number of clusters K.
- Initialize centroids by first shuffling the dataset and then randomly selecting K data points for the centroids without replacement.
- Keep iterating until there is no change to the centroids. i.e assignment of data points to clusters isn't changing.

The approach k-means follows to solve the problem is expectation maximization The E-step is assigning the data points to the closest cluster. The M-step is computing the centroid of each cluster. Below is a breakdown of how we can solve it mathematically,

The objective function is:

$$J = \sum_{i=1}^m \sum_{k=1}^K w_{ik} \|x^i - \mu_k\|^2 \quad (1)$$

$$\begin{aligned} \frac{\partial J}{\partial w_{ik}} &= \sum_{i=1}^m \sum_{k=1}^K \|x^i - \mu_k\|^2 \\ \Rightarrow w_{ik} &= \begin{cases} 1 & \text{if } k = \operatorname{argmin}_j \|x^i - \mu_j\|^2 \\ 0 & \text{otherwise.} \end{cases} \end{aligned}$$

$$\begin{aligned} \frac{\partial J}{\partial \mu_k} &= 2 \sum_{i=1}^m w_{ik} (x^i - \mu_k) = 0 \\ \Rightarrow \mu_k &= \frac{\sum_{i=1}^m w_{ik} x^i}{\sum_{i=1}^m w_{ik}} \end{aligned}$$

K means algorithm is very popular and used in a variety of applications such as market segmentation, document clustering, image segmentation and image compression, etc.

The goal usually when we undergo a cluster analysis is either:


1. Get a meaningful intuition of the structure of the data we're dealing with.

2.Cluster-then-predict where different models will be built for different subgroups if we believe there is a wide variation in the behaviours of different subgroups.

The k-means clustering algorithm performs the following tasks:

- Specify number of clusters K
- Initialize centroids by first shuffling the dataset and then randomly selecting K data points for the centroids without replacement.
- Compute the sum of the squared distance between data points and all centroids.
- Assign each data point to the closest cluster (centroid).
- Compute the centroids for the clusters by taking the average of the all-data points that belong to each cluster.
- Keep iterating until there is no change to the centroids. i.e assignment of data points to clusters isn't changing.

According to the Elbow method, here we take $K=4$ clusters to train KMeans model. The derived clusters are shown in the following figure



Target Segments:

So from the analysis we can see that the optimum targeted segment should be belonging to the following categories:

Behavioural: Mostly from our analysis there are cars with 5 seats.

Demographic:

- Top Speed & Range : With a large area of market the cost is dependent on Top speeds and Maximum range of cars.

- Efficiency: Mostly the segments are with most efficiency.

Finally, our target segment should contain cars with most Efficiency, contains Top Speed with mostly with 5 seats.

References

[1]Deepak Jaiswal, Arun Kumar Deshmukh (2022) Who will adopt electric vehicles? Segmenting and exemplifying potential buyer heterogeneity and forthcoming re-search, Journal of Retailing and Consumer Services.

[2]Dolina, S., Grun Bettina, amp; Leisch, F. (2019). Market segmentation analysis understanding it, doing it and making it useful. Springer Nature.

[3]McDonald, M., amp; Dunbar, I. (2003). /emphMarket segmentation. Butterworth-Heinemann

GitHub link: https://github.com/mythrimurthy/EV-market/blob/main/EV_vehicleSegmentation.ipynb