

AI 工具使用详情

本文件记录工具、使用阶段、主要提示方式，以及输出的采纳、修改和核验情况。工具回执中的未运行或未报告字段按实际状态保留，不以推测填充。

使用与核验状态

工程测试模式：下列多角色回执来自预先编写的测试夹具，不是实际 Codex 或 Claude 调用。数值实验独立执行，但尚无正式参赛人工签核。

调用 1: supervisor

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：You are the research PI. Set priorities and falsifiable search directions. You cannot waive gates, change frozen evaluation or assert unmeasured superiority.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=c2554cfe0b0525fda5ed84f82b6a613238f453458fde7a7bed0bba87c1ca8c36

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 2: modeler

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：You are the modeling specialist. Derive dimensions, assumptions, equations, constraints and a subquestion DAG. Use the provided method cards. Prefer interpretable baselines. MOSAIC is mandatory for ADMISSIBLE multiobjective problems; do not misrepresent its support. Freeze a substantive primary metric, ablations and sensitivity controls.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=f5e251626e11821e3cca61992fec5a9a01de47ad12cff0abfd3b993a92514338

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 3: `math_reviewer`

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=a790d7f1662bc7d277b5f2efd444d19dc1ccb961481250c6ebf5707d49cdddbb

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 4: `experiment_reviewer`

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=a790d7f1662bc7d277b5f2efd444d19dc1ccb961481250c6ebf5707d49cdddbb

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 5: `verifier_author`

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：You independently implement evaluate.py and test_solver.py

from the problem and plan, not by trusting the solver claimed scores. Recompute objective/constraints from answer artifacts. Tests must include wrong-answer, empty-output and adversarial data cases; they must fail incorrect solvers. Do not share code with the producer.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=48f3ec8ff17e129440d4da842aa940fdefadc976b382b7907e239cc71c1fd33f

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 6: math_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=18b5261a23b25082d1302722ad09eb9dff0a0f00482b48a3e0adec8069a4507e

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 7: experiment_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=18b5261a23b25082d1302722ad09eb9dff0a0f00482b48a3e0adec8069a4507e

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 8: coder

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: You write runnable Python files for the supplied immutable model and IO contract. Do not output fabricated results. Do not modify evaluation or hidden data. Implement all declared variants and accurate FE accounting. Use ONLY installed libraries listed in the packet.

输入由题目、当前阶段合同和冻结证据构成; 输入与输出分别由摘要绑定。

output_sha256=a19263a1d5a2b2deea7500aee31f22f143b3c8f54f564d02286b12bd704c6f72

采纳、人工修改和核验: 尚未取得对应的逐项人工签核; 不能据此认定满足正式提交条件。

调用 9: math_reviewer

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成; 输入与输出分别由摘要绑定。

output_sha256=f242785c943b28694961bb8d4cfb333ec0f776fc147407f29fc381e98abba579

采纳、人工修改和核验: 尚未取得对应的逐项人工签核; 不能据此认定满足正式提交条件。

调用 10: experiment_reviewer

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=f242785c943b28694961bb8d4cfb333ec0f776fc147407f29fc381e98abba579

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 11: math_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=4adb79b07865424abafe5cea0bb5cbc1b179b5adde87c2c54df51e502d0cc179

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 12: experiment_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=4adb79b07865424abafe5cea0bb5cbc1b179b5adde87c2c54df51e502d0cc179

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 13: math_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=d5c78f3cf450bd0081004d316ad5e65923066e42c020641da1b653bd51f246c4

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 14: experiment_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=d5c78f3cf450bd0081004d316ad5e65923066e42c020641da1b653bd51f246c4

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 15: math_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=b955346504f1fffd7e1cccc947dede13680226aed8fbd9a4ada810148957b5364

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提

交条件。

调用 16: experiment_reviewer

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成; 输入与输出分别由摘要绑定。

output_sha256=b955346504f1ffd7e1cccc947dede13680226aed8fbd9a4ada810148957b5364

采纳、人工修改和核验: 尚未取得对应的逐项人工签核; 不能据此认定满足正式提交条件。

调用 17: supervisor

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: You are the research PI. Set priorities and falsifiable search directions. You cannot waive gates, change frozen evaluation or assert unmeasured superiority.

输入由题目、当前阶段合同和冻结证据构成; 输入与输出分别由摘要绑定。

output_sha256=538f77dda2ab91f1440295d0170bbf226a0998f55df5352a9e9d4d5afe5500c6

采纳、人工修改和核验: 尚未取得对应的逐项人工签核; 不能据此认定满足正式提交条件。

调用 18: coder

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: You write runnable Python files for the supplied immutable model and IO contract. Do not output fabricated results. Do not modify evaluation or hidden data. Implement all declared variants and accurate FE accounting. Use ONLY

installed libraries listed in the packet.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=ddcaed12d81df84d0109579a23fd5b02483b70fd04193e1fe149332d182d1ab0

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 19: math_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=f4a0b88d2fa8da5d1b34dd92135ebd086a3bc808713e3221d24fc4815f30f23f

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 20: experiment_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=f4a0b88d2fa8da5d1b34dd92135ebd086a3bc808713e3221d24fc4815f30f23f

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 21: math_reviewer

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成; 输入与输出分别由摘要绑定。

output_sha256=2c30229f583153a3018381f3da5cced08c42ec90a281c30f1de920b7134cc868

采纳、人工修改和核验: 尚未取得对应的逐项人工签核; 不能据此认定满足正式提交条件。

调用 22: experiment_reviewer

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成; 输入与输出分别由摘要绑定。

output_sha256=2c30229f583153a3018381f3da5cced08c42ec90a281c30f1de920b7134cc868

采纳、人工修改和核验: 尚未取得对应的逐项人工签核; 不能据此认定满足正式提交条件。

调用 23: math_reviewer

工具: fixture; 运行方式: FIXTURE_NOT_LLM; 版本: NOT_RUN。

指定模型: NOT_RUN; 回执报告模型: NOT_RUN。

主要提示方式与用途: Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=7a3ae1bee09688851bc0db6fbec7bb4659c37cd2d52374b5ba2d20a9dcfbfbab

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 24: experiment_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=7a3ae1bee09688851bc0db6fbec7bb4659c37cd2d52374b5ba2d20a9dcfbfbab

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 25: math_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent mathematical auditor. Check assumptions, dimensions, constraints, derivations, algorithm applicability, baseline fairness and exact objective fidelity. PASS only with traceable evidence; report P0/P1 on unsupported math.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=06bbc4ec8da834e90271436596940cecdb3457942f312bcc38ff43452bc65b47

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 26: experiment_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent experimental auditor. Check frozen metrics, baseline/ablation fairness, raw evidence, no holdout leakage, no fake values, resource use, statistical unit, budget/FE integrity, and independent evaluator quality. Do not certify merely because code executes.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=06bbc4ec8da834e90271436596940cecd3457942f312bcc38ff43452bc65b47

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 27: writer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Write a Chinese mathematical-modeling paper from validated claims only. Use {{claim:ID}} for measured numbers, never invent results. Return structured sections; equations only mathematical LaTeX, no IO macros. No identity, no TOC, no award/SOTA claim without comparison. Cite only supplied verified source IDs.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=abe3ee3488fa3e7a0fffd7619723b0729d15ef6b1917ec5d575891bf0f2a8e6bb

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。

调用 28: paper_reviewer

工具：fixture；运行方式：FIXTURE_NOT_LLM；版本：NOT_RUN。

指定模型：NOT_RUN；回执报告模型：NOT_RUN。

主要提示方式与用途：Independent paper auditor. Check every subquestion, claim-to-evidence link, limitations, citation identity, 2026 CUMCM rules, anonymity, AI disclosure and visual-review status. Never equate a polished paper with scientific correctness.

输入由题目、当前阶段合同和冻结证据构成；输入与输出分别由摘要绑定。

output_sha256=7ef5e8cf0fd0473b7f8e8601695fcc8249ba77204a3d5e2d2092bea1a6457477

采纳、人工修改和核验：尚未取得对应的逐项人工签核；不能据此认定满足正式提交条件。