Myungsin Cho


Research Statement

My research is in stable homotopy theory, with connections to algebra and number theory. One direction studies duality in algebraic K-theory, with the long-term goal of understanding duality and descent in Real algebraic K-theory. A second direction concerns equivariant stable homotopy theory and equivariant algebra, where incorporating symmetry leads to new algebraic structures. These interests also provide starting points for undergraduate research.

Duality in algebraic K-theory

In linear algebra, the dual space describes a vector space through linear functions on it. A finite-dimensional vector space is isomorphic to its dual, so these two descriptions carry the same linear information. My research seeks similar phenomena in algebraic K-theory. This theory studies linear algebra over rings R and packages information about general linear groups $GL(R)$ into topological invariants. Although these invariants are difficult to compute, duality can reveal how apparently different pieces of information determine one another.

My dissertation studies such a relationship in arithmetic. Comparing global and local rings on K-theory gives three related objects: $L_{K(1)}\,\mathrm{K}\big(\mathcal{O}_F[\frac{1}{2}]\big)$ the global theory , $\prod_{\nu|2} L_{K(1)}\,\mathrm{K}(F_\nu^\wedge)$ the local theory, and $\mathrm{Cof}(\kappa)$ the information measuring their difference, [Cho25]. Duality reverses this comparison. The global theory and the comparison term exchange roles, while the local theory is self-dual. I establish this symmetry at the prime 2, completing the K-theoretic Tate–Poitou duality previously proved at odd primes by Blumberg and Mandell, [BM20]. The red row of the diagram below displays this relationship.



Anderson duality: 180° rotation

Linear algebra provides another familiar starting point for extending this work. A vector space may carry a bilinear form, such as an inner product, which adds structure beyond the vector space itself. Grothendieck–Witt theory records this additional form structure, extending the linear algebra studied by ordinary K-theory. With Lucy Yang, I establish a local duality relating K-theory, GW-theory, and their comparison theory U, the homotopical kernel of the hyperbolic map $\mathrm{K} \to \mathrm{GW}$, [CYon]. This duality gives the symmetry shown in the blue column above. Our ongoing global work asks whether these symmetry fit together into a half-turn symmetry of the full diagram.

My long-term goal is to understand these dualities as parts of a single relationship in Real algebraic K-theory, [**?**]. Real algebraic K-theory connects ordinary K-theory and GW-theory through symmetry,

providing a setting in which these dualities may have a common source. I also seek an explanation of why this relationship exists. In ordinary K-theory, descent connects the theory to arithmetic cohomology, where classical duality is well understood. A corresponding explanation incorporating symmetry is not yet available. I use the known and expected dualities to guide the search for such a Real descent theory.

Trace methods connect this duality program to other invariants in topology. The cyclotomic trace relates algebraic K-theory to topological cyclic homology, or TC. For the sphere spectrum $\mathbb{S}$, a basic building block of stable homotopy theory, my theorem identifies $\mathrm{Fib}(\tau_{\mathbb{S}})$ the information missed by this map with $I_{\mathbb{Z}_2} L_{K(1)} K(\mathbb{Z})$ a dual of the arithmetic K-theory of the integers. Clausen's work also relates TC directly to local arithmetic K-theory and its dual, [Cla17]. Together, these results place trace methods within the duality picture, with TC participating in the relationships that my research seeks to understand.

This perspective motivates my study of Real trace methods, which incorporate symmetry into these relationships. With Gerhardt, Keenan, Moreno, and Quigley, I develop homological methods that respect this symmetry and its additional algebraic operations, [CGK+26]. We obtain explicit results for Real bordism theories, extending the methods of Bruner and Rognes to the Real setting. Our next goal is to establish Real Segal conjectures for these theories. This work lays the groundwork for investigating how Real trace invariants participate in duality, extending the program beyond arithmetic examples.

Equivariant stable homotopy theory and algebra

Symmetry also changes familiar constructions in algebra. For example, the sum and product of a complex number and its conjugate are both real, so they are fixed by complex conjugation. These constructions illustrate how addition and multiplication can combine elements related by symmetry to produce invariant quantities. In equivariant algebra, they develop into operations called transfers and norms. There can be many such operations, corresponding to different kinds of symmetry. My research asks which of them can be used together and how they must interact.

With Chan, Mehrle, Sanchez Ocal, Osorno, Szczesny, and Verdugo, I study this interaction through combinatorics, [CCM+25]. As with ordinary addition and multiplication, the operations must obey compatibility rules resembling a distributive law. We encode the allowed operations by transfer systems and ask whether compatible choices can be realized as coherent systems of operations, organized by operads. Our results realize several classes of compatible choices, and we conjecture that compatibility is sufficient in general. The goal is to understand when a combinatorial description of the desired operations can be turned into a mathematical structure carrying them.

With Noah Wisdom, I study how symmetry changes the gradings that organize topological invariants. For C_2-equivariant case, we show that some apparently additional grading information is already determined by the underlying algebraic structure.

Undergraduate research I want students to learn to formulate their own mathematical questions. Familiar concepts offer a starting point. What changes if we alter a condition in a definition? What happens if we bring together two concepts usually studied separately? Equivariant rings offer an example, combining rings and symmetry to explore natural definitions, examples, and properties. The structures and invariants of manifolds with symmetry offer another direction. I would guide students in turning their questions into problems they can investigate through concrete examples. As patterns emerge, we would refine the questions, formulate conjectures, and seek proofs or counterexamples. My aim is for students to experience how a question develops through investigation and to take increasing responsibility for the direction of their work.

References

[BM20] Andrew J. Blumberg and Michael A. Mandell. K-theoretic Tate-Poitou duality and the fiber of the cyclotomic trace. *Invent. Math.*, 221(2):397–419, 2020. doi:10.1007/s00222-020-00952-z.

[CCM+25] David Chan, Myungsin Cho, David Mehrle, Pablo S. Ocal, Angélica M. Osorno, Ben Szczesny, and Paula Verdugo. Realizing compatible pairs of transfer systems by combinatorial N_∞-operads, 2025. URL: https://arxiv.org/abs/2510.26047, arXiv:2510.26047.

[CGK+26] Myungsin Cho, Teena Gerhardt, Liam Keenan, Juan C. Moreno, and J. D. Quigley. On homological real trace methods, 2026. URL: https://arxiv.org/abs/2608.04297, arXiv:2608.04297.

[Cho25] Myungsin Cho. K-theoretic tate-poitou duality at prime 2. *Advances in Mathematics*, 477:110370, 2025. URL: https://www.sciencedirect.com/science/article/pii/S0001870825002683, doi:10.1016/j.aim.2025.110370.

[Cla17] Dustin Clausen. A k-theoretic approach to artin maps, 2017. URL: https://arxiv.org/abs/1703.07842, arXiv:1703.07842.

[CYon] Myungsin Cho and Lucy Yang. Grothendieck-witt theory and duality, In preparation.