

Sales Analysis_LV

Author: Emma Wang & Derek

Create Date: 2025-07-13

Version: 0.1

Content: Initial version with data cleansing and transformation


Background & Tasks

Goal: 需求: MTD, YTD 的YOY， Chaumet 占其他品牌的占比， 和整体占比的MTD， YTD， YOY（份额的增加和减少）

Data Cleansing

In Power Editors:

- 1. Import all stored data from Excel file.
- 2. Removed non-sense columns.
- 3. Removed null value from Brand.
- 4. Replace null value with 0.0.
- 5. Merged all data files as one (fact_sales)




Data Modeling

- 1. Create new table:

```

dim_calendar =
var min_dt = MIN(fact_sales[Date])
var max_dt = MAX(fact_sales[Date])
return ADDCOLUMNS(
    CALENDAR(min_dt, max_dt),
    "dateid", FORMAT([Date], "yyyy-mm-dd"),
    "year", YEAR([Date]),
    "month", FORMAT([Date], "mm"),
    "year_month", FORMAT([Date], "yyyy-mm"),
    "year_month_abbr", FORMAT([Date], "mmm-yy"),
    "month_eng", FORMAT([Date], "mmm"),
    "quarter", "Q" & FORMAT([Date], "Q"),
    "day_of_week", FORMAT([Date], "dddd"),
    "week_number", WEEKNUM([Date]),
    "week_day", WEEKDAY([Date]),
    "is_weekend", IF(WEEKDAY([Date], 2) >= 6, 1, 0),
    "start_of_week", [Date] - WEEKDAY([Date], 1) + 1
)

```



DAX Design & Implementation

Basic Measures

1. Basic sales

```

sales =
var a = CALCULATE(sum(fact_sales[Sales]))
return IF(ISBLANK(a), 0, a)

```

2. Sales MTD

```
sales_mtd =  
var a = CALCULATE([sales], DATESMTD(dim_calendar[dateid]))  
return IF(ISBLANK(a), 0, a)
```

3. Sales MTD YoY

```
sales_mtd_yoy% =  
var a = [sales_mtd] - [sales_mtd_ly]  
var b = DIVIDE(a, [sales_mtd_ly])  
return IF(ISBLANK(b), 0, b)
```

4. Sales YTD

```
sales_ytd =  
var a = CALCULATE([sales], DATESYTD(dim_calendar[dateid]))  
return IF(ISBLANK(a), 0, a)
```

5. Sales YTD YoY

```
sales_ytd_yoy% =  
var a = [sales_ytd] - [sales_ytd_ly]  
var b = DIVIDE(a, [sales_ytd_ly])  
return IF(ISBLANK(b), 0, b)
```

Calculated Field

6. Sales MTD Chaumet

```
sales_mtd_chaumet =  
var a = CALCULATE([sales_mtd], ALL(fact_sales[Brand]), fact_sales[Brand] =  
"Chaumet")  
return IF(ISBLANK(a), 0, a)
```

7. Sales MTD Chaumet YoY

```
sales_mtd_chaumet_yoy% =  
var a = [sales_mtd_chaumet] - [sales_mtd_chaumet_ly]  
var b = DIVIDE(a, [sales_mtd_chaumet_ly])  
return IF(ISBLANK(b), 0, b)
```

8. Sales MTD Chaumet%

```
sales_mtd_chaumet% =  
DIVIDE([sales_mtd_chaumet], [sales_mtd])
```

9. Sales YTD Chaumet

```
sales_ytd_chaumet =  
var a = CALCULATE([sales_ytd], ALL(fact_sales[Brand]), fact_sales[Brand] =  
"Chaumet")  
return IF(ISBLANK(a), 0, a)
```

10. Sales YTD Chaumet YoY

```
sales_ytd_chaumet_yoy% =  
var a = [sales_ytd_chaumet] - [sales_ytd_chaumet_ly]  
var b = DIVIDE(a, [sales_ytd_chaumet_ly])  
return IF(ISBLANK(b), 0, b)
```

11. Sales YTD Chaumet%

```
sales_ytd_chaumet% =  
DIVIDE([sales_ytd_chaumet], [sales_ytd])
```

12. Sales MTD Total

```
sales_mtd_total =  
var a = CALCULATE([sales_mtd], ALL(fact_sales[Brand]))  
return IF(ISBLANK(a), 0, a)
```

13. Sales MTD Total%

```
sales_mtd_total% =  
DIVIDE([sales_mtd], [sales_mtd_total])
```

14. Sales YTD Total


```
sales_ytd_total =  
var a = CALCULATE([sales_ytd], ALL(fact_sales[Brand]))  
return IF(ISBLANK(a), 0, a)
```

15. Sales YTD Total%

```
sales_ytd_total% =  
DIVIDE([sales_ytd], [sales_ytd_total])
```

Dashboard Design & Implementation

1. Chaumet Analysis, including MTD, YTD, YoY and Chaumet vs other Brand.



Q&A

TBD