

Menus & text tools

Win + Ctrl + F	Open Format menu.
Win + Ctrl + I	Open String Generator menu.
Win + Ctrl + S	Open Text Snippets menu.
Win + Ctrl + E	Open Emoji menu.
Win + Ctrl + D	Paste current local date/time.
Ctrl + Tab	Insert configured number of spaces.
Win + Space	Copy pixel color under pointer and show a temporary swatch.

Windows & Explorer

Win + Ctrl + PgUp	Toggle Always on Top for the active window.
Win + Alt + F4	Close windows with the same class + exact title as the active window.
Ctrl + Win + F4	Close all windows with the same class as the active window.
Ctrl + Win + M	Explorer: move selected files/folders to a newly created subfolder.
Win + Alt + C	Copy active-window diagnostics: title, class, PID, EXE, HWND, geometry, monitor, DPI, Explorer path.

Window grid

Win + Ctrl + 1	Move active window to the left third of its current monitor.
Win + Ctrl + 2	Move active window to the middle third.
Win + Ctrl + 3	Move active window to the right third.

Minimize to tray

Win + Right Click	On a window caption: hide it and create a temporary tray icon.
Left-click tray icon	Restore that hidden window and remove its temporary icon.
Tray → Restore all	Restore every window hidden by MyWinToolbox.
Ctrl + Alt + H	Diagnostic: show current WM_NCHITTEST value under pointer.

Audio

Ctrl + Numpad 4	Switch default output to configured Headphones.
Ctrl + Numpad 8	Switch default output to configured Monitor.
Ctrl + Numpad 6	Switch default output to configured Laptop audio device.
Win + Ctrl + Mute	Toggle mute for audio sessions belonging to the active application.

Script control

Ctrl + Win + Home	Reload the active profile.
Ctrl + Win + End	Exit the active profile.

Format — text & structure [Win + Ctrl + F]

ToUpper	Uppercase selected text.
ToLower	Lowercase selected text.
Sort → Asc/Desc	Sort clipboard lines ascending or descending.
ToSingleLine	Collapse text into a single line.
Quoted.Single	Wrap content in single quotes.
Quoted.Double	Wrap content in double quotes.
BreakLines 80/120	Wrap text to the selected line width.
Char.Replicate 80/120	Repeat the selected character to a fixed length.
Thousands separators	Add thousands separators to a number.

String Generator [Win + Ctrl + I]

Random.Guid	Generate a GUID without braces.
Random.String 16	Generate a 16-character random string.
Random.String 32	Generate a 32-character random string.
Random.String Dummy	Paste configured dummy text.
Date.Current	Paste current local date.
DateTime Local	Paste current local date/time.
DateTime UTC ISO	Paste UTC ISO-8601 date/time.
Separator 50/80/120	Paste a dash separator of the selected length.
UserSignatures	Paste one of the configured profile signatures.

Format — paths, SQL & crypto [Win + Ctrl + F]

Path.SingleSlash	Normalize to single backslashes.
Path.DoubleSlash	Escape path separators as double backslashes.
Path.Backslash	Convert separators back to ordinary backslashes.
SQL.AddBracket	Add SQL-style square brackets.
SQL.RemoveBracket	Remove SQL-style square brackets.
SQL.ToQuotedList	Convert non-empty lines into single-quoted SQL values.
SQL.ToValuesTable	Build a SELECT * FROM (VALUES ...) table expression.
RC4 Encrypt/Decrypt	Use the active profile Secret.
BASE64 Encode/Decode	Base64 encode or decode.
AHK.ToSpecialKeys	Replace newlines/tabs with AHK key sequences such as {Enter} / {Tab}.

Emoji [Win + Ctrl + E]

U+1F911	Money-Mouth Face
U+1F44D	Thumbs Up
U+1F44E	Thumbs Down
U+2620	Skull and Crossbones
U+1F4A8	Dashing Away

Clipboard behavior

Format actions operate through the clipboard: the current selection is copied, transformed, and the result is pasted back. RC4 uses the active profile's configured Secret.

Shared hotstrings

@=	Configured email address.
@me	Configured email address.
--=	120-character dash separator.
123k=	Example: 123000; works for any digits + k=.
@--	— em dash
@->	→ right arrow
@v	✓ check mark
@.	• bullet
@.o	○ white circle
@.k	■ black square
@.>	▸ bullet arrow
@cb	☐ empty checkbox
@x	X ballot X
@!!	⚠ warning
@pp	§ section sign
@oo	° degree
@...	... ellipsis

Context-only hotstrings

s30m=	Terminal only: insert 30-minute shutdown command.
s1h=	Terminal only: insert 1-hour shutdown command.
s2h=	Terminal only: insert 2-hour shutdown command.
r=	TortoiseGit only: insert Refactoring.

Text Snippets [Win + Ctrl + S]

- T-SQL: TRY
- T-SQL: SELECT
- T-SQL: DIFF
- GIT: Revert.WorkingTree
- GIT: Revert.Staged.All
- GIT: Reset.ToRemote
- GIT: Clear.Credentials
- GIT: Branch.Push
- GIT: Log.Graph
- GIT: Log.Search.ByAuthor
- GIT: git reset --soft HEAD~1
- Markdown: Link
- Markdown: Heading.Level-1
- Markdown: Quotes.Block
- Markdown: Code
- T-SQL: BREAK
- T-SQL: DELETE.Duplicates
- T-SQL: SCHEMA.Change
- GIT: Revert.Working.All
- GIT: Revert.Hard
- GIT: Clean.Untracked
- GIT: Commit.Edit
- GIT: Branch.Create
- GIT: Log.OneLine
- GIT: git reset --hard HEAD~1
- GIT: git restore .
- Markdown: Link.Image
- Markdown: Bold
- Markdown: Quotes.Block.Nested
- Markdown: Code.Block

Some snippets also position or select placeholders after insertion so the next typed value replaces them immediately.

Dynamic HotStrings.json examples

sig	Signature; Notepad scope.
addr	Multi-line work address; global scope.
btw	“By the way”; text-editor scope.

AutoPaste examples

Notepad	Match notepad.exe → paste “Hello World!”.
Notepad++	Match notepad++.exe → paste “Hello World++!”.
Cisco Secure	Match exe + class + title → decrypt configured password key and paste it.

AutoPaste can match executable, window class and title. Each window handle is processed once; secrets should use passwordKey rather than plaintext JSON.

Home profile [MyWinHome.ahk]

@a=	Paste configured shipping address.
Win + Ctrl + P	Paste decrypted password; auto-select KeePass/XTB when context matches, otherwise show password menu.

Work profile — general [MyWinWork.ahk]

@k=	Paste configured work email.
Ctrl + Win + A	Toggle NoSleep.
Ctrl + Win + T	Open Task Runner menu.

SSMS-only hotstrings

try=	TRY/CATCH template.
break=	THROW guard for step-by-step scripts.
nl=	Insert WITH (NOLOCK).
dt=	Insert DROP TABLE IF EXISTS.
sel=	Build SELECT TOP 100 query using clipboard as table name.
dirty	Set READ UNCOMMITTED isolation level.

These are active only while ssms.exe is the foreground application.

Task Runner [Ctrl + Win + T]

NoSleep	Toggle same state as Ctrl + Win + A.
Shutdown → 1h	Schedule shutdown using 1-hour preset label.
Shutdown → 2h	Schedule shutdown using 2-hour preset label.
Shutdown → Cancel	Cancel Task Runner pending shutdown timer.
Clipboard → Trim	Continuously trim leading/trailing spaces, tabs, CR and LF from clipboard updates.

Configuration-driven features

Shared .config	Indent width and dummy text.
Home / Work .config	Email, secret, signatures, audio devices, passwords/profile values.
HotStrings.json	Dynamic hotstrings, options and scopes.
TextSnippets.json	Snippet categories and contents.
AutoPastes.json	Automatic window-matching paste rules.

Implementation notes

- 1) Task Runner shutdown presets currently pass an already-millisecond value into code that multiplies by 1000 again, so the actual timer appears 1000× longer than the labels imply.
- 2) NoSleep checks for 10 seconds of idle time, while the README says 10 minutes. The handler itself runs once per minute.