

Orquestación de containers

Manuel Zegarra


https://github.com/mzegarras







' GraphQL





GET "CLIENTES + CUENTAS + MOVIMIENTOS"


GET "CLIENTES + CUENTAS"

GET /accounts?type=DNI&number=11111111

GET /accounts/10000002/transactions








GET "CLIENTES + CUENTAS + MOVIMIENTOS"

GET "CLIENTES + CUENTAS"

GET /accounts?type=DNI&number=11111111

GET /accounts/10000002/transactions



	Local	DEV	QA	PROD
Mongo Server				
Java Server				
NodeJS Server				







	Local	DEV	QA	PROD
Mongo Server				
Java Server		8 11 Java		
NodeJS Server				







	Local	DEV	QA	PROD
Mongo Server				
Java Server		8 11 Java		
NodeJS Server				







	Local	DEV	QA	PROD
Mongo Server				
Java Server		8 11 Java		
NodeJS Server				







	Local	DEV	QA	PROD
Mongo Server				
Java Server				
NodeJS Server				







Matriz simplificada


	Local	DEV	QA	PROD
Mongo Server				
Java Server				
NodeJS Server				













DEMO

Kubernetes Architecture







Master





Pods




Service

















https://github.com/mzegarras/microservices-graphql