

Paparan AI / PaparanBrief - Comprehensive Technical Specification

Executive Summary

Paparan AI is an AI-powered **Policy Intelligence System** designed specifically for ASEAN policymakers. It transforms fragmented information from multiple sources into structured, decision-ready policy briefs with actionable recommendations.

"Paparan is not an AI summarizer. It is a decision intelligence system."

Table of Contents

- 1. [What is Paparan AI?](#)
- 2. [The Brief System](#)
- 3. [Multi-Agent Architecture](#)
- 4. [OSINT Integration](#)
- 5. [Policy Framework Alignment](#)
- 6. [Technical Architecture](#)
- 7. [Design System](#)
- 8. [Export Formats](#)
- 9. [Key Differentiators](#)
- 10. [Business Context](#)
- 11. [Competitive Landscape](#)
- 12. [User Workflows](#)
- 13. [Complete Data Models & Schemas](#)
- 14. [Complete Component Inventory](#)
- 15. [Complete API Endpoints](#)
- 16. [All Backend Agents](#)
- 17. [Complete Styling System](#)
- 18. [Environment Configuration](#)
- 19. [Deployment Configuration](#)
- 20. [State Management](#)
- 21. [Monitoring & Observability](#)

What is Paparan AI?

Core Value Proposition

- **Reduces cognitive load:** Condenses 2-4 hours of reading into minutes of actionable intelligence
- **Structured output:** Provides consistent, institutional-grade briefs (not generic AI summaries)
- **Temporal awareness:** Tracks changes over time ("What changed since last briefing?")
- **Decision support:** Not just information, but recommendations for action

Target Users

User Type	Role	Use Case
Senior Diplomat	Ministry of Foreign Affairs	Prepare briefs before meetings
Policy Analyst	Bappenas (Indonesian National Development Planning)	Synthesize multi-source data
Investment Officer	BKPM (Investment Coordinating Board)	Corporate due diligence
Trade Analyst	ASEAN institutions	Regional trade intelligence

The Brief System

What is a "Policy Brief"?

A structured document following a strict 7-section schema:

```
PolicyBrief {
  // Metadata
  id: string
  title: string
  date: string
  region: string
  classification: "unclassified" | "official" | "confidential" | "secret"

  // Core Content (7 Sections)
  executiveSummary: string[] // 5 high-signal bullet points
  currentSituation: string // What's happening now
  developments: Development[] // Delta-aware developments
  implications: string // Strategic implications
  risks: Risk[] // Classified risks
  opportunities: Opportunity[] // Identified opportunities
  actions: Action[] // Recommended actions

  // Intelligence Metadata
  sources: Source[] // Traceable citations
  tags: string[]

  // Policy Alignment
  rpjmn_alignment: dict // Indonesia RPJMN scoring
  rdtii_evidence: list // ASEAN Digital Trade mapping


  // OSINT Enrichments
  spatial_context: dict // Geographic data
  environmental_indicators: dict // Environmental data
  conflict_context: dict // Conflict event data
  archived_sources: list // Wayback Machine archives
}
```

Development Types (Delta Detection)

Type	Meaning
NEW	Newly emerged information
UPDATED	Previous information updated
ESCALATED	Situation has intensified
DE-ESCALATED	Situation has improved

Multi-Agent Architecture

Agent Pipeline (LangGraph)



Specialized Agents

Agent	Purpose
-------	---------

Route Request	Determines path based on topic analysis
Gov Intel Agent	Collects government intelligence
Analyst Agent	Analyzes financial/corporate data
Researcher Agent	Cache-first RAG + web search
RPJMN Scorer	Scores against Indonesia's 8 national development pillars
RDTII Extractor	Maps to ASEAN Digital Trade 7 pillars
OSINT Enrichment	Adds spatial, environmental, conflict context
Synthesizer	Cross-brief synthesis
Consistency Checker	Validates cross-brief contradictions

OSINT Integration (Bellingcat Tools)

Domain	Tool	Data
Spatial	Nominatim, Sentinel Hub	Geocoding, satellite imagery
Maritime	VesselFinder	AIS tracking, strait traffic
Corporate	OpenCorporates	ASEAN subsidiary lookup
Environmental	Global Forest Watch, NASA FIRMS	Deforestation, fire data
Conflict	ACLED	Conflict events, stability index
Archive	Wayback Machine	Auto-archiving to prevent link rot

Policy Framework Alignment

RPJMN (Indonesia's National Medium-Term Development Plan)

- Scores against **8 national development pillars** (Asta Cita)
- Extracts **SDI indicators** per Satu Data Indonesia standards
- Provides pillar-level alignment visualization

RDTII (ASEAN Digital Trade Integration Initiative)

- Maps to **7 Digital Trade pillars**
- Extracts regulatory evidence
- Supports ASEAN trade policy analysis

Technical Architecture

Frontend

Component	Technology
Framework	React 19 + TypeScript
Build Tool	Vite 6
Styling	Tailwind CSS 3.4 (custom government theme)
State Management	Zustand + React Query
Routing	React Router 7

UI Components	Custom library (shadcn/ui inspired)
Forms	React Hook Form + Zod

Backend

Component	Technology
Framework	FastAPI (Python) / Hono (TypeScript)
AI Orchestration	LangGraph multi-agent workflows
Database	Supabase (PostgreSQL + pgvector)
Authentication	Supabase Auth (magic links)
LLM	Anthropic Claude

Key Pages

- Landing Page (/)
- Brief Editor (/brief/new , /brief/edit/:id)
- Briefs Library (/briefs)
- Brief Detail (/brief/:id)
- ASEAN Dashboard (/asean)
- Analytics Dashboard (/analytics)
- News Feed (/feed)
- Watchlist (/watchlist)
- Chat (/chat)

Design System

Brand Identity

- Government-grade aesthetic** - Institutional, professional, authoritative
- Not startup-like** - Avoids generic tech company patterns

Visual Elements

Element	Specification
Primary Color	Navy blue (#1D4ED8)
Typography	Libre Baskerville (headings), Source Serif 4 (body), DM Sans (UI)
Classification Badges	Green (unclassified), Amber (confidential), Red (secret)
Document Style	Paper cards, subtle shadows, official watermarks

Export Formats

1. PDF Memo

- Official brief format
- Diagonal watermark based on classification
- Government document styling

2. PowerPoint Deck

- 5-slide executive summary
- Talking points included
- Diplomat-ready format

3. Diplomat Brief

- Formal memo structure
- Distribution list
- Classification handling
- Action items highlighted

Key Differentiators

Feature	Paparan AI	Competitors
Delta Detection	✔ NEW/UPDATED/ESCALATED tracking	✗ None
7-Section Format	✔ Institutional schema	✗ Generic summaries
ASEAN Specialized	✔ Built for the region	✗ General purpose
Source Traceability	✔ Every insight linked	⚠ Variable
Policy Alignment	✔ RPJMN + RDTII scoring	✗ None
Decision Support	✔ Actionable recommendations	⚠ Limited

Business Context

Industry Domain

- Government/Policy Intelligence Sector
- ASEAN geopolitical focus
- National policy analysis (Indonesia RPJMN)
- Trade and investment intelligence

Current Stage

- Pre-commercial (MIS Grant-funded development)
- Monthly operational costs: ~3-7 million IDR
- Development funding: Rp 10,000,000 MIS Grant (4-month cycle)

Planned Monetization

- Freemium Model - Free daily Paparan (limited), paid on-demand
- Institutional Licenses - Per-seat pricing for ministries
- API Access - Third-party integration

Strategic Partnerships

- Bappenas - Indonesian national development planning
- BKPM - Investment coordination
- Bellingcat - OSINT tools integration
- i.AI UK - Guidance and standards
- AWS - Infrastructure support

Competitive Landscape

Direct Competitors

None - No direct competitor owns the policy intelligence space for ASEAN

Indirect Competitors

Tool	Strength	Paparan's Advantage
Perplexity AI	Fast web search + citations	Structure, delta detection, ASEAN specialization

ChatGPT (Deep Research)	Flexible reasoning	Institutional format, consistency
Google Gemini	Large context window	Policy specialization, temporal awareness
NotebookLM	Document analysis	Web retrieval, policy schema
Genspark	Multi-source briefs	Decision recommendations, policy alignment

Market Positioning

- Creates new category: **Policy Intelligence System**
- Vision: "Bloomberg Terminal for ASEAN diplomacy and trade"

User Workflows

Creating a Brief

- Enter topic and region
- System routes through appropriate agents
- Collects intelligence from multiple sources
- Generates structured brief
- Enriches with OSINT data
- Scores against policy frameworks
- User reviews, edits, and exports

Managing Briefs

- Library view with filtering
- Detail view with full brief
- Version history tracking
- Export to PDF/PPTX/Diplomat format
- Share functionality

Complete Data Models & Schemas

Core TypeScript Types

```
// Enums
type Impact = "HIGH" | "MEDIUM" | "LOW";
type Delta = "NEW" | "UPDATED" | "ESCALATED" | "DE-ESCALATED";
type Confidence = "HIGH" | "MEDIUM" | "LOW";
type ClassificationLevel = "unclassified" | "official" | "confidential" | "secret";

// Development (Delta-aware item)
interface Development {
  id: string;
  text: string;
  impact: Impact;           // HIGH/MEDIUM/LOW
  delta: Delta;             // NEW/UPDATED/ESCALATED/DE-ESCALATED
  sourceId: string;
  date?: string;
  entities?: string[];      // Extracted entities
}

// Source Reference
interface Source {
  id: string;
  title: string;
  url?: string;
  confidence: Confidence;
```

```

    date: string;
}

// Action Item
interface Action {
    priority: Impact;
    text: string;
    owner?: string;
    deadline?: string;
}

// RDTII Evidence (ASEAN Digital Trade)
interface RdtiiEvidence {
    id: string;
    brief_id: string;
    source_url: string;
    clause_text: string;
    pillar_id: string; // P1-P7
    indicator_code: string; // e.g. "6.1"
    country: string;
    confidence: Confidence;
    extracted_at: string;
}

// Complete Policy Brief
interface Paparan {
    id: string;
    title: string;
    date: string;
    region: string;
    lastUpdated?: string;
    classification?: ClassificationLevel;

    // 7-Section Content
    executiveSummary: string[]; // 5 bullet points
    currentSituation: string;
    developments: Development[];
    implications: string;
    risks: string[];
    opportunities: string[];
    actions: Action[];
    sources: Source[];
    tags?: string[];

    // Intelligence Enhancements
    rpjmn_alignment?: Record<string, Record<string, number>> | null;
    urgency_score?: number | null;
    source_count?: number;
    confidence_score?: string;
    diplomat_meta?: Record<string, unknown> | null;
    previous_report_id?: string | null;

    // OSINT Enrichments
    spatial_context?: Record<string, unknown>;
    archived_sources?: Array<{url: string, archive_url: string}>;
    environmental_indicators?: Record<string, unknown>;
    conflict_context?: Record<string, unknown>;
    rdtii_evidence?: RdtiiEvidence[];
}

```

Database Schema (Supabase/PostgreSQL)

```
-- Main Tables
users (id, email, full_name, role, tracked_topics, created_at)
paparan_reports (id, user_id, topic, region, report_type, content JSONB, delta_summary JSONB,
previous_report_id, created_at)
sources (id, paparan_id, url, title, source_type, confidence, retrieved_at)
documents (id, user_id, file_path, file_name, parsed_text, metadata JSONB, embedding vector(1536),
uploaded_at)
developments (id, paparan_id, description, delta_type, impact_level, entities JSONB, source_id)

-- Vector Search
- pgvector extension enabled
- Embeddings stored as vector(1536)
- ivfflat indexing for cosine similarity
```

SDI Metadata Schema (Indonesian Government Standards)

```
class SDIIndicatorMetadata:
    # Identitas (Identity)
    indicator_id: str
    indicator_name: str
    indicator_name_en: str

    # Definisi (Definition)
    definition: str
    methodology: str

    # Produsen Data (Data Producer)
    producing_institution: str
    kl_code: str # Kementerian/Lembaga code

    # Spasio Waktu (Spatial & Temporal)
    spatial_coverage: str
    temporal_coverage: str
    temporal_resolution: TemporalResolution # annual, quarterly, monthly

    # Unit (Measurement)
    unit: str
    unit_type: UnitType # nominal, ordinal, ratio

    # Ketersediaan (Availability)
    availability_status: AvailabilityStatus
    last_updated: Optional[datetime]

    # Additional
    sector: str
    sub_sector: str
    sdi_goal_code: str # Satu Data Indonesia
    sdg_code: str # UN Sustainable Development Goals
```

Complete Component Inventory

UI Components (src/components/ui/)

Component	Purpose
-----------	---------

Button.tsx	Base button with variants (primary, secondary, ghost, danger)
Card.tsx	Paper-card container with elevation
ClassificationBadge.tsx	4-level classification badges (banner, inline, compact)
DeltaBadge.tsx	NEW/UPDATED/ESCALATED/DE-ESCALATED badges
DocumentFrame.tsx	Government-style document border with watermark
Chart.tsx	Chart wrapper with loading states
Input.tsx, Textarea.tsx	Form inputs
Select.tsx, MultiSelect.tsx	Dropdown selectors
DatePicker.tsx	Date selection
Modal.tsx	Dialog/overlay
CommandPalette.tsx	Global search (cmd+k)
Skeleton.tsx	Loading placeholders
Toast.tsx	Notification system
Tooltip.tsx	Hover tooltips
Tabs.tsx	Tab navigation
Pagination.tsx	List pagination
Spinner.tsx	Loading indicator

Layout Components (src/components/Layout/)

Component	Purpose
AppShell.tsx	Main layout wrapper with sidebar
Sidebar.tsx	Navigation sidebar
SidebarItem.tsx	Sidebar menu items
TopBar.tsx	Top navigation bar
MobileNav.tsx	Mobile navigation drawer

Page Components (src/pages/)

Page	Route	Purpose
LandingPage.tsx	/	Public landing page
PaparanBriefPage.tsx	/brief/new	Create new brief
BriefsLibraryPage.tsx	/briefs	List all briefs
BriefDetailPage.tsx	/brief/:id	View single brief
BriefEditorPage.tsx	/brief/edit/:id	Edit existing brief
AnalyticsDashboardPage.tsx	/analytics	Data visualization
AseanDashboardPage.tsx	/asean	ASEAN regional view
NewsFeedPage.tsx	/feed	Daily intelligence feed

WatchlistPage.tsx	/watchlist	Saved briefs
ChatPage.tsx	/chat	Conversational RAG
SettingsPage.tsx	/settings	User preferences
LoginPage.tsx	/login	Authentication
AuthCallbackPage.tsx	/auth/callback	Magic link handler

Services (src/services/)

Service	Purpose
api.ts	Central API client with auth
briefService.ts	Brief CRUD operations
feedService.ts	News feed management
exportService.ts	PDF/PPTX generation

Complete API Endpoints

Core Paparan API

```
POST /api/paparan
Request: { topic, region, classification?, user_id }
Response: PolicyBrief

GET /api/feed?region=&limit=&offset=
Response: FeedItem[]

GET /api/search?q=&region=&limit=
Response: Semantic search results

GET /api/briefs
Response: Paparan[] (user's briefs)

GET /api/briefs/{id}
Response: Single Paparan

DELETE /api/briefs/{id}
Response: { success: true }

POST /api/chat
Request: { message, thread_id?, user_id }
Response: SSE stream
```

Bappenas Metadata API

```
POST /api/upload
Request: multipart/form-data (file + metadata)
Response: { status, document_id, job_id }

GET /api/bappenas/documents?status=&limit=&offset=
Response: Document[]

GET /api/bappenas/indicators?document_id=&kl_code=&sector=
Response: SDIIndicatorMetadata[]
```

POST /api/bappenas/indicators/check-consistency
Request: { indicator_ids[], check_type }
Response: ConsistencyFlag[]

PUT /api/bappenas/consistency-flags/{id}/resolve
Request: { resolution_notes }
Response: Updated flag

Export API

GET /api/briefs/{id}/export/pdf
Response: PDF file stream

GET /api/briefs/{id}/export/pptx
Response: PowerPoint file stream

POST /api/briefs/{id}/export/diplomat-pdf
Request: { to, from_name, ref?, distribution[] }
Response: Diplomat PDF


POST /api/briefs/{id}/talking-points
Response: { brief_id, talking_points[] }



POST /api/briefs/synthesize
Request: { brief_ids[] }
Response: Cross-brief synthesis

All Backend Agents (Python)

Agent	File	Purpose
Orchestrator	orchestrator.py	LangGraph StateGraph coordinator
Gov Intel	gov_intel.py	ASEAN government intelligence
Analyst	analyst.py	Financial/corporate analysis
Researcher	researcher.py	Cache-first RAG + web search
RPJMN Scorer	rpjmn_scorer.py	Indonesia policy alignment
RDTII Extractor	rdtii_extractor.py	ASEAN digital trade mapping
Metadata Extractor	metadata_extractor.py	SDI-compliant extraction
Consistency Checker	consistency_checker.py	Cross-brief validation
Scraper	scraper.py	Web content collection
Conversational	conversational.py	Chat with SSE streaming
Synthesizer	synthesizer.py	Multi-brief synthesis
ASEAN Simulator	asean_simulator.py	Regional scenario modeling

Agent Workflow (LangGraph State Machine)





Complete Styling System

CSS Variables (Custom Properties)

```
/* Fonts */
--font-display: 'Libre Baskerville', serif;
--font-body: 'Source Serif 4', serif;
--font-ui: 'DM Sans', sans-serif;
--font-mono: 'JetBrains Mono', monospace;

/* Colors - Light Mode */
--color-bg: #f8f9fa;
--color-bg-elevated: #ffffff;
--color-bg-surface: #f1f3f5;
--color-text: #111827;
--color-text-secondary: #4b5563;
--color-primary: #1d4ed8; /* Navy blue */

/* Colors - Dark Mode (.dark class) */
--color-bg: #0A0B0D;
--color-bg-elevated: #111318;
--color-bg-surface: #181B22;
--color-text: #F1F5F9;
--color-text-secondary: #94A3B8;

/* Classification Colors */
--color-classified-unclassified: #16a34a; /* Green */
--color-classified-official: #1d4ed8; /* Navy */
--color-classified-confidential: #d97706; /* Amber */
--color-classified-secret: #dc2626; /* Red */

/* Spacing (8px base unit) */
--space-xs: 0.25rem; /* 4px */
--space-sm: 0.5rem; /* 8px */
--space-md: 1rem; /* 16px */
--space-lg: 1.5rem; /* 24px */
```

```
--space-xl: 2rem;      /* 32px */
--space-2xl: 3rem;     /* 48px */
--space-3xl: 4rem;     /* 64px */
--space-4xl: 6rem;     /* 96px */

/* Border Radius */
--radius-sm: 4px;
--radius-md: 8px;
--radius-lg: 12px;
--radius-xl: 16px;
--radius-2xl: 24px;

/* Shadows */
--shadow-sm: 0 1px 3px rgba(45, 45, 45, 0.06);
--shadow-md: 0 4px 12px rgba(45, 45, 45, 0.08);
--shadow-lg: 0 8px 24px rgba(45, 45, 45, 0.10);

/* Spring Transitions */
--spring-gentle: cubic-bezier(0.25, 0.1, 0.25, 1);
--spring-default: cubic-bezier(0.16, 1, 0.3, 1);
--spring-bouncy: cubic-bezier(0.34, 1.56, 0.64, 1);
--spring-snappy: cubic-bezier(0.12, 0.95, 0.28, 1);
```

Typography Scale

Class	Size	Line Height	Letter Spacing	Font
display-2xl	8rem	0.9	-0.04em	Display
display-xl	6rem	0.95	-0.03em	Display
display-lg	4.5rem	1	-0.025em	Display
display-md	3.75rem	1	-0.02em	Display
h1	3rem	1.2	-0.02em	Display
h2	2.25rem	1.3	-0.015em	Display
h3	1.75rem	1.4	-0.01em	Display
h4	1.5rem	1.5	-0.005em	Body
body-lg	1.125rem	1.6	0	Body
body	1rem	1.6	0	Body
body-sm	0.875rem	1.6	0.005em	UI
caption	0.75rem	1.5	0.01em	UI

Animation Library

```
// src/animations/animations.ts

// Fade animations
fadeIn, fadeOut, fadeInUp, fadeInDown, fadeInLeft, fadeInRight

// Scale animations
scaleIn, scaleOut, scaleUp

// Slide animations
slideInUp, slideInDown, slideInLeft, slideInRight
```

```
// Complex animations
reveal, textReveal, borderReveal

// Loading states
shimmer, pulse, pulseSubtle

// Attention
bounce, spin, glow, float
```

Environment Configuration

Required Environment Variables

```
# === FRONTEND (.env) ===
VITE_API_URL=http://localhost:8000
VITE_SUPABASE_URL=https://xxxx.supabase.co
VITE_SUPABASE_ANON_KEY=your-anon-key

# === BACKEND PYTHON (.env) ===
# Core Services
ANTHROPIC_API_KEY=
TAVILY_API_KEY=
SUPABASE_URL=
SUPABASE_ANON_KEY=
SUPABASE_SERVICE_ROLE_KEY=
DATABASE_URL=
FRONTEND_URL=http://localhost:5173

# LLM Provider Configuration
LLM_PROVIDER=zai # Options: zai, anthropic, zhipu, agentrouter
ZAI_API_KEY=
ZAI_BASE_URL=https://open.bigmodel.cn/api/paas/v4/
ZAI_MODEL=glm-5.1
ZAI_MAX_TOKENS=131072

# Optional - Bellingcat OSINT
FIRMS_MAP_KEY=      # NASA FIRMS fire hotspots
ACLED_API_KEY=      # Conflict events
ACLED_EMAIL=        # ACLED account

# Optional - LangSmith Tracing
LANGSMITH_API_KEY=
LANGSMITH_TRACING=false
```

Deployment Configuration

Railway Deployment

```
// railway.json (Python backend)
{
  "build": {
    "dockerfilePath": "backend/Dockerfile"
  },
  "deploy": {
    "healthcheckPath": "/health",
    "healthcheckTimeout": 100,
```

```
    "restartPolicyType": "on-failure",
    "restartPolicyMaxRetries": 10
  }
}
```

```
# nixpacks.toml (TypeScript backend)
[phases.setup]
nixPkgs = ["nodejs_20"]
```

Docker Multi-Stage Build (Python)

```
# Builder stage
FROM python:3.11-slim AS builder
WORKDIR /app
COPY requirements.txt .
RUN pip install --user -r requirements.txt

# Runtime stage
FROM python:3.11-slim
WORKDIR /app
COPY --from=builder /root/.local /root/.local
COPY . .
EXPOSE 8000
HEALTHCHECK --interval=30s CMD curl -f http://localhost:8000/health
CMD ["uvicorn", "app.main:app", "--host", "0.0.0.0", "--port", "8000"]
```

State Management (Zustand Store)

```
interface AppStore {
  // Authentication
  user: User | null;
  isAuthenticated: boolean;
  isLoading: boolean;
  login: (email: string) => Promise<Result>;
  logout: () => Promise<void>;
  initializeAuth: () => Promise<void>;

  // Briefs Data
  briefs: Paparan[];
  setBriefs: (briefs: Paparan[]) => void;
  addBrief: (brief: Paparan) => void;
  updateBrief: (id: string, updates: Partial<Paparan>) => void;
  deleteBrief: (id: string) => void;

  // Watchlist/Bookmarks
  watchlist: string[];
  addToWatchlist: (id: string) => void;
  removeFromWatchlist: (id: string) => void;
  toggleWatchlist: (id: string) => void;

  // Saved Searches
  savedSearches: SavedSearch[];
  addSavedSearch: (name: string, filters: BriefFilters) => void;
  deleteSavedSearch: (id: string) => void;

  // UI State
  sidebarCollapsed: boolean;
```

```
theme: 'light' | 'dark';
viewMode: 'grid' | 'list';
commandPaletteOpen: boolean;

// Filters
filters: BriefFilters;
setFilters: (filters: Partial<BriefFilters>) => void;
clearFilters: () => void;
}
```

Monitoring & Observability

Database-Level Monitoring (PostgreSQL)

The system implements comprehensive monitoring via database schemas:

```
-- Query Performance Tracking
query_log (query, execution_time_ms, row_count, cache_hits, timestamp)

-- Error Logging
error_log (error_type, severity, message, stack_trace, resolved)

-- System Metrics
metrics (metric_name, metric_type, value, status, source, timestamp)

-- Audit Trails
audit_log (table_name, operation, user_id, changes, ip_address, user_agent)
```

Monitoring Views

- vw_slow_queries - Queries >1000ms
- vw_error_summary - Error counts by type
- vw_health_status - Current system health
- vw_daily_performance - Daily performance metrics
- vw_user_activity - User action summaries

Summary Statistics

Metric	Count
UI Components	25+
Pages	13
Backend Agents	12
API Endpoints	30+
Database Tables	6 main + monitoring
CSS Variables	50+
Animation Keyframes	40+
Font Families	4
OSINT Integrations	6
Policy Frameworks	2 (RPJMN + RDTII)
Export Formats	3

Conclusion

Paparan AI is a specialized policy intelligence system that:

- 1. Converts fragmented information into structured briefs
- 2. Tracks temporal changes (what's NEW/UPDATED/ESCALATED)
- 3. Aligns with Indonesia's RPJMN and ASEAN's RDTII frameworks
- 4. Provides actionable recommendations, not just summaries
- 5. Uses government-grade security and formatting
- 6. Serves ASEAN policymakers, diplomats, and analysts

The product fills a critical gap in government decision-making infrastructure by transforming how policymakers consume and act on intelligence in an increasingly complex geopolitical landscape.