



Call for current pricing
(609) 742-1720



SPARKED BY TRADIT

Call for current pricing
(609) 742-1720

WROUGHT IRON: FOR LOVERS OF OLD WORLD TRADITION

Real Wrought Iron is sand casted
by skilled iron workers.

Time-honored methods and designs.

Hand finished so all unique textures
and qualities are showcased.

Our skilled iron workers still use the time-honored method:
form classic, heavyweight wrought iron products, while pre
the authenticity of the craft and keeping the timeless prac
this beautiful tradition alive. We are proud to keep this rem
custom alive with the Kirsch Wrought Iron Collection.

Call for current pricing
(609) 742-1720



Call for current pricing
(609) 742-1720



06
08
18
28

Call for current pricing
(609) 742-1720

COLLECTION OVERVIEW

6

FINISHES

An alluring range of metals

2

VERSATILE SIZES

1" & 1 $\frac{3}{8}$ "

1

ESTATE™ TRAVERSE ROD SIZES

1 $\frac{3}{8}$ "

1

REMARKABLE COLLECTION

ARCHITRAC™ K-RAIL COMPATIBLE

1 $\frac{3}{8}$ " finials only

AMP™ MOTORIZATION COMPATIBLE

Estate™ Traverse Rods only

Call for current pricing
(609) 742-1720


2



3




4



Call for current pricing
(609) 742-1720

1" Finials & Endcaps

Axiom



Fits	Dimensions
1" Wrought Iron Poles	Depth: 3¼" Height: 2⅞" Width: 2⅞"

Product Number & Finish			
56381770	Black	56381804	Graphite
56381803	Chalk	56381805	Heirloom Coppe

Finial Plugs included.

Darby



Fits	Dimensions
1" Wrought Iron Poles	Depth: 2⅞" Height: 1½" Width: 1½"

Product Number & Finish			
56384770	Black	56384804	Graphite
56384803	Chalk	56384805	Heirloom Coppe

Finial Plugs included.

Lincoln



Fits	Dimensions
1" Wrought Iron Poles	Depth: 2¼" Height: 1⅓¼" Width: 1⅓¼"

Product Number & Finish			
56383770	Black	56383804	Graphite
56383803	Chalk	56383805	Heirloom Coppe

Finial Plugs included.

Otto



Fits	Dimensions
1" Wrought Iron Poles	Depth: 2⅞" Height: 2⅞" Width: 2⅞"

Product Number & Finish			
-------------------------	--	--	--

Call for current pricing
(609) 742-1720




Call for current pricing
(609) 742-1720



1" Finials & Endcaps

Pedestal Ball



Fits	Dimensions
1" Wrought Iron Poles	Depth: 3¼" Height: 2" Width: 2"

Product Number & Finish			
56351770	Black	56351804	Graphite
56351803	Chalk	56351805	Heirloom Coppe

Finial Plugs included.

Petite Faucet



Fits	Dimensions
1" Wrought Iron Poles	Depth: 1¼" Height: 1¼" Width: 1¼"

Product Number & Finish			
56374770	Black	56374804	Graphite
56374803	Chalk	56374805	Heirloom Coppe

Finial Plugs included.

Call for current pricing
(609) 742-1720



1" Finials & Endcaps

Petite Modern Ball



Fits		Dimension	
1" Wrought Iron Poles		Depth: 2"	
		Height: 1¾"	
		Width: 1¾"	
Product Number & Finish			
56373770	Black	56373804	Graphite
56373803	Chalk	56373805	Heirloom

Finial Plugs included.

Ponce



Fits		Dimension	
1" Wrought Iron Poles		Depth: 4 ¹³ / ₁₆ "	
		Height: 1 ¹ / ₈ "	
		Width: 1 ¹ / ₈ "	
Product Number & Finish			
56385770	Black	56385804	Graphite
56385803	Chalk	56385805	Heirloom

Finial Plugs included.

Endcap



Fits		Dimension	
1" Wrought Iron Poles		Depth: 7⁄8"	
		Height: 1 ¹ / ₈ "	
		Width: 1 ¹ / ₈ "	
Product Number & Finish			
56358770	Black	56358804	Graphite
56358803	Chalk	56358805	Heirloom

Finial Plugs included.

Call for current pricing
(609) 742-1720

1" Poles

6' Pole



Diameter		Length	
1"		6'	
Product Number & Finish			
56359770	Black	56359804	Graphite
56359803	Chalk	56359805	Heirloom Coppe

8' Pole



Diameter		Length	
1"		8'	
Product Number & Finish			
56360770	Black	56360804	Graphite
56360803	Chalk	56360805	Heirloom Coppe

Call for current pricing
(609) 742-1720

1" Rings

Ring



Fits		Dimension	
1" Wrought Iron Poles		Internal: 1½"	
		External: 2½"	
		External to e	
Product Number & Finish			
56361770	Black	56361804	Graphite
56361803	Chalk	56361805	Heirloor

Bypass C-Ring



Fits		Dimension	
1" Wrought Iron Poles		Internal: 1½"	
		External: 2½"	
		External to e	
Product Number & Finish			
56371770	Black	56371804	Graphite
56371803	Chalk	56371805	Heirloor

Call for current pricing
(609) 742-1720

1" Brackets

3½" Return Bracket



Fits		Dimensions	
1" Wrought Iron Poles		Depth: 4¼" Height: 4" Width: ⅝"	Wall 1 Retur
Product Number & Finish			
56362770	Black	56362804	Graphite
56362803	Chalk	56362805	Heirloom Coppe

5⅜" Return Bracket



Fits		Dimensions	
1" Wrought Iron Poles		Depth: 6¼" Height: 4¼" Width: ⅝"	Wall 1 Retur
Product Number & Finish			
56363770	Black	56363804	Graphite
56363803	Chalk	56363805	Heirloom Coppe

Center Bypass Bracket



Fits		Dimensions	
1" Wrought Iron Poles		Depth: 4¼" Height: 4" Width: ⅝"	Wall 1 Retur
Product Number & Finish			
56372770	Black	56372804	Graphite
56372803	Chalk	56372805	Heirloom Coppe

Double Bracket



Fits		Dimensions	
1" Wrought Iron Poles		Depth: 7½" Height: 5⅝" Width: ⅝"	Wall 1 Inner Outer
Product Number & Finish			

Call for current pricing
(609) 742-1720

1" Brackets, Accessories & Components

Inside Mount Socket



Fits	Dimension
1" Wrought Iron Poles	Depth: 1" Height: 2" Width: 2"

Product Number & Finish			
56370770	Black	56370804	Graphite
56370803	Chalk	56370805	Heirloom

Mounts a 1" rod between two facing walls.

Swivel Socket



Fits	Dimension
1" Wrought Iron Poles	Partial Length Plug Length: 7" Full Length: 21"

Product Number & Finish			
56367770	Black	56367804	Graphite
56367803	Chalk	56367805	Heirloom

Call for current pricing
(609) 742-1720

1" Accessories & Components

36" Baton with Bypass C-Ring



Fits		Dimensions	
1" Wrought Iron Poles		36" long	
Product Number & Finish			
56375770	Black	56375804	Graphite
56375803	Chalk	56375805	Heirloom Coppe

Finial Plug



Fits		Quantity per Box	
1" Wrought Iron Poles		50 pieces per box	
Product Number & Finish			
56369058		White	

Internal Rod Splice



Fits		Quantity per Box
1" Wrought Iron Poles		5 pieces per box
Product Number & Finish		
56366061	Zinc Plated	
Connects two poles together for larger width options.		


Call for current pricing
(609) 742-1720



Call for current pricing
(609) 742-1720

1 3⁄8" Finials & Endcaps

Axiom



Fits	Dimensions
1 3⁄8" Wrought Iron Poles	Depth: 3 13⁄16"
1 3⁄8" Estate™ Traverse Rods	Height: 3 3⁄8"
1 3⁄8" K-Rail Traverse Rods	Width: 3 3⁄8"

Product Number & Finish			
56481770	Black	56481804	Graphite
56481803	Chalk	56481805	Heirloom Coppe

Finial Plugs included.

Darby



Fits	Dimensions
1 3⁄8" Wrought Iron Poles	Depth: 3 1⁄4 "
1 3⁄8" Estate™ Traverse Rods	Height: 2"
1 3⁄8" K-Rail Traverse Rods	Width: 2"

Product Number & Finish			
56484770	Black	56484804	Graphite
56484803	Chalk	56484805	Heirloom Coppe


Finial Plugs included.

Call for current pricing
(609) 742-1720



1 3⁄8" Finials & Endcaps

Lincoln



Fits	Dimension
1 3⁄8" Wrought Iron Poles	Depth: 2 3⁄8"
1 3⁄8" Estate™ Traverse Rods	Height: 2 1⁄8"
1 3⁄8" K-Rail Traverse Rods	Width: 2 1⁄8"

Product Number & Finish			
56483770	Black	56483804	Graphite
56483803	Chalk	56483805	Heirloom

Finial Plugs included.

Otto



Fits	Dimension
1 3⁄8" Wrought Iron Poles	Depth: 2 7⁄16"
1 3⁄8" Estate™ Traverse Rods	Height: 3 1⁄4"
1 3⁄8" K-Rail Traverse Rods	Width: 3 1⁄4"

Product Number & Finish			
56482770	Black	56482804	Graphite
56482803	Chalk	56482805	Heirloom

Finial Plugs included.

Call for current pricing
(609) 742-1720

Pedestal Ball



Fits	Dimension
1 3⁄8" Wrought Iron Poles	Depth: 4 7⁄8"
1 3⁄8" Estate™ Traverse Rods	Height: 3 3⁄8"
1 3⁄8" K-Rail Traverse Rods	Width: 3 3⁄8"

Product Number & Finish			
56451770	Black	56451804	Graphite
56451803	Chalk	56451805	Heirloom

Finial Plugs included.

Petite Faucet



Fits	Dimension
1 3⁄8" Wrought Iron Poles	Depth: 2 3⁄8"
1 3⁄8" Estate™ Traverse Rods	Height: 2 3⁄16"
1 3⁄8" K-Rail Traverse Rods	Width: 2 3⁄16"

Product Number & Finish			
-------------------------	--	--	--

1 3⁄8" Finials & Endcaps

Petite Modern Ball



Fits		Dimensions	
1⅜" Wrought Iron Poles		Depth: 3⅜"	
1⅜" Estate™ Traverse Rods		Height: 1 ¹⁵ / ₁₆ "	
1⅜" K-Rail Traverse Rods		Width: 1 ¹⁵ / ₁₆ "	
Product Number & Finish			
56473770	Black	56473804	Graphite
56473803	Chalk	56473805	Heirloom Coppe

Finial Plugs included.

Ponce



Fits		Dimensions	
1⅜" Wrought Iron Poles		Depth: 5½"	
1⅜" Estate™ Traverse Rods		Height: 1¼"	
1⅜" K-Rail Traverse Rods		Width: 1¼"	
Product Number & Finish			
56485770	Black	56485804	Graphite
56485803	Chalk	56485805	Heirloom Coppe

Finial Plugs included.

Endcap



Fits		Dimensions	
1⅜" Wrought Iron Poles		Depth: 1⅝"	
1⅜" Estate™ Traverse Rods		Height: 2½"	
1⅜" K-Rail Traverse Rods		Width: 2½"	
Product Number & Finish			
56458770	Black	56458804	Graphite
56458803	Chalk	56458805	Heirloom Coppe

Finial Plugs included.

Call for current pricing
(609) 742-1720

1 3/8" Poles

6' Pole



Diameter		Length	
1 3/8"		6'	
Product Number & Finish			
56459770	Black	56459804	Graphite
56459803	Chalk	56459805	Heirloom

8' Pole



Diameter		Dimension	
1 3⁄8"		8'	
Product Number & Finish			
56460770	Black	56460804	Graphite
56460803	Chalk	56460805	Heirloom

Call for current pricing
(609) 742-1720



1 3/8" Estate™ Traverse Rod

To learn more about the technical specs on Estate Traverse Rods and AMP™ Motorization, see |

Assembled Set with Slides



Manual Traversing Rods with Selected Carriers			
Unit of Measure			
Foot			
AMP™ Motorization Upcharge			
Charger, item #62201300 included. Remotes sold separately.			
Product Number & Finish			
83697770	Black	83697804	Graphite
83697803	Chalk	83697805	Heirloom Coppe


Assembled Set with Wheeled Ripplefold™ Carriers



Manual Traversing Rods with Selected Carriers			
Unit of Measure			
Foot			
AMP™ Motorization Upcharge			
Charger, item #62201300 included. Remotes sold separately.			
Product Number & Finish			
83698770	Black	83698804	Graphite
83698803	Chalk	83698805	Heirloom Coppe

Call for current pricing
(609) 742-1720

1 3/8" Estate™ Keystone




Fits		Quantity per Box	
1⅜" Estate™ Traverse Rods		25 pieces per box	
Product Number & Finish			
1833770	Black	1833804	Graphite
1833803	Chalk	1833805	Heirloom Coppe

1 3/8" Estate™ Traverse Rod Components


To learn more about the technical specs on Estate Traverse Rods and AMP™ Motorizat

Double Bracket



Fits	Dimension
1 3/8" Estate™ Traverse Rods 2" Estate™ Traverse Rods	Depth: 5 3/4" Height: 2 1/4" Width: 1"
Product Number & Finish	
71134110 Satin Brass	

Double Bracket



Fits	Dimension
1 3/8" Estate™ Traverse Rods 2" Estate™ Traverse Rods	Depth: 5 3/4" Height: 3 1/8" Width: 1"
Product Number & Finish	
71132062 Antique Brass	71132110 Satin Br
71132006 Black	71132012 Satin Ni

Call for current pricing
(609) 742-1720

Item	Product No. & Finish		Description
	62101000	White	AMP Remote Control RF 2W 15 Channel
	62101010	Black	
	62201300	White	AMP Battery Charger 16.5V/0.89A
	62102000	White	AMP Gateway USB Bridge
	62109000	White	AMP Wall Switch Surface RF 2W 15 Channel
	62108000	White	AMP Wall Switch RF 2W 15 Channel
	1026660		15' Cable Assembly
	1026661		4' Cable Assembly
	1026662		10' Cable Assembly

1 3⁄8" Rings

Ring



Fits		Dimensions	
1 3⁄8" Wrought Iron Poles		Internal: 2"	
		External: 2 1⁄2"	
		External to eyelet: 2 1⁄2"	
Product Number & Finish			
56461770	Black	56461804	Graphite
56461803	Chalk	56461805	Heirloom Coppe

Bypass C-Ring



Fits		Dimensions	
1 3⁄8" Wrought Iron Poles		Internal: 2"	
		External: 2 1⁄2"	
		External to eyelet: 2 1⁄2"	
Product Number & Finish			
56471770	Black	56471804	Graphite
56471803	Chalk	56471805	Heirloom Coppe

Call for current pricing
(609) 742-1720

1 3⁄8" Brackets

3 1⁄2" Return Bracket



Fits		Dimensions	
1⅜" Wrought Iron Poles		Depth: 4½"	
		Height: 4⅛"	
		Width: 1⅛"	
Product Number & Finish			
56462770	Black	56462804	Graphite
56462803	Chalk	56462805	Heirloom

5 3⁄8" Return Bracket



Fits		Dimensions	
1⅜" Wrought Iron Poles		Depth: 6½" Height: 4⅝" Width: 1⅛"	
Product Number & Finish			
56463770	Black	56463804	Graphite
56463803	Chalk	56463805	Heirloom

Call for current pricing
(609) 742-1720

Center Bypass Bracket



Fits		Dimensions	
1 3⁄8" Wrought Iron Poles		Depth: 4 3⁄8"	
		Height: 4 1⁄8"	
		Width: 1 1⁄16"	
Product Number & Finish			
56472770	Black	56472804	Graphite
56472803	Chalk	56472805	Heirloom

Double Bracket



Fits		Dimensions	
1 3⁄8" Wrought Iron Poles		Depth: 7 11⁄16" Height: 5 5⁄8" Width: 5⁄8"	
Product Number & Finish			

1 3/8" Bracket, Accessories & Components

Inside Mount Socket



Fits		Dimensions	
1 3/8" Wrought Iron Poles		Depth: 1 1/16"	
		Height: 2 3/8"	
		Width: 2 3/8"	
Product Number & Finish			
56470770	Black	56470804	Graphite
56470803	Chalk	56470805	Heirloom Coppe
Mounts a 1" rod between two facing walls.			

Swivel Socket



Fits		Dimensions	
1 3/8" Wrought Iron Poles		Partial Length: 2 9/16"	
		Plug Length: 1 5/16"	
		Full Length: 3 1/2"	
Product Number & Finish			
56467770	Black	56467804	Graphite
56467803	Chalk	56467805	Heirloom Coppe

Call for current pricing
(609) 742-1720

36" Baton with Bypass C-Ring



Fits		Dimensions	
1⅜" Wrought Iron Poles		36" long	
Product Number & Finish			
56376770	Black	56376804	Graphite
56376803	Chalk	56376805	Heirloom Coppe

Finial Plug



Fits		Quantity per Box
1 3/8" Wrought Iron Poles		50 pieces per box


1" & 1 3⁄8" Accessories & Components

Internal Rod Splice



Fits	Quantity per box
1 3⁄8" Wrought Iron Poles	5 pieces per box
Product Number & Finish	
56466061 Zinc Plated	
Connects two poles together for larger width options.	

Teflon Tape



Dimensions	Quantity per box
54' per roll	1 roll per box
Product Number & Finish	
84990000 Clear	
Teflon tape is used on stationary poles to help rings slide smoothly.	

Call for current pricing
(609) 742-1720

AMP™ Motorization

Why AMP™?

The slim design of the quiet, yet powerful motor and the position on the track allow it to sit seamlessly behind your drapery panel so you'll never have to sacrifice your style or measures, you're able to move the draperies with a gentle tug, allowing for operation without the need for a remote not present or if a guest is unaware of the motorization feature. The dual battery backup allows operation in case of a power outage so draperies may be opened in the event of a power outage. AMP™ Motorization is available on our most popular traversing tracks, Estate and Architectural Series 94001 and in drapery header styles Ripplefold™ and pleated for a variety of styling options. This is comfortable living at its finest.

For AMP™ Motorization brochure, programming instructions and installation instructions, please visit the drapery hardware resource library at kirsch.com.

Benefits & Features

AMP™ Motorization

- Motor mounts to the back of the track which allows a seamless look between motorized and manual traverse rods
- Drapery fabrication does not need to change between manually controlled draperies and motorized draperies; No additional returns or any special instructions
- Limits are set automatically after installation
- Remote control is radio frequency and easily pairs with the motor
- Tug feature; when drapery is pulled the motor will traverse the drapery
- AMP™ App with AMP™ USB Bridge
- Architectrac® Series 94001 Rods with AMP™ cannot be bent or curved

Frequently Asked Questions

What is the weight capacity?

64 lbs Motor is rated to 64 lbs. Be sure not to exceed Architectrac track specifications to ensure it operates optimally.

Can you double the weight capacity by using two motors?

No Only use one motor per rod.

Does AMP™ offer limit setting?

Yes The motor automatically sets its limits.

Does AMP™ offer touch control?

Yes The tug feature allows you to pull on the drapery and it will automatically open or close your drapery.

How long is the power cord?

6 ft The durable, non-extendable power cord can reach places. Any extra can be rolled up. Cable extensions are available in 15', 30' and 60' for outlets that are farther away from the motor.

Is there a wall switch?

Yes There are Flush Mount and Surface Mount switches.

Does AMP™ offer a warranty?

Yes See the Kirsch Warranty document for details.

Call for current pricing
(609) 742-1720

Download the AMP™ APP to get started




AMP™ Motorization Overview

Overview

- Soft start/stop & manual operation
- Tug feature: when drapery is pulled the motor will traverse the drapery
- Automatic limits on end stop
- Favorite/intermediate position
- Dry contact for external control
- RF Remote and wall switches
- Setting with buttons on motor units
- Setting with external dry contact switch
- LED Indicators
- One-Way and Two-Way Draw
- Pleated
- Ripplefold™
- AMP™ App with AMP™ USB Bridge

Available Colors




White

Side View



Front View



Call for current pricing
(609) 742-1720

Motor Unit

Product No.

AMP™ Drapery Motor 62001300

Technical Specs

AMP™ Motor

Power Supply DC 16.5V-0.89A
(100-240VAC 50/60Hz 0.5A)

Amperage 2.55Ah

Average Linear Speed 7.8inches/sec

Power Consumption 40 watts

Torque 1.2Nm

Power Cable Length 6 feet

Variable Speed 80, 100 & 120 rpm

Certifications UL/CE

Max. Track Length Estate™ - 16 ft
Architrac™ 94001 - 16 ft

Estate™ Overview

To help determine which system is right for your project, use the guideline below. For more detailed information about each track, please visit our resource library at [Resource Library](#).

Estate™ Series	Designer Metals™	Wood Trends™
What is your preferred size?		
1 3⁄8"	•	•
2"	•	•
What is your preferred Draw type?		
Motorized	•	•
Manual	•	•
What is your preferred Drapery Heading type?		
Pleated	•	•
Ripplefold™	•	•
What is your mounting location?		
Ceiling Mount*	•	•
Wall Mount	•	•

*Finial choices may be limited for ceiling mounted Estate™ Rods.

Call for current pricing
(609) 742-1720

Track Performance Data

Style		Heading Style	Mount	Draw	Minimum Track Length	Maximum Track Length
	83611 1 3⁄8" Estate™ Manual or Motorized Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	18 in	16 ft
				Two-Way	18 in	16 ft
	93601 2" Estate™ Manual or Motorized Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	18 in	16 ft
				Two-Way	18 in	16 ft

*Maximum track lengths and maximum fabric weight do not apply to curved track. Check with customer service for feasibility. Send complete specifications and fabric weight.


Splices & Keystones per Track

Track Length	Number of Splices
8 ft. to 16 ft.	1

Operating Systems

Motorized Draw


AMP™ Motorization



- Easy to use
- Quiet, powerful motor
- Pleated or Ripplefold™
- For Estate™ Traverse Rods or Architrac® Series 94001
- For more information, see page 28

Manual Draw

Cord Draw



- Easy to use
- Pleated or Ripplefold™

Hand/Baton Draw



- Easy to use
- A gentle tug allows drapery to glide across track
- Pleated or Ripplefold™


Baton Duplex Draw



- Easy to use
- Used on split draw rods
- Pleated or Ripplefold™
- When the baton is pulled on one stack, draperies on both sides

Header Styles

Ripplefold™



- Panels can be pressed flat, yet fall into fold
- No hooks or pins
- Headings are suspended under track
- Stack back is less than conventional pleated draperies
- Draperies snap on/off carriers for easy installation
- Interior drapery appearance is identical to exterior-facing appearance

Pleated




- A classic header option
- Can be used with most track systems using slip-in or pin-on hooks

Call for current pricing
(609) 742-1720

Bracket Spacing & Mount Options

Place brackets at each end. On the ends where the drapery will stack, place the next bracket 24" from the first bracket, then place remaining brackets at 48" intervals over the rest of the track. Spacing may need to be shortened for heavier draperies. All mounting options are available with our AMP™ Motorization.




Wall Mount using parts:

To achieve this look, order Estate rod, wall mount and all components will be included.

94129061 Zinc	or	1856973 Satin Nickel	or	1856978 Brushed Bronze
				


1 3/8" Wall Mount




Call for current pricing
(609) 742-1720

Ceiling Mount using parts:

To achieve this look, order Estate rod, ceiling mounted. 94130xxx brackets are included. Then order item 1796061 ceiling mount bracket in the quantity needed based on drawing on page 32.

94130xxx	&	1796061
		

1 3/8" Ceiling Mount



Double Wall Mount using parts:


To achieve this look, order Estate rod, ceiling mounted. 94130xxx brackets are i one, item 94125xxx double bracket and two, item 1796061 ceiling mount brack needed based on the bracket spacing drawing on page 32.

94125xxx




⊗

1796061




⊗

94130xxx



1⅜" Double Wall Mount




Call for current pricing
(609) 742-1720

Double Wall Mount using parts:


To achieve this look, order Estate rod ceiling mounted. 94130xxx brackets ar Then order one, item 71134110 double bracket in the quantity needed basec drawing on page 32.

71134110




⊗

94130xxx



1⅜" Front & 1⅜" Back Double Wall Mount



Calculating Drapery Weight

1. Fabric Weight

Some fabric samples list on the back of the swatch the weight listed in Ounces/SqYd. Call the manufacturer for the weight if not listed.

2. Lining Weight

Most drapery linings are 2oz - 4oz per square yard.

Drapery Weight Formula

Total Square Yards = (total yards x 36 x fabric width) ÷ 1296 (1-square yard)
Weight = total square yards x weight in ounces per SqYd ÷ 16 oz in lb

Example 32 yards of 54" wide fabric weighing 14 oz/SqYd
Total square yards = (32 x 36 x 54) = 62,208 ÷ 1296 = 48 SqYd
Weight = (48 x 14oz) = 672 ÷ 16 = 42 lbs

Lining Weight Formula

Total Square Yards = (total yards x 36 x fabric width) ÷ 1296 (1-square yard)
Weight = total square yards x weight in ounces per SqYd ÷ 16 oz in lb

Example 32 yards of 54" wide fabric weighing 6 oz/SqYd
Total square yards = (32 x 36 x 54) = 62,208 ÷ 1296 = 48 SqYd
Weight = (48 x 4oz) = 192 ÷ 16 = 12 lbs

Fabrics by Weight

Contact the fabric manufacturer for your specific fabric weight.

Fabric Type	Weight per Square Yard
Drapery Lining	2-4oz
Interlining	5-6oz
Blackout Lining	6-10oz
Bump Lining	12-14oz
Silks	2-4oz
Chintz	2-4oz
Printed Cottons	4-6oz
Linens	6-10oz
Jacquards	10-14oz

Call for current pricing
(609) 742-1720

Stack Guides

Pleated Stack Guide (for 16 mm carriers)

Note: Stack size is estimated. Type of fabric used could alter these measurements.

Size of Track (in inches)	5 carriers per foot 3x fullness		4 carriers per foot 2½x fullness	
	Stackback One-Way	Stackback Two-Way (per side)	Stackback One-Way	Stackback Two-Way (per side)
18	11.75	8.75	10.5	8.5
24	13	9.25	11.75	8.75
30	15.75	10.5	13	9.25
36	17	11.25	14.5	10
42	18.5	12	15.75	10.5
48	19.75	12.5	17	11.25
54	22.25	14	18.5	12
60	23.75	14.5	19.75	12.5
66	25	15.25	21	13.25
72	26.25	16	22.25	14
78	29	17.25	23.75	14.5
84	30.25	18	25	15.25
90	31.5	18.5	26.25	16
96	33	19.25	27.5	16.5
102	35.5	20.5	29	17.25
108	36.75	21.25	30.25	18
114	38.25	21.75	31.5	18.5
120	39.5	22.5	33	19.25
126	42.25	23.75	34.25	19.75
132	43.5	24.5	35.5	20.5
138	44.75	25.25	36.75	21.25
144	46	25.75	38.25	21.75
150	48.75	27	39.5	22.5
156	50	27.75	40.75	23.25
162	51.5	28.5	42.25	23.75
168	52.75	29	43.5	24.5
174	55.25	30.5	44.75	25.25
180	56.75	31	46	25.75
186	58	31.75	47.5	26.5
192	59.25	32.5	48.75	27
198	62	33.75	50	27.75
204	63.25	34.5	51.5	28.5
210	64.5	35	52.75	29
216	66	35.75	54	29.75
222	68.5	37	55.25	30.5

Call for current pricing
(609) 742-1720

Ripplefold™ Stack Guide for Butt Master 84111xxx

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabr

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap Ti (less ret
13⅜	15⅜	17⅞	18⅞	8	
17⅜	19⅝	21⅞	24⅞	10	
21⅞	23⅞	26⅝	29⅝	12	
24⅞	28⅞	31⅞	34⅝	14	
28⅝	32⅜	36⅞	39⅞	16	
32⅜	36⅝	40⅞	45⅝	18	
36⅞	40⅞	45⅝	50⅝	20	
39⅞	45⅞	50⅝	55⅝	22	
45⅝	49⅜	55⅞	60⅞	24	1
47⅜	53⅝	59⅞	66⅞	26	
51⅞	57⅞	64⅞	71⅞	28	1
54⅞	62⅞	69⅞	76⅞	30	
58⅞	66⅜	74⅞	81⅞	32	1
62⅜	70⅝	78⅞	87⅞	34	
66⅞	74⅞	83⅝	92⅞	36	1
69⅞	79⅞	88⅜	97⅞	38	
73⅝	83⅜	93⅞	102⅞	40	1
77⅜	87⅞	97⅞	108⅞	42	
81⅞	91⅞	102⅝	113⅝	44	1
84⅞	96⅞	107⅝	118⅝	46	
88⅞	100⅞	112⅞	123⅞	48	2
92⅜	104⅝	116⅞	129⅞	50	
96⅞	108⅞	121⅞	134⅜	52	2
99⅞	113⅞	126⅝	139⅝	52	
103⅝	117⅜	131⅞	144⅞	54	2
107⅝	121⅞	135⅞	150⅞	56	
111⅞	125⅞	140⅞	155⅜	58	2
114⅞	130⅞	145⅞	160⅞	60	
118⅝	134⅜	150⅞	165⅞	62	2
122⅜	138⅞	154⅞	171⅞	64	
126⅞	142⅞	159⅞	176⅜	66	2
129⅞	147⅞	164⅜	181⅞	68	
133⅝	151⅜	169⅞	186⅞	70	3
137⅜	155⅝	173⅞	192⅞	72	

Call for current pricing
(609) 742-1720

Ripplefold™ Stack Guide for Butt Master 84111xx

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplef

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	5 (l
148⅝	168⅝	188⅝	207⅝	78	
152⅜	176⅝	192⅝	213⅝	80	
156⅝	176⅝	197⅝	218⅝	84	
159⅝	181⅝	202⅝	223⅝	86	
163⅝	185⅝	207⅝	228⅝	88	
167⅝	189⅝	211⅝	234⅝	90	
171⅝	193⅝	216⅝	239⅝	92	
174⅝	198⅝	221⅝	244⅝	94	
178⅝	202⅝	226⅝	249⅝	96	
182⅜	206⅝	230⅝	255⅝	98	
186⅝	210⅝	235⅝	260⅝	100	
189⅝	215⅝	240⅝	265⅝	102	
193⅝	219⅝	245⅝	270⅝	104	
197⅝	223⅝	249⅝	276⅝	106	
201⅝	227⅝	254⅝	281⅝	108	
204⅝	232⅝	259⅝	286⅝	110	
208⅝	236⅝	264⅝	291⅝	112	
212⅜	240⅝	268⅝	297⅝	114	
216⅝	244⅝	273⅝	302⅝	116	
219⅝	249⅝	278⅝	307⅝	118	
223⅝	253⅝	283⅝	312⅝	120	
227⅝	257⅝	287⅝	318⅝	122	
231⅝	261⅝	292⅝	323⅝	124	
234⅝	266⅝	297⅝	328⅝	126	
238⅝	270⅝	302⅝	333⅝	128	
242⅜	274⅝	306⅝	339⅝	130	
246⅝	278⅝	311⅝	344⅝	132	
249⅝	283⅝	316⅝	349⅝	134	
253⅝	287⅝	321⅝	354⅝	136	
257⅝	291⅝	325⅝	360⅝	138	
261⅝	295⅝	330⅝	365⅝	140	
264⅝	300⅝	335⅝	370⅝	142	
268⅝	304⅝	340⅝	375⅝	144	
272⅝	308⅝	344⅝	381⅝	146	

Call for current pricing
(609) 742-1720

Ripplefold™ Stack Guide for Butt Master 84214xxx

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabric Guide for more information.

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap Time (less return)
14⅞	16⅜	17⅞	19⅞	8	
18⅞	20⅞	22⅞	24⅞	10	
22⅞	24⅞	27⅞	29⅞	12	
26⅞	29⅞	32⅞	35⅞	14	
29⅞	33⅞	36⅞	40⅞	16	
33⅞	37⅞	41⅞	45⅞	18	
37⅞	41⅞	46⅞	50⅞	20	
41⅞	46⅞	51⅞	56⅞	22	
44⅞	50⅞	55⅞	61⅞	24	1
48⅞	54⅞	60⅞	66⅞	26	
52⅞	58⅞	65⅞	71⅞	28	1
56⅞	63⅞	70⅞	77⅞	30	
59⅞	67⅞	74⅞	82⅞	32	1
63⅞	71⅞	79⅞	87⅞	34	
67⅞	75⅞	84⅞	92⅞	36	1
71⅞	80⅞	89⅞	98⅞	38	
74⅞	84⅞	93⅞	103⅞	40	1
78⅞	88⅞	98⅞	108⅞	42	
82⅞	92⅞	103⅞	113⅞	44	1
86⅞	97⅞	108⅞	119⅞	46	
89⅞	101⅞	112⅞	124⅞	48	2
93⅞	105⅞	117⅞	129⅞	50	
97⅞	109⅞	122⅞	134⅞	52	2
101⅞	114⅞	127⅞	140⅞	54	
104⅞	118⅞	131⅞	145⅞	56	2
108⅞	122⅞	136⅞	150⅞	56	
112⅞	126⅞	141⅞	155⅞	60	2
116⅞	131⅞	146⅞	161⅞	62	
119⅞	135⅞	150⅞	166⅞	64	2
123⅞	139⅞	155⅞	171⅞	66	
127⅞	143⅞	160⅞	176⅞	68	2
131⅞	148⅞	165⅞	182⅞	70	
134⅞	152⅞	169⅞	187⅞	72	3
138⅞	156⅞	174⅞	192⅞	74	

Call for current pricing
(609) 742-1720

Ripplefold™ Stack Guide for Butt Master 84214xx

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplef

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	5 (le
149⅞	169⅞	188⅞	208⅞	80	
153⅞	173⅞	193⅞	213⅞	82	
157⅞	177⅞	198⅞	218⅞	84	
161⅞	182⅞	203⅞	224⅞	86	
164⅞	186⅞	207⅞	229⅞	88	
168⅞	190⅞	212⅞	234⅞	90	
172⅞	194⅞	217⅞	239⅞	92	
176⅞	199⅞	222⅞	245⅞	94	
179⅞	203⅞	226⅞	250⅞	96	
183⅞	207⅞	231⅞	255⅞	98	
187⅞	211⅞	236⅞	260⅞	100	
191⅞	216⅞	241⅞	266⅞	102	
194⅞	220⅞	245⅞	271⅞	104	
198⅞	224⅞	250⅞	276⅞	106	
202⅞	228⅞	255⅞	281⅞	108	
206⅞	233⅞	260⅞	287⅞	110	
209⅞	237⅞	264⅞	292⅞	112	
213⅞	241⅞	269⅞	297⅞	114	
217⅞	245⅞	274⅞	302⅞	116	
221⅞	250⅞	279⅞	308⅞	118	
224⅞	254⅞	283⅞	313⅞	120	
228⅞	258⅞	288⅞	318⅞	122	
232⅞	262⅞	293⅞	323⅞	124	
236⅞	267⅞	298⅞	329⅞	126	
239⅞	271⅞	302⅞	334⅞	128	
243⅞	275⅞	307⅞	339⅞	130	
247⅞	279⅞	312⅞	344⅞	132	
251⅞	284⅞	317⅞	350⅞	134	
254⅞	288⅞	321⅞	355⅞	136	
258⅞	292⅞	326⅞	360⅞	138	
262⅞	296⅞	331⅞	365⅞	140	
266⅞	301⅞	336⅞	371⅞	142	
269⅞	305⅞	340⅞	376⅞	144	
273⅞	309⅞	345⅞	381⅞	146	

Call for current pricing
(609) 742-1720

Ripplefold™ Overlap Stack Guide

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabric Guide for more information.

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap T. (less ret)
16¼	17¾	19⅞	20¾	8	
20	22	23⅞	26	10	
23¾	26¼	28⅞	31¼	12	
27½	20½	33⅞	26½	14	
31¼	34¾	38⅞	41¼	16	
35	39	42⅞	47	18	
38¾	43¼	47⅞	52¼	20	
42½	47½	52⅞	57½	22	
46¼	51¾	57⅞	62¾	24	
50	56	61⅞	68	26	1
53¾	60¼	66⅞	73¼	28	
57½	64½	71⅞	78½	30	1
61¼	68¾	76⅞	83¾	32	
65	73	80⅞	89	34	1
68¾	77¼	85⅞	94¼	36	
72½	81½	90⅞	99½	38	1
76¼	85¾	95⅞	104¾	40	
80	90	99⅞	110	42	1
83¾	94¼	104⅞	115¼	44	
87½	98½	109⅞	120½	46	1
91¼	102¾	114⅞	125¾	48	
95	107	118⅞	131	50	2
98¾	111¼	123⅞	136¼	52	
102½	115½	128⅞	141½	54	2
106¼	119¾	133⅞	146¾	56	
110	124	137⅞	152	56	2
113¾	128¼	142⅞	157¼	60	
117½	132½	147⅞	162½	62	2
121¼	136¾	152⅞	167¾	64	
125	141	156⅞	173	66	2
128¾	145¼	161⅞	178¼	68	
132½	149½	166⅞	183½	70	2
136¼	153¾	171⅞	188¾	72	
140	158	175⅞	194	74	2

Call for current pricing
(609) 742-1720

Ripplefold™ Overlap Stack Guide

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplef

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	5 (le
151¼	170¼	190⅞	209¾	80	
155	175	194⅞	215	82	
158¾	179¼	199⅝	220¼	84	
162½	183½	204⅜	225½	86	
166¼	187¾	209⅞	230¾	88	
170	192	213⅞	236	90	
173¾	196¼	218⅝	241¼	92	
177½	200½	223⅜	246½	94	
181¼	204¾	228⅞	251¾	96	
185	209	232⅞	257	98	
188¾	213¼	237⅝	262¼	100	
192½	217½	242⅜	267½	102	
196¼	221¾	247⅞	272¾	104	
200	226	251⅞	278	106	
203¾	230¼	256⅝	283¼	108	
207½	234½	261⅜	288½	110	
211¼	238¾	266⅞	293¾	112	
215	243	270⅞	299	114	
218¾	247¼	275⅝	304¼	116	
222½	251½	280⅜	309½	118	
226¼	255¾	285⅞	314¾	120	
230	260	289⅞	320	122	
233¾	264¼	294⅝	325¼	124	
237½	268½	299⅜	330½	126	
241¼	272¾	304⅞	335¾	128	
245	277	308⅞	341	130	
248¾	281¼	313⅝	346¼	132	
252½	285½	318⅜	351½	134	
256¼	289¾	323⅞	356¾	136	
260	294	327⅞	362	138	
263¾	298¼	332⅝	367¼	140	
267½	302½	337⅜	372½	142	
271¼	306¾	342⅞	377¾	144	
275	311	346⅞	383	146	

Call for current pricing
(609) 742-1720

Pole Installation, Cutting & Splicing

Top Hole Installation Guide

This chart will position the bracket so the drapery will clear the floor approximately 1/2".

- 1. Find your pole style, size and header style in the chart.
- 2. Determine the desired finished drapery length.
- 3. Add or subtract number in the top hole column from the drapery's finished length to determine how high to measure for the top hole of the bracket.

Stationary Poles		
	Rod Pock (no top rule)	
	Top Hole	
1" Standard Bracket	+3/4"	
Wall Mount Traverse Rods		
	Pleated (any variety)	
	Top Hole for Wall Mount	Floor to Ceiling Deduction
1 3/8" Estate™	+1 11/16"	-2 1/8"
Ceiling Mount Traverse Rods		
1 3/8" Estate™	+0"	-3 5/8"

Call for current pricing
(609) 742-1720

Cutting & Splicing Wrought Iron Poles

- Measure to desired length and carefully wrap area with an easy peel, blue painter's tape as not to damage the finish.
- Cut through the tape with sharp fine tooth saw or a pipe cutter with a stainless steel blade. Cut slowly to reduce any chipping to the product finish.
- For spliced poles, add a finial plug to the end cut.
- Splice fits inside the pole and is specific to the pole diameter.



Finial Plug
Part #5636905
or #56469058

Learn more about all of our collections

			
	Designer Metals™ Collection	Wood Trends™ Collection	Wrought Collect
	sophisticated styles acrylic and metals striking finishes	crafted timelessness beautiful finishes classic designs	architectural s remarkable real wroug
Available Diameters	1" 1¾" & 2"	1¾" & 2"	1" & 1½"
Pole Lengths	Fixed - 4', 6' & 8' Telescoping - 36"-180"	4', 6', 8', 12'	6' & 8'
Pole Material	Metal	Wood	Meta
Operation Modes	Stationary, Traversing Manual or Motorized Draw	Stationary, Traversing Manual or Motorized Draw	Station Traversing or Motorize
Pole Sizing	Fixed Width & Telescoping	Fixed Width	Fixed W
Finishes	8	9	6
Finials	27	18	18
Bracket Types	Decorative Fixed & Bypass Fixed	Decorative Fixed	Decorative & Bypass
Bracket Sizes	3" – 8¾", Inside Mount & Ceiling Mount	3½" – 7", Inside Mount & Ceiling Mount	3½" – 6" & Inside M
Treatment Styles	Stationary & Traversing	Stationary & Traversing	Station & Traver

Call for current pricing
(609) 742-1720

Call for current pricing
(609) 742-1720



Designer Metals™
inspiring brilliance

Wood Trends™
renewing traditions

Wrought Iron
forging artistry