




Brightwoc Shutte

Call for current pricing
(609) 742-1720

Program Referenc
2022

2022 Shutter Revision log

Effective Date	Topic	Section	Note
2022/01/01	Frame Hinged Bifold Track	j1,i	1.Update content Panel Configuration 1) If the hinge type is Mortise Hinge, the panel width is the other panel width4' 2) If the hinge type is Hinge, the panel width is the other panel width4' Take the drawing, frame is 2 3/8" S 2. 90 Degree Bifold Location: remove the following LLL/RRR/LLL  3.Corrected available "For Horizontal 1.5"/2" Sill, T Post be installed by s "For Horizontal 1.6"/2" Sill, T Post be installed by s
	90 Degree Bifold Track		
	T-Post Connector		

Call for current pricing
(609) 742-1720

Table of Contents

- a. Features & Benefits
- b. Colors & Louver Sizes/Louver Clea
- c. Stiles
- d. Panel Configurations
- e. Frame Styles
- f. General Product Specifications
- g. Tilt Rods
- h. Divider Rails
- i. Hardware
- j. Track Shutters
- k. Special Options
- l. Specialty Shapes
- m. Pricing

Call for current pricing
(609) 742-1720

Features and Benefits

- Enhance view with extremely wide panels. Up to 42" in create the clean, streamlined look.
- Reinforced engineered stile-- Multiple layers of wood b durability to the core of the stile, which results in a robt panel.
- Employs mortise and tenon joinery that resists shear a shutters to ensure prolonged quality and durability.
- Quick and easy on-site assembly and installation with i hinges, pre-mitered frames and slotted keyholes.
- Special panel and frame design that is custom cut to a windows.
- Personalize shutters with special options. Choose from rod, double hung panels, café shutters, track systems, shapes and many more.
- A guarantee of Norman Shutters exemplary quality wit materials and workmanship.

Call for current pricing
(609) 742-1720


Colors & Louver Sizes/Louver Clearance

Color ID	Color Name
001	Pure White
002	Extra White
003	Silk White
004	Bright White
006	Pearl
007	Ivory Lace
009	Creamy
012	Crisp Linen
016	Butter
019	String
030	Moondust
032	Sea Mist
042	Hall Gray
046	Ice
048	Chai
049	Stone Gray
051	Brown Gray
053	Clay
063	Decorators White
066	Winchester White 2010
073	Sky Gray
074	Element Gray
075	Storm Gray
077	Dawn
078	Cloud Blue
080	Taupe Gray
836	Classic Black

Call for current pricing
(609) 742-1720


Louvers	
Elliptical	1 $\frac{7}{8}$ "*
	2 $\frac{1}{2}$ "
	3"
	3 $\frac{1}{2}$ "
	4 $\frac{1}{2}$ "

Louver Depth Clearance




Call for current pricing
(609) 742-1720

Louver Depth Clearance for Specific Frames




L Frame with 1/4" light block




L Frame


Call for current pricing
(609) 742-1720




L Frame with 1/2" Buildout



L Frame with 1" Buildout




1 1/4" Beaded Z Frame




1 1/2" Bullnose

Call for current pricing
(609) 742-1720




2" Bel Air Z Frame




3" Crown Z Frame



4" Tilt



Hang Strip (Behind the panel)




Hang Strip (Beside the panel)

Call for current pricing
(609) 742-1720


Stiles

Default: Beaded stile



Call for current pricing
(609) 742-1720

Optional: Chamfer stile



Stiles (continued)

Stile between panel closure

Single panel

- I) Panel width < 9"
 - Rabbeted stile (Deco frame, L frame, Z frame and Hang strip beside panel)
 - 1 ⁵/₈"
 - 2" (default)
 - 2 1/4"
 - Butt stile only (Hang strip behind panel)
 - 1 ⁵/₈"
 - 2" (default)
 - 2 1/4"
- II) Panel width ≥ 9"
 - Butt stile only
 - 1 ⁵/₈" (Optional for panel width ≤ 12")
 - 2" (default)
 - 2 1/4"


Call for current pricing
(609) 742-1720

2 panels or more


- Rabbet stile
 - 1 ⁵/₈" (Optional for panel width ≤ 12")
 - 2" (default)
- Astragal stile
 - 1 ⁵/₈" (Optional for panel width ≤ 12")
 - 2"
 - 2 1/4"

Panel Configurations

Single Panel



L



R



OR

Two Panel





LR


Three Panels





LLR




LRR



LTLTL




LTRR



LLTR


Call for current pricing
(609) 742-1720

Four Panels




Call for current pricing
(609) 742-1720

Six Panels




Panel Configurations – Astragal Stile


- 2 Panels – LR




- 3 Panels - LRR



- 3 Panels – LLR





- 4 Panels - LLRR




Call for current pricing
(609) 742-1720


Frame Style

Frame material: Woodlore Plus




Call for current pricing
(609) 742-1720






3" Ridge Deco Frame



Tilt Out Z Frame




2.5" Mission Deco Frame

There are 2 options for the Deco frame installation when V frame as an example)


1. Default: light block part install into the window opening;

The window size is the exact size of the window opening;
The MFF size is the measurement of the entire shutter, including
The MFF size = Window Size + Face Width




2. Optional: light block part flush with window opening.


The window size is the exact size of the window opening;
The MFF size is the measurement of the entire shutter, including
The MFF size = Window Size + Frame Back Width




Call for current pricing
(609) 742-1720



1 1/2" Bullnose Z Frame




1 1/4" Beaded Z Frame




3" Crown Z Frame

22.2mm [0.875 inch]


3" [0.125 inch]




Bullnose Z
1 1/4" Beaded Z
Sill Plate



2" Bel Air Z Sill Plate




2" Bullnose Z Frame




Quarter Round

Note: Quarter Round will be 1/4 inch thick


Call for current pricing
(609) 742-1720




Note: Outside mounted hang strips, behind the panel, is not sides inverted.




1" Chamfer T Post with 1/4" Light Block (Deco)




1" Chamfer T Post with 3/4" Light Block (L/Z/HS)




1.75" Chamfer T Post with 1/4" Light Block (Deco)



1.75" Chamfer T Post with 3/4" Light Block (L/Z/HS)



1" Chamfer T Post with 1/4" Thick x 3/8" Wide Light Block (Deco)



1" Chamfer T Post with 3/4" Thick x 3/8" Wide Light Block (L/Z/HS)


Call for current pricing
(609) 742-1720

Note: 1" Chamfer T Post with 3/4" Light Block, 1 3/4" Chamfer T Post with 3/4" Thick x 3/8" Wide Light Block and Custom

Call for current pricing
(609) 742-1720


For bay window at 170 degree or above

- 1" T Post with 3/8" light block will be used as Bay post;
- For Hang Strip (Behind Panel), bay post will be used.




Call for current pricing
(609) 742-1720



Slim Fit Corner & Bay



Slim Fit Corner Post for
90 Degree (L/Z/HS)



Slim Fit Bay Post for
135 Degree (L/Z/HS)



- Slim Fit Posts are available in 90, 135 and 150 Degree:
- All Bay posts, Corner posts and Slim Fit Posts are mad

In order to better match corner windows / bay window:

- **For non sample orders, please note that corner win**


- Post Type (Standard or Slim Fit)
- Color
- Hinge Options
- Louver Size
- Frame Type
- Mount Type
- Extension
- Sill Options
- T-Post Options
- Height
- Stile Type and Profile
- Tilt Type
- Divider Rail Options
- Double-Hung Options
- Split Tilt Options
- PerfectTilt Options

Call for current pricing
(609) 742-1720

- **For non sample orders, please note that bay window**

- Post Type (Standard or Slim Fit)
- Color
- Hinge Options
- Louver Size
- Frame Type
- Mount Type
- Extension
- Sill Options
- T-Post Options
- Height
- Stile Type and Profile
- Tilt Type
- Divider Rail Options
- Double-Hung Options

- Limitation for the Notch Out Size: $A \leq 1"$; $B \leq 1/2"$




Notch Out

Beaded L Frame (A) *

Notch Out

Vintage L Frame (A) *



Notch Out


Beaded L Frame (B) *

Notch Out


Vintage L Frame (B)

Call for current pricing
(609) 742-1720


Sill Frames- For use where there is




Sill Caps-Used to cover exi




Designer Sill Cap (L)




Designer Sill Cap (D)



Mission Sill Cap (D/HS)



Mission Sill Cap (L)




Mission Sill Cap (C)


Call for current pricing
(609) 742-1720

Note: For Mission Sill Cap, the extended size at each side

Sill Plates- Used with e




2" Sill Plate with 5/8"
Light Block (L/Z)



(All Deco & L frames with 1/4" light block)


(A

For 1.6" / 2" sill plate with 5/8" (or 3/8") light block, when an width will be divided evenly on both sides, take the followin




Call for current pricing
(609) 742-1720

Pre-drill L Frames (Inside Mount Only) or Z frames:



Extension for Deco Frame* (Default to have full extension)



Note: Custom extensions* are available for Deco Frames,

● Standard Filler Strips (width x depth):

1" x 3/4"	1" x 2 15/16"	3/4" x 1 1/2"
1" x 1 3/16"	2 7/16" x 7/16"	1" x 1 1/2"
1" x 1 9/16"	3/16" x 1 1/2"	1 3/16" x 1 1/2"
1" x 2"	3/8" x 1 1/2"	1 3/8" x 1 1/2"
1" x 2 3/8"	9/16" x 1 1/2"	1 9/16" x 1 1/2"


Note:

1. The width or depth of Custom filler strip / Standard filler
2. The width or depth of Custom filler strip / Standard filler
3. The width and depth of Custom filler strip / Standard filler same time.

Notch out*:

- o L Frame
- o T Post

Specify dimensions in special instruction box.



Default principle:

Regarding shutter with horizontal T-post type issue: Horizontal T post unless otherwise specified.

Call for current pricing
(609) 742-1720

General Product Specifications

<u>Description</u>	<u>Minimum</u>	
Single Panel Width (Regular)	6"	30" for 36" for 42" for 3
Single Panel Width (Bi-fold)	6"	
Single Panel Width (Bi-fold Track)	6"	
Single Panel Height	10"	
Shutter Width (Without T Post)	N/A	4x single pan
Shutter Width (With T Post)	N/A	(For orders shipped 142" will be spliced For orders shipped 120" will be spliced
Shutter Height	N/A	1

Call for current pricing
(609) 742-1720

Divider rail is required for panel heights over 78".
Standard divider rail size is 3", Custom Size (3"~7.875") Divider rail
Please note the standard top/bottom rail size should be within
for the rail size is 1/8".

Shutters to be installed where there is no bottom support

Shutters without bottom supports may sag and deform, include
1. Shutters with a bottom gap over 0.1";
2. Shutters with no frame or existing bottom sill to support the
frame/existing sill, but the panel is frequently left in the open


Side by Side / Match Line Number:

When **Side by Side** is selected, it is solely to match top or bottom
also be matched when the panel heights are within +/- 2". When
another line number or previous work order is solely for match
will be used to match any other specifications

Tilt Rods

Standard Tilt Rod


Default Location: In the middle of the panel on front side (de




Offset Tilt Rod*

Default Location: On the front side of the panel and at 1" from


Optional location: On the back side of the panel, 1" from the



Call for current pricing
(609) 742-1720



InvisibleTilt™ *



Louver tilting system embedded within panel stile. It is not available for split tilt when the number of louvers exceeds the limits as listed below.

Louver Size	Maximum Possible Louvers	Panel Height Range
2½"	24	54 ¾" – 57"
3"	19	54 ¼" – 56"
3½"	16	54 ¾" – 56"
4½"	12	54 ¾" – 60"

For even numbers of louvers, the number of louvers operated by the top tilting system must be the same;

For odd numbers of louvers, the number of louvers operated by the top tilting system must be less than the number of louvers operated by the bottom tilting system;

To ensure split tilt is included, always specify on the order.

Split Tilt

When selected, the louvers are split evenly by default unless otherwise specified.

When the customer selects a custom location, the measurements are taken from the top of the louvers (when the louvers are in the closed position when measured):


Window size:

- Measure from the bottom of the window to the top of the louvers.

Max frame-to-frame:

- Measure from the bottom of the frame (or panel if there is no panel) to the top of the louvers.

Call for current pricing
(609) 742-1720



Split tilt

Louver	Split tilt
1 7/8"	
2 1/2"	
3"	
3 1/2"	
4 1/2"	

Call for current pricing
(609) 742-1720

Split Location:

— Per the customer's specification. However, the location of the split may be adjusted to achieve more balanced top and bottom rail during order entry. If necessary the location will be moved up or down if an obstruction is covered. The amount of the deviation from the center will be based on the louver selected.

If the exact location of the split is critical, customer may select a specific location when placing the order. This may result in significantly different top and bottom rail sizes. If a different location is selected, a popup will reveal the resulting top and bottom rail sizes. The customer may either:

1. Accept the listed top and bottom rail sizes
2. Modify the split location (sometimes a slight adjustment in location will achieve the desired top and bottom rail sizes)
3. Change to **allow deviations** so the system will calculate the top and bottom rail sizes based on the selected split location.

Note: Top and bottom rail sizes may change if the current line item is changed. Carefully review all top and bottom rail sizes and split location before finalizing the order to ensure the desired split location is achieved.

Divider Rails

A divider rail is an extra rail in the middle of the panel
Creates two sections in the panel so louvers can be
Strengthens the panel and enhances structural integ
Required for panel heights over 78"
Custom Size(3"~7.875") Divider Rail is available with s


Specifications

Standard size: 3"
Default location: center of the panel unless specified
If the Divider Rail Location must be accurate, "Exact
specified when placing an order.

Measurements:

- Window size:
— Measure from the bottom of the window to the center
- Max frame-to-frame:
— Measure from the bottom of the frame to the center o
- Position:
— Per customer's specification. However, the divider rail
higher position, within our allowable deviation, to ens
the shutter.
When placing the order, please clearly specify if the c
with that of other shutter divider rails in the same room
below for the allowable deviation details.

Call for current pricing
(609) 742-1720





Hardware

Hinges

2.375" Self-Mortise Hinge


2.37



Call for current pricing
(609) 742-1720

2.375" L Hinge

Direct



Hinges are available in:

Pure White, Silk White, Bisque, Pearl, Bright Brass, Antique Brushed Nickel, Stainless Steel*, Crisp Linen, String, Sea Mist, Taupe Gray.


While hinge colors of Crisp Linen, String, Sea Mist, Stone Gray not available for Direct mount 3" Hinges.

False hinges are not available.


➤ Direct Mount 3" Hinge:

1. The hinge position of the direct mount 3" hinge will be For shutters used both the 2.375" and the direct mount

3. To avoid conflict, there will be cut-out for the light block the drawing below.



4. Direct Mount 3" Hinge is not suitable for drywall installation



Direct Mount 3" hinge is not suitable for drywall installations.
It's not recommended.

Call for current pricing
(609) 742-1720

Invisible Hinge*:



1. Invisible hinge is not available for multifold panels.
2. Invisible hinge can only be between the panel & frame/T r
use a regular hinge

Frame Options	Hinge	
2" Camber Deco Frame	Y	
2" Classic Deco Frame	Y	
2.5" Mission Deco Frame	N	
3" Ridge Deco Frame	N	
Vintage L Frame W / 1/4" Light Block	N	
Vintage L	N	
Vintage L Frame w/ 1/2" Buildout	N	
Vintage L Frame w/ 1" Buildout	N	
Beaded L w 1/4"light block	Y	
Beaded L	Y	
Beaded L Frame w/ 1/2" Buildout	Y	
Beaded L Frame w/ 1" Buildout	Y	
Tilt out Z Frame	N	
1.25" Beaded Z Frame	Y	
1.5" Bullnose Z Frame	Y	
2" Bullnose Z Frame	Y	
2" Bel Air Z Frame	Y	
3" Crown Z Frame	N	
7/8" Vintage Hang Strip	N	
1" Chamfer T-Post w/ 1/4" Light Block(for Deco)	Y	only a one si is avai
1" Chamfer T-Post w/3/4" Light Block(for L/Z/HS)	Y	
1" Chamfer T-Post w/ 1/4" thick 3/8" wide Light Block(for Deco)	Y	
1" Chamfer T-Post w/3/4" thick 3/8" wide Light Block(for L/Z/HS)	Y	
1 3/4" Chamfer T-Post w/1/4" Light Block(for Deco)	Y	availal BOTH RTL.
1 3/4" Chamfer T-Post w/3/4" Light Block(for L/Z/HS)	Y	
Corner Post w/1/4" Light Block(for		

Call for current pricing
(609) 742-1720


Corner Post w/3/4" Light Block(for L/Z/HS)	Y	
Bay Post w/1/4" Light Block(for Deco)	Y	
Bay Post w/3/4" Light Block(for L/Z/HS)	Y	
Invisible Hinge Qty		
Panel Height (H)	Hinge Qty	
H<=48"	2	
48"<H<=78"	3	
78"<H<=96"	4	
96"<H<=120"	5	
H>120"	6	

Preinstallation:


Panels and frames will be packaged individually, and the hinges are preinstalled onto the frame/post, with the screws for the other part on the panels in the hardware box.

Call for current pricing
(609) 742-1720

Note: If Custom T-posts need to install Invisible Hinge, the side light block width can't be more than 4 5/8"; Please see (





Installation Instructions for the Invisible hinges
Take L Frame as an example:



1). Remove the corresponding panels and frames from their correct frames.


Install the frames on the corresponding windows and make them equal)



Call for current pricing

(609) 742-1720

2). Please insert **ALL** of the Invisible hinges on the panel into the frames prior to trying to secure any single hinge. This may require you to hold the panel to prevent the hinges from sliding out of the frames (do not let the panels hang from just one hinge).




3). To properly secure the panels, first please tighten the upper and the lower screw of the lowest hinge. Close the pane normal and the gap is uniform.


Note:

- a) When locking the screw, again it is important to prevent their slots.
- b) Only the screws provided in the hardware box may be used, not other screws.


Call for current pricing
(609) 742-1720



4). When the closure gap is uniform, secure the remaining



5). Install the remaining panels in the same manner.




Call for current pricing
(609) 742-1720

Panel Lock: (not available for 1.625" Stile)


Available Material: All

Color: Brush Nickel Plated, Pure White, Pearl.




Position: (Only available on Bottom for Track Shutters with E


L




R




LR




LL




RR




LLL




RRR




LLRR




LLLR



RRRR




Call for current pricing
(609) 742-1720




Panel Config: FFFFFFF(R)

The Panel Lock location for both track system shutters and r
The general principle is that the Panel Lock position will avoid
loaded guide at bottom (same stile as the Wheel carrier).



Ring pull: for easy opening and closing. (Not available for
Available in all shutter programs.



Ring pull location principle for Floating Panels:

1. When floating panel config is in pairs, it will be split into h
will be for RR. So the ring pull location for FF/FF, FF/FF/
as LL/RR, LL/LL/RR/RR.
2. When floating panel config is FF, the ring pull location wil
3. When floating panel config is FFFF/FF, the ring pull locat
LLLL/RR.
4. When floating panel config is singular, it will be split into :
for LL and the right section is for RR. So the ring pull loca
be same as that of LL/LL/RR, LL/LL/LL/RR/RR.

Please note the ring pull color will match with the hinge color

Call for current pricing
(609) 742-1720

Hinge color	Pure White	Silk White	Bisque	Pearl	Black	Nickel Plated	Br N
Ring Pull color	White	White	Bisque	Pearl	Black	Brushed Nickel	Br N

Hinge color	Crisp Linen	String	Sea Mist	Sto
Ring Pull color	Bisque	Bisque	Brushed Nickel	Bi

- The ring pull color is selectable.

Color ID	Color Name	2.375” Hinge color (Default)	Direct Mount 3” Hinge color (Default)	T post connector color (Default)	Ring pull color (Default)
001	Pure White	Pure White	Pure White	Pure White	White
002	Extra White	Silk White	Silk White	Silk White	White
003	Silk White	Silk White	Silk White	Silk White	White
004	Bright White	Silk White	Silk White	Silk White	White
006	Pearl	Pearl	Pearl	Pearl	Pearl
007	Ivory Lace	Bisque	Bisque	Bisque	Bisque
009	Creamy	Pearl	Pearl	Pearl	Pearl
012	Crisp Linen	Crisp Linen	Bisque	Bisque	Bisque
016	Butter	Crisp Linen	Bisque	Bisque	Bisque
019	String	String	Bisque	Bisque	Bisque
030	Moondust	Sea Mist	Nickel Plated	Nickel Plated	Brushed Nickel
032	Sea Mist	Sea Mist	Nickel Plated	Nickel Plated	Brushed Nickel
042	Hall Gray	Sea Mist	Nickel Plated	Nickel Plated	Brushed Nickel


Call for current pricing
(609) 742-1720

048	Chai	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel
049	Stone Gray	Stone Gray	Nickel Plated	Nickel Plated	Brushed Nickel
051	Brown Gray	Brown Gray	Nickel Plated	Nickel Plated	Brushed Nickel
053	Clay	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel
063	Decorators White	Silk White	Silk White	Silk White	White
066	Winchester White 2010	Pearl	Pearl	Pearl	Pearl
073	Sky Gray	Silk White	Silk White	Silk White	White
074	Element Gray	Sea Mist	Nickel Plated	Nickel Plated	Brushed Nickel
075	Storm Gray	Sea Mist	Nickel Plated	Nickel Plated	Brushed Nickel
077	Dawn	Pearl	Pearl	Pearl	Pearl
078	Cloud Blue	Silk White	Silk White	Silk White	White
080	Taupe Gray	Taupe Gray	Nickel Plated	Nickel Plated	Brushed Nickel
836	Classic Black	Black	Black	Black	Black

Call for current pricing
(609) 742-1720

- When the bottom track colors are bright white and metall color will be white; When the bottom track colors are broi guide color will be coffee.
- Please note that the color options for pin/tension gears a orders please select either White or Coffee when placing
- For custom color orders, the supplied Hoffman keys will i (White or Coffee).
- For custom color orders, please select the desired T-pos options when placing an order.
- For custom color orders with Invisible Hinge, but without magnet catch (round magnet catch or sill magnet catch c

Position: For different panel configuration, please refer to the which stile the pull will be fixed.




Position:

- A. Above Bottom Rail (Default)
- B. Above 1st Divider Rail (Default when there are Divider Rails)
- C. Custom Location

If both Panel Lock & ring pull are specified, the distance between their locations is 6 3/4" from the bottom of panel.

When there is no mid rail, ring pull will be just on the top of the default location; if there are mid rails, bottom of ring pull line is the default location.

Call for current pricing
(609) 742-1720




Position:

- A. 2 3/4" Above Panel Lock (Default when both Ring Pull and Panel Lock are specified)
- B. Above 1st Divider Rail (Default when there are Divider Rails)
- C. Custom Location

- Max frame-to-frame:
— Measure from the bottom of the frame to the c

Mount Options for Direct Mount:


Light block



Call for current pricing
(609) 742-1720



12.5mm Magnet with screw hole (recessed into panels)



Round Magnet Catch (installed on light blocks)

L Magnet Catch (sill magnet catch): used for catching the m:
blocks.




Side Magnet: Available for Butt, rabbet and Astragal stile



Side Magnets will be applied in following situation:


1. Double Hung shutter but without horizontal T post:

Side magnets will be applied to the meeting stiles of the l




2. Café Shutter

Side magnets will be applied to the meeting stiles of the l



3. No frame or light block or L-shape striker plate on either top or bottom gap is requested.


Side magnets will be applied to the meeting stiles of the l



Call for current pricing
(609) 742-1720



- Note: if panels only with side magnets and there is no stop panels may open for external factors.

T-Post Connector




- Available colors: Pure White; Silk White; Pearl; Bisque
- Available for all types of T Posts (custom-width T posts)

T Post Connector can be used with the following Frames:



Hang Strip (Beside)




Call for current pricing
(609) 742-1720

Note:

- For Horizontal T Post, Hang Strip (Behind) and shutter will be available and T Post will be installed by screws instead;
- If there is a panel lock which may interfere with the T-Post, shutter will be installed with screws and the frames to be panel lock may only interfere with one T-Post;
- The screw color is nickel-plated regardless of the color of the frame;
- T post connectors can only be installed on a straight piece of frame.

Optional Poles:

1. Terminology



Call for current pricing
(609) 742-1720

Component

NO.	Name	
1	Pole with Attachment	Aluminum Tube, Pole B *Surcharge applies.
2	Attachment only	• Compatible with exter improvement stores. • Screw thread (3/4") ar *Surcharge applies.

2. Available Pole Length

Two lengths available:

- 36"


Bi-fold 180™

Guidelines

<u>Description</u>	<u>Minimum</u>	<u>Maximum</u>
Single-Panel Width (Bi-fold Track)	6"	
Single-Panel Width (LLL/RRR)	6"	
Single-Panel Height	10"	

Outside Mount

Max frame-to-frame width: window width + 3 1/2"
Max frame-to-frame height: window height + 4 1/2"




Call for current pricing
(609) 742-1720

- Track is pre-installed on the header; standard 1 track only.

Mounting Options: Outside Mount only


Side View



Call for current pricing
(609) 742-1720

Top View


Without Casing:




Note:

- ◇ Fascia return will protrude the panel about 1/2" for each side.
- ◇ The header will protrude the panel about 1/8" for each side.
- ◇ Header, light blocks, and bottom pivot bracket(s) must be installed on a flat surface.

With Existing Casing:




- ✧ Header Extension: Optional
- ✧ Custom extension up to 2" for Header
- ✧ When extension is needed, the header will protrude and fascia return will protrude the panel 11/16" for each




Call for current pricing
(609) 742-1720


The extension will be pre-attached.




For 180 Bi-fold, if Bottom Pivot L Bracket is required, the bracket is 1 3/4" in width. Please see picture below.



Panel Configuration : Only 2", 2 1/4" rabbet and but not available.



Call for current pricing
(609) 742-1720




Notes:

If there is no baseboard to the wall, 3" header can be used.

If there is baseboard to the wall, then it should be as below:

1. If base board thickness is less or equal to 5/8", 3 1/2" header can be used.
2. If base board thickness is over 5/8", it is suggested using a build out thickness = base board thickness - 1/8".

Please see the drawing below:



Call for current pricing
(609) 742-1720

180° Bi-fold Track Shutters Framing Materials

Type	Header Dimension	Top Fascia Dimension

180⁰ Bi-fold Track Shutters Hardware Box

Parts
Wrench
Hinge Pin
Triangle Bracket (based on the length of header)
2" screws for Triangle Bracket
¾ " screws for Triangle Bracket
Bottom Pivot Bracket
1 ½ " screws for bottom pivot bracket
2 ½ " screws for Frame with predrilled screw holes

Call for current pricing
(609) 742-1720

Bi-fold 90TM

Guidelines and Specs:

<u>Description</u>	<u>Minimum</u>
Single-Panel Width (Bi-fold Track)	6"
Single-Panel Width (Multifold track up to 4 panels)	6"
Single-Panel Height	10"

Outside Mount

Max frame-to-frame width: window width + 3 1/2"

Max frame-to-frame height: window height + 4 1/2"


Semi-Inside Mount

Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height + 1 3/8"

Inside Mount


Max frame-to-frame width: window width - 1/8"



Track is pre-installed on the header; standard 1 tra

Mounting Options: Outside Mount

Side View




Call for current pricing
(609) 742-1720


Without Casing:

Note:

- ◇ Fascia return will protrude the panel about 1/2" for each side.
- ◇ The header will protrude the panel about 1/8" for each side.
- ◇ Header, light blocks, and bottom pivot bracket(s) must be installed on a flat surface.




With Existing Casing:



Call for current pricing
(609) 742-1720


Semi-Inside/Inside Mount

Side View




Call for current pricing
(609) 742-1720


Semi-Inside Mount Top View



Inside Mount Top View




- ✧ Header Extension: Optional.
- ✧ Custom extension up to 2" for Header
- ✧ The extension will be pre-attached.




Call for current pricing
(609) 742-1720

Panel Configuration : Only 2", 2 1/4" rabbet and but not available.

LL or RR




LLRR




90° Multi-Fold Track Shutters (Wood only)

Maximum single panel width for multi-fold is 20"

Panel Configuration: LLLL, RRRR, or LLLLRRRR



90° Floating Panels




- o Two or four panels can be hinged to slide to either direction
- o Application comes with wheel carrier guide and floor track
- o Can be used on large window

Call for current pricing
(609) 742-1720


Note: For 90° Floating Panels outside mount/semi-inside Stopper will be supplied by default. The gap between the panel is 5mm each side.

The 2016 stopper can also be used in the center or any |

2016 Stopper





Please see drawing below to show the gap.




2. When rabbet stile required, the meeting stile of unhing


Optional (Hang Strip for Inside Mount Only)



Call for current pricing
(609) 742-1720

Note: When Butt/rabbet Stile is required, the stile next to the





90 Degree Bi Fold Track Shutters Framing Mate

Type		Header Dimension	Top Fascia Dimension	Light Di
Header & Top Fascia & Light Block Strip	OM	3"	3 3/8"	
		3 1/2"		
	Semi-IM	3"		5
	IM	3"	1 7/8"	5

Note: It will be L shape light block strip for outside mount


Call for current pricing
(609) 742-1720

Frame Hinged Bifold


Available Stile: Rabbet Stile Only

Available Frame type

[22.2mm \[0.875"\]](#)




Vintage Hang Strip with 13mm light block: For single frame on the unhinged side will be Vintage Hang Strip



Top View

Hinged at Left or Right with wheel assembly at top;




Call for current pricing
(609) 742-1720


Side View

Outside Mount

3-Sides + bottom light block

3








No
sh
no
wir
to
boi

Semi-Inside


Inside Mour



Call for current pricing
(609) 742-1720



For frame hinged bifold track shutter used as door, 1
 default. Please specify "Used As Door" on the order








Call for current pricing
 (609) 742-1720

Panel Configuration (uneven panel width)

- 1) If the hinge type between panel and frame is 2 3/8" S
the panel width1 (hinged with Self Mortise Hinge) = A
the other panels width (panel width2 / panel width3 /
- 2) If the hinge type between panel and frame is Invisible
the panel width1 (hinged with Invisible Hinge) = A,
the other panels width (panel width2 / panel width3 /


Take the drawings of the hinge type between panel and examples:



Call for current pricing
(609) 742-1720

Notes:

1. Only available for 3-Sides + bottom light block or 3-S (available); Panels can be folded and open at 90 degree




2. Frames available: Only Vintage L Frame

- 1) For top frame, the insert will be replaced by top fascia;
- 2) Top track will be pre-attached to the top frame;
- 3) Frame will be pre-drilled with screw holes same as re

Ring Pull: The ring pull will be provided as an option; a will be supplied as default; Customer need specify ring p location is measured from the floor to center of the ring p Ring pull color will match the hinge color.

Please refer to below drawing of ring pull position for all




Call for current pricing
(609) 742-1720




Bottom Pivot Bracket for 90 degree bifold:

For 90° Bifold Track Shutter, there will be 2 types of Bottom




For Inside Mount, Bottom
will be supplied as default




For Semi-Inside or Outside
bottom pivot bracket will
as default.

For 180° Bifold Track Shutter, 81mm Bottom Pivot L Bra




Call for current pricing
(609) 742-1720

Track Dimension:




Extra 8.5x25mm Magnet Catches and magnets will be supplied (top and bottom hinges)



Call for current pricing
(609) 742-1720

Side Magnet: applied to the meeting stiles of LR panel



Extra magnet and Side Magnet:




90° Bi Fold Track Shutters Hardware Box

Parts
Wrench
Hinge Pin
Triangle Bracket (based on the length of header)
2 " screws for Triangle bracket
¾ " screws for Triangle bracket
Bottom Pivot Bracket
38.1mm screws for bottom pivot bracket
63.5mm screws for Frame with Predrilled holes


Call for current pricing
(609) 742-1720

Notes:


- 1. for all bifold track shutter Outside Mount, the header insert and screws will be supplied by default;
- 2. for all bifold track shutter Inside/Semi-Inside Mount, the screws and wood plug, screws and wood plug will be



90 Degree Bifold Track & Floating Panels Hanger




180 Degree Bifold Track Panel Hanger Location



Call for current pricing
(609) 742-1720

Frame Hinged Bifold Track Panel Hanger Locati

Take the drawings of the hinge type between panel and examples:




Call for current pricing
(609) 742-1720

Keystone for Fascia of the Track Shutter


When fascia length exceeds the limitation and needs to be joined, it is supplied without surcharge for track shutters.

For fascia length within the split limitation, keystone can be used without surcharge.


For Deco Fascia:



For Flat Fascia:



The keystone will be installed by screws. We will pre-drill the fascia and the keystone is packed in hardware box.



Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass

Definitions

Closed Bypass - louvers must be in the closed position and overlap each other when sliding.

Open Bypass - louvers can remain in the open position when sliding, allowing for a clearer view when sliding.

Combi-joined panels - two or more panels combined to form a single, wider sliding section, please see the drawing for details installed.

Note: the interlocking bottom guide is standard on the closed bypass and optional on the open bypass.

Guidelines and Specs:

<u>Description</u>	<u>Minimum</u>	
		1 7/8"
Single-Panel Width (Wood)	6"	30"
Single-Panel Height	10"	132"

Call for current pricing
(609) 742-1720

Outside Mount

Max frame-to-frame width: window width + 3"

Max frame-to-frame height: window height + 4 1/2"

Semi-Inside Mount

Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height + 1 1/8"

Inside Mount




Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height - 1/8"

Track Shutters—2020 Bypass

Wheel Carriers are in the Track / Wheel Carrier Bracket

Adjustments to panel alignment are made by turning the included in the Hardware Box




Push wheel carrier into the wheel carrier bracket

Call for current pricing
(609) 742-1720


Note: 2020 Stopper will be supplied at both ends of to

Track Shutters—2020 Bypass


Top View




Outside Mount



Semi-Inside Mount




Inside Mount



Call for current pricing
(609) 742-1720

Top View


Combi - joined Panels:




Track Shutters—2020 Bypass

For shutters with 4 or more panels, please select “side o


Side Open




Center Open




4 panels side open w/Rabbet stile



4 panels center open w/Butt stile



6 panels side open w/Rabbet stile




Call for current pricing
(609) 742-1720


Track Shutters—2020 Bypass

For 6 panels center open configurations, the center panel has the option for them to be combi-joined into a single 2 panel


6 panels center open w/Rabbet stile



6 panels center open w/Rabbet stile




8 panels side open w/Rabbet stile




For 8 panels center open configurations, the center panel has the option for them to be combi-joined into a single 4 panel

8 panels center open w/Rabbet stile



8 panels center open w/Rabbet stile




Call for current pricing
(609) 742-1720


Track Shutters—2020 Bypass

Triple Track


3 panels side open w/Butt stile



6 panels side open w/Rabbit stile



6 panels center open w/Butt stile




Call for current pricing
(609) 742-1720

Stile: Only 2", 2 1/4" butt and rabbit stiles are available
1 5/8" rabbit stile only used for combi-joined pair
Center stile is not available.

Track Shutters—2020 Bypass



Mounting Options (Closed Bypass)

Side View




If the closed shaped b used at th

Call for current pricing
(609) 742-1720





Track Shutters—2020 Bypass

Mounting Options (Closed Bypass with 3 Tracks)



Call for current pricing
(609) 742-1720







Call for current pricing
(609) 742-1720

Mounting Options (Opened Bypass) Only available

2 1/2" Louver




Track Shutters—2020 Bypass





Call for current pricing
(609) 742-1720

3" / 3 1/2" Louver




Track Shutters—2020 Bypass



Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass


Bottom guide for Open ByPass:




Call for current pricing
(609) 742-1720

Opened Bypass

Top View



Note: The light block for open bypass will be changed to of current dowels.



Track Shutters—2020 Bypass


Separation of track

Louver	U shape bottom guide		Re
	Regular Tilt Rod	Invisible tilt	
2.5"	3 9/16"	2 3/4"	
3" / 3.5"	4 1/2"	3 5/8"	

Light block thickness for panel

Louver		U shape bottom guide		Int
		Regular Tilt Rod	Invisible tilt	Regula
2.5"	h1	3/4"	3/4"	3
	h2	1 9/16"	3/4"	1 9
3" / 3.5"	h1	1 3/16"	1 3/16"	1 3
	h2	1 15/16"	1 3/16"	1 1


Nylon Guide: The nylon guide is composed by 2 parts default (bottom part 16mm and top part 5mm), please re



Call for current pricing
(609) 742-1720


Track Shutters—2020 Bypass

The 2020 Stopper




Note: 2020 Stopper will be supplied at both ends of top track

The 2020 stopper can also be used in the center or any position. Please specify the actual position when placing an order.



Call for current pricing
(609) 742-1720



Track Shutters—2020 Bypass

Track Shutters Framing Materials

Framing	Size	
L Shape Header	Header (Closed Bypass)	Header (Closed Bypass)
(2 in 1)	$\frac{3}{4}" \times 5\frac{1}{2}"^*$ (Default for Outside Mount; Optional for Semi-Inside and Inside Mount)	$\frac{3}{4}"$ ($2\frac{1}{2}"$)
Header with Supporting Strip	$\frac{3}{4}" \times 4\frac{1}{2}"^*$ (Default for Semi-Inside and Inside Mount; Optional for Outside Mount)	$\frac{3}{4}"$ ($3"$, $3\frac{1}{2}"$)
	Custom * $\leq 8"$	Custom
U Shape Side Frame	Side Frame (Closed Bypass)	Side Frame (Closed Bypass)
(3 in 1)	$\frac{3}{4}" \times 5\frac{7}{8}"^*$ (Default for Outside Mount; Optional for Semi-Inside and Inside Mount)	$\frac{3}{4}"$ ($2\frac{1}{2}"$)
Side Frame with Supporting Strip & Side Fascia	$\frac{3}{4}" \times 4\frac{7}{8}"^*$ (Default for Semi-Inside and Inside Mount; Optional for Outside Mount)	$\frac{3}{4}"$ ($3"$, $3\frac{1}{2}"$)
	Custom * $\leq 8"$	Custom
Top Fascia (Plain/Deco)	4" (Semi-inside and Inside Mount)	
	$\frac{1}{2}" \times 2\frac{3}{4}"$ (Inside Mount)	
Top Fascia Return	4" (Semi-inside and Inside Mount)	
	N/A (Inside Mount)	

Call for current pricing
(609) 742-1720

Note:

- When the header size is $4\frac{1}{2}"^*$, $5\frac{1}{2}"^*$, $6\frac{1}{4}"^*$ or $7\frac{13}{16}"^*$, L Shape Header and U Shape Side Frame will be sent integrally. That is:
 1. The header and the supporting strip will be sent integrally.
 2. The side frame, supporting strip and the side fascia will be sent separately.
- For any custom header sizes other than $4\frac{1}{2}"^*$, $5\frac{1}{2}"^*$, $6\frac{1}{4}"^*$ or $7\frac{13}{16}"^*$, L Shape Header and U Shape Side Frame will be sent separately.
 1. The header and the supporting strip will be sent separately.
 2. The side frame, supporting strip and the side fascia will be sent separately.

Track Shutters—2020 Bypass

- For Outside Mount Bypass, the custom header size of 2" and the custom header size with extension thickness can't be less than 2"
- For Inside Mount and Semi-Inside Mount Bypass, the custom header size and the extension thickness of header can reach to 2"

Hardware Box

Hardware Box
Part
Wrench
Nylon Guide
¾" screws for Nylon Guide
Triangle Bracket (based on the length of header)
2" screws for Triangle bracket
¾" screws for Triangle bracket


Call for current pricing
(609) 742-1720

Keystone for Fascia of the Track Shutter


When fascia length exceeds the limitation and needs to be split, the keystone will be supplied without surcharge for track shutters.

For fascia length within the split limitation, keystone can be supplied without surcharge.

For Deco Fascia:




For Plain Fascia:



The keystone will be installed by screws. We will pre-drill the fascia. The keystone will be packed in hardware box.

Track Shutters—2020 Bypass




Plastic L Bracket to Connect the Header, Fascia




L Bracket will be used to connect the header, fascia and This applies for Inside Mount, Semi-Inside Mount & Outs

Call for current pricing
(609) 742-1720

OM & Semi-IM




IM



Special Options


Café* Shutters

- The top of the panel requires a special finish. Please include in your order.
- The shutter does not come with recessed magnet on the top.
- When the height of the framing material (including top post) is more than 5", a surcharge will apply.




Double-Hung* Shutters

- For total number of panels, please include panels in both upper and lower sections.
- The default location for the division point is the center of the panel.
- Horizontal T Post can be added for increased structural strength.
- The length of Horizontal T post in each section must be the same.
- For Double Hung shutter, whenever an upper or lower section is added, we will also attempt to create additional structural strength by reducing the number of louvers by one as needed.



Call for current pricing
(609) 742-1720

Fixed Louvers




French Door Contour Collection*


- Flush and offset cutout options are available in both
o Offset cutout is a good option for French Door with
- All French door cutouts are only available in L frame
placed behind the Type E/F panel to block light.

Louver size	Batten Width	
1 7/8" & 2 1/2"	3/4"	
3" & 3 1/2"	3/4"	
4 1/2"	3/4"	


- For measurement details please refer to forms section
- French Door cutouts with Arch/Quarter Arch at the top
- Vintage L frame with 1/4" light block and Beaded L fra
for French door Type A, B, C & D.



Type A




Type B




Type C

Call for current pricing
(609) 742-1720



Type E



Type F

Auto Tilt™ (Patented) *

- Available in Bifold or Multi-fold panel configuration
- Available with Invisible Tilt Only
- Available in 2" Butt, Astragal and Rabbet Stile
- Minimum Louver Qty (Please see below for details)
- Ring pulls included. For ring pull location, please refer to

When there is only one louver section (no divider rail/no sp

Louver Size	Rail Size	Minimum Louver qty
2.5"	<4.25"	6
	>=4.25"	4
3"	<3.75"	5
	>=3.75"	4
3.5"	2.75"~6.5"	4
4.5"	2.75"~6.5"	3

Call for current pricing
(609) 742-1720

When there is more than one louver sections (with divider r

Louver Size	Rail Size	Minimum Louver qty
2.5"	<4.25"	5
	>=4.25"	4
3"	2.75"~6.5"	4
3.5"	2.75"~6.5"	3
4.5"	2.75"~6.5"	3

Custom Colors *

Available in Brightwood shutters.

Option (Color Code)	Sample Size	Confirm
Custom Solid (C01)	A least 4"x4" on a clean, flat surface, such as wood or cardboard (please do not send anything critical as the sample will not be returned)	All orders actual mail be addition

Note:

- 1) All custom colors will be finished with the standard gloss
- 2) Please be aware that we will only be able to match the to sample you submit.
- 3) Only one color revision will be allowed during the color c

Call for current pricing
(609) 742-1720

Disclaimer:

**Sherwin Williams ColorSnap (MWCS),
Sherwin Williams Designer Expressions (MWDE),
Benjamin Moore Classic (MBMC) (M2460009TL) &
Benjamin Moore Preview (MBMP) (M2440564TL)
Benjamin Moore, Off White Collection M2451888TL**
are registered trademarks or trademarks of their respective mentioned herein are the property of Norman International, certain other countries. Reference herein to the commercial name, trademark, manufacturer, or otherwise, does not necessarily constitute an endorsement.

Specialties

Specialty Shutters*

Specialty shutters are made of premium solid wood, finished shutters. Templates are required if it is an imperfect specialty confirmation date for all specialty shutters. Please refer to Specialty sections for details.

Regarding frame with an insert or solid frame issue:

1). For Half Round Sunburst, Quarter Round Sunburst, Eyelet Sunburst:

- All deco frames will be made as solid frames;
- All Vintage L frames & Vintage hang strip: all top frames (curved solid frame but the bottom & both sided frames (straight frames) with inserts

2). For Triangle, Hexagon, Octagon, Peak & Angle top: all frames with inserts.

3). For Circle, Oval: all frames will be made as solid frames (no inserts)

4). For Sunburst on top with Divider strip: the top frame (curved solid frame but the bottom & both side frames (straight frames) with inserts

5). For Louver Arch with Eyebrow curve shape:

- All deco frames excluding 2.5" Mission deco frame: all frames with an insert).
- All Vintage L frames & Vintage hang strip & 2.5" Mission deco frame) will be made as a solid frame but the bottom & both sided frames made as regular frames with inserts;

6). For other Specialty Shutters when curve shape is similar except Louver Arch with Eyebrow curve shape in point 5), Half round side panels(-Standard louvered arch & Continuous arch quarter round side panels, Arch Top Picture Window with horizontal arch ce Window with Sunburst, Standard unit with horizontal arch ce


- All deco frames will be made as solid frames;
- All Vintage L frames & Vintage hang strip: all top frames (curved solid frame but the bottom & both sided frames (straight frames) with inserts.

7). Hang strip behind the panel is not available for Hexagon


8). All sunburst hubs must be less than or equal to 12".

9). If a requested half round sunburst arch will result in louver


Call for current pricing
(609) 742-1720




The louvers in the curved section can be installed with an Invisible Tilt system. They can be installed with a separate standard tilt rod installed



Call for current pricing
(609) 742-1720




Quarter Round
Sunburst




Half Round Sunburst




Close-up
w/ Center




Elongated Eyebrow
Sunburst



Eyebrow Sunburst





Angle Top



*Top louvers
be fixed

Call for current pricing
(609) 742-1720






Horizontal louvers center arch
with quarter round side panels
-Standard louvered arch


How
wide
-C

Call for current pricing
(609) 742-1720



Sunburst louvers center arch with quarter round side


Fixed louver



Arch Top Picture Window with horizontal louvers
-Standard louvered arch


Arch
hor
-Co

Call for current pricing
(609) 742-1720



Arch Top Picture Window with Sunburst

Stand



Call for current pricing
(609) 742-1720

Pricing

1) By Max Frame-to-Frame Measurement:		
Regular Shutter		
Inside and Outside Mount		Width
Track Shutter**		
Inside		Width
Semi-Inside and Outside Mount		Width
2) By Net Panel Measurement:		
		Width
3) By Window Size:		
2" Camber Deco Frame 2" Classic Deco Frame	4-sided	(Width+4")
	3-sided with Sill Plate	(Width+4")
	3-sided	(Width+4")
	2 sided with Sill Plate	(Width+4")
	2-sided	(Width+4")
3" Ridge Deco Frame	4-sided	(Width+6")
	3-sided with Sill Plate	(Width+6")
	3-sided	(Width+6")
	2-sided with Sill Plate	(Width+6")
	2-sided	(Width+6")
2.5" Mission deco frame	4-sided	(Width+5")
	3-sided	(Width+5")
	2-sided	(Width+5")
3" Crown Z Frame	4-sided	(Width+4 ½")
	3-sided with Sill Plate	(Width+4 ½")
	3-sided	(Width+4 ½")
	2-sided with Sill Plate	(Width+4 ½")
	2-sided	(Width+4 ½")

Call for current pricing
(609) 742-1720

Pricing

2" Bel Air Z Frame 2"Bullnose Z Frame	4-sided	(Width+2 ½")
	3-sided with Sill Plate	(Width+2 ½")
	3-sided	(Width+2 ½")
	2-sided with Sill Plate	(Width+2 ½")
	2-sided	(Width+2 ½")
1 1/2"Bullnose Z Frame 1 ¼ " Beaded Z Frame/ Bullnose Tilt Out Z Frame	4-sided	(Width+2")
	3-sided with Sill Plate (N/A w/ Tilt out Z)	(Width+2")
	3-sided	(Width+2")
	2-sided with Sill Plate (N/A w/ Tilt out Z)	(Width+2")
	2-sided	(Width+2")
Vintage Hang Strip	Inside	Width
	Outside 4-sided	(Width+3")
	Outside 3-sided	(Width+3")
	Outside 2-sided	(Width+3")
Vintage L Frame/ Beaded L Frame	Outside 4-sided	(Width+3")
	Outside 3-sided	(Width+3")
	Outside 2-sided	(Width+3")
Track Shutter**		
Inside and Semi-Inside Mount		Width
Outside Mount		(Width+3")

Call for current pricing
(609) 742-1720

1 side frame price:

2" Camber Deco Frame	1-sided	(Width+2")	x	(He
2" Classic Deco Frame	1-sided	(Width)	x	(He
3" Ridge Deco Frame	1-sided	(Width+3")	x	(He
	1-sided	(Width)	x	(He
2 1/2" Mission deco frame	1-sided	(Width+2 1/2")	x	(He
	1-sided	(Width)	x	(He
3" Crown Z Frame	1-sided	(Width+2 1/4")	x	(He
	1-sided	(Width)	x	(He
2" Bel Air Z Frame	1-sided	(Width+1 1/4")	x	(He
2"Bullnose Z Frame	1-sided	(Width)	x	(He
1 1/2"Bullnose Z Frame	1-sided	(Width+1")	x	(He
1 1/4" Beaded Z Frame	1-sided	(Width)	x	(He
Bullnose Tilt Out Z Frame				
Vintage Hang Strip	Outside 1-sided	(Width+1 1/2")	x	(He
	Outside 1-sided	(Width)	x	(He
Vintage L Frame				
Beaded L Frame	Outside 1-sided	(Width+1 1/2")	x	(He
Beaded L with 1/4" Light Block				
Beaded L with 1/2" Buildout				
Beaded L with 1" Buildout	Outside 1-sided	(Width)	x	(He
Vintage L with 1/4" Light Block				
Vintage L with 1/2" Buildout				
Vintage L with 1" Buildout				

Call for current pricing
(609) 742-1720