

2023 Shutter Revision log

Effective Date	Topic	Section	Note
	Pre-drill L Frames (Inside Mount Only) or Z frames		e: add content: Please note that 100% complete performance of because of this
	Mount Options For Direct Mount		i: add content: Light block and following situat • Direct m • 2-sided • 3-sided • 3-sided
	Custom colors	e,i,k	k: add content: For custom col the form of: a 4 you are reques louver if you ar able to send in does not fit the anticipate a lon may be require event that you not in the three details about th color quickly, e material, detail package methc included in the certificate etc. Due to varying if a custom col on a louver and confirmation. In event that the c swatch and the acceptable ran you before mai confirmation.
	Color		b: Update colors c

Call for current pricing
(609) 742-1720

2023 Shutter Revision log

	Color coordination chart		4. add content ** The 017 Gra and 609 Chate. ** All OSMO C
--	--------------------------	--	---

Call for current pricing
(609) 742-1720



Table of Contents

- a. Features & Benefits
- b. Colors & Louver Sizes/Louver Clear
- c. Stiles
- d. Panel Configurations
- e. Frame Styles
- f. General Product Specifications
- g. Tilt Rods
- h. Divider Rails
- i. Hardware
- j. Track Shutters
- k. Special Options
- l. Specialties
- m. Pricing

Call for current pricing
(609) 742-1720

Features and Benefits

- Brings a touch of country elegance to your home. Stained hardwood shutters blends the tranquility of a country home.
- Normandy is treated with our exclusive Prescriptive Finish, which adjusts according to the moisture content of the final installation shrinking and swelling.
- A wide range of frames with inserts that keep installation simple and decorative look to match any style and preference.
- Reinforced engineered stiles -- Multiple layers of veneer for added durability to the core of the stile, which results in a strong shutter panel.
- Multiple stile options available in various sizes to fit different window configurations. Astragal (solid color shutters only) provides a light block between panels.
- Employs mortise and tenon joinery that resists shrinkage and warping of shutters and ensures prolonged stability and durability.
- Quick and easy on-site installation with the pre-installed hardware, as pre-mitered frames and slotted keyholes.
- Labor-intensive hand finishing process involves multiple coats of coating with fine layers of stain or paint for a brilliant finish.
- Personalize shutters with special options. Choose double-hung panels, café shutters, track systems and more.
- Special panel and frame designs are finely crafted in a variety of configurations. Create unity or attract attention with custom elements.
- Available in classic paint, radiant stain, and simulated wood grain to fit into the style of any home.
- A guarantee of Norman Shutters' exemplary quality materials and workmanship.

Call for current pricing
(609) 742-1720



Colors & Louver Sizes/Louver Clearance

Paint (24 colors)	No.	Color ID	Color Name
	1	001	Pure White
	2	002	Extra White
	3	003	Silk White
	4	004	Bright White
	5	006	Pearl
	6	007	Ivory Lace
	7	009	Creamy
	8	012	Crisp Linen
	9	013	Bisque
	10	017	Gray Black
	11	019	String
	12	032	Sea Mist
	13	046	Ice
	14	053	Clay
	15	063	Decorator's White
	16	066	Winchester White 201
	17	076	Aura White
	18	080	Taupe Gray
	19	836	Classic Black
	20	090	TS White
	21	600	True White
	22	601	Chiffon
	23	603	Natural Linen
	24	609	Chateau Brown
Stain (18 colors)	1	108	Rustic Gray
	2	110	Limed White
	3	200	Natural
	4	202	Golden Oak
	5	205	Goldenrod
	6	221	Black Walnut
	7	227	Red Oak
	8	229	Rich Walnut
	9	230	Old Teak
	10	237	Wenge
	11	242	Auburn

Call for current pricing
(609) 742-1720

	14	250	Sumatra
	15	252	Toffee
	16	254	Driftwood
	17	255	Silver Gray
	18	862	French Oak

OSMO (6 Colors)	No.	Color ID	Color Name
	1	1003	White Matte
	2	1109	Silk Gray
	3	1111	Granite Gray
	4	1203	Black
	5	1204	Ebony
	6	1502	Teak

Note: Unfinished shutters are not available.


- Please note that darker colors absorb more heat than lighter colors that face direct sunlight for an extended period which may potentially affect the long-term performance

Call for current pricing
(609) 742-1720


Louvers	
Elliptical	1 7/8"
	2 1/2"
	3"
	3 1/2"
	4 1/2"



Louver Depth Clearance For Specific Frames






L Frame with 1/4" light block




L Frame

Call for current pricing
(609) 742-1720






1 1/4" Beaded Z Frame




1 1/2" Bullnc


Call for current pricing
(609) 742-1720




2" Bel Air 7 Frame



3" Crown 7 Frame




Hang Strip (Behind the panel)



Hang Strip (Beside the panel)




Call for current pricing
(609) 742-1720



Deco Frame


Stiles



Default: Beaded stile



Call for current pricing
(609) 742-1720

Optional: Chamfer stile





Stile between panel closure

Single panel

- I) Panel width < 9"
- Rabbeted stile (Deco frame, L frame, Z frame and Hang strip beside panel)
 - 1 5/8"
 - 2" (default)
 - Butt stile only (Hang strip behind panel)
 - 1 5/8"
 - 2" (default)
- II) Panel width ≥ 9"
- Butt stile only
 - 1 5/8" (Optional for panel width ≤ 12")
 - 2" (default)

2 panels or more


- Astragal stile
- 1 5/8" (Optional for panel width ≤ 12")
 - 2" (default)
- Rabbet stile
- 1 5/8" (Optional for panel width ≤ 12")
 - 2"

Call for current pricing
(609) 742-1720




Panel Configurations


Single Panel



3 Panels




4 Panels



Call for current pricing
(609) 742-1720

No.


6 Panels




Call for current pricing
(609) 742-1720

Panel Configurations – Astragal Stile


◦ 2 Panels – LR




◦ 3 Panels - LRR





◦ 3 Panels – LLR



◦ 4 Panels - LLRR




Frame Styles




Call for current pricing
(609) 742-1720

Also available


- Custom extensions* up to 2" for L frames




Frame Styles



3" Ridge Deco Frame



Tilt Out Z Frame




2.5" Mission Deco Frame

There are 2 options for the Deco frame installation when Wi frame as an example)


1. Default: light block part install into the window opening;

The window size is the exact size of the window opening;
The MFF size is the measurement of the entire shutter, including the
The MFF size = Window Size + Face Width




2. Optional: light block part flush with window opening.

The window size is the exact size of the window opening;
The MFF size is the measurement of the entire shutter, including the
The MFF size = Window Size + Frame Back Width




Call for current pricing
(609) 742-1720

Frame Styles



1 1/2" Bullnose Z Frame

1 1/4" Beaded Z Frame




2" Bullnose Z Frame

3" Crown Z Frame

Also available

- Custom extensions* up to 1" for Z frames
- 1/2", 1" and 1 1/2" standard extensions* and custom extensions*
- Custom extensions* up to 2" for hang strips (OM)


Call for current pricing
(609) 742-1720



Bullnose Z
1 1/4" Beaded Z
Sill Plate


2" Bel Air Z Sill Plate

7/8" Vintage Hang Str




Note: Outside mounted hang strips, behind the panel, is not sides inverted.


Frame Styles




1" Chamfer T Post with 1/4" Light Block (Deco)



1" Chamfer T Post with 3/4" Light Block (L/Z/HS)




1.75" Chamfer T Post with 1/4" Light Block (Deco)




1.75" Chamfer T Post with 3/4" Light Block (L/Z/HS)

Call for current pricing
(609) 742-1720



1" Chamfer T Post with 1/4" Thick x 3/8" Wide Light Block (Deco)




1" Chamfer T Post with 3/4" Thick x 3/8" Wide Light Block (L/Z/HS)

Note: 1" Chamfer T Post with 3/4" Light Block, 1 3/4" Chamfer T Post with 3/4" Thick x 3/8" Wide Light Block and Custom C are not available for all Deco frames and L frames with 1/4"

- Custom depth* up to 2" / width* up to 7½ for T Posts
 - Size limits (7 1/2")
 - That a surcharge applies and customers should refer to


Frame Styles



Scribe Trim 1

Scribe Trim 2

Sill Frames- For use where there is




3" Deco Sill Frame

Mission s

Call for current pricing
(609) 742-1720


Sill caps-Used to cover exis



Designer Sill Cap (L)

Designer Sill Cap (D/HS)


Frame Styles



Mission Sill Cap (D/HS) Mission Sill Cap (L)


Note: For Mission Sill Cap, the extended size at e

Sill Plates- Used with exi



2" Sill Plate with 5/8" Light Block (L/Z)

Call for current pricing
(609) 742-1720




1.6" Sill Plate with 3/8" Light Block 1.6" S


(All Deco & L frames with 1/4" light block) (All E

Frame Styles

For 1.6" / 2" sill plate with 5/8" (or 3/8") light block, when an e width will be divided evenly on both sides, take the following




Standard Corner & Bay Posts



Corner Post with 3/4"
Light Block (L/Z/HS)

Call for current pricing
(609) 742-1720

*Notch out corner post required if ordering Z Frame with



Bay Post with 3/4"
Light Block (L/Z/HS)


Also available

- Custom angle bay posts *

Frame Styles


For bay window at 170 degree or above,

- 1" T Post with 3/8" light block will be used as Bay post;
- For Hang Strip (Behind Panel), bay post will be used.




Slim Fit Corner & Bay Po


Call for current pricing
(609) 742-1720




Slim Fit Corner Post for
90 Degree (L/Z/HS)



Slim Fit Bay Post for
135 Degree (L/Z/HS)



Slim Fit Corner Post for 90 Degree (D)



Slim Fit Bay Post for 135 Degree (D)

Frame Styles

In order to better match corner windows / bay windows:

- **For non sample orders, please note that corner wind**



- Post Type (Standard or Slim Fit)
- Color
- Hinge Options
- Louver Size
- Frame Type
- Mount Type
- Extension
- Sill Options
- T-Post Options
- Height
- Stile Type and Profile
- Tilt Type
- Divider Rail Options
- Double-Hung Options
- Split Tilt Options
- PerfectTilt Options

- **For non sample orders, please note that bay window**

- Post Type (Standard or Slim Fit)
- Color
- Hinge Options
- Louver Size
- Frame Type
- Mount Type
- Extension
- Sill Options
- T-Post Options
- Height
- Stile Type and Profile
- Tilt Type
- Divider Rail Options
- Double-Hung Options
- Split Tilt Options
- PerfectTilt Options

Call for current pricing
(609) 742-1720



Frame Styles



Lim
A<=

Notch Out
Beaded L Frame (A) *

Notch Out
Vintage L Frame (A) *




Notch Out
Beaded L Frame (B) *

Notch Out
Vintage L Frame (B)



Call for current pricing
(609) 742-1720

Pre-drill L Frames (Inside Mount Only) or Z frames:



Please note that the prefilled hole and the plug will not be a affect the performance of the screw. Shutters can't be rema

Extension for Deco Frame* (Default to have full extension):



Frame Styles

Custom extensions* are available for the lips of all Z frames
extension thickness is more than 1", the extension will not b

● Standard Filler Strips (width x depth):

1/8" x 9/16"	3/16" x 1 3/4"	1 1/4" x 3/8"
1/8" x 3/4"	3/16" x 2 1/2"	1" x 1 3/16"
1/8" x 1"	1 3/16" x 1 9/16"	1" x 1 9/16"
1/8" x 1 3/16"	1 9/16" x 1 9/16"	1" x 2"
1/8" x 2 3/8"	13/16" x 13/16"	1" x 2 3/8"
3/16" x 9/16"	3/4" x 3/4"	1" x 2 15/16"
3/16" x 1"	1" x 3/4"	2 7/16" x 7/16"

Note:

1. The width or depth of Custom filler strip / Standard filler s
2. The width or depth of Custom filler strip / Standard filler s
3. The width and depth of Custom filler strip / Standard filler same time.

Default principle:

Regarding shutter with horizontal T-post type issue: Horizon
T post unless otherwise specified.

Call for current pricing
(609) 742-1720

General Product Specifications

<u>Description</u>	<u>Minimum</u>	
Single Panel Width (Regular)	6"	
Single Panel Width (Bifold)	6"	
Single Panel Height	10"	
Shutter Width (Without T Post)	N/A	4x
Shutter Width (With T Post)	N/A	(For orders 142" will be 4x For orders 120" will be 4x)
Shutter Height	N/A	

Call for current pricing
(609) 742-1720

Occasional finger joint line may be visible in the frames and

Divider rail is required for panel heights over 78".

84" panel height limit without divider rail is for shutter types 1 & 2.

- Normandy French Door with OR without Cut-out (includes divider rail installed on existing door, solid glass or sidelights installed on existing door)
- Normandy Bypass and bi-fold track shutters.

Standard divider rail size is 3", Custom Size (3"~7.875") Divider rail is required for panel heights over 78". Please note the standard top/bottom rail size should be within 1/8" of the panel height. The standard step for the rail size is 1/8".

Material: Solid Color: Made from Hardwood; Stain Color: Made from Hardwood

Shutters to be installed where there is no bottom support.

Shutters without bottom supports may sag and deform, including:

1. Shutters with a bottom gap over 0.1";
2. Shutters with no frame or existing bottom sill to support the shutter. The shutter will be left in the open position, but the panel is frequently left in the open position.


Side by Side / Match Line Number:

When **Side by Side** is selected, it is solely to match top or bottom of the panel. It does not match the panel height. The panel height must be matched when the panel height is within 1/8" of the panel height.

Tilt Rods

Standard Tilt Rod


Default Location: In the middle of the panel on front side (de



Offset Tilt Rod*


Default Location: On the front side of the panel and at 1" from

Optional location: On the back side of the panel, 1" from the



Call for current pricing
(609) 742-1720


Offset tilt rod on the front side of panel,
the louvers dress up from front view



Offset tilt rod on the back side of panel,

Offs

InvisibleTilt™ *



Louver tilting system embedded within panel stile. It is not available when the number of louvers exceeds the limits as listed below.

Louver Size	Maximum Possible Louvers	Panel Height Range
2½"	24	54 ¾" – 57 ¼"
3"	19	54 ¼" – 57"
3½"	16	54 ¾" – 58"
4½"	12	54 ¾" – 60"

For even numbers of louvers, the number of louvers operated by the top tilting system must be the same;
For odd numbers of louvers, the number of louvers operated by the top tilting system must be less than the number of louvers operated by the bottom tilting system;
To ensure split tilt is included, always specify on the order.

Split Tilt


When selected, the louvers are split evenly by default unless otherwise specified.

When the customer selects a custom location, the measurements are taken from the bottom of the louvers (when the louvers are in the closed position when measured):

Window size:
— Measure from the bottom of the window to the top of the louvers.

Max frame-to-frame:
— Measure from the bottom of the frame (or panel if there is no frame) to the top of the louvers.

Call for current pricing
(609) 742-1720



Split tilt

Louver
1 7/8"
2 1/2"
3"
3 1/2"
4 1/2"

Split Location:

— Per the customer's specification. However, the location of the split may be adjusted to achieve more balanced top and bottom rail sizes during order entry. If necessary the location will be moved up or down to cover an obstruction is covered. The amount of the deviation from the center of the louver selected.

Call for current pricing
(609) 742-1720

If the exact location of the split is critical, customer may select a specific location when placing the order. This may result in significantly different top and bottom rail sizes. If a specific location is selected, a popup will reveal the resulting top and bottom rail sizes. The customer may either:

1. Accept the listed top and bottom rail sizes
2. Modify the split location (sometimes a slight adjustment in location will achieve desired top and bottom rail sizes)
3. Change to **allow deviations** so the system will calculate the top and bottom rail sizes based on the selected louver.

Note: Top and bottom rail sizes may change if the current line item is changed. Carefully review all top and bottom rail sizes and split location before finalizing the order.

- Please note that Tilt options, Split Tilt, Divider Rail, Do Not Motorize, and Motorize are not available for panels with one louver on the rails.

Divider Rails

A divider rail is an extra rail in the middle of the panel.
Creates two sections in the panel so louvers can be open
Strengthens the panel and enhances structural integrity.
Divider rail is required for panel heights over 78".
Custom Size(3"~7.875") Divider Rail is available with sur
84" panel height limit without divider rail is for shutter type
➤ Normandy French Door with OR without Cut-out (incl
installed on existing door, solid glass or sidelights ins
➤ Normandy Bypass and bi-fold track shutters


Specifications

Standard size: 3"
Default location: center of the panel unless specified
If the Divider Rail Location must be accurate, "Exact
specified when placing an order.

Measurements:

- Window size:
— Measure from the bottom of the window to the center
- Max frame-to-frame:
— Measure from the bottom of the frame to the center of
- Position:
— Per customer’s specification. However, the divider rail
higher position, within our allowable deviation, to ensu
the shutter.
When placing the order, please clearly specify if the di
with that of other shutter divider rails in the same room
below for the allowable deviation details.
- Between 2 divider rails / 2 split tilt rod locations / 1 divide
location, there needs to have at least two or more louver

Call for current pricing
(609) 742-1720




Divider

Louv	
1	
2	
3	
4	


Hardware

Hinges

2.375" Self-Mortise Hinge



2.375" L Hinge



Call for current pricing
(609) 742-1720

Hinges are available in:


Pure White, Silk White, Bisque, Pearl, Bright Brass, Antique Brass, Nickel, Stainless Steel*, Crisp Linen, String, Sea Mist, Stone White hinge colors of Crisp Linen, String, Sea Mist, Stone Gr available for Direct mount 3" Hinges.

False hinges are not available.


Direct Mount 3" Hinge:

1. The hinge position of the direct mount 3" hinge will be centered on the shutters used both the 2.375" and the direct mount 3" hinges.


3. To avoid conflict, there will be cut-out for the light block drawing below.



4. Direct Mount 3" Hinge is not suitable for drywall installation



Direct Mount 3" hinge is not suitable for drywall installations.
It's not recommended.




Call for current pricing
(609) 742-1720

Panel Lock: (not available for 1.625" Stile)


Available Material: All

Color: Brush Nickel Plated, Pure White, Pearl, **Black.**




Position: (Only available on Bottom for Track Shutters with Bottom Rail)


L




R




LR




LL




RR




LLL




RRR




LLRR




LLLL



RRRR




Call for current pricing
(609) 742-1720




Panel Config: FFFFFFF(R)

The Panel Lock location for both track system shutters and re
The general principle is that the Panel Lock position will avoid
loaded guide at bottom (same stile as the Wheel carrier).



Ring pull: for easy opening and closing. (Not available for 1.
Available in all shutter programs.



Handles (Not available for 1.625" Stile):

Available in all shutter programs.

Curved Hidden Handle & Rectangle Hidden Handle (for non E



Call for current pricing
(609) 742-1720

Recessed Handle (for Bypass track shutter)



Ring pull and Handles location principle for Floating Panel

1. When floating panel config is in pairs, it will be split into halves for RR. So the ring pull / handles location for FF/FF, FF config as LL/RR, LL/LL/RR/RR.
2. When floating panel config is FF, the ring pull / handles location is LL.
3. When floating panel config is FFFF/FF, the ring pull / handles location is LLLL/RR.
4. When floating panel config is singular, it will be split into 3 sections. The left section is for LL and the right section is for RR. So the ring pull / handles location will be same as that of LL/LL/RR, LL/LL/LL/RR/RR.

Call for current pricing
(609) 742-1720

Please note the ring pull / handles color will match with the hinge color. When shutter order with Invisible hinge, the ring pull / handles color.

Please see the matching chart below:

Hinge color	Pure White	Silk White	Bisque	Pearl	Black	Nickel Plated	Black
Ring Pull color	White	White	Bisque	Pearl	Black	Brushed Nickel	Black
Handles color	White	White	Pearl	Pearl	Black	Brushed Nickel	Black

Hinge color	Crisp Linen	String	Sea Mist	Stone
Ring Pull color	Bisque	Bisque	Brushed Nickel	Brushed Nickel
Handles	Pearl	Pearl	Brushed Nickel	Brushed Nickel

Paint colors (Solid colors) (24) :

No.	Color ID	Color Name	2.375" Hinge color (Default)	Direct Mount 3" Hinge color (Default)	T post connector color (Default)	Ring pull color (Default)	Curve Hidden Handle, Recessed Handle, Rectangular Hidden Handle color (Default)
1	001	Pure White	Pure White	Pure White	Pure White	White	White
2	002	Extra White	Silk White	Silk White	Silk White	White	White
3	003	Silk White	Silk White	Silk White	Silk White	White	White
4	004	Bright White	Silk White	Silk White	Silk White	White	White
5	006	Pearl	Pearl	Pearl	Pearl	Pearl	Pearl
6	007	Ivory Lace	Pearl	Pearl	Pearl	Pearl	Pearl
7	009	Creamy	Pearl	Pearl	Pearl	Pearl	Pearl
8	012	Crisp Linen	Crisp Linen	Bisque	Bisque	Bisque	Pearl
9	013	Bisque	Bisque	Bisque	Bisque	Bisque	Pearl
10	017	Gray Black	Black	Black	Black	Black	Black
11	019	String	String	Bisque	Bisque	Bisque	Pearl
12	032	Sea Mist	Sea Mist	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
13	046	Ice	Silk White	Silk White	Silk White	White	White
14	053	Clay	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
15	063	Decorator's White	Silk White	Silk White	Silk White	White	White
16	066	Winchester White 2010	Pearl	Pearl	Pearl	Pearl	Pearl
17	076	Aura White	Silk White	Silk White	Silk White	White	White
18	080	Taupe Gray	Taupe Gray	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
19	836	Classic Black	Black	Black	Black	Black	Black

Call for current pricing
(609) 742-1720

21	600	True White	Silk White	Silk White	Silk White	White	White
22	601	Chiffon	Silk White	Silk White	Silk White	White	White
23	603	Natural Linen	Pearl	Pearl	Pearl	Pearl	Pearl
24	609	Chateau Brown	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel

Stain colors (18) :

No.	Color ID	Color Name	2.375" Hinge color (Default)	Direct Mount 3" Hinge color (Default)	T post Connector color (Default)	Ring Pull color (Default)	Curve Hidden Handle, Recessed Handle, Rectangular Hidden Handle color (Default)
1	108	Rustic Gray	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
2	110	Limed White	Pearl	Pearl	Pearl	Pearl	Pearl
3	200	Natural	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
4	202	Golden Oak	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
5	205	Goldenrod	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
6	221	Black Walnut	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
7	227	Red Oak	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
8	229	Rich Walnut	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
9	230	Old Teak	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
10	237	Wenge	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
11	242	Auburn	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel

Call for current pricing
(609) 742-1720

13	248	Pretzel	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
14	250	Sumatra	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
15	252	Toffee	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
16	254	Driftwood	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
17	255	Silver Gray	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
18	862	French Oak	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel

OSMO colors (6) :

No.	Color ID	Color Name	2.375" Hinge color (Default)	Direct Mount 3" Hinge color (Default)	T post Connector color (Default)	Ring Pull color (Default)	Curve Hidden Handle, Recessed Handle, Rectangular Hidden Handle color (Default)
1	1003	White Matte	Silk White	Silk White	Silk White	White	White
2	1109	Silk Gray	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
3	1111	Granite Gray	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
4	1203	Black	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
5	1204	Ebony	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel
6	1502	Teak	Antique Brass	Antique Brass	Nickel Plated	Antique Brass	Brushed Nickel


Call for current pricing
(609) 742-1720

** The 017 Gray Black, 246 Matte Black, 836 Classic Black are subject to a surcharge.

** All OSMO Colors will have a surcharge.

- When the bottom track colors are bright white and metallic will be white; When the bottom track colors are bronze and color will be coffee.
- Please note that the color options for pin/tension gears are orders please select either White or Coffee when placing a
- For custom color orders, the supplied dovetail keys will ma (White or Coffee).
- For custom color orders, please select the desired T-post when placing an order.
- For custom color orders with Invisible Hinge, but without B magnet catch (round magnet catch or sill magnet catch or available options when placing an order.

Position: For different panel configuration, please refer to the which stile the pull will be fixed.




Call for current pricing
(609) 742-1720

Position:

- A. Above Bottom Rail
- B. Above Divider Rail
- C. Custom Position

If both Panel Lock & ring pull are specified, the distance between location is 6 3/4" from the bottom of panel.

When there is no mid rail, ring pull will be just on the top of Panel default location; if there are mid rails, bottom of ring pull lines



Position:



- A. 2 3/4" Above Panel Lock
- B. Above Divider Rail
- C. Custom Position

Measurements:

- Window size:
 - Measure from the bottom of the window to the center
- Max frame-to-frame:
 - Measure from the bottom of the frame to the center c


Call for current pricing
(609) 742-1720

Position: For different panel configuration, please refer to the which stile the Handles will be fixed.



Call for current pricing
(609) 742-1720


- Position:
- A. Above Bottom Rail
 - B. Above Divider Rail
 - C. Custom Position




Position:

- A. Center of panel
- B. Above Divider Rail
- C. Custom Position

Call for current pricing
(609) 742-1720





Position:

- A. Handle at center of panel
- B. Handle Above Divider Rail
- C. Custom Location

Measurements:

- Window size:
 - Measure from the bottom of the window to the center
- Max frame-to-frame:
 - Measure from the bottom of the frame to the center

Call for current pricing
(609) 742-1720

Invisible Hinge*:



1. Invisible hinge is not available for Multifold panels.
2. Invisible hinge can only be between the panel & frame/T pc
use a regular hinge

Frame Options	Hinge	
2" Camber Deco Frame	Y	
2" Classic Deco Frame	Y	
2.5" Mission Deco Frame	N	
3" Ridge Deco Frame	N	
Vintage L Frame W / 1/4" Light Block	N	
Vintage L	N	
Vintage L Frame w/ 1/2" Buildout	N	
Vintage L Frame w/ 1" Buildout	N	
Beaded L w 1/4"light block	Y	
Beaded L	Y	
Beaded L Frame w/ 1/2" Buildout	Y	
Beaded L Frame w/ 1" Buildout	Y	
Tilt out Z Frame	N	
1.25" Beaded Z Frame	Y	
1.5" Bullnose Z Frame	Y	
2" Bullnose Z Frame	Y	
2" Bel Air Z Frame	Y	
3" Crown Z Frame	N	
7/8" Vintage Hang Strip	N	
1" Chamfer T-Post w/ 1/4" Light Block(for Deco)	Y	Only available on one side, for L/Z/HS available, for Deco not available
1" Chamfer T-Post w/3/4" Light Block(for L/Z/HS)	Y	
1" Chamfer T-Post w/ 1/4" thick 3/8" wide Light Block(for Deco)	Y	
1" Chamfer T-Post w/3/4" thick 3/8" wide Light Block(for L/Z/HS)	Y	
1 3/4" Chamfer T-Post w/1/4" Light Block(for Deco)	Y	Available on all four sides, for Deco not available
1 3/4" Chamfer T-Post w/3/4" Light Block(for L/Z/HS)	Y	
Corner Post w/1/4" Light Block(for Deco)	Y	
Corner Post w/3/4" Light Block(for L/Z/HS)		

Call for current pricing
(609) 742-1720

Bay Post w/1/4" Light Block(for Deco)	Y	
Bay Post w/3/4" Light Block(for L/Z/HS)	Y	


Invisible Hinge Qty	
Panel Height (H)	Hinge Qty
H<=48"	2
48"<H<=78"	3
78"<H<=96"	4
96"<H<=120"	5
H>120"	6

Preinstallation:


Panels and frames will be packaged individually, and the hinge is preinstalled onto the frame/post, with the screws for the other half part on the panels in the hardware box.

Note: If Custom T-posts need to install Invisible Hinge, the size side light block width can't be more than 4 5/8"; Please see dr

Call for current pricing
(609) 742-1720





Installation Instructions for the Invisible hinges
Take L Frame as an example:




1). Remove the corresponding panels and frames from their p
correct frames.

Install the frames on the corresponding windows and make
equal)



Call for current pricing
(609) 742-1720

2). Please insert **ALL of** the Invisible hinges on the panel into
frames prior to trying to secure any single hinge. This may rec
hold the panel to prevent the hinges from sliding out of their sl
let the panels hang from just one hinge).




3). To properly secure the panels, first please tighten the upper screw of the lowest hinge. Close the panel to check the gap and the gap is uniform.


Note:

- a) When locking the screw, again it is important to prevent the door from swinging.
- b) Only the screws provided in the hardware box may be used.

Call for current pricing
(609) 742-1720



4). When the closure gap is uniform, secure the remaining




5). Install the remaining panels in the same manner.



Call for current pricing
(609) 742-1720

Mount Options for Direct Mount:

Light block






12.5mm Magnet with screw hole (recessed into panels)



Round Magnet Catch (installed on light blocks)

L Magnet Catch (sill magnet catch): used for catching the magnet blocks.



Round Magnet Catch and L Magnet Catch are available in:
Pure White, Silk White, Bisque, Pearl, Bright Brass, Antique Brass, Sea Mist, Stone Gray, Brown Gray, Taupe Gray.

Call for current pricing
(609) 742-1720

Light block and L magnet catch are available in one of the following:

- Direct mount without top & bottom sill frame
- 2-sided Hang strip without top & bottom sill frame
- 3-sided Hang strip without bottom sill frame
- 3-sided inverted Hang strip without top sill frame


Side Magnet: Available for Butt, rabbet and Astragal stile



Side Magnets will be applied in following situation:


1. Double Hung shutter but without horizontal T post:

Side magnets will be applied to the meeting stiles of the L




2. Café Shutter

Side magnets will be applied to the meeting stiles of the L



3. No frame or light block or L-shape striker plate on either top or bottom gap is requested.


Side magnets will be applied to the meeting stiles of the L



4. Note: if panels only with side magnets and there is no star may open for external factors.



Call for current pricing
(609) 742-1720

T-Post Connector




Available colors: Pure White; Silk White; Pearl; Bisque; E
Available for all types of T Posts (custom-width T posts)

T Post Connector can be used with the following Frame
L Frame: Deco Frame: Z F



Hang Strip (Beside)




Call for current pricing
(609) 742-1720

Note:

1. For Horizontal T Post, Hang Strip (Behind) and shutter with panel lock available and T Post will be installed by screws instead;
2. If there is a panel lock which may interfere with the T-Post shutter will be installed with screws and the frames to be panel lock may only interfere with one T-Post;
3. The screw color is nickel-plated regardless of the color of the T-Post;
4. T post connectors can only be installed on a straight piece of T-Post. T-Post installed on a curved or raked piece.

Optional Poles:

1. Terminology



Call for current pricing
(609) 742-1720

Component

NO.	Name	
1	Pole with Attachment	Aluminum Tube, Pole Ba *Surcharge applies.
2	Attachment only	• Compatible with extens improvement stores. • Screw thread (3/4") and *Surcharge applies.

2. Available Pole Length

Two lengths available:

- 36"
- 60"

Bi-fold 180™


Guidelines and Specs:

<u>Description</u>	<u>Min</u>
Single-Panel Width (Bi-fold Track)	
Single-Panel Width (LLL/RRR)	
Single-Panel Height	1

Outside Mount

Max frame-to-frame width: window width + 3 1/2"

Max frame-to-frame width: window width + 3 1/2'
Max frame-to-frame height: window height + 4 1/2'




Call for current pricing
(609) 742-1720

Track is pre-installed on the header; standard 1

Mounting Options: Outside Mount only

Side View




Call for current pricing
(609) 742-1720

Top View


Without Casing:

Note:


- ◇ Fascia return will protrude the panel about 1/2" for each side.
- ◇ The header will protrude the panel about 1/8" for each side.
- ◇ Header, light blocks, and bottom pivot bracket(s) must be installed on a flat surface



With Existing Casing:




- ✧ Header Extension: Optional
- ✧ Custom extension up to 2" for Header
- ✧ When extension is needed, the header will protrude fascia return will protrude the panel $11/16$ " for each




Call for current pricing
(609) 742-1720


- ✧ The extension will be pre-attached.




For 180 Bi-fold, if Bottom Pivot L Bracket is required, the



Panel Configuration : Only 2", 2 1/4" rabbet and butt available.



Call for current pricing
(609) 742-1720




Notes:

If there is no baseboard to the wall, 3" header can be used.
If there is baseboard to the wall, then it should be as below:

1. If base board thickness is less or equal to 5/8", 3 1/2" header can be used.
2. If base board thickness is over 5/8", it is suggested using a build out thickness = base board thickness - 1/8".

Please see the drawing below:



Call for current pricing
(609) 742-1720

180° Bi-fold Track Shutters Framing Materials

Type	Header Dimension	Top Fascia Dimension
Header & Top Fascia & Light Block Strip	3"	3 3/8"

180° Bi-fold Track Shutters Hardware Box

Parts
Wrench
Hinge Pin
Triangle Bracket (based on the length of header)
2" screws for Triangle Bracket
¾" screws for Triangle Bracket
Bottom Pivot Bracket
1 ½" screws for bottom pivot bracket
2 ½" screws for Frame with pre-drilled screw holes

Bi-fold 90

Guidelines and Specs:

<u>Description</u>	<u>Min</u>
Single-Panel Width (Bi-fold Track)	
Single-Panel Width (Multifold track up to 4 panels)	
Single-Panel Height	

Outside Mount

Max frame-to-frame width: window width + 3 1/2"

Max frame-to-frame height: window height + 4 1/2"

Semi-Inside Mount

Max frame-to-frame width: window width - 1/8"


Max frame-to-frame height: window height + 1 3/8"

Inside Mount

Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height - 1/8"


Call for current pricing
(609) 742-1720



Track is pre-installed on the header; standard 1 tra

Mounting Options: Outside Mount

Side View




Call for current pricing
(609) 742-1720

To


Without Casing:

Note:

- ◇ Fascia return will protrude the panel about 1/2" for each side.
- ◇ The header will protrude the panel about 1/8" for each side.
- ◇ Header, light blocks, and bottom pivot bracket(s) must be installed on a flat surface.




With Existing Casing:




Call for current pricing
(609) 742-1720

Semi-Inside/Inside Mount


Side View



Semi-Inside Mount Top View




Inside Mount Top View




Call for current pricing
(609) 742-1720

- ✧ Header Extension: Optional.
- ✧ Custom extension up to 2" for Header
- ✧ The extension will be pre-attached.




**Panel Configuration: Only 2", 2 1/4" rabbet and butt
Center stile is not available.**





LL or RR





LLRR




Optional (Hang Strip for Inside Mount Only)




Note: When Butt/rabbet Stile is required, the stile next to 1





Call for current pricing
(609) 742-1720



90° Multi-Fold Track Shutters (Wood only)
 Maximum single panel width for multi-fold is 20"
 Panel Configuration: LLLL, RRRR, or LLLLRRRR




90° Floating Panels



- o Two or four panels can be used with this system
- o Application comes with wall guide and floor track
- o Can be used on large windows

Call for current pricing
 (609) 742-1720




Spring loaded guide plate
(for wood panel with spring loaded guide in all Bifold track)

Note:


1. For 90° Floating Panels outside mount/semi-inside mount will be supplied by default. The gap between the fascia return each side.

The 2016 stopper can also be used in the center or any position

2016 Stopper



Please see drawing below to show the gap.



2. When rabbit stile required, the meeting stile of unhinged


90 Degree Bi Fold Track Shutters Framing Material

Type		Header Dimension	Top Fascia Dimension	Light Di
Header & Top Fascia & Light Block Strip	OM	3"	3 3/8"	
		3 1/2"		
	Semi-IM	3"		5
	IM	3"	1 7/8"	5


Call for current pricing
(609) 742-1720

Frame Hinged Bifold

Available Stile: Rabbet Stile Only
Available Frame type





Vintage Hang Strip with 13mm light block: For single frame on the unhinged side will be Vintage Hang Strip w the Vintage Hang Strip will match with that of the hinged



Call for current pricing
(609) 742-1720

Top View

Hinged at Left or Right with wheel assembly at top;




Side View

Outside Mount


3-Sides + bottom light block

3-Si




Call for current pricing

(609) 742-1720




Note
shutt
no ex
wind
have
botto


Semi-Inside



Inside Mount



For frame hinged bifold track shutter used as door, 1
Please specify "Used As Door" on the order form.








Call for current pricing
(609) 742-1720

Panel Configuration (uneven panel width)

- 1) If the hinge type between panel and frame is $2\frac{3}{8}"$ S the panel width1 (hinged with Self Mortise Hinge) = A the other panels width (panel width2 / panel width3 /
- 2) If the hinge type between panel and frame is Invisible the panel width1 (hinged with Invisible Hinge) = A, the other panels width (panel width2 / panel width3 /


Take the drawings of the hinge type between panel and examples:



Call for current pricing
(609) 742-1720

Notes:

1. Only available for 3-Sides + bottom light block or 3-S (not available); Panels can be folded and open at 90 degree




2. Frames available: Only Vintage L Frame


- 1) For top frame, the insert will be replaced by top fascia;
- 2) Top track will be pre-attached to the top frame;
- 3) Frame will be pre-drilled with screw holes same as regular

Ring Pull: The ring pull will be provided as an option; a ring pull can be supplied as default; Customer need specify ring pull location. Ring pull location is measured from the floor to center of the ring pull. Ring pull color will match the hinge color.

Please refer to below drawing of ring pull position for all




Call for current pricing
(609) 742-1720




Bottom Pivot Bracket for 90 degree bifold:

For 90° Bifold Track Shutter, there will be 2 types of Bottom Pivot Bracket.




For Inside Mount, Bottom Pivot Bracket will be supplied as default.




For Semi-Inside or Outside Mount, Bottom Pivot Bracket will be supplied as default.

For 180° Bifold Track Shutter, 81mm Bottom Pivot L Bracket will be supplied as default.




Call for current pricing
(609) 742-1720

Track Dimension:




Extra 8.5x25mm Magnet Catches and magnets will be s
top and bottom hinges)



Call for current pricing
(609) 742-1720

Side Magnet: applied to the meeting stiles of LR pane



Extra magnet and Side Magnet




90° Bi Fold Track Shutters Hardware Box

Parts
Wrench
Hinge Pin
Triangle Bracket (based on the length of header)
2" screws for Triangle Bracket
¾" screws for Triangle Bracket
Bottom Pivot Bracket
38.1mm screws for bottom pivot bracket
63.5mm screws for Frame with pre-drilled screw holes

Notes:

1. for all bifold track shutter Outside Mount, the header insert and screws will be supplied by default;
2. for all bifold track shutter Inside/Semi-Inside Mount, the header insert and screws will be supplied by default;


Call for current pricing
(609) 742-1720




90 Degree Bifold Track & Floating Panels Hanger
LL/RR/LLRR




LLLL/RRRR/LLLLRRRR



180 Degree Bifold Track Panel Hanger Location
LL/RR/LLRR








LLL/RRR/LLLRRR



Call for current pricing
(609) 742-1720

Frame Hinged Bifold Track Panel Hanger Locati Take the drawings of the hinge type between panel and examples:



Call for current pricing
(609) 742-1720

Vintage Hang Strip
Right (frame height
matched with the
left frame)


Vintage Hang Strip at
Left (frame height
matched with that of the
right frame)

Keystone for Fascia of the Track Shutter


When fascia length exceeds the limitation and needs to be split, it will be supplied without surcharge for track shutters.

For fascia length within the split limitation, keystone can be used without surcharge.


For Deco Fascia:



For Flat Fascia:



The keystone will be installed by screws. We will pre-drill holes and provide screws packed in hardware box.



Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass

Definitions

Closed Bypass - louvers must be in the closed position when sliding.

Open Bypass - louvers can remain open position, allowing for a clearer view when sliding.

Combi-joined panels - two or more panels combined into a single, wider sliding section, please see the drawing.

Note: the interlocking bottom guide is standard on the open bypass.

Guidelines and Specs:

<u>Description</u>	<u>Minimum</u>	
		1 ⁷ / ₈ "
Single-Panel Width (Wood)	6"	30"
Single-Panel Height	10"	132"

Call for current pricing
(609) 742-1720

Outside Mount

Max frame-to-frame width: window width + 3"

Max frame-to-frame height: window height + 4¹/₂"

Semi-Inside Mount

Max frame-to-frame width: window width - ¹/₈"

Max frame-to-frame height: window height + 1 ¹/₈"

Inside Mount




Max frame-to-frame width: window width - ¹/₈"

Max frame-to-frame height: window height - ¹/₈"

Track Shutters—2020 Bypass

Wheel Carriers are in the Track / Wheel Carrier Bracket

Adjustments to panel alignment are made by turning the
in the Hardware Box




Call for current pricing
(609) 742-1720

Push wheel carrier into the wheel carrier bracket


Note: 2020 Stopper will be supplied at both ends of top track

Top View




Track Shutters—2020 Bypass


Outside Mount



Semi-Inside Mount




Inside Mount



Call for current pricing
(609) 742-1720

Top View


Combi - joined Panels:




Track Shutters—2020 Bypass

For shutters with 4 or more panels, please select "side ope


Side Open




Center Open




4 panels side open w/Rabbet stile



4 panels center open w/Butt stile



6 panels side open w/Rabbet stile




Call for current pricing
(609) 742-1720


Track Shutters—2020 Bypass

For 6 panels center open configurations, the center panels for them to be combi-joined into a single 2 panel section.


6 panels center open w/Rabbet stile



6 panels center open w/Rabbet stile




8 panels side open w/Rabbet stile




For 8 panels center open configurations, the center panels for them to be combi-joined into a single 4 panel section.

8 panels center open w/Rabbet stile



8 panels center open w/Rabbet stile




Call for current pricing
(609) 742-1720


Track Shutters—2020 Bypass

Triple Track


3 panels side open w/Butt stile



6 panels side open w/Rabbit stile



6 panels center open w/Butt stile





Call for current pricing
(609) 742-1720

Stile: Only 2", 2 1/4" butt and rabbit stiles are available,
1 5/8" rabbit stile only used for combi-joined panel:
Center stile is not available.

Track Shutters—2020 Bypass
Mounting Options (Closed Bypass)

Side View




If the clos
shaped b
used at th

28.6mm [1 1/8"]

Call for current pricing

(609) 742-1720




69.85mm [2 3/4"]
60.95mm [2 3/8"]


Max frame to frame Height

Track Shutters—2020 Bypass


Mounting Options (Closed Bypass with 3 Tracks, 1



Call for current pricing
(609) 742-1720




Track Shutters—2020 Bypass




Mounting Options (Opened Bypass) Only available

2 1/2" Louver




Track Shutters—2020 Bypass




Call for current pricing
(609) 742-1720

3" / 3 1/2" Louver




Track Shutters—2020 Bypass




Call for current pricing
(609) 742-1720

Bottom guide for Open Bypass:




4 ½" Louver (Only available for the order with U-shape Bo




Track Shutters—2020 Bypass

Opened Bypass

Top View



Note: The light block for open bypass will be changed to use current dowels.



Call for current pricing
(609) 742-1720

Separation of track


Louver	U shape bottom guide		Interl
	Regular Tilt Rod	Invisible tilt	
2.5"	3 9/16"	2 3/4"	3
3" / 3.5"	4 1/2"	3 5/8"	
4.5"	NA	4 3/4"	

Light block thickness for panel


Louver		U shape bottom guide		Interl
		Regular Tilt Rod	Invisible tilt	
2.5"	h1	3/4"	3/4"	3/4
	h2	1 9/16"	3/4"	1 9/16
3" / 3.5"	h1	1 3/16"	1 3/16"	1 3/16
	h2	1 15/16"	1 3/16"	1 15/16
4.5"	h1	NA	1 3/4"	NA

Track Shutters—2020 Bypass

Nylon Guide: The nylon guide is composed by 2 parts and (bottom part 16mm and top part 5mm), please remove the




The 2020 Stopper



Note: 2020 Stopper will be supplied at both ends of top track

Call for current pricing
(609) 742-1720

The 2020 stopper can also be used in the center or any position. Please specify the actual position when placing an order.



Track Shutters—2020 Bypass

Track Shutters Framing Materials

Framing	Size	
L Shape Header	Header (Closed Bypass)	Header (Open Bypass)
(2 in 1)	$\frac{3}{4}" \times 5\frac{1}{2}"^*$ (Default for Outside Mount; Optional for Semi-Inside and Inside Mount)	$\frac{3}{4}" \times 5\frac{1}{2}"$ ($2\frac{1}{2}"$ L)
Header with Supporting Strip	$\frac{3}{4}" \times 4\frac{1}{2}"^*$ (Default for Semi-Inside and Inside Mount; Optional for Outside Mount)	$\frac{3}{4}" \times 4\frac{1}{2}"$ ($3"$, $3\frac{1}{2}"$ L)
		$\frac{3}{4}" \times 4\frac{1}{2}"$ ($4\frac{1}{2}"$ L)
	Custom $^* \leq 8"$	Custom
U Shape Side Frame	Side Frame (Closed Bypass)	Side Frame (Open Bypass)
(3 in 1)	$\frac{3}{4}" \times 5\frac{7}{8}"^*$ (Default for Outside Mount; Optional for Semi-Inside and Inside Mount)	$\frac{3}{4}" \times 5\frac{7}{8}"$ ($2\frac{1}{2}"$ L)
Side Frame with Supporting Strip & Side Fascia	$\frac{3}{4}" \times 4\frac{7}{8}"^*$ (Default for Semi-Inside and Inside Mount; Optional for Outside Mount)	$\frac{3}{4}" \times 4\frac{7}{8}"$ ($3"$, $3\frac{1}{2}"$ L)
		$\frac{3}{4}" \times 4\frac{7}{8}"$ ($4\frac{1}{2}"$ L)
	Custom $^* \leq 8"$	Custom
Top Fascia (Plain/Deco)	4" (Semi-inside and Inside Mount)	
	$\frac{1}{2}" \times 2\frac{3}{4}"$ (Inside Mount)	
Top Fascia Return	4" (Semi-inside and Inside Mount)	
	N/A (Inside Mount)	

Call for current pricing
(609) 742-1720

Note:

- When the header size is $4\frac{1}{2}"^*$, $5\frac{1}{2}"^*$, $6\frac{1}{4}"^*$, $7\frac{13}{16}"^*$ or $8\frac{1}{2}"^*$, the L Shape Header and U Shape Side Frame will be sent integrally. That is:
 1. The header and the supporting strip will be sent integrally.
 2. The side frame, supporting strip and the side fascia will be sent integrally.
- 3. $8\frac{5}{8}"^*$ L Shape header and $9"$ U shape side frame are not available for 2020 Bypass with U-shape Bottom Guide and Invisible Tilt.
- For any custom header sizes other than $4\frac{1}{2}"^*$, $5\frac{1}{2}"^*$, $6\frac{1}{4}"^*$, $7\frac{13}{16}"^*$, $8\frac{1}{2}"^*$, and the U Shape Side Frame will be sent separately.

Track Shutters—2020 Bypass

- Custom Boxout Width is available for both closed and o
- For Outside Mount Bypass, the custom header size can header size with extension thickness can't be exceeded
- For Inside Mount and Semi-Inside Mount Bypass, the c extension thickness of header can reach to 2".

Hardware Box

Hardware Box
Part
Wrench
Nylon Guide
¾" screws for Nylon Guide
Triangle Bracket (based on the length of header)
2" screws for Triangle bracket
¾" screws for Triangle bracket


Call for current pricing
(609) 742-1720

Keystone for Fascia of the Track Shutter


When fascia length exceeds the limitation and needs to spl without surcharge for track shutters.

For fascia length within the split limitation, keystone can als

For Deco Fascia:




For Plain Fa:



The keystone will be installed by screws. We will pre-drill th packed in hardware box.

Track Shutters—2020 Bypass

Screws for
keystone




Plastic L Bracket to Connect the Header, Fascia &




L Bracket will be used to connect the header, fascia and fa
applies for Inside Mount, Semi-Inside Mount & Outside Mo

OM & Semi-IM



IM



Call for current pricing
(609) 742-1720

Special Options

Café Shutters*


- The top of the panel requires a special finish. Please indicate “café shutter” when placing orders.
- The shutter does not come with recessed magnet on top.
- When the height of the framing material (including t-posts) exceeds the panel height, by more than 5", a surcharge will apply.

Double-Hung Shutters*

- For total number of panels, please include panels in both
- For panel configuration, please provide panel fold for one
- The default location for the division point is the center unless specified otherwise.
- Horizontal T Post* can be added for increased structural integrity.
- The length of Horizontal T post in each section must be less than or equal to 48".
- For Double Hung shutter, whenever an upper or lower panel is larger than 78", we will add one more extra hinge for it, we will also attempt to create larger top/bottom rails for additional strength by reducing the number of louvers by one as long as the rail sizes remain within spec.

Call for current pricing
(609) 742-1720

Fixed Louvers




Fixed louvers Closed Dress Down and Fixed louvers Opened Dress Up

French Door Cut-out Collection*

- Flush and offset cutout options are available in both cutout styles.
- Offset cutout is good option for French Door with multiple cutouts.
- All French door cutouts are only available in L frame style.
- Cutout is placed behind the Type E/F panel to block light.

Louver size	Batten Width	
1 7/8" & 2 1/2"	3/4"	
3" & 3 1/2"	3/4"	
4 1/2"	3/4"	

- For measurement details please refer to Form section
- French Door cutouts with Arch/Quarter Arch at the top
- Vintage L frame with 1/4" light block and Beaded L frame for French door Type A, B, C & D.



Call for current pricing
(609) 742-1720

Custom Colors*

Available in Normandy® shutters.

Option (Color Code)	Sample Size	Color
Custom Solid (C01)	A 4"x4" coated foam core or poster board.	All order confirmations must be returned with production additional charges apply.
Custom Stain (C02)	Raw shutter louvers (Available on the sample site for purchase: SKU#	

Note:

- 1) All custom colors will be finished with the standard gloss
- 2) Please be aware that we will only be able to match the color you submit.
- 3) Only one color revision will be allowed during the color correction process.
- 4) Custom color does not apply to hardware or accessories

5) For custom color orders, please provide a color sample in the form of a color chart, poster board if you are requesting a custom paint color, or a color swatch for custom stain color. You are able to send in your custom color sample in any of the three listed forms; however, please anticipate a longer lead time required to be processed through customs. In the event that the color sample is not in the three listed formats, providing any supplementary information in getting the right color quickly, e.g. material, the Latin scientific name, a photo of the color sample, the package method, net weight, and a certificate of origin, plant inspection certificate etc.

Due to varying materials corresponding to different colors, we may not be able to match the color on a louver and send the physical louver sample for color matching. To streamline the process, in the event that the color variation of your custom color sample falls outside of our acceptable range, please provide a color sample before mailing the physical color swatch for final confirmation.

Call for current pricing
(609) 742-1720

Disclaimer:

**Sherwin Williams ColorSnap (MWCS),
Sherwin Williams Designer Expressions (MWDE),
Benjamin Moore Classic (MBMC) (M2460009TL) &
Benjamin Moore Preview (MBMP) (M2440564TL)
Benjamin Moore, Off White Collection M2451888TL**
are registered trademarks or trademarks of their respective companies. Reference herein to the commercial products or manufacturers, or otherwise, does not necessarily constitute an endorsement.

*For better tracking and minimal customs delays we recommend using the USPS - United States Postal Service.

Shutters to be installed in Angled or Horizontal Sky

If shutters are going to be installed in angled or horizontal sky, please refer to the order form or in special instructions.

Available Material	Normandy Shutters
Available Frame Type	Frame with light block thick Frames with frame insert or frames / all Insert T-posts) ;
Max Panel Size	26" W x 78"H
Tilt Rod	Invisible Tilt
Panel Configuration	single panel or single panel
Hardware for unhinged side	Panel Lock on top and bottom

Auto Tilt™ (Patented) *

- Available in Bifold or Multi-fold panel configuration
- Available with Invisible Tilt Only
- Available in 2" Butt, Astragal and Rabbet Stile
- Minimum Louver Qty (Please see below for details)
- Ring pulls included. For ring pull location, please refer to

Call for current pricing
(609) 742-1720

When there is only one louver section (no divider rail/no sp

Louver Size	Rail Size	Minimum Louver qty
2.5"	<4.25"	6
	>=4.25"	4
3"	<3.75"	5
	>=3.75"	4
3.5"	2.75"~6.5"	4
4.5"	2.75"~6.5"	3



When there is more than one louver sections (with divider r

Louver Size	Rail Size	Minimum Louver c
2.5"	<4.25"	5
	>=4.25"	4
3"	2.75" – 6"	4
3.5"	2.75"~6.5"	3
4.5"	2.75"~6.5"	3


Standard frame cutouts: R cutout, S cutout, L cutout,

- a. **R cutout**---Ridge cut out: 0.375"deep(0.25" deep for Deco F
0.5"wide and 0.375"deep (0.25" deep for Deco Frames and
(see below).
The cutout can be on the top and the bottom of the frame
Available Frame Types:
1) All types of the L/Deco/Z frames;
2) All standard sill plates for Deco/Z Frame.

Call for current pricing
(609) 742-1720



- b. **S cutout**---Sill cut out: 0.375"deep x 1.25"wide. The cuto
Available frame type:
1) All L-frames except for L frame with 1/4" Light block
2) All Z Frame and its standard sill plates.




- c. **L cutout**---Lock cutout. L cutout will be on the left or right frame. There will be one or two cutouts on the T-posts or frames depending on the window size.
- 1) For window around 42-48" height, 1 cutout is available;
 - 2) For window around 60" or above, 2 cutouts are available.

Measuring for L cut out: The default size is 5.125". Measure from the top of the max frame size and from bottom of window if it is windowed down and 2.5625" up).

Available frame type and T Post:

- 1) All types of L/Deco/Z frames except Tilt Out Z;
- 2) All standard sill plates for Deco/Z Frame;
- 3) All T Posts except for T Post with 3/8" wide light block.




Call for current pricing
(609) 742-1720

- d. **C cutout**---Crank cut outs (C1 cutout, C2 cutout, C3 cutout)

2) All standard sill plates for Z Frame


Available frame type for C3:

- 1) All types Z-frames except Tilt Out Z
- 2) All standard sill plates for Z Frame
- 3) All type of L Frame except for all Vintage L Frames with light block.




For C1 & C2 cutout, the cutout depth of light block is 1

Call for current pricing
(609) 742-1720




- e. **A & D cutouts:** This should be for the outside mount frames out or an extension is used to build the frame out so the frame




Call for current pricing
(609) 742-1720





- For cut out frames, if there is not enough room to install a shaped magnet catch will replace it.
- For cut out frame sizes, take following drawings as limit size in detail:

Notchout L frame
Type A







Notchout L frame
Type B







Call for current pricing
(609) 742-1720




$L \geq 1/2"$ for Non-hinged side
 $L \geq 3/4"$ for hinged side



$L \geq 1/2"$ for Non-hinged side
 $L \geq 3/4"$ for hinged side




Note: It is not available for Vintage L frames with insert; It is
 It can't be installed Invisible Hinges.



Note: It is not available for Deco frames with insert; It is
 It can't be installed Invisible Hinges.

Call for current pricing
 (609) 742-1720

Raised Panel *



Available in

- Raised panel with louver combination.
 Raised panel only.

Raised Panel Location(s) Note: the divider rail option must

Top.
 Middle.
 Bottom.
 All

Specifications


$12" \leq$ raised panel section height (including rail size)
 For $1 \frac{5}{8}"$ Stile, the single panel width can't be less than

The maximum panel width will be 36" for single panel configurations.
The maximum panel width will be same as the normal configurations.

The maximum panel width will be 36" for single panel
The maximum panel width will be same as the normal
louver sizes except 3.5" & 4.5" louvers.

Rails

If you are matching raised panels to standard shutte panel will match the top rail of the raised panel. Plea



Call for current pricing
(609) 742-1720

Hand-Carved Rail *

Available for top and/or bottom rails.

Please note that the proportion of the design is based on panel.



Vine



Wheat



Rosette



Star



Fish



Swan

Call for current pricing
(609) 742-1720

Liberty Arch *

The arch starts and ends 1" from the rail sides when panel is 12" wide.

While the arch starts and ends 1/2" from the rail sides when panel is 6" wide.


The arch height is half of the top rail size (rounded up to the nearest 1/8").

The shape of the Arch is based on 3 points taken from the top rail.

1st point: 1" (or 1/2") from the left stile

2nd point: 1" (or 1/2") from the right stile

3rd point: Midpoint of the rail front



Specialties

Specialty Shutters^{*}

Specialty shutters are made of premium solid wood, finished shutters. Templates are required if it is an imperfect specialty confirmation date for all specialty shutters. Please refer to Specialty sections for details.

Regarding frame with an insert or solid frame issue:

1). For Half Round Sunburst, Quarter Round Sunburst, Eyelet Sunburst:

- All deco frames will be made as solid frames;
- All Vintage L frames & Vintage hang strip: all top frames (curved solid frame but the bottom & both sided frames (straight frames) with inserts

2). For Triangle, Hexagon, Octagon, Peak & Angle top: all frames with inserts.

3). For Circle, Oval: all frames will be made as solid frames (curved)

4). For Sunburst on top with Divider strip: the top frame (curved solid frame but the bottom & both side frames (straight frames) with inserts

5). For Louver Arch with Eyebrow curve shape:

- All deco frames excluding 2.5" Mission deco frame: all frames with an insert).
- All Vintage L frames & Vintage hang strip & 2.5" Mission deco frame) will be made as a solid frame but the bottom & both sided frames made as regular frames with inserts;


6). For other Specialty Shutters when curve shape is similar except Louver Arch with Eyebrow curve shape in point 5), Half round side panels(-Standard louvered arch & Continuous arch quarter round side panels, Arch Top Picture Window with horizontal Picture Window with Sunburst, Standard unit with horizontal

- All deco frames will be made as solid frames;
- All Vintage L frames & Vintage hang strip: all top frames (curved solid frame but the bottom & both sided frames (straight frames) with inserts.


7). Hang strip behind the panel is not available for Hexagon

8). All sunburst hubs must be less than or equal to 12"


Call for current pricing
(609) 742-1720




The louvers in the curved section can be installed using the Invisible Tilt system. They can be installed using a separate standard tilt rod installed




Call for current pricing
(609) 742-1720




Quarter Round
Sunburst




Half Round
Sunburst



Louver
w/ Cen




Elongated Eyebrow
Sunburst



Eyebrow Sunburst

Hex


Call for current pricing
(609) 742-1720




Angle Top

*Top l
might k






Louver Arch in a Rectangle




Call for current pricing
(609) 742-1720



Horizontal louvers center arch
with quarter round side panels
-Standard louvered arch


Horizontal
with
-C



Sunburst louvers center arch with quarter


Call for current pricing
(609) 742-1720

Fixed louver




Arch Top Picture Window with
horizontal louvers
-Standard louvered arch


Arch
hor
-Cc




Arch Top Picture Window with Sunburst



Standard Picture Window



Left Triangle



Right Triangle

Call for current pricing
(609) 742-1720

Pricing

1) By Max Frame-to-Frame Measurement:			
Regular Shutter			
Inside and Outside Mount	Width	x	
Track Shutter**			
Inside	Width	x	
mi-Inside and Outside Mount	Width	x	
2) By Net Panel Measurement:	Width	x	
3) By Window Size:			
2" Camber Deco Frame	4-sided	(Width+4")	x
	3-sided with Sill Plate	(Width+4")	x
	3-sided	(Width+4")	x
	2 sided with Sill Plate	(Width+4")	x
	2-sided	(Width+4")	x
3" Ridge Deco Frame	4-sided	(Width+6")	x
	3-sided with Sill Plate	(Width+6")	x
	3-sided	(Width+6")	x
	2-sided with Sill Plate	(Width+6")	x
	2-sided	(Width+6")	x

Call for current pricing
(609) 742-1720

	2-sided	(Width+5")	x
3" Crown Z Frame	4-sided	(Width+4 ½	x
	3-sided with Sill Plate	(Width+4 ½")	x
	3-sided	(Width+4 ½)	x
	2-sided with Sill Plate	(Width+4 ½)	x
	2-sided	(Width+4 ½")	x
2" Bel Air Z Frame 2" Bullnose Z Frame	4-sided	(Width+2 ½")	x
	3-sided with Sill Plate	(Width+2 ½")	x
	3-sided	(Width+2 ½")	x
	2-sided with Sill Plate	(Width+2 ½")	x
	2-sided	(Width+2 ½")	x
1 ½ " Bullnose Z Frame	4-sided	(Width+2")	x
	3-sided with Sill Plate	(Width+2")	x
	3-sided	(Width+2")	x
	2-sided with Sill Plate	(Width+2")	x
	2-sided	(Width+2")	x
Vintage Hang Strip	Inside	Width	x
	Outside 4-sided	(Width+3")	x
	Outside 3-sided	(Width+3")	x

Call for current pricing
(609) 742-1720

L frame /	Outside 3-sided	(Width+3")	x
Vintage L Frame	Outside 2-sided	(Width+3")	x
Track Shutter**			
Inside and Semi-Inside Mount		Width	x
Outside Mount		(Width+3")	x

1side frame price:

2" Camber Deco Frame	1-sided	(Width+2")	x
2" Classic Deco Frame	1-sided	(Width)	x
3" Ridge Deco Frame	1-sided	(Width+3")	x
	1-sided	(Width)	x
2 1/2" Mission deco frame	1-sided	(Width+2 ½")	x
	1-sided	(Width)	x
3" Crown Z Frame	1-sided	(Width+2 ¼")	x
	1-sided	(Width)	x
2" Bel Air Z Frame	1-sided	(Width+1 ¼")	x
2" Bullnose Z Frame	1-sided	(Width)	x
1 ½" Bullnose Z Frame	1-sided	(Width+1")	x

Call for current pricing
(609) 742-1720

Vintage Hang Strip	Outside 1-sided	(Width+1 ½")	x
	Outside 1-sided	(Width)	x
Beaded L frame	Outside 1-sided	(Width+1 ½")	x
Vintage L Frame			
Beaded L with 1/4" Light Block			
Beaded L with 1/2" Buildout			
Beaded L with 1" Buildout	Outside 1-sided	(Width)	x
Vintage L with 1/4" Light Block			
Vintage L with 1/2" Buildout			
Vintage L with 1" Buildout			

Call for current pricing
(609) 742-1720