

NORMAN®
SHUTTERS. BLINDS. SHADES.



Call for current pricing
(609) 742-1720



SmartDrape® & Perfect



Date	Program	
1/1/2026	SmartDrape™	P24, 25, 28, 36, 37, 39: Added cen SmartDrape™ . P39: Updated Vane Pack content. P40~41: Added 22 fabric colors.
11/15/2025	PerfectSheer™	- Updated Inside Mount Fabric W - Add Light Gap information.
10/15/2025	PerfectSheer™	- Updated max. common valance - Updated Valance Joinery and S
10/1/2025	SmartDrape™	Added ceiling mount and C clip for ceiling mount.
9/24/2025	PerfectSheer™	Updated Motorized shade min. v
9/24/2025	SmartDrape™	- Updated Motorized shade min - Updated Hardware Quantity.
8/15/2025	SmartDrape™	Added motor, battery pack, mas Brass and Bronze.
8/1/2025	PerfectSheer™	Corrected color name. Added P color coordination can be refere
8/1/2025	SmartDrape™	- Expanded size limitation. - Updated Additional Vanes infor
7/1/2025	SmartDrape™	- Updated Stacking Width descrip - Running change: Nickel-plated i coordinated. - Added SmartDrape Color Coorc referenced in the appendix.
7/1/2025	PerfectSheer™	- Added connector for Curved fas - Discontinued color Pure White i
5/31/2025	SmartDrape™	- Added power source: (Norman : SmartDrape. - Added charging extension wanc Smart Rechargeable Battery).
5/30/2025	PerfectSheer™	Added 16” Cord length.
4/9/2025	SmartDrape™	Updated min. Width for Motoriz
3/31/2025	SmartDrape™	Added color coordination for Mc
		- Updated max. Width for Motoriz - Added Valance Deduction

Call for current pricing
(609) 742-1720



PerfectSheer™ Shades

- General Specifications
- Lift Systems & Terminology
- Valance Options
- Mounting Requirements & Fabric Deductions
- Additional Options
- Fabric List & Color Coordination
- PerfectSheer Shades Expectations
- Product Care



Call for current pricing
(609) 742-1720

SmartDrape™ Shades

- General Specifications
- Terminology
- Shade Configurations
- Mount Types
- Parts and Hardware
- Additional Options
- Fabric List & Color Coordination
- Complete Color Coordination Chart



Call for current pricing
(609) 742-1720



LIGHT FILTERING

		Width								
Height	USA	24	30	36	42	48	54	60	66	
	36	624	698	774	846	921	1005	1074	1155	1236
	42	651	727	793	873	951	1039	1118	1196	1275
	48	693	762	838	922	1010	1105	1195	1288	1372
	54	715	799	879	983	1074	1171	1275	1372	1470
	60	750	841	927	1029	1128	1243	1348	1461	1569
	66	785	878	976	1083	1195	1313	1433	1555	1669
	72	815	918	1021	1137	1261	1392	1518	1644	1769
	78	837	943	1055	1188	1315	1453	1582	1722	1849
	84	870	988	1102	1247	1383	1525	1672	1810	1949
	90	905	1019	1147	1301	1453	1605	1749	1901	2039
	98	943	1062	1196	1361	1518	1674	1832	1994	2131
	102	983	1103	1249	1421	1579	1741	1915	2083	2219
	108	1020	1146	1298	1479	1644	1807	1998	2175	2311
120	1058	1188	1348	1539	1706	1874	2081	2265	2401	

Call for current pricing
(609) 742-1720

NO EXTRA CHARGE

- CONTINUOUS CORD LOCK
- CURVED FASCIA WITH FABRIC COVERED HEM
- FABRIC COVERED HEM

Fabric Surcharge:

- Room darkening 20%

Licensing:

- E
- F

Miscellaneous:

- Shim \$7 each
- Magnetic hold down \$28 per shade
- Keystone \$73

From
Mi
\$1
Ma
\$80
adu

Valance Surcharges:

	24	30	36	42	48	54	60	66
--	----	----	----	----	----	----	----	----

Side by Side

Side by Side is a great solution for covering wide openings. shade bracket size by upgrading to the larger size within the uniform look for shades of different shade widths within a room provided when ordered at the same time and the following a

- Room
- Mount type
- Shade height
- Color
- Lift system
 - motor type/power source (if applicable)
- Valance type and size
- Valance return length

Call for current pricing
(609) 742-1720

* Vane Alignment

When Side by Side is selected in order entry and the shade: mentioned, the banded layer alignment will be within a ¼" to

Size Definition / Standard Deductions


Shade Width

- Shade with Valance: The shade width is measured from the left edge of the bracket to right edge of bracket
- Shade with Fascia: The shade width is measured from left edge of end cap to right edge of end cap

Shade Height


— 1 —

Continuous Cord Loop



Call for current pricing
(609) 742-1720

Motorized



Continuous Cord Loop - Control

Cord Length

Cord Loop Length (Y)	
Shade Height (Y)	Default
$Y \leq 20"$	
$20" < Y \leq 30"$	
$30" < Y \leq 42"$	
$42" < Y \leq 55"$	
$55" < Y \leq 69"$	
$69" < Y \leq 95"$	
$Y > 95"$	
Shade Height (Y)	Custom
All Shade Heights	Min *The max custom c <u>no more than</u> (c

Call for current pricing
(609) 742-1720

Control Locations

Default	
Right	

Valance deduction

Inside Mount		
Valance		
Fascia Width	including end caps	Fascia width = shade width*
		Common fascia width** = left/center/right
	excluding end caps	Fascia width = shade width* – 1/8"
		Common fascia width** = left/center/right
Wood/ Fabric Valance Width	excluding valance returns	Valance width = shade width*
		Common valance width**= left/center/right

*Shade width = order width – 1/8"
**For common fascia/ valance: 1/8" width deductions will be taken from each side

Semi-Inside Mount		
Valance		
Fascia Width	including end caps	Fascia width = shade width*
		Common fascia width** = left/center/right
	excluding end caps	Fascia width = shade width* – 1/8"
		Common fascia width** = left/center/right
Wood/Fabric Valance Width	including valance returns	Valance inner width = shade width* + 3/16"
		Common valance inner width**= left/center/right shades – 1/8" + 3/16" x return qty
		For Fabric Valance: Valance width = Valance inner width
		For Wood Modern Valance: Valance width = Valance inner width + 1/2"

*Shade width = order width – 1/8"
**For common fascia/ valance: 1/8" width deductions will be taken from each side

Outside Mount		
Valance		
Fascia Width	including end caps	Fascia width = shade width*
		Common fascia width = left/center/right + 1/2"
	excluding end caps	Fascia width = shade width* – 1/8"
		Common fascia width = left/center/right + 1/2"
Wood/ Fabric Valance Width	including valance returns	Valance inner width = shade width* + 3/16"
		Common valance inner width= left/center/right shades + 3/16" x return qty
		For Fabric Valance: Valance width = (common valance inner width + 1/2")
		For Wood Modern Valance: Valance width = (common valance inner width + 1/2") + 1/2"

Call for current pricing
(609) 742-1720

Valance Options	Color	
 Curved Fascia with Fabric	Defaulted to selected shade fabric. Optional fabric selection is available.	The ma 93". Wt single fa with key supplier
 Fabric Valance	Defaulted to selected shade fabric. Optional fabric selection is available.	The ma is 93". When e will be s connect Valance semi IB
 Modern Valance	Paint: 001 Pure White 003 Silk White 006 Pearl 012 Crisp Linen 049 Stone Gray 053 Clay Stain: 109 Weathered Teak 110 Limed White 212 Dark Teak 221 Black Walnut 237 Wenge 246 Matte Black <u>See digital swatches here.</u>	The ma is 93". When e will be s connect Valance semi IB

Call for current pricing
(609) 742-1720

**Valances are not recommended for door applications.

Fabric Valance / Fascia S		
Shade Width (X)	Shade Height (Y)	Fabric Valance / Fascia Size
All widths	$Y \leq 72"$	Default: 3 ½" Option: 4 ½"
	$> 72"$	4 ½"

Notes: The rule applies to single shade or an individual shade w


Customized Valance Width

- The max custom valance width can be up to 12" wider than the shade

Common Valance

- Common valance is available in all Valances
- One common valance can be shared up to 6 independently operated shades
(Exception: Continuous Cord Loop/ AutoWand system only)
 - All shades sharing a common valance must use the same lift system
 - same motor type/power source (if applicable)
- The gap between each shade is 0" by default; maximum gap is up to 1/2"
- Common valance will match tube size and shade bracket size by unit selected.
- For continuous cord loop system

Default cord loop length: cord length will be supplied according to the shade width
Custom cord loop length: cord length will be supplied as per custom request



Call for current pricing
(609) 742-1720

Valance Return Size Options

Valance Type	Definition	Semi-Inside Mount
Fabric	From the back of the valance to the end of the return.*	Default: 1" Custom sizes: 1 1/8" ~ 4 1/2"
Modern	Inner length.	Default: 1" Custom sizes: 1/2" - 4 1/2"

*Thickness of wrapped fabric may cause fabric valance return slightly shorter than specified

Splicing Valances


Valances wider than its maximum limitations will be spliced. A valance support on all spliced valances. This applies to single and common valance systems.

Valance Joinery and Splicing Rules


Type	Valance	Max Valance Width Without Joint	Max Valance Width With Joint	Valance
				Default
Single	Curved Fascia with Fabric	Fascia End Cap to End Cap: 93"	Shade Width (X) + 12"	Connect
	Fabric Valance (inner width)	93"		
	Modern Valance (inner width)			
Common	Curved Fascia with Fabric	Fascia End Cap to End Cap: 93"	Total Shade Widths + total gap width + 12" ≤ 558" (max. valance width 93"x 6pcs)	
	Fabric Valance (inner width)	93"		
	Modern Valance (inner width)			

- For Continuous Cord Loop/ AutoWand system under common valance:
 - Total Shade Widths + Gap Sizes +12"≤186"
 - The max valance width with joint will be Total Shade Widths + Gap Size
 - Up to 3 keystones can be selected per valance

Keystone



Curved Fascia with fabric Keystone



Fabric Valance Keystone

Keystones for fascia with fabric/ fabric valance/ modern valances will also be provided with a set of fascia connector/ valance connectors for additional support

Connector


Call for current pricing
(609) 742-1720

Keystone Spacing Requirements



Measure from the left of the valance inner width to the center of the keystone
the min. distance between either ends of the valance to the keystone center i

Keystone Qty		Custom key:
		Min
1 Keystone		18"
2 keystones	1st keystone	18"
	2nd keystone	1st keystone location+18"
3 keystones	1st keystone	18"
	2nd keystone	1st keystone location+18"
	3rd keystone	2nd keystone location +18'
4 keystones	1st keystone	18"
	2nd keystone	1st keystone location+18"
	3rd keystone	2nd keystone location +18'
	4rd keystone	3rd keystone location +18"
5 keystones	1st keystone	18"
	2nd keystone	1st keystone location+18"
	3rd keystone	2nd keystone location +18'
	4rd keystone	3rd keystone location +18"
	5rd keystone	4rd keystone location +18"

Call for current pricing
(609) 742-1720





IM Mounting Depth - Continuous cord loop

Item	Drawings (with max shade length)
Cord Loop Shade with Valance	 Small Valance Bracket
Cord Loop Shade with Fascia	 Small Valance Bracket

Call for current pricing
(609) 742-1720

IM Mounting Depth - Motorized

Item	Dr (with max shade l
Motorized Shade with Valance	 3 5/8" 3 1/16" 2 15/16" 2 3/8" 3/4" Small Valance Bracket
Motorized Shade with Fascia	 4 1/16" 3 1/2" 2 15/16" 2 3/8" 3/4" Small Valance Bracket

Call for current pricing
(609) 742-1720

When shade is inside mount, customer can also opt for wall/back mount.

When shade is outside mount, customer can also choose an outside mount option and raceway will be pre-drilled holes for screwing

Mount Type	Blind Mount
	Inside(top mount)
Inside (Take Deductions)	With Raceway – Previous Raceway raceway will be pre-drilled holes for screwing
Outside (No Deductions)	With Raceway – Previous Raceway raceway will be pre-drilled holes for screwing



Inside Mount Fabric Width Deductions

Continuous Cord Loop – Single Motorized			
Shade Width	Shade Length	Tube Size	Valve
12" to 98"	12" to 98"	1 3/4"	CCL with
			CCL with

Call for current pricing
(609) 742-1720

Single Motorized - Inside Mount				
Motor Type	Shade Width	Shade Length	Tube Dimensions	Shade
Norman Smart Rechargeable Battery with AC Adapter Charger	All widths	All heights	1 3/4" / 2"	Motorized Fabric
				Motorized Valve
				Motorized

Single Shade




Call for current pricing
(609) 742-1720

System	Mounting Type	Valance Type
Continuous Cord Loop	All	Curved Fascia
All other motorization		Fabric/ wood valanc
Norman Smart Rechargeable Battery with AC Adapter Charger		Curved Fascia





OM Mounting Depth

Mounting area required for Outside Mount



Light Guard


- Light Guard is specifically designed to block incoming light escapin
- Application consists of 2 side blocks (select from premium wood lig plus a top block piece

	Dimensions	
Premium Wood Light Guard (Side Channels)	 	
Basic Light Guard (Side Channels)	  End Caps *End Caps will come pre-installed on top of the light guard pieces	 3058 White When t int  For

Call for current pricing
(609) 742-1720

Shims

- Dimensions: 1 5/8" x 3/8"
- Approx.. 3/8" thick for one and 11/16" thick for two stacked
- Up to 3 shims/spacers can be stacked per bracket




Shade
of brackets
of shims (1)
of shims (2)
of shims (3)

Magnetic Hold-Down


- Two hold down brackets (one for the left and the right side of the shade) will be provided for each shade when requested.
- Defaulted for door applications.
 - Magnetic hold-downs are required for door applications to help keep the shade in place.
 - Not recommended for metal door applications.
- Optional for window applications.
- The magnet will be pre-installed at the factory on the hem bar.
- The magnet catch, which needs to be installed at the job site, can be found in the hardware box.

All

Call for current pricing
(609) 742-1720




Magnet



Magnet Catch

Available colors for Magnet Catch

- Nickel-Plated (Default)
- (Optional) Pure White, Silk White, Bisque, Pearl, Bright Br, Antique Brass, Black, Crisp Linen, String, Sea Mist, Stone Gray, Brown Gray, Taupe Gray



PerfectSheer Shades Installed on

- To receive shades suited for door application, please include door application in your order entry. When selected,
- Shades will have an additional fabric (2mm) on each side in order to prevent

See Color Coordination Chart for detailed color information.

	Fabric List			Cord Co
	Opacity	Color Code	Color Name	
1	Light Filtering	F1191	Nightfall	Dark Gr
2		F1192	Granite	Dark Gr
3		F1193	Mineral	Silver
4		F1178	Snowflake	White
5		F1179	Lily Cream	Alabast
6		F1180	Dunes	Petal Pi
7		F1181	Smoke	Smoke
8		F1182	Midnight	Black
9		F1183	Cottonwood	Petal Pi
10		F1184	Cedar Cream	Alabast
11		F1185	Quarry	Silver
12		F1186	Soft White	White
13		F1187	Cinnamon	Petal Pi
14		F1188	Platinum	Silver
15		F1189	Magnetic Gray	Smoke
16		F1190	Cast Iron	Dark Gr
17		F1194	Frosty Asphalt	Dark Gr
18		F1195	Frosty Gray	Silver
19		F1196	Frosty White	White
20		F1197	Light Gray	Smoke
21		F1363	Ivory	Alabast
22		F1364	Silver	White
23	Room Darkening	F1200	Moon	White
24		F1201	Silk	Alabast
25		F1202	Chai Latte	Petal Pi
26		F1203	Sky	Smoke
27		F1204	Mars Black	Black
28		F1205	Seaside	Petal Pi
29		F1206	Palm	Alabast
30		F1207	Stone	Silver
31		F1208	Heather Gray	Smoke

Call for current pricing
(609) 742-1720

Sheer Shades have been an elegant window treatment solution for decades. Our introduction of PerfectSheer™ comes after years of engineering and design. PerfectSheer™ truly delivers on a number of desired effects of fine window treatments:

- Light transformation
- UV protection
- Softened views while enjoying privacy

We have delivered on these needs while in enhancements:

- Tightest vane closure in its category
- 100% Woven seams; not glued, sewn
- Hem bar doesn't rise above the window

But as with all fine window treatments there are characteristics of a PerfectSheer™ Shade that set it apart from any other shade in the market. Since we always strive to provide the best window treatment solutions, we are committed to the highest quality of operation or fabric characteristics of sheer

Call for current pricing
(609) 742-1720

Room Darkening versus B

One of the appealing characteristics of a s

This results from several operating aspects shade:

Multi Plane Operation

Because of the need to operate on several opposing planes – height, width, depth and in between angles, PerfectSheer™'s vanes are not designed to close completely, most notably at the bottom of the shade. However, vane overlap ensures that privacy is not compromised.

Hem Bar Rotation

An inherent characteristic of a sheer shade rises and lowers off the window sill as the vane unlike some other sheer shades, PerfectSheer hem bar rests on the window sill when the shade is slightly in the open position, providing max


Call for current pricing
(609) 742-1720



Fabric Character

PerfectSheer™ offers an array of light filtering fabrics. As is the nature of all textiles, there are certain characteristics with our fabric collection that are considered normal.

Wrinkles, Creases and Reverse Light Effect
Slight wrinkles, creases and reverse light effect are considered normal.



Call for current pricing
(609) 742-1720

Woven Seam Construction

Because PerfectSheer™'s seams are finely woven not glued, sewn or heat fused, they have a more natural appearance and may not be perfectly straight.

Edge Fraying

Small strands of sheer yarn may appear on the shade's vertical edges because of the nature of sheer fabrics. These are considered normal and may be clipped.

Vane Bowing

The top vane of the shade may bow slightly which is considered normal



Order Accuracy

Call for current pricing
(609) 742-1720

Vane Alignment

When Side by Side is selected in order enter the same time, with the same color and height alignment will be within a 1/4" tolerance.

**This includes RGAs. As long as all other criteria is identical to the same vane alignment rule with 1/4" tolerance.*

Shade Height

When confirming the accuracy of the order, vanes fully closed.

Our Heritage o

With Norman®, Quality isn't just a catchp

Our PerfectSheer™ shade will provide you free operation and enjoyment. It is of co

Maintaining PerfectSheer™ Shades

Routine cleaning will help maintain the beauty of your shades. Here are some tips for cleaning PerfectSheer shades:

Light Dusting

- Use a duster or gentle air blower to remove any dust.

Spot Cleaning

- Spot cleaning is not recommended as the fabric may be damaged.

Ironing

- One of the benefits of polyester is its non-wrinkling properties. If creases develop, use a steam iron on a medium heat setting to remove any unwanted wrinkles.

Call for current pricing
(609) 742-1720





Call for current pricing
(609) 742-1720

Height	Track Width										
	USA	36	48	54	60	66	72	78	84	90	96
48	643	760	809	862	941	997	1051	1111	1191	1262	1
60	716	849	920	984	1081	1140	1204	1276	1367	1451	1
72	809	974	1054	1140	1242	1322	1397	1484	1588	1688	1
84	873	1089	1176	1268	1381	1471	1559	1648	1768	1873	2
100	949	1146	1242	1341	1458	1555	1651	1745	1873	1986	2
120	1074	1236	1353	1462	1587	1697	1806	1909	2050	2176	2
132	1138	1351	1474	1592	1726	1845	1968	2074	2229	2361	2
144	1201	1464	1595	1721	1866	1994	2131	2240	2408	2548	2

Fabric Collection: Lakeshore Stripe

Height	Track Width										
	USA	36	48	54	60	66	72	78	84	90	96
48	758	892	951	1013	1107	1171	1235	1306	1400	1484	1
60	842	998	1082	1156	1269	1342	1415	1499	1609	1705	1
72	951	1146	1239	1342	1459	1555	1643	1744	1868	1983	2
84	1026	1281	1382	1491	1624	1730	1835	1939	2078	2203	2
100	1115	1347	1459	1576	1714	1830	1942	2052	2203	2337	2
120	1262	1455	1590	1720	1867	1996	2124	2244	2411	2559	2
132	1310	1554	1695	1832	1984	2122	2263	2386	2563	2717	2
144	1382	1685	1835	1979	2146	2292	2450	2575	2769	2929	3

Fabric Collections: Light Filtering (Plain, Net, Pacific, Circle

NO EXTRA CH

- BEST FOR KIDS CERTIFIED CORDLESS
- SLEEK, VALANCE-FREE METAL HEADRAIL W

Call for current pricing
(609) 742-1720

Surcharges

- Alternating colors 10%
- Room Darkening 20%
- Aluminum Shim \$28 each
- Lor
- Key
- Ad

Program Overview

Application	Operation	Stack
Single Shade	Wand Tilt	
		Traveling
	Motorized	
		Center
		Center
Side by Side Shades	Wand Tilt	Left Stack Right
		Traveling

Call for current pricing
(609) 742-1720

Size Limitations


The size limitations are a general reference. Order widths are r the available sizes. The Shade Width will be determined by the preferred operation type and stack option type to determine the

Operation & Stack Option	Min Width		Max Width	
	Track (R)	Shade (F)	Track (R)	Shade (F)
Wand Tilt Left/Right	17 5/8"	12 1/8"	285 5/8"	284 3/8"
Wand Tilt Side by Side (each shade)	15 5/8"	12 1/8"	284 3/8"	
Motorized	Please ref. motor			


General Specifications

Stack Options

Single Shade



Stack Left



Traveling Center Stack (Wand Tilt)
Includes wands on each side


Center Stack (Motorized)

Call for current pricing
(609) 742-1720

Ce


Side by Side Shades (Wand)

Two independently operated shades




SmartDrape™

Wand tilt



Call for current pricing
(609) 742-1720

SmartDrape™ with SmartJoint™




Shade Configurations

Configurations 1 – Single Shade (Wand Tilt)

Single: Left Stack, Right Stack, Travel							
No.	Track Width (R)	Shade Width (F)	Vane Qty	Stacking Width (Left/ Right stack)	Stacking Width (Traveling Center Stack)	No.	Track Width (F)
1	17 5/8"	12 1/8"	3	6 5/16"	11 1/16"	35	153
2	21 5/8"	16 1/8"	4	6 15/16"	11 1/2"	36	157
3	25 5/8"	20 1/8"	5	7 1/2"	11 15/16"	37	161
4	29 5/8"	24 1/8"	6	8 1/8"	12 3/8"	38	165
5	33 5/8"	28 1/8"	7	8 11/16"	12 13/16"	39	169
6	37 5/8"	32 1/8"	8	9 5/16"	13 1/4"	40	173
7	41 5/8"	36 1/8"	9	9 7/8"	13 11/16"	41	177
8	45 5/8"	40 1/8"	10	10 7/16"	14 1/8"	42	181
9	49 5/8"	44 1/8"	11	11 1/16"	14 9/16"	43	185
10	53 5/8"	48 1/8"	12	11 5/8"	15"	44	189
11	57 5/8"	52 1/8"	13	12 1/4"	15 7/16"	45	193
12	61 5/8"	56 1/8"	14	12 1/4"	15 7/8"	46	197
13	65 5/8"	60 1/8"	15	12 11/16"	16 5/16"	47	201
14	69 5/8"	64 1/8"	16	13 1/8"	16 3/4"	48	205
15	73 5/8"	68 1/8"	17	13 9/16"	17 3/16"	49	209
16	77 5/8"	72 1/8"	18	14"	17 5/8"	50	213
17	81 5/8"	76 1/8"	19	14 7/16"	18 1/16"	51	217
18	85 5/8"	80 1/8"	20	14 7/8"	18 1/2"	52	221
19	89 5/8"	84 1/8"	21	15 5/16"	18 15/16"	53	225
20	93 5/8"	88 1/8"	22	15 3/4"	19 7/16"	54	229
21	97 5/8"	92 1/8"	23	16 3/16"	19 7/8"	55	233
22	101 5/8"	96 1/8"	24	16 5/8"	20 5/16"	56	237
23	105 5/8"	100 1/8"	25	17 1/16"	20 3/4"	57	241
24	109 5/8"	104 1/8"	26	17 1/2"	21 3/16"	58	245
25	113 5/8"	108 1/8"	27	17 15/16"	21 5/8"	59	249
26	117 5/8"	112 1/8"	28	18 7/16"	22 1/16"	60	253
27	121 5/8"	116 1/8"	29	18 7/8"	22 1/2"	61	257
28	125 5/8"	120 1/8"	30	19 5/16"	22 15/16"	62	261
29	129 5/8"	124 1/8"	31	19 3/4"	23 3/8"	63	265
30	133 5/8"	128 1/8"	32	20 3/16"	23 13/16"	64	269
31	137 5/8"	132 1/8"	33	20 5/8"	24 1/4"	65	273
32	141 5/8"	136 1/8"	34	21 1/16"	24 11/16"	66	277
33	145 5/8"	140 1/8"	35	21 1/2"	25 1/8"	67	281
34	149 5/8"	144 1/8"	36	21 15/16"	25 9/16"	68	285

Call for current pricing
(609) 742-1720

- Single Tracks not available to combine as two Side by Side shades.
 - Tracks 97 5/8" through 189 5/8" will be spliced once at the center by S
 - Tracks 193 5/8" through 285 5/8" will be spliced twice, evenly, by Sma
- Stacking Width: Measurement from the end of the end cap to the end of th
 - Tolerance: +/- 13/16" per shade. Fabric vane will soften over time so v
 - Field of view, from the end of the fabric to another end of the end cap v
- Width- Stacking Width.




Shade Configurations

Configurations 1 – Single Shade (Motorized)

Single: Left, Right, Center S							
No.	Track Width (R)	Shade Width (F)	Vane Qty	Stacking Width Left/ Right stack	Stacking Width (Center Stack)	No.	Track Width (R)
1	17 5/8"	12 1/8"	3	7 13/16"	7 1/4"	35	153 5/8"
2	21 5/8"	16 1/8"	4	8 3/8"	7 7/8"	36	157 5/8"
3	25 5/8"	20 1/8"	5	9"	8 7/16"	37	161 5/8"
4	29 5/8"	24 1/8"	6	9 9/16"	9 1/16"	38	165 5/8"
5	33 5/8"	28 1/8"	7	10 3/16"	9 5/8"	39	169 5/8"
6	37 5/8"	32 1/8"	8	10 3/4 "	10 1/4"	40	173 5/8"
7	41 5/8"	36 1/8"	9	11 5/16"	10 13/16"	41	177 5/8"
8	45 5/8"	40 1/8"	10	11 15/16"	11 3/8"	42	181 5/8"
9	49 5/8"	44 1/8"	11	12 1/2"	12"	43	185 5/8"
10	53 5/8"	48 1/8"	12	13 1/8"	12 9/16"	44	189 5/8"
11	57 5/8"	52 1/8"	13	13 11/16"	13 3/16"	45	193 5/8"
12	61 5/8"	56 1/8"	14	14 5/16"	13 5/8"	46	197 5/8"
13	65 5/8"	60 1/8"	15	14 3/4"	14 1/16"	47	201 5/8"
14	69 5/8"	64 1/8"	16	15 3/16"	14 1/2"	48	205 5/8"
15	73 5/8"	68 1/8"	17	15 5/8"	14 15/16"	49	209 5/8"
16	77 5/8"	72 1/8"	18	16 1/16"	15 3/8"	50	213 5/8"
17	81 5/8"	76 1/8"	19	16 1/2 "	15 13/16"	51	217 5/8"
18	85 5/8"	80 1/8"	20	16 15/16"	16 1/4"	52	221 5/8"
19	89 5/8"	84 1/8"	21	17 3/8"	16 11/16"	53	225 5/8"
20	93 5/8"	88 1/8"	22	17 13/16"	17 1/8"	54	229 5/8"
21	97 5/8"	92 1/8"	23	18 1/4"	17 9/16"	55	233 5/8"
22	101 5/8"	96 1/8"	24	18 11/16"	18"	56	237 5/8"
23	105 5/8"	100 1/8"	25	19 1/8"	18 7/16"	57	241 5/8"
24	109 5/8"	104 1/8"	26	19 9/16"	18 7/8"	58	245 5/8"
25	113 5/8"	108 1/8"	27	20"	19 3/8"	59	249 5/8"
26	117 5/8"	112 1/8"	28	20 7/16"	19 13/16"	60	253 5/8"
27	121 5/8"	116 1/8"	29	20 7/8"	20 1/4"	61	257 5/8"
28	125 5/8"	120 1/8"	30	21 3/8"	20 11/16"	62	261 5/8"
29	129 5/8"	124 1/8"	31	21 13/16"	21 1/8"	63	265 5/8"
30	133 5/8"	128 1/8"	32	22 1/4"	21 9/16"	64	269 5/8"
31	137 5/8"	132 1/8"	33	22 11/16"	22"	65	273 5/8"
32	141 5/8"	136 1/8"	34	23 1/8 "	22 7/16"	66	277 5/8"
33	145 5/8"	140 1/8"	35	23 9/16"	22 7/8"	67	281 5/8"
34	149 5/8"	144 1/8"	36	24"	23 5/16"	68	285 5/8"

- Track width 17 5/8" is only available for Motorized Norman Smart AC Ada
 - Tracks 97 5/8" through 189 5/8" will be spliced once at the center by S
 - Tracks 193 5/8" through 285 5/8" will be spliced twice, evenly, by Sma
- Stacking Width: Measurement from the end of the gear box to the end of t
 - Tolerance: +/- 13/16" per shade. Fabric vane will soften over time so v
 - Field of view, from the end of the fabric to another end of the gear box Width- Stacking Width.



Call for current pricing
(609) 742-1720

Shade Configurations


Configurations 2 –Side by Side Shades (Wand Tilt onl

Side by Side: Left/Right Stack, Traveli							
No.	Track Width (R)	Shade Width (F)	Vane Qty	Stacking Width per shade (LL/RR)	Stacking Width per shade (Both Traveling Center Stack)	No.	Track (F)
1	15 5/8"	12 1/8"	3	7 1/16"	11 1/16"	35	152
2	19 5/8"	16 1/8"	4	7 11/16"	11 1/2"	36	156
3	23 5/8"	20 1/8"	5	8 1/4"	11 15/16"	37	160
4	27 5/8"	24 1/8'	6	8 7/8"	12 3/8"	38	164
5	31 5/8"	28 1/8"	7	9 7/16"	12 13/16"	39	168
6	35 5/8"	32 1/8"	8	10 1/16"	13 1/4"	40	172
7	39 5/8"	36 1/8"	9	10 5/8"	13 11/16"	41	176
8	43 5/8"	40 1/8"	10	11 1/4"	14 1/8"	42	180
9	47 5/8"	44 1/8"	11	11 13/16"	14 9/16"	43	184
10	51 5/8"	48 1/8"	12	12 3/8"	15"	44	188
11	55 5/8"	52 1/8"	13	13"	15 7/16"	45	192
12	59 5/8"	56 1/8"	14	13 7/16"	15 7/8"	46	196
13	63 5/8"	60 1/8"	15	13 7/8"	16 5/16"	47	200
14	67 5/8"	64 1/8"	16	14 5/16"	16 3/4"	48	204
15	71 5/8"	68 1/8"	17	14 3/4 "	17 3/16"	49	208
16	75 5/8"	72 1/8"	18	15 3/16"	17 5/8"	50	212
17	79 7/8"	76 1/8"	19	15 5/8"	18 1/16"	51	216
18	83 7/8"	80 1/8"	20	16 1/16"	18 1/2"	52	220
19	87 7/8"	84 1/8"	21	16 1/2"	18 15/16"	53	224
20	91 7/8"	88 1/8"	22	16 15/16"	19 7/16"	54	228
21	95 7/8"	92 1/8"	23	17 3/8"	19 7/8"	55	232
22	99 7/8"	96 1/8"	24	17 13/16"	20 5/16"	56	236
23	103 7/8"	100 1/8"	25	18 5/16"	20 3/4"	57	240
24	107 7/8"	104 1/8"	26	18 3/4"	21 3/16"	58	244
25	111 7/8"	108 1/8"	27	19 3/16"	21 5/8"	59	248
26	115 7/8"	112 1/8"	28	19 5/8"	22 1/16"	60	252
27	119 7/8"	116 1/8"	29	20 1/16"	22 1/2"	61	256
28	123 7/8"	120 1/8"	30	20 1/2"	22 15/16"	62	260
29	127 7/8"	124 1/8"	31	20 15/16"	23 3/8"	63	264
30	131 7/8"	128 1/8"	32	21 3/8"	23 13/16"	64	268
31	135 7/8"	132 1/8"	33	21 13/16"	24 1/4"	65	272
32	139 7/8"	136 1/8"	34	22 1/4"	24 11/16"	66	276
33	144 1/8"	140 1/8"	35	22 11/16"	25 1/8"	67	280
34	148 1/8"	144 1/8"	36	23 1/8"	25 9/16"	68	284

Call for current pricing
(609) 742-1720

Side by Side: two individually operated shades joined together, suitable for v between shades, the wands will be attached behind the fabric vanes on Side side must be have same length.


- Side by Side tracks not available as a single shade.
- Tracks 95 7/8" through 188 1/8" will be spliced once at the center by S
- Tracks 192 1/8" through 284 3/8" will be spliced twice, evenly, by Sma
- Keystones are also available for the center joinery for the two headrail



Shade Configurations

Configurations 2 –Side by Side Shades (Wand Tilt only)

- Stacking Width: Measurement from the end of the end cap to the end of the fabric completely stacked.
 - Tolerance: +/- 13/16" per shade. Fabric will soften over time so variations will occur.
 - Field of view, between the end of fabric of left shade to the end of fabric of right shade stacked = Total Track Width- Stacking width of left shade -Stacking width of right shade



Wand Tilt, Side by Side
Left Shade Stacks Left, Right Shade Stacks Right;

Center Gaps

- Side by Side shades will still include gaps at the center where the 2 heads are combined. See the center gaps below based on the combined track size.
- When the vanes are open, the gap size between shades will be based on the track sizes ordered.
- There is no gap when fabric vanes are closed.

First Track Width (R)	Second Track Width (R)	Gap (± 1/8")
R≤78"	R≤78"	1 1/2"
	78" < R≤144"	1 3/4"
	144" < R≤216"	2"
	216" < R≤284 3/8"	2 1/4"
78" < R≤144"	78" < R≤144"	2"
	144" < R≤216"	2 1/4"
	216" < R≤284 3/8"	2 1/2"
144" < R≤216"	144" < R≤216"	2 1/2"
	216" < R≤284 3/8"	2 3/4"
216" < R≤284 3/8"	216" < R≤284 3/8"	3"

Call for current pricing
(609) 742-1720

W:



Shade Configurations

Configurations 3 – Single Shade: Center Opening (Mo


Center Opening						
No.	Track Width (R)	Shade Width (F)	Vane Qty	Stacking Width per side	No.	Track
1	30"	24 7/16"	6	11"	18	16
2	38"	32 7/16"	8	11 7/16"	19	17
3	46"	40 7/16"	10	11 7/8"	20	18
4	54"	48 7/16"	12	12 5/16"	21	19
5	62"	56 7/16"	14	12 3/4"	22	19
6	70"	64 7/16"	16	13 3/16"	23	20
7	78"	72 7/16"	18	13 5/8"	24	21
8	86 1/4"	80 11/16"	20	14 1/8"	25	22
9	94 1/4"	88 11/16"	22	14 9/16"	26	23
10	102 1/4"	96 11/16"	24	15"	27	23
11	110 1/4"	104 11/16"	26	15 7/16"	28	24
12	118 1/4"	112 11/16"	28	15 7/8"	29	25
13	126 1/4"	120 11/16"	30	16 5/16"	30	26
14	134 1/4"	128 11/16"	32	16 3/4"	31	27
15	142 1/4"	136 11/16"	34	17 3/16"	32	27
16	150 1/2"	144 15/16"	36	17 5/8"	33	28
17	158 1/2"	152 15/16"	38	18 1/16"		

- Not available to combine as two Side by Side shades.
 - The vane quantity for Center Opening must be even numbered so the equal.
 - Track sizes 102 ¼" through 182 ½" will be spliced once at the center
 - Track sizes 190 ½" through 286 ¾" will be spliced twice, evenly, by 1
- Stacking Width: Measurement from the end of the gear box to the end
 - Tolerance: +/- 13/16" per side. Fabric will soften over time so variance
 - Field of view, between the end of the fabric to end of the fabric at an = Total Track Width- 2 Stacking Widths.

Call for current pricing
(609) 742-1720

Center Gaps


- There is no gap when fabric vanes are closed.
- When the vanes are open, the gap size between shades will be based on the track size ordered.



Mount Types

Available in Outside Mount only for windows or patio door application
Mount Types:

- Wall Mount (L bracket)
- Ceiling Mount (Direct Mount using Pre-Drilled Headrail or C Clip)
- Ceiling Pocket Mount (Direct Mount using Pre-Drilled Headrail)



Width Definitions:

Order Width = Track width (R)

Track Width (R): For wand tilt, measurement from the headrail left end cap to right end cap. For motorized, measurement from the master gearbox to the sub-gearbox.

Shade Width (F): Measurement from the first vane to the last vane in the open position.

No deductions will be taken.
Shade width tolerance: +/- 3/4"


Height De
For Wall I
Measur

For Ceilin
Order Hei
end of the
Shade He
the fabric
With hang
Without h
Order heic

Mount Types

- Wall Mount: L bracket sets are included for Wall Mount only.

Length of Standard L bracket 3 15/16"




With Standard L Bracket Set

Call for current pricing
(609) 742-1720

- Ceiling Mount
Select mounting option: Direct Mount using Pre-Drilled Headrail, or C



Mounting Depth for headrail aligns with the wall: 4 3/8"



Mount Types

- Ceiling Pocket Mount: Direct Mount using Pre-Drilled Headrail.
- Ceiling Pocket depth (D) & inner height (H) & dimensions are req
 - Min pocket depth: 4 7/8"
 - Min pocket height: *no min*
 - Max pocket depth: *no max*
 - Max pocket height: 4 5/8"
- Hang Strips (Wand Tilt shade):
 - Hang strip is provided in 5 sizes when ceiling pocket dimensions meets specified sizes as table below:

Wand Tilt		Motorized
Hang Strip Height	The ceiling pocket size	
1"	4 7/8" ≤ D ≤ 8 1/8"	See motorization specifications.
1 9/16"		
2"		
2 3/8"		
2 15/16"		



Call for current pricing
(609) 742-1720

Item	Description
L Brackets	L brackets are included for Wall Mount or Ceiling Mount. Standard L Bracket for Wand Tilt Shades -Aluminum Shims add-on option available - 3 15/16" long
Aluminum Shim (Optional)	9/16" One shim per L bracket provided
C Clip	• Wall Mount: The C-clip is pre-attached to the headrail. • Ceiling Mount: The headrail can be attached to a pre-drilled Headrail; or using C clips to attach to a standard Headrail. • Additional C-clips are included for ceiling mount applications.
SmartJoint™ & Optional Keystone	Splices track at evenly, allowing for large Side applications. C clips are still used to attach the headrail to the wall. Nickel plated nuts on SmartJoint Connector are coordinated. A keystone is optional for SmartJoint™ to attach the headrail to the wall. Not available on non-spliced tracks. Keystone

Call for current pricing
(609) 742-1720

Additional Options

SmartJoint™ & Keystones

Includes connector pieces to combine a spliced headrail. This allows track width options on a Single Shade and for each Side by Side Shade.

- A SmartDrape™ shade is operable under a spliced headrail and gaps, unlike the C clip joiner that is still required to combine 2 side by side shades together. There will be a gap in between 2 side by side shades depending on the headrail size. (See [shade configurations](#).)
- Added keystones are optional on SmartJoint™ tracks
- Optional keystone are also available for the center of Side by Side Shades
- Track Widths will be spliced once at the center with SmartJoint™ track sizes, and spliced twice for larger track sizes.

Aluminum Shims (for Standard L Bracket)

- Ideal for projecting the SmartDrape shade further out to provide adequate clearance when mounted above a trim or molding. (At least 9/16" thickness)
- Available for wall mount only; not available for ceiling pocket mount or Ceiling Mount
- Shims are color coordinated with the hardware
- Upgrade applies per shim. One shim will be provided for each L bracket. See table below.

Long L Bracket

- Ideal when additional clearance is required for SmartDrape shade. No shims required.
- Extends further than Standard L bracket with 9/16" aluminum shims. Long L brackets not available to extend with Aluminum shims
- Upgrade applies per shade

Call for current pricing
(609) 742-1720

Molding	Recommended Installation
Molding ≤ 3/8"	Standard L Bracket
3/8" < Molding ≤ 15/16"	Standard L Bracket with Aluminum Shims (1 set)
15/16" < Molding ≤ 1 3/4"	Long L Bracket

Hardware Quantity

Single Shade Wand Tilt/ Motorized	Side by Side Shades (Wand Tilt only)	SmartJoint™ Qty
Right/ Left/ Center Stack	LL &RR/ Both Traveling Center Stack	
D (Track Width)		

Hardware Quantity

For Single Shade (Wand Tilt), Right/ Left Stack & Traveling Center Stack

R (Track Width)	Wall Mount		C clip installation for Ceiling Mount		Direction
	Aluminum Shim Qty/ L Bracket Qty/ C clip Qty	Screw Qty	C clip Qty	Screw Qty	
17 5/8" ≤ R ≤ 69 5/8"	2	4	2	2	
73 5/8" ≤ R ≤ 93 5/8"	3	6	3	3	
97 5/8" ≤ R ≤ 141 5/8"	4	8	4	4	
145 5/8" ≤ R ≤ 197 5/8"	6	12	6	6	
201 5/8" ≤ R ≤ 285 5/8"	9	18	9	9	

For Single Shade (Motorized), Right/ Left / Center Stack

R (Track Width)	Wall Mount			C clip installation for Ceiling Mount	
	Aluminum Shim Qty/ L Bracket Qty	C clip Qty	Screw Qty	C clip Qty	Screw Qty
17 5/8" ≤ R ≤ 69 5/8"	2	3	4	3	3
73 5/8" ≤ R ≤ 93 5/8"	3	4	6	4	4
97 5/8" ≤ R ≤ 141 5/8"	4	5	8	5	5
145 5/8" ≤ R ≤ 197 5/8"	6	7	12	7	7
201 5/8" ≤ R ≤ 285 5/8"	9	10	18	10	10

Call for current pricing
(609) 742-1720

For Side by Side Shades (Wand Tilt only), Left Shade Stacks Left, Right Shade Stacks Right

R (Track Width)	Wall Mount		C clip installation for Ceiling Mount		Direction
	Aluminum Shim Qty/ L Bracket Qty/ C clip Qty *	Screw Qty	C clip Qty	Screw Qty	
15 5/8" ≤ R ≤ 71 5/8"	2	4	2	2	
75 5/8" ≤ R ≤ 91 7/8"	3	6	3	3	
95 7/8" ≤ R ≤ 139 7/8"	4	8	4	4	
144 1/8" ≤ R ≤ 196 1/8"	6	12	6	6	
200 1/8" ≤ R ≤ 284 3/8"	9	18	9	9	


* An extra 1 C clip is pre-attached to the headrail.

For Single Shade: Center Opening (Motorized only)


R(Track Width)	Wall Mount			C clip installation for Ceiling Mount		Direction
	Aluminum Shim / L Bracket Qty	C clip Qty	Screw Qty	C clip Qty	Screw Qty	

Control (Wands)

- **Number of Wands:** SmartDrape™ comes standard with c opposite side of the stack location. An additional wand is p shades (per shade) on the opposing side, allowing the sha Available for Single and Side by Side applications.




Traveling Center Stack
(Single)



Traveling
(Side by Side)

Call for current pricing
(609) 742-1720

- **Optional Wand Colors:** Wands can be selected in a different color to match the hardware components. This applies to all wands if Traveling Center Stack is selected.
- **Wand Drop:** The wand drop is the wand length measured from the headrail to the end of the wand. Available in standard or custom.
 - Standard drop: The 7 standard wand drop sizes are based on the shade height.
 - Custom drop: Custom wand drops are available from 12" to 110".




Shade Height (Y1)
36"
70"
90"
105"
110"

Additional Options

Alternating Colors

Select two fabric colors to alternate the vanes of your SmartDrape™. The two colors selected will alternate, starting from left to right.

- Available for Single & Side By Side shades
- Both color selections must be in the same fabric category: RD, LF, and LF Essentials.
Example: RD + RD or Essentials + Essentials
- There is no default color coordination. The wand, headrail and hardware component colors must be specified in order entry.



Shades with an **even** vane quantity will start and end with a vane in each color. Shad start

Refer to the [Shade Configuration](#) charts to determine the van achieved by increasing or decreasing the ordered track width

Additional Vanes

Extra fabric vanes can be requested with a SmartDrape™ shade order*. Each pack contains six vanes. The colors and types of v shade type, stacking type, and color selection.

Shade Type	Stacking Type	One color	
		Option A	Option B
		6 x middle vanes only	
Single shade	Left/ Right/ Traveling center stack (Wand Tilt) Center Stack (Motorized)	1x first vane 4x middle vanes 1x last vane	
	Center Opening	2x first vane 2x middle vanes 2x last vane	
Side by Side	Left/Right and Traveling Center Stack	1x first vane 4x middle vanes 1x last vane	

- For new orders without a shade, the original WO# is required

Call for current pricing
(609) 742-1720

Fabric List & Color Coordination

See Color Coordination Chart for detailed color information.

Opacity / Fabric Type	Fabric Pattern	Color Code	Color Name
Light Filtering	Plain	F1124	Plain White
		F1128	Plain Ivory
		F1132	Plain Light Gr
		F1136	Plain Gray
		F1140	Plain Charco
		F1866	Plain French S
		F1867	Plain Alabast
		F1868	Plain Leather B
		F1341	Plain Cottonw
		F1345	Plain Platinu
		F2128	Plain Linen W
		F2129	Plain Linen Iv
		F2130	Plain Linen Cotto
	Net	F1125	Net White
		F1129	Net Ivory
		F1133	Net Light Gr
		F1137	Net Gray
		F1141	Net Charcoa
		F1342	Net Cottonwo
	Pacific	F1346	Net Platinur
		F1126	Pacific Whit
		F1130	Pacific Ivor
		F1134	Pacific Light C
		F1138	Pacific Gray
		F1142	Pacific Charc
		F1869	Pacific French S
		F1870	Pacific Alabas
		F1871	Pacific Leather E
		F1343	Pacific Cottonv
		F1347	Pacific Platin
	Circle	F1127	Circle White
		F1131	Circle Ivory
		F1135	Circle Light G
		F1139	Circle Gray
		F1143	Circle Charco
		F1344	Circle Cottonw
	Coronado	F1348	Circle Platin
		F1585	Coronado Wh
		F1586	Coronado Iv
		F1587	Coronado Light
		F1588	Coronado Gr
		F1589	Coronado Char
		F1590	Coronado Cottor

Call for current pricing
(609) 742-1720

Fabric List & Color Coordination

See Color Coordination Chart for detailed color information.

Opacity / Fabric Type	Fabric Pattern	Color Code	Color Name
Light Filtering: Essentials	Lakeshore Stripe	F1663	Lakeshore Stripe
		F1664	Lakeshore Stripe Li
		F1665	Lakeshore Stripe C
		F1964	Lakeshore Stripe Wa
		F1965	Lakeshore Stripe F
		F2038	Lakeshore Stripe Red
		F2039	Lakeshore Stripe Ma
		F2040	Lakeshore Stripe S
		F2041	Lakeshore Stripe
		F2042	Lakeshore Stripe Em
Room Darkening		F1169	Soft White
		F1170	Crema
		F1171	Coffee
		F1172	Carbon
		F1603	Light Gray
		F1604	Cottonwool
	Plain	F1854	Plain Soft Wh
		F1855	Plain Crema
		F1856	Plain Coffee
		F1857	Plain Carbo
		F1858	Plain Light G
		F1859	Plain Cottonw
	Pacific	F1860	Pacific Soft W
		F1861	Pacific Cren
		F1862	Pacific Coffe
		F1863	Pacific Carbo
		F1864	Pacific Light C
		F1865	Pacific Cottonv

Call for current pricing
(609) 742-1720

Fabric Composition: 100% Polyester

Fabric List & Color Coordination

Color Coordination Override:

Each fabric has coordinated default hardware colors based

To override the default colors, please select from any of the headrail default color is overridden, below components/ part

Color Availability	White	Cottage White	M Si
Headrail / Keystone See Color Coordination for defaults; color override available	✓	✓	
Wand for Wand Tilt Defaults to headrail selection; color override available.	✓	✓	
Standard/ Long L Bracket Matches headrail selection	✓	✓	
Optional Shims Matches headrail selection	✓	✓	
Motor Components Matches headrail selection	✓	✓	

Call for current pricing
(609) 742-1720

Regardless headrail color, below component color defaults

Optional Charging Extension Wand Defaults to selected fabric; color override available.	Available colors: Cloud Crea
---	------------------------------

Fabric Disclaimer & Product Care

All fabrics will adjust to the environment and its environmental factors. Factors include color fading, fabric stretching, fabric shrinkage, or other factors.

Color Variation

- Colors may appear to vary depending on the time of day and the location where observed.
- All fabric colors gradually fade due to UV exposure. Fabric fading occurs during the day. Naturally, parts of the fabric that are overlapped receive as much solar exposure, and thus the rate in which they fade are more exposed.
- For the best color match, order all matching shades for a room. A perfect and color lot match between orders cannot be assured. An industry standard.

Wrinkles

For SmartDrape™, wrinkles may occur after washing or long storage. Hang it for a few days. This will help minimize the wrinkles, and steam or iron the fabric panels.

Vane Structure

Due to the natural, free-flowing characteristics of sheer fabric, they form a perfect U shape. Taller height drapery with sheer fabric will hang as tight as the top of the drape. RGAs will not be accepted for this issue.

Room Darkening: RD fabrics in particular, are stiffer than LF fabrics and have a natural structure. If the bottom of the fabric vane is slightly curved and is received, you can correct this issue by rolling the vane in the heat and using a fabric steamer to soften the bend.

Operating SmartDrape™

Be sure the fabric vanes are in an open position when stacking or unstacking.

Product Care

Washing Instructions

1. Remove the fabric from the fabric vane clip.
2. Fold the fabrics and place them in a mesh laundry bag.
3. Wash with cold water; gentle cycle. **Note: Do not use bleach.
4. Do not add extra spin after wash. Remove the fabric.
5. Hang the fabrics to line dry, until the fabrics are slightly damp.
6. Re-assemble all slats on the rail and leave the vanes open to avoid wrinkles.

Ironing or steaming:



Call for current pricing
(609) 742-1720