



Call for current pricing
(609) 742-1720



Portrait™ Honeyco



Revision Log

Date	Revisions
Effective 1/1/2026	<u>General Updates:</u> Pg. 5, 6, 8, 9, 14 : Added new Room Darkening & Ashton (Cordless) shades. Pg. 40 : Added new rail color 3012 Bianca; updated default color.
Effective 11/24/2025	Updated the handle quantities provided for all cordless shades.
Effective 10/15/2025	Updated the max. shade height for Cordless TDBU
Effective 8/1/2025	<u>General Updates:</u> Discontinued current Light Filtering colors, including Bright Mica C7106, etc. See Appendix.
Effective 7/15/2025	Added Cord Loop System Semi-IM Cord Tensioner Holder Update the valance insert image for Vintage L Frame & Heritage
Effective 6/18/2025	Added Motorized Skylights
Effective 5/9/2025	<u>General Updates:</u> Added new colors. See Appendix.
Effective 4/30/2025	<u>General Updates:</u> Discontinued Ultra White C7008 , Arctic White C4006 , White Appendix. Bright White C7001, Marshmallow C7002, Ivory C7003, Mica Appendix for equivalent colors. Added Shim/Spacer Block Qty
Effective 3/1/2025	<u>General Updates:</u> Added new colors. See Appendix. -Updated the max. shade width for Cordless TDBU
12/19/2024	-COLOR VARIATION
Effective 10/1/2024	-Updated Light Guard Color Codes.
8/1/2024	-Added fabric deduction note for OB Cord Loop/SmartRelease
7/1/2024	-Increased max area to 80 SQFT for Norman Smart 65W / 65W
6/1/2024	<u>General Updates:</u> - Due to a WCMA/ANSI safety standard revision, the Tensioner shades. Some spec changes apply. -Updated shade min width and min height for Cord Loop shades. -Updated default and custom cord length for all Cord Loop shades. -Updated hold down bracket (traditional)

Call for current pricing
(609) 742-1720



Table of Contents

Features & Benefits

General Specifications

Size Considerations (Min/Max)
Standard Deductions
Compare Honeycomb Systems & Options (Option
Mounting Depths
Mounting Hardware

Operating Systems

Cordless Systems
Cord Loop Systems
Lift Systems for Woven Fabrics.
2 on 1 Shades / Side by Side
SmartFit® Systems
Motorized Skylights.
SmartFit® with Frame Systems
 Frame, T-Post and Sill Plate Options & Mea
SmartFit with Frame for Sloped Windows
Patio Door Vertical
Specialty Shapes

Call for current pricing
(609) 742-1720

Available Colors

Headrail Colors
Frame Colors
Complete Fabric List and Color Coordination Cha

Additional Info, Options & Parts

Fabric Stacking Heights
Additional Options
Cut-outs

Features & Benefits

Features

E

Sleeker, Stronger Headrail

- Light yet extremely sturdy with cc
- Sleek and space-saving profile
- Resilient components for worry-fr

Unique D-Cell Structure

- Creates perfect pleats for long-la
- Remarkable strength even in hot,

Various Cell Sizes, Light Control Options and Colors

- 3/8" single, 1/2" double, 3/4" sing
- Offered in Sheer, Light Filtering a control
- Luxury fabric upgrades available Resistant fabrics

Sheer	Windsong	Light Filtering / Designer
	 	  

Call for current pricing
(609) 742-1720

Key Features & Flame Resistant

- Cordless lift system comes stand
- "Best for Kids" certified in multiple
- Flame resistant fabrics available

Cordless: Easy to operate and elim

Top-Down Bottom-Up: Adjust your level by lowering shades from the to the bottom like a traditional shade.

SmartFit®: Tight fit on French doors leakage and maximize privacy.

Superior Operating Systems

SmartFit® with Frame: Framed – Ti minimizing light leakage; now availa

Cord Loop: Features unique clutch Available in standard cord loop, Top

SmartRelease™: Allows the shade



Call for current pricing
(609) 742-1720

9/16" CORDLESS SINGLE CELL

Width

USA	24	30	36	42	48	54	60	
36	212	254	274	297	318	362	437	
42	238	270	282	312	336	385	460	
48	248	278	291	328	366	404	485	
54	252	286	304	340	374	423	512	
60	266	301	318	353	412	445	543	
66	282	326	340	368	420	463	566	
72	289	335	349	385	439	486	592	
78	338	387	412	449	490	573	611	
84	345	401	423	468	508	596	635	
90	353	412	439	484	525	618	661	
96	365	423	451	499	544	640	688	
108	401	471	508	565	618	730	791	
120	439	520	565	625	692	823	887	
144	519	622	674	748	838	1007	1080	

Height

IMPORTANT: Honeycomb Cordless shades have a max width of 96".

3/8" CORDLESS SINGLE & 3/4" SINGLE

Width

USA	24	30	36	42	48	54	60	
36	270	336	351	387	418	448	472	
42	311	347	367	404	437	471	501	
48	319	359	382	424	484	497	527	
54	334	373	398	443	500	522	552	
60	342	394	415	465	527	546	577	
66	367	423	443	482	532	566	605	
72	376	434	456	502	543	595	635	
78	438	504	537	590	639	699	747	
84	449	523	554	608	666	727	779	
90	465	537	573	629	688	752	810	
96	474	552	592	650	713	780	841	
108	507	596	639	705	778	850	919	
120	543	636	688	764	842	922	999	
144	572	676	749	820	904	997	1079	

Height

IMPORTANT: For 3/4" single cordless, the max width is 108". For 3/8" single cordless, the max width is 96".

Call for current pricing
(609) 742-1720

Lift System Surcharges:

- Continuous cord loop \$73
- SmartRelease™ \$89
- TDBU \$89

SmartFit® Surcharges:

Miscellaneous:

- Shim
- Side mount
- Light Guide
- Magnetic
- Cut-out

1/2" CORDLESS DOUBLE

Height	USA	24	30	36	42	48	54	60	
	36	281	347	364	402	433	464	490	
	42	323	359	382	420	453	487	520	
	48	333	373	397	440	501	515	545	
	54	346	388	411	460	519	541	573	
	60	356	407	430	483	545	567	601	
	66	382	439	460	499	549	587	628	
	72	390	450	472	522	563	616	659	
	78	454	526	558	609	665	725	775	
	84	465	542	574	630	690	752	810	
	90	483	558	595	652	712	780	840	
	96	493	573	613	674	739	811	871	
	108	527	617	665	733	809	882	953	
	120	563	660	712	793	873	956	1037	
	144	594	690	766	849	939	1035	1120	

IMPORTANT: Cordless max width is 108".

3/4" CORDLESS DOUBLE & 1 1/4" SINGLE

	USA	24	30	36	42	48	54	60	
Height	36	336	416	436	483	519	555	591	
	42	387	432	457	503	544	586	625	
	48	399	446	474	529	602	620	655	
	54	415	465	494	549	624	648	689	
	60	429	490	517	577	655	680	721	
	66	457	527	549	600	660	704	753	
	72	469	541	569	626	675	739	792	
	78	545	629	669	733	797	871	932	
	84	561	649	690	759	827	903	970	
	90	577	669	713	786	854	938	1007	
	96	592	689	736	811	887	971	1046	
	108	630	740	797	878	969	1058	1145	
	120	675	793	854	951	1047	1148	1243	
144	712	810	918	1020	1126	1241	1343		

IMPORTANT: Cordless max width is 108".

Flame Resistant Fabrics

Height	USA	24	30	36	42	48	54	60
	36	471	587	611	676	730	780	826
	42	543	605	641	705	765	823	875
	48	558	629	667	742	846	868	920
	54	581	651	695	772	873	911	966
	60	600	689	725	813	920	956	1010
	66	641	739	772	842	932	989	1058
	72	658	759	798	877	949	1039	1111
	78	767	882	939	1029	1116	1221	1309
84	782	913	968	1064	1162	1268	1363	

Call for current pricing
(609) 742-1720

3/4" CORDLESS SINGLE & 1 1/4" SINGLE

USA	24	30	36	42	48	54
36	402	499	522	577	623	667
42	465	517	547	604	651	701
48	477	535	569	635	721	743
54	498	558	591	661	746	776
60	512	587	618	695	785	815
66	547	633	661	717	793	844
72	563	647	679	749	811	888
78	652	753	800	877	955	1044
84	671	777	827	909	991	1083
90	692	800	847	941	1016	1127
96	712	822	868	973	1041	1172
108	728	837	886	1005	1059	1216
120	743	851	905	1037	1078	1260

PRICE GROUP 1 | Windsong

3/4" CORDLESS SINGLE & 1 1/4" SINGLE

USA	24	30	36	42	48	54
36	463	573	601	666	716	767
42	534	595	630	696	749	806
48	548	616	651	730	830	854
54	572	641	677	762	861	894
60	591	675	712	798	902	939
66	630	728	762	827	910	971
72	647	744	780	864	933	1020
78	750	869	921	1011	1097	1201
84	771	895	950	1044	1140	1244
90	799	930	988	1086	1189	1296
96	826	964	1025	1127	1239	1349
108	860	1007	1072	1178	1295	1412
120	880	1033	1101	1211	1337	1454

PRICE GROUP 2 | Breeze, Ashton

Call for current pricing
(609) 742-1720

Lift System Surcharges:

- Continuous cord loop

\$72

Fc

Size Considerations

Operating System		Width (Net)	
		Min	Max
SmartRise™ Cordless	3/8"S & 9/16"S, 3/8"S FR Essentials		96"
	3/4"S, 3/4" D, 1/2" D, & 1 ¼" S, 3/4"S FR Essentials	11 ½" ①	108"
	Solus	15 ½" ①	
	FR 3/8"S	25"	96"
	FR 3/4"S		108"
Cordless TDBU	3/8"S & 3/8"S FR Essentials	15"	96"
	9/16"S		
	3/4"S, 3/4" D, 1/2" D, & 1 ¼" S, 3/4"S FR Essentials	15" ⑫	108"
	Solus	15 ½" ⑫	108"
	FR 3/8"S	25"	96"
	FR 3/4"S	25" ⑫	108"
Cordless Day & Night	All Other Fabrics	15"	96"
	Solus	15 ½"	
	Windsong ③	15"	84"
Woven Cordless (Windsong, Breeze, Ashton)		15 ½"	84"
Woven Cordless TDBU (Windsong, Breeze, Ashton)		15 ½"	72"
SmartFit®	3/8" Single, Ashton	8 ½"	54"
	All other cells		72"
SmartFit® with Frame ⑦		(The shade must be 1" wider than the window opening)	
SmartFit® Dual Shade	3/8" Single, Ashton	8 ½"	54"
	All other cells		72"
SmartFit® Dual Shade with Frame ⑦		(The shade must be 1" wider than the window opening)	
SmartFit® for Sloped Windows		8 ½"	54"
SmartFit® for Sloped Windows with Frame ⑦		(The shade must be 1" wider than the window opening)	
Cord Loop & SmartRelease™		15 ½"	120"
Cord Loop TD		24" ④	
Cord Loop Day & Night			
Motorized Bottom Up			please refer to page 14
Motorized Top Down			
Norman® Smart Motorized: Bottom Up			
Norman® Smart Motorized: TDBU / Day & Night			
Norman® Smart Motorized : Skylights			
Patio Door Vertical		30" ⑩	144"
Patio Door Vertical Day & Night		30"	

Call for current pricing
(609) 742-1720

****All size limitations are in NET width****

- ① SmartRise™ Cordless: (all cell sizes) Minimum width is 25" when the height is greater than 72".
- ② Woven Cordless: Maximum height is 62" when the width is 19" or less.
- ③ Woven Fabrics & Designer Ashton: Maximum is 86" W x 86" H.
- ④ Cord Loop TD and D&N: Minimum width is 30" when the height is greater than 72".
- ⑤ Motorized TD: Minimum width is 35" when the height is greater than 72".
- ⑥ Patio Door Vertical: Maximum height is 96" for FR fabric (3/4" S); does not apply to FR Essentials.
- ⑦ All SmartFit® with Frame measurements are maximum frame to frame. See dedicated min/max.
- ⑧ Side Mount: For Side Mount installation only, the max width is 37" for all systems.
- ⑩ Patio Door Vertical HC: The headrail will be sliced based on the order width and height:

Size Considerations – Side Mount and 2-on-1

Side Mount Support Brackets (Kit)

- Kit includes a supporting piece provided with the installation bracket.
- Side Mount bracket installation is an option for IM windows only, for widths
- * For widths > 37":
 - The Side Mount Supporting Bracket Kit can be requested for s
 - brackets are required and must be used in installation in order
 - mount supporting bracket kits with regular brackets to do side
 - Selection includes both regular brackets (required) and Side M
- Available in the following operating system:

Systems	Side Mount Availability
SmartRise™ Cordless	✓
Cordless TDBU	✓
Cordless Day & Night	✓
Cordless (Woven)	✓
Cordless TDBU (Woven)	✓
Cord Loop	✓
Cord Loop TD	✓
Cord Loop Day & Night	✓
SmartRelease™	✓
Motorization	✓
Patio Door Vertical, Day & Night	✓
SmartFit®	x
SmartFit® Dual Shade	x
SmartFit® for Sloped Windows	x
SmartFit® with Frame	x
SmartFit® Dual Shade with Frame	x
SmartFit® with Frame for Sloped Windows	x
Specialty Shapes	x
Motorized Skylights	x

Call for current pricing
(609) 742-1720

2-on-1 Shades					2-on-1	
System		Min (whole unit)	Max (whole unit)	Max Area (per shade)	Side Mount	
SmartRise™ Cordless (9/16"S, 3/8"S & 3/8"S FR Ess.)	Width	23 ¼" *	120" total width (96" max per shade)	80 SQFT per shade	Cordless (Ashton, B & Windsor)	
	Height	10"	120"			
SmartRise™ Cordless (3/4"S, 3/4"S FR Ess. 3/4"D, 1/2"D, & 1 ¼"S)	Width	23 ¼" *	120" total width (108" max per shade)	90 SQFT per shade	Cord Loop (Ashton Windsor)	
	Height	10"	120"			
SmartRise™ Cordless (Solus)	Width	31 ¼" *	120" total width (108" max per shade)	90 SQFT per shade	Notes: • One 3 • Standi • The 2- <u>also for</u>	
	Height	10"	120"			
SmartRise™ Cordless	Width	50 ¼" *	120" total width (3/4"S:108" max per shade) (3/8"S: 96" max per shade)	90 SQFT per shade		(3/8"S: 80 SQFT per

Standard Deductions

Product	Mount Type	Shade Width (X)		
		Order Width	Tolerance	
Cordless Cordless TDBU Cordless Day & Night Cordless & Cordless TDBU (<i>Woven</i>)	OB	X=Order Width	±1/8"	
	IB	X=Order Width - 3/8"		
SmartRelease™ Cord Loop Cord Loop TD Cord Loop Day & Night Motorization	OB	X=Order Width *	±1/8"	
	IB	X=Order Width - 3/8"		
SmartFit® SmartFit® for Sloped Windows	IB	X=Order Width – 1/4" (IB w/o light guard)	±1/8"	
		X=Order Width - 3/8" (IB w/ light guard)		
SmartFit® Dual Shade	IB	X=Order Width - 3/16" (IB w/o light guard)	±1/8"	
		X=Order Width - 3/8" (IB w/ light guard)		
Motorized Skylights	IB	X=Order Width – 1/4"	±1/8"	
Vertical Vertical Day & Night	OB	X=Order Width	± 1/8"	Y:
	IB	X=Order Width - 3/16"		Y:

Call for current pricing
(609) 742-1720

Measurement:

- Width: Measure shade from left end cap to right end cap.
 - Height: When the shade is fully extended, measure from the top of the h of bottom rail
 - For Vertical applications:
 - Width: Measure from the left end cap to the right end cap alc
 - Height: Measure from the top of headrail to the bottom of vei
- For Center Opening:
- Left Shade Width: Measure from the left headrail end cap to the middle \
 - Right Shade Width: Measure from the middle vertical rails joint to the rig
- For Motorized Skylights:
- Width: Measure from the left end cap to the right end cap along the Fixe
 - Height: Measure from the top of Fixed Rail with Motor to the bottom of F

Other Products:

- 1.SmartFit® with Frame systems** (Max Frame to Frame Size)
Width: measure from outside left frame to outside right frame.
Height: measure from top of frame to bottom of frame.
- 2.Vertical & Vertical Day & Night:**
OB Recommendation: add 4" to opening width and 2" to openin
- 3.Specialty Shapes:**

Option Reference Charts

Operating Systems			
	3/8" Single	9/16" Single	1/2"
SmartRise™ Cordless Cordless TDBU Cordless Day & Night	✓	✓	
Cordless (Woven) Cordless TDBU (Woven)	x	x	
SmartFit® SmartFit® Dual Shade	✓	✓	
SmartFit® for Sloped Windows	✓	x	
SmartFit® with Frame SmartFit® Dual Shade with Frame	✓	x	
SmartFit® with Frame for Sloped Windows	✓	x	
Cord Loop SmartRelease™ Cord Loop TD Cord Loop Day & Night	✓	✓	
Motorized	✓	✓	
Motorized Skylights	x	x	
Specialty Shapes	✓	✓	
Patio Door: Vertical Day & Night	x	x	

*OB SmartFit / OB SmartFit Dual Shade is not available in large cells (3/4 "Double & 1 ¼" Single)

Fabric Type			
	3/8" Single	9/16" Single	1/2"
Sheer *	✓	x *	
Light Filtering	✓	✓	
Room Darkening	✓	✓	
Designer Fabric (LF) **	✓	x	
Designer Fabric (RD)	x	x	
Designer Fabric: Ashton (LF & RD) ^{NEW}	x	x	
Flame Resistant – LF & RD	✓	x	
FR Essentials (Flame Resistant)	✓	x	
Solus	x	x	
Woven: Breeze & Windsong	x	x	

* 9/16" Single Sheer fabrics are not available as a single shade, only as a Day & Night application

** The Rustica & Silverbrook Collection in Designer LF is not available in 3/8" Single.

Day & Night Fabric Combinations					
Top Shade	Sheer *	Windsong *	Light Filtering/ LF Designer	Sheer, Windsong, LF, RD, Designer	Light Filtering/ LF Designer (3/4"S & 1 ¼" S)
Bottom Shade	LF, RD, Designer, Solus	LF, RD, Designer, Solus	Light Filtering/ LF Designer	Solus *	Room Darkening RD Designer (3/4"S & 1 ¼" S)

Day & Night Fabric Combinations

• Most fabric combinations are available except for the following:

- Room Darkening + Room Darkening
- Sheer + Sheer
- Windsong + Windsong
- Sheer + Windsong

• *Some fabrics are limited to a top shade or a bottom shade only:

- Sheer and Windsong are only available as a top shade for all Day & Night systems.
- LF + RD combination (including Designer) is only available in 3/4" or 1 ¼" Single Cell, and the RD shade must be a bottom shade.
- Solus is only available as a bottom shade for all Day & Night systems.

Call for current pricing
(609) 742-1720

Option Reference Charts

Fabric type/cell size availability by operating system.

Light Filtering & Room Darkening Fabrics

System	Light Filtering & Room Darkening		
	(9/16" S)	(3/8"S)	(3/4"S & 1 1/4"S)
SmartRise™ Cordless	✓	✓	✓
Cordless TDBU	✓	✓	✓
Cordless Day & Night	✓	✓	✓
Woven Cordless	—	—	—
Woven Cordless TDBU	—	—	—
SmartRelease™	✓	✓	✓
Cord Loop	✓	✓	✓
Cord Loop TD	✓	✓	✓
Cord Loop Day & Night	✓	✓	✓
SmartFit®	✓	✓	✓
SmartFit® Dual Shade	✓	✓	✓
SmartFit® for Sloped Windows	—	✓	—
SmartFit® with Frame	—	✓	—
SmartFit® Dual Shade with Frame	—	✓	—
SmartFit® for Sloped Windows with Frame	—	✓	—
Motorized Bottom Up	✓	✓	✓
Motorized Top Down	✓	✓	✓
Norman® Smart Motorized Bottom Up	✓	✓	✓
Norman® Smart Motorized TDBU	✓	✓	✓
Norman® Smart Motorized Day & Night	✓	✓	✓
Norman® Smart Motorized Skylights	—	—	✓ ^②
Patio Door Vertical	—	—	✓
Patio Door Vertical Day & Night	—	—	✓
Specialty Shapes	✓	✓	✓ ^①

Call for current pricing
(609) 742-1720

①Specialty Shapes are not available in 3/4"D or 1 1/4"S cell sizes

②Norman® Smart Motorized Skylights is NOT available in 3/4"D or 1 1/4"S cell sizes.

Woven & Designer Fabrics






System	Windsong	Breeze	Solus	Designer Ashton	Designer Light Filter	
	(3/4"S & 1 1/4"S)	(3/4"S & 1 1/4"S)	(3/4"S & 1 1/4"S)	(3/4"S & 1 1/4"S)	(3/8"S)	(3/4"S)
SmartRise™ Cordless	—	—	✓	—	✓	✓
Cordless TDBU	—	—	✓	—	✓	✓
Cordless Day & Night	✓	—	✓	—	✓	✓
Woven Cordless	✓	✓	—	✓	—	—
Woven Cordless TDBU	✓	✓	—	✓	—	—
SmartRelease™	✓	—	✓	✓	✓	✓
Cord Loop	✓	—	✓	✓	✓	✓
Cord Loop TD	✓	—	✓	✓	✓	✓
Cord Loop Day & Night	✓	—	✓	—	✓	✓
SmartFit®	✓	—	✓	✓	✓	✓
SmartFit® Dual Shade	✓	—	✓	✓	✓	✓
SmartFit® for Sloped Windows	—	—	—	—	✓	—
SmartFit® with Frame	—	—	—	—	✓	—
SmartFit® Dual Shade with Frame	—	—	—	—	✓	—
SmartFit® for Sloped Windows with Frame	—	—	—	—	✓	—
Motorized Bottom Up	✓	—	✓	—	✓	✓
Motorized Top Down	✓	—	✓	—	✓	✓
Norman® Smart Motorized Bottom Up	✓	✓	✓	✓	✓	✓
Norman® Smart Motorized TDBU	✓	✓	✓	✓	✓	✓

Mounting Depths

	Flush IB			
	3/8" Single	9/16" Single	3/4" Single & 1/2" Double	3/4" Double 1 1/4" Single
SmartRise™ Cordless	1 3/4"	1 3/4"	1 15/16"	2 11/16"
SmartRise™ Cordless (with light guard)	1 13/16"	1 13/16"	1 15/16"	2 3/4"
Cordless TDBU, Cordless Day & Night	1 15/16"	1 15/16"	1 15/16"	2 11/16"
Cordless TDBU, Cordless Day & Night (with light guard)	1 15/16"	1 15/16"	1 15/16"	2 3/4"
Cord Loop, Cord Loop TD, Cord Loop Day & Night, SmartRelease™	2 5/16"	2 5/16"	2 5/16"	2 11/16"
Cord Loop, SmartRelease™ (with light guard)	2 5/16"	2 5/16"	2 5/16"	2 3/4"
Cord Loop TD, Cord Loop Day & Night (with light guard)	2 5/16"	2 5/16"	2 5/16"	2 3/4"
Cord Loop, Cord Loop TD, Cord Loop Day & Night, SmartRelease™ (with Semi-IM Cord Tensioner Holder)	2 13/16"	2 13/16"	2 13/16"	3 3/16"
Cord Loop, SmartRelease™ (with light guard & Semi-IM Cord Tensioner Holder)	2 3/4"	2 3/4"	2 3/4"	3 1/4"
Cord Loop TD, Cord Loop Day & Night (with light guard & Semi-IM Cord Tensioner Holder)	2 13/16"	2 13/16"	2 13/16"	3 1/4"
Woven Cordless, Woven Cordless TDBU	NA	NA	2 1/8" for 3/4" Single	2 11/16" for 3/4" Double 1 1/4" Single
SmartFit®, SmartFit® Dual Shade (with mounting plate)	1 1/4"	1 7/8"	1 7/8"	2 5/8"
SmartFit®, SmartFit® Dual Shade (with light guard)	1 5/16"	1 7/8"	1 7/8"	2 11/16"
SmartFit® for sloped windows	1 3/8"	NA	NA	NA
SmartFit® for sloped windows (with light guard)	1 7/16"	NA	NA	NA
Specialty Shapes	1 3/4"	2 1/8"	2 5/8"	NA
Vertical, Vertical Day & Night (with Installation bracket)	NA	NA	3 1/16" for 3/4" Single	3 1/16" for 3/4" Double 1 1/4" Single

Call for current pricing
(609) 742-1720

Mounting Hardware

Lift System	Cell Sizes	Bracket	Lift System
SmartRise Cordless	9/16" S 3/8" S		SmartFit I (1. OB for 9/16"S, 1/2" 2.IB side n marble sill sizes.)
SmartRise Cordless	3/4" S 1/2" D		Cordless Woven Motorized (for Fiberglass)
Cordless TDBU, Cordless Day & Night	3/8" S 9/16" S 3/4" S 1/2" D		Cordless Woven Motorized
SmartRise Cordless, Cordless TDBU, Cordless Day & Night, SmartRelease, Cord Loop, Cord Loop TD, Cord Loop Day & Night, Motorization	3/4" D 1 1/4" S		Specialty
Vertical Patio Door, Vertical Day & Night (Installation Bracket is Optional for IB)	3/4" S 1 1/4" S		
SmartRelease, Cord Loop, Cord Loop TD, Cord Loop Day & Night, Motorization, Motorized Skylights (Fixed Rail with Motor)	3/8" S 9/16" S 3/4" S 1/2" D		
SmartFit For Sloped			SmartFit For Sloped

Call for current pricing
(609) 742-1720

Lift Systems - Cordless

SmartRise™ Cordless (Bottom Up)




- SmartRise™ Cordless system for precise, smooth and reliable operation . Simply lower and stop at any position to lock your shade in place.
- The perfect solution for homes with children and pets.
- Easy to operate, and eliminates cords for a streamlined appearance.

Cordless TDBU (Top Down/Bottom Up)



- Adjusts from the top or from the bottom se
- No dangling cords.
- Control light and privacy with ease.

Call for current pricing
(609) 742-1720



Cordless Day & Night



- Control the amount of light between two different fabri
- Available in all cell sizes


Order

Lift Systems – Cord Loop & SmartRelease

Cord Loop/SmartRelease™

- This option features a clutch that makes raising and lowering extremely wide shade easier.
- The circular cord will remain at the same length no matter which position the shade is raised. The shade can be easily adjusted to any height and will hold its position automatically.
- Covers extra wide windows.

SmartRelease™: This **exclusive** and **patent-pending** innovation to cord loop systems allows the shade to be released or lowered from an upward position with a gentle pull.



Cord Loop TD (Top Down)

- Convenient light and privacy control
- Easy to operate cord loop system
- Covers extra wide windows.

Cord Loop Day & Night

- Control the amount of light by switching between top down and bottom up.
- Available in all cell sizes.

Call for current pricing
(609) 742-1720

Cord Loop Length (Y2)

Shade Height (Y)	Default Cord Length
$Y \leq 30"$	9"
$30" < Y \leq 42"$	24"
$42" < Y \leq 55"$	36"
$55" < Y \leq 69"$	48"
$69" < Y \leq 95"$	60"
$Y > 95"$	84"
Shade Height (Y)	Custom Cord Length
All Shade Heights	Min length: 9" The max custom cord loop length should be <u>no more than</u>

System


Cord Loop
SmartRelease

Cord Loop T
Cord Loop D

Lift Systems – Cordless / Cordless TDBU for W

High-design textures and materials specially curated for a new

- Woven fabric collections: **Windsong & Breeze**
- 3/4" Single & 1 1/4" Single cell only
- Available in Woven Cordless & Woven Cordless TDBU
 - Dedicated cordless operating systems for woven
 - Select woven fabrics also available in other lift
- Available as a single shade or 2-on-1 headrail
- Woven Cordless not available as a Day & Night applica



Call for current pricing
(609) 742-1720

Woven Cordless Operating System


- Shades ordered with our new woven honeycomb fabrics the operating mechanism is housed in the bottom rail and
- Matching Woven fabrics with other Honeycomb Fabrics:
 Since Cordless for Woven and SmartRise™ Cordless two shades types will look visibly different from each other. Keep this in mind when ordering woven fabrics with the same home.

	Order Width
--	-------------


Lift Systems - 2-on-1 Shades / Side by Side C

2 on 1 Shades


- Two independent working shades, on one headrail for a mor
- The control locations will be on the left of the left shade, and below. To ensure the long term performance of the shade, th 2-on-1 shades.
- Available in the following lift systems only:



Cordless



Cord Loop



Call for current pricing
(609) 742-1720

Side by Side


- When Side by Side is selected, magnets will be added to en criteria below. Cell alignment or exact shade height at a fully
- **Side by Side Shades must be ordered at the same time and must be identical in the following.**
 - Mount type
 - Lift system
 - Fabric color
 - Shade height
 - Cell size
- *There are no exceptions to the above Side by Side criteria
- Available for all lift systems except for: Motorized application SmartFit for Sloped Windows applications.
- Handle QTY is for Side by Side cordless shades

Lift Systems – SmartFit, SmartFit Dual Shade


SmartFit®



- Adjust your privacy level by lowering the shade from the top to let in natural light or raising the shade from the bottom like a traditional cordless shade.
- No dangling pull cords.
- Exclusive concealed cord equalizer housing for a clean look
- Works like cordless TDBU without the cords in the center; inside or outside the window.
- Available in all cell sizes
- Suitable for windows up to 0~15°
- For 3/4" Single & 1/2" Double only: When multiple SmartFit shades for the same window opening are ordered (or specified as **Side by Side**), magnets will be moved to the center - not on the ends of the rails. This is to prevent shades from attracting each other.




*The inner



Call for current pricing
(609) 742-1720

SmartFit® Dual Shade



- Two individual SmartFit shades for more fabric combinations
- Suitable for windows up to 15°

Fabric combinations

- All available* fabric types and fabric type defaults.
 - Sheer + RD, LF, or combine sheer
- *FR LF & RD, FR Essential for SmartFit® Dual.


Cell Sizes

- Available in same cell size

Lift Systems – SmartFit for Sloped Windows

SmartFit® for Sloped Windows



- Available in 3/8" single cell only
- Operates as bottom up
- Suitable for windows up to 45°~90°



SmartFit for Sloped Windows

Shade Width
$8.5" \leq X \leq 15.75"$
$31.5" < X \leq 45.25"$
$45.25" < X \leq 60"$


Call for current pricing
(609) 742-1720



Lift Systems – Motorized Skylights


Motorized Skylights

- Complete solution for skylight window applications
- Designed to stay securely in place on angled or overhead windows
- Convenient motorized option allows for operation in high or hard-to
- Operates as top down
- With a stationary bottom rail, the shade lowers neatly from the top, fabric stack when open.
- Two light guard pieces are included as part of this system to minim
- Available in Norman® Smart Motorization with 36W AC Adapter Plu power sources.
- Available in 3/4" Single and 1/2" Double cell only



Skylight I
3058
3094 Cott
3129
3212 B

1. Defaul selecte
2. Rail cc above
3. Light C




Call for current pricing
(609) 742-1720

Lift Systems - SmartFit with Frame

SmartFit® with Frame

- Perfect solution for French doors or any window
- Adjusts from the top or from the bottom securely with no dangling
- Can be mounted as inside or outside mount
- Available in 3/8" Single cell only
- Available frame styles:
 - Vintage L Frame (1/4" Light Block)
 - Vintage L Frame (3/4" Light Block)
 - ***Only available with notch out option**
 - Vintage Hang Strip with Insert (No Light Block)
 - Beaded L frame
 - 1 1/4" Beaded Z Frame
 - 1 1/2" Bullnose Z Frame
 - 2" Belair Z frame
 - 2" Bullnose Z Frame
 - 3" Crown Z Frame
 - 2" Camber Deco Frame
 - 2" Classic Deco Frame
 - 3" Ridge Deco Frame
- Frames are available as 4-sided frames or 3-sided frames with a s
 - Sill plates are optional for Z and Deco frames only.
- T Posts are optional for all frame types
- Notch out for Vintage L Frame with 3/4" Light Block:




Notch-out size limitation:

$$A \leq 1 \frac{1}{8}"$$

$$B \leq \frac{1}{2}"$$

Notch-out is allowed on the light block area

- Featuring a 4-dovetail key solution for an easy installation



Dovetail key displayed with L frame

Call for current pricing
(609) 742-1720

Lift Systems - SmartFit with Frame

SmartFit® with Frame

- Only max frame to frame measurements will be accepted
 - Width: measure from the left edge of the left frame to the far right edge of the right frame
 - Height: measure from the top edge of the top frame to the bottom edge of the bottom frame

	Frame to Frame Width				
	NO T-post 1 Shade	1 T-post 2 Shades	2 T-posts 3 Shades	3 T-posts 4 Shades	
Vintage L & Beaded L Frame /					
Min	10 ½"	20"	29 ½"	39"	
Max	51 ¾"	102 ¾"	153 ¾"	204 ¾"	
1 ¼" Beaded Z Frame					
Min	11 ¼"	20 ¾"	30 1/4"	39 ¾"	8'
Max	52 1/2"	103 1/2"	154 1/2"	205 ½"	
1 ½" Bullnose Z Frame					
Min	11 ¾"	21 1/4"	30 ¾"	40 ¼"	9'
Max	53"	104"	155"	206"	
2" Camber & Classic Deco Frame / 2" Beaded Z Frame					
Min	12 ¾"	22 1/4"	31 ¾"	41 ¼"	10'
Max	54"	105"	156"	207"	
3" Ridge Deco Frame / 3" Crown Z Frame					
Min	14 ¾"	24 1/4"	33 ¾"	43 ¼"	12'
Max	56"	107"	158"	209"	

- Each shade between t-posts is limited to a single SmartFit® shade

	Width (Net)		
	Min	Max	Min
SmartFit® (3/8" S)	8 1/2"	50"	6"

Conversion Chart

Frame	Frame thickness *	Standard IM Deduction	Conversion
			Inside Measurement
Vintage L Frame (1/4" Light Block)	7/8" (x2)	zero	MFF = Window Size - deduction
Vintage L Frame (3/4" Light Block)	7/8" (x2)	zero	
Vintage Hang Strip with Insert (No Light Block)	7/8" (x2)	zero	
Beaded L frame	7/8" (x2)	zero	MFF = Window Size - deduction
1 1/4" Beaded Z Frame	3/8" (x2)	1/8"	
1 1/2" Bullnose Z Frame	5/8" (x2)	1/8"	
2" Belair Z frame	1 1/8" (x2)	1/8"	MFF = Window Size - deduction
2" Bullnose Z Frame	1 1/8" (x2)	1/8"	MFF = Window Size - deduction
3" Crown Z Frame	2 1/8" (x2)	1/8"	MFF = Window Size - deduction

Call for current pricing
(609) 742-1720

Lift Systems - SmartFit with Frame

Special Note for calculating max frame to frame

Z frames are inside mounted frames. The body of the frame must outer lip of the frame residing outside of the window. Since the body of the frame is inside the window opening we recommend taking a 1/16" deduction from each side of the opening for an overall total of 1/8" to ensure the frame will fit within the opening. If a larger deduction should be taken.

To calculate the max frame to frame width and height, first measure the smallest width and height of each side for an overall total of 1/8" (1/16" sizes minus the 1/8" deduction) to the portion of the Z frame lip that is inside the window opening to arrive at the max frame to frame measurements.


1 1/4" Beaded Z	0.375"
1 1/2" Bullnose	0.625"
2" Belair & Bullnose	1.125"
3" Crown	2.125"

Example: For a 36" x 60" window opening using a 2" Bullnose Z frame

36 - (2 x 0.0625") = 35.875" wide + (2 x 1.125") = 38.125" max frame to frame width
 60 - (2 x 0.0625") = 59.875" tall + (2 x 1.125") = 62.125" max frame to frame height


Call for current pricing
(609) 742-1720

2" Bullnose Z Frame




Max frame to frame size = Window Opening Size - 1/8" + 1 1/8"

1 1/2" Bullnose Z Frame




Lift Systems - SmartFit with Frame

2" Belair Z frame



Max frame to frame size=Window


1 1/4" Beaded Z Frame



Max frame to frame size=Window C


Call for current pricing
(609) 742-1720

3" Crown Z Frame



Max frame to frame size=Window O


For orders using sill plates, subtract the recommended deduction to the height only.




Lift Systems - SmartFit with Frame

Frame, and T-Post Options


L Frames & Hang Strips




Vintage L Frame with Insert
(1/4" Light Block)



(Optional T Post)



Vintage Hang Strip




Call for current pricing
(609) 742-1720


Lift Systems - SmartFit with Frame

Frame, T-Post and Sill Plate Options


Z Frames




1 1/2" Bullnose Z Frame



(Optional T Post)




(Optional Sill Plate)




(C

Call for current pricing
(609) 742-1720




1 1/4" Beaded Z Frame




Lift Systems - SmartFit with Frame

Frame, T-Post and Sill Plate Options


Z Frames



2" Belair Z Frame




(Optional T Post)



(Optional Sill Plate)


Call for current pricing
(609) 742-1720




Lift Systems - SmartFit with Frame

Frame, T-Post and Sill Plate Options


Deco Frames




2" Camber Deco Frame



(Optional T Post)




(Optional Sill Plate)





(

Call for current pricing
(609) 742-1720



3" Ridge Deco Frame



Lift Systems - SmartFit with Frame

T-Post Options

T-posts are a great option for:

- Covering wide windows
- A seamless solution for side by side windows


Each frame can have up to 3 T-posts which allows for 4 shades

The Max Frame to Frame width and height for each frame outlined below

Frame + T - Post:

For frame (with T post) width > 120", the frame will be split. post location. Spliced away from the T-post.

Frame Type	Frame Width
ALL	120" <



Call for current pricing
(609) 742-1720

Lift Systems - SmartFit with Frame

T-Post Measure Guidelines


T Post can be used to

- Divide a window vertically to match the window design with
- Accommodate wider window opening/window with mullion

Measuring T Post location for Mullion

1. T1 = measure point E to point F
2. T2 = measure point E to point G
3. Measure from point E to point H for overage


Call for current pricing
(609) 742-1720




Lift Systems - SmartFit with Frame

Max Frame to Frame Size:

L Frame IM




Z Frame IM only



Call for current pricing
(609) 742-1720


- * The center of the screw hole to the top edge of Z frame is 3/8". The window depth should be enough to avoid the plaster thickness for proper installation.
- * It's recommended to take 1/16" deduction for each side



Lift Systems - SmartFit with Frame


Max Frame to Frame Size:

L Frame OM



Call for current pricing
(609) 742-1720


Deco Frame OM only




Inside Mount – L Frame & Hang Strip

Measuring for door with or without trim around the glass

- **Our Recommendation:** take a 1/16" deduction on each side from the window to get the max frame to frame size.
- Minimum distance of 3/4" is required for installing the L frame.
- L frame thickness:
 - 1 1/4" for 1/4" light block



- 1 7/8" for 3/4" light block



Call for current pricing
(609) 742-1720

- Hang strip thickness: 7/8".
- The center of screw hole to the top edge of hang strip is 1/2".
- It's recommended to take 1/16" deduction for each side (1/8" total) from the window to get max frame to frame size for IB.


Lift Systems - SmartFit with Frame

SmartFit® with Frame

Outside Mount

Measuring for door with no trim around the glass

- **Our Recommendation:** add 1 1/2" on each side from the glass ar max frame to frame size. (With hang strip add 7/8")
- Minimum distance of 3/4" is required for installing the L frame.
- L frame thickness is 1 9/32"




Measuring for door with trim around the glass

- **Our Recommendation:** add 1 9/16" on each side from the outsi measurement to get the max frame to frame size.
- Projection of trim should be no more than 3/16"*

If the projection of the trim is more than 3/16", you will need

- Utilize the L frame with the 3/4" light block with Notch Out rests over the trim.
- Determine the height and depth of the notch out to allow over the trim (Maximum height 1/2", width 1 1/8").



Call for current pricing
(609) 742-1720

Pre-Drill Options



Frame Type	Frame
L Frames	Vintage L Frame (1/4" Light Block)
	Vintage L Frame (3/4" Light Block)
	Beaded L frame
Hang Strip	Hang Strip
Deco Frames	2" Camber Deco Frame
	2" Classic Deco Frame
	3" Ridge Deco Frame
Z Frames	1 ¼" Beaded Z Frame
	1 ½" Bullnose Z Frame
	2" Belair Z frame
	2" Bullnose Z Frame
	3" Crown Z Frame

Call for current pricing
(609) 742-1720

Lift Systems - SmartFit Dual Shade with Frame

SmartFit® Dual Shade with Frame

- All available* fabric types in 3/8" Single cell can be combined as defaults.
- *FR LF & RD, FR Essentials, and Woven Breeze fabrics are not



Call for current pricing
(609) 742-1720


- Each shade between T-posts are still limited to a single SmartFit l

	Width (Net)		Height		Max
	Min	Max	Min	Max	
SmartFit® Dual Shade (3/8" S)	8 ½"	50"	12"	86"	43"


Lift Systems - SmartFit for Sloped Windows w

SmartFit® for Sloped Windows with Frame

- Available in 3/8" Single cell only
- Available in the following frame styles:
 - Beaded L frame
 - 2" Belair Z frame
 - 2" Bullnose Z Frame
 - L frames are available in IB and OB. Z frames are available in IB on
- With decorative frame and brackets pre-attached
- Optional pre-drill: For inside mount, select pre-drilled frame for easy inst
Wood plugs and mounting screws will be supplied.
- T-posts and sill plates are not available
- Perfect solution for skylight windows or sloped windows 15° to 90°
- SmartFit™ operates as bottom up only



Beaded L Frame



2" Bullnose Z Frame

46.5 [1.83"]

Call for current pricing
(609) 742-1720

Size Considerations

System	Min. Width	Max. Width
SmartFit® for Sloped Windows with Frame	10 1/2"	60 7/8"
System	Min. Width	Max. Width
SmartFit® for Sloped Windows with Frame	12 5/8"	63 1/8"

*Only max frame to frame measurements will be accepted

**The frame will be split when the frame length > 120".

SmartFit® for Sloped Windows with Frame	SmartFit® for Sloped W	
Frame Type	Shade Min Width	Shade Max Width
	8 1/2"	59"
Beaded L (frame to frame size)	min width + 2" = 10 1/2"	max width + 1 7/8" = 60 7/8"
2" Belair Z / 2" Bullnose Z	min width + 4 1/8" = 12 5/8"	max width + 4 1/8" = 63 1/8"

PORTRAIT™ VERTICAL



Call for current pricing
(609) 742-1720

PORTRAIT™ VERTICAL

3/4" SINGLE & 1 1/4" SINGLE VERTICAL

Height	USA	24	32	36	42	48	54	60	66	72
	36	565	609	667	714	762	809	861	905	956
	42	602	658	715	774	824	879	940	990	1044
	48	644	701	767	830	886	945	1007	1078	1126
	54	673	748	817	888	948	1005	1068	1130	1190
	60	714	792	869	943	1005	1068	1137	1200	1265
	66	753	835	918	1002	1073	1137	1205	1281	1343
	73	798	882	972	1061	1131	1196	1266	1359	1423
	78	838	927	1025	1108	1187	1251	1329	1422	1488
	84	879	973	1075	1163	1249	1322	1406	1499	1571
	90	916	1022	1122	1216	1306	1389	1475	1576	1657
	96	956	1064	1163	1262	1356	1441	1532	1643	1725
	108	1036	1152	1263	1366	1470	1568	1681	1798	1895
	120	1108	1239	1406	1522	1628	1739	1867	1995	2101

Call for current pricing
(609) 742-1720

Flame Resistant Fabrics (3/4" Single only)

Height	USA	24	32	36	42	48	54	60	66	72
	36	987	1066	1164	1250	1330	1414	1504	1584	1672
	42	1051	1149	1251	1353	1441	1539	1644	1732	1826
	48	1127	1225	1342	1452	1549	1654	1762	1883	1970
	54	1178	1310	1428	1552	1657	1757	1869	1977	2082
	60	1250	1383	1519	1651	1757	1869	1987	2099	2213
	66	1317	1459	1604	1753	1877	1987	2107	2239	2348
	73	1395	1542	1702	1854	1978	2094	2215	2377	2488
	78	1463	1624	1793	1937	2075	2187	2325	2486	2603
	84	1539	1703	1880	2037	2182	2312	2459	2623	2749
	90	1601	1789	1963	2125	2282	2430	2581	2756	2899
	96	1672	1863	2037	2208	2372	2523	2682	2874	3017

Surcharges:

- Shim \$7 each

Fabric Sur


- Room Dc

Pricing Notes:


Lift Systems - Patio Door Vertical Honeycomb

Patio Door Vertical Honeycomb


- Available in 3/4" Single and 1 1/4" Single cell sizes only
- Stacking configurations:
 - Left Stack
 - Right Stack
 - Traveling Center Stack
 - Center Opening
 - Split evenly
 - Custom Split: Left and right widths can be specified
- Magnetic strips are attached to the center moving vertical rails



Right Stack



Left Stack




Call for current pricing
(609) 742-1720

Lift Systems - Patio Door Vertical Honeycomb

Patio Door Vertical Honeycomb Mounting & Measuring

-Inside Mount:

- Top-Mount (pre-drilled headrail)
- Installation Bracket




(Top-Mount Pre-Drilled Headrail)




(Insta

-Outside Mount: Mounting brackets will be provided for wall-mou



Call for current pricing
(609) 742-1720



How to Measure for Custo

- Shade Width:** measure from the l
- Shade Height:** measure from the
- Custom Split:** measure from the l


Vertical Rail Splice with Keystone

For Vertical and Vertical Day & Night Shades, the headrail will be spliced below size limitations are met. Both a headrail connector and keystone

Lift Systems - Patio Door Vertical Honeycomb

Patio Door Vertical Honeycomb: Butt together


- Side by side butt option
- Both shades must have the same order height
- Stacking configurations: left shade must be Left Stack, and right shade
- Mount options:
 - Available in IM and OM
 - Note: Shades that will be butt together must be the same mount
- Magnet strips are included in the center of each side of the moving rail




Call for current pricing
(609) 742-1720

Patio Door Vertical Day & Night


- Select from the available fabric combinations: [D&N fabric combinations](#)
- Stacking Configuration: Center Opening only
 - Left shade and right shade stack side by side, butt together
- Available in 3/4" Single and 1 1/4" Single cell sizes



Lift Systems - Specialty Shapes




Perfect Arch (Half Round)




Eyebrow



E



Quarter Round Left & Right



Half Eyebrow Left & Right



Arch on

Honeycomb Specialty Shapes are only available in the above 8 shapes

All specialty shapes are:

- IB only
- non-operable shades
- Not available in 3/4" Double or 1 1/4" Single cell sizes.

Size Limitations

1. Perfect Arches: height must be half of the width
2. Eyebrows:
 - Shade height must be less than half of the shade width
3. Elongated eyebrows:
 - Both leg heights must be equal
 - Minimum leg height: 1"; but less than shade height
 - The shade height minus leg height must be:
 - 5" or more
 - Less than or equal to half of the shade's width
4. Quarter Rounds: width and height must be equal.
5. Arch on Top:
 - Minimum leg height: 1", but less than shade height
 - The shade height minus leg height must be:
 - 5" or more
 - Less than or equal to the shade's width
6. Angle Tops: Width and height do not need to meet a certain ratio; just

Call for current pricing
(609) 742-1720

Headrail Colors

Default rail colors are assigned by the fabric color selected. Rail colors are assigned the following rail colors, depending on the honeycomb system chosen.

Default Rail Colors for Day & Night Shades

For Day & Night Shades, only one rail color will be used for both the "Day" and "Night" shade. The default rules are as follows, or rail color overridden by the user.

- Different opacity shades:
 - When there are different opacities, the "Night" shade will be used for both shades, whether the shade is positioned on the top or bottom.
 - *Example 1: For Windsong + LF, LF is the Night shade*
 - *Example 2: For LF + RD: RD is the Night shade*
- Same opacity shades:
 - When both shades have the same opacity level, the standard shades.
 - *Example 1: For LF (top) + LF Designer (bottom), LF is the standard shade*
 - When both shades have the same opacity level, the standard shades.
 - *Example 1: For Vertical LF (left) + LF Designer (right), LF is the standard shade*

See Color Coordination Chart for a list of available rail colors for each fabric color.

Available Rail Color
3058 White
3094 Cottage White
3128 Gray Cloud
3129 Silver
3212 Black Ink
3334 Terra
3335 Ginger Spice
3463 Chocolate
3475 Plum Purple
3577 Cream
3578 Sahara
3579 Nature
3582 Sand
3613 Celery
3715 Agave
3716 Indigo

Call for current pricing
(609) 742-1720

Frame Colors (SmartFit™ with Frame)

Frame: Normandy® wood material

Color Availability: 42 colors – Normandy® shutter collection

Type	Color Code	F No
Paint	001	
Paint	002	
Paint	003	
Paint	004	
Paint	006	
Paint	007	
Paint	009	
Paint	012	
Paint	013	
Paint	017	
Paint	019	
Paint	032	
Paint	046	
Paint	053	
Paint	063	
Paint	066	Win
Paint	076	
Paint	080	
Paint	090	
Paint	600	
Paint	601	
Paint	603	
Paint	609	
Paint	836	
Stain	108	
Stain	110	
Stain	200	
Stain	202	
Stain	205	
Stain	221	
Stain	227	
Stain	229	
Stain	230	
Stain	237	
Stain	242	
Stain	246	
Stain	248	

Call for current pricing
(609) 742-1720

Estimated Fabric Stacking Heights

Disclaimer: The below figures are estimated fabric stacking heights. These are not guaranteed, exact measurements. Actual measurements may vary.

System	Fabric	3/8" Single (")				9/16" Single (")	
Shade Drop		48"	72"	84"	144"	48"	72"
SmartRise™ Cordless	LF	3.55	4.44	4.88	NA	2.68	3.55
	RD	3.45	4.29	4.71		2.59	2.94
	FR	3.55	4.44	4.88			
Cordless TDBU	LF	4.37	5.26	5.71	NA	3.74	4.61
	RD	4.28	5.12	5.54		3.65	3.99
	FR	4.37	5.26	5.71			
Cordless Day & Night	Sheer & RD	5.6	7.16	7.94	NA	4.39	5.26
	Sheer & LF	5.7	7.3	8.11		4.50	5.37
Motorized Bottom Up, Cord Loop & SmartRelease™	LF	3.45	4.29	4.71	6.81	3.04	3.91
	RD	3.36	4.15	4.54	6.52	2.94	3.81
	FR	3.5	4.36	4.8	6.96		
Cord Loop D&N	Sheer & RD	5.65	7.05	7.74	11.30	4.28	4.99
	Sheer & LF	5.74	7.18	7.88	11.44	4.38	5.09
Cord Loop TD, Cordless TD, & Motorized TD	LF	4.35	5.13	5.51	7.44	3.63	4.50
	RD	4.26	5.00	5.38	7.30	3.54	3.91
	FR	4.07	4.70	5.02	6.57		
SmartFit®	LF	3.25	4.09	4.51	NA	2.64	3.51
	RD	3.16	3.95	4.35		2.55	2.91
	FR	3.3	4.17	4.6			

Call for current pricing
(609) 742-1720

Estimated Fabric Stacking Heights

Disclaimer: The below figures are estimated fabric stacking heights. These are not guaranteed, exact measurements. Actual measurements may vary.

System	Fabric	1/2" Double (")				3/4" Double (")		
Shade Drop		48"	72"	84"	144"	48"	72"	84"
SmartRise™ Cordless	LF	2.89	3.39	3.63	4.86	2.6	2.93	3.17
	RD	2.8	3.25	3.47	4.59	2.54	2.83	3.06
	FR							
Cordless TDBU	LF	3.83	4.34	4.58	5.81	3.2	3.52	3.75
	RD	3.74	4.2	4.42	5.54	3.13	3.43	3.66
	FR							
Cordless Day & Night	Sheer & RD	4.69	5.6	6.04	8.28	3.77	4.37	4.59
	Sheer & LF	4.78	5.74	6.2	8.55	3.68	4.22	4.44
Motorized Bottom Up, Cord Loop & SmartRelease™	LF	3.24	3.75	3.99	5.22	2.91	3.24	3.47
	RD	3.15	3.61	3.83	4.94	2.88	3.18	3.4
	FR							
Cord Loop D&N	Sheer & RD	4.69	5.6	6.04	8.28	3.96	4.46	4.68
	Sheer & LF	4.78	5.74	6.2	8.55	3.99	4.53	4.75
Cord Loop TD & Motorized TD	LF	3.83	4.34	4.58	5.81	3.51	3.83	4.05
	RD	3.74	4.2	4.42	5.54	3.47	3.77	3.99
	FR							
SmartFit®	LF	2.85	3.35	3.6	4.83	2.53	2.86	3.08
	RD	2.76	3.21	3.43	4.55	2.46	2.76	2.98
	FR							

Call for current pricing
(609) 742-1720

Estimated Fabric Stacking Heights

Disclaimer: The below figures are estimated fabric stacking heights. These are not guaranteed, exact measurements. Actual measurements may vary.

System	Fabric	3/8" Single (")				9/16" Single	1/2"
Shade Drop		48"	72"	84"	144"		
SmartFit® for Sloped Windows	LF	3.29	4.07	4.45	N/A	N/A	
	FR	3.01	3.64	3.95			
	RD	3.20	3.94	4.31			
SmartFit with Frame for Sloped Windows	LF	3.06	3.9	4.32	N/A	N/A	
	FR	3.11	3.97	4.4			
	RD	2.96	3.75	4.15			

Patio Door Vertical Stacking Width (Stackback)


	Left Stack/Right Stack/ Day & Night/Split Stack (Center Opening)	
Cell Size	Shade Width (X1")	Stacking Width (")
3/4" Single	$X1 \leq 92$	6 3/4
	$92 < X1 \leq 102$	7 3/8
	$102 < X1 \leq 111$	7 7/8
	$111 < X1 \leq 121$	8 1/2
	$121 < X1 \leq 130$	9
	$130 < X1 \leq 140$	9 1/2
	$140 < X1 \leq 146$	10
1 1/4" Single	$X1 \leq 71$	6 3/4
	$71 < X1 \leq 78$	7 3/8
	$78 < X1 \leq 86$	7 7/8
	$86 < X1 \leq 93$	8 1/2
	$93 < X1 \leq 100$	9
	$100 < X1 \leq 108$	9 1/2
	$108 < X1 \leq 115$	10
	$115 < X1 \leq 123$	10 5/8
	$123 < X1 \leq 130$	11 1/4

Call for current pricing
(609) 742-1720

Additional Options

Light Guard

Available Colors:



3058 White 3094 Cottage White 3578 Sahara 3463 Chocolate 3129 Silver 3212 Black

- Inside Mount only
- Included for Motorized Skylights (the same as rail color), only available for 3058 White, 3094 Cottage White, 3129 Silver and 3212 Black Inside Mount applications.
- Light Guard is available for all systems except for SmartFit® with Free Mount applications, Vertical applications, Specialty Shapes, or 2-on-1 Shade applications.
- **Light Guard Splicing Rule:** When the light guard length (L) is over 102" it will be spliced into two pieces. A clear adhesive tape will be provided to join the two pieces. The splicing points are as follows:

96" < L ≤ 102"	L > 102"
From the top down at 6"	From the bottom up at 96"

Call for current pricing
(609) 742-1720

Hold Down

Traditional Hold-Down (Optional)



Magnetic Hold-Down

- Outside Mount only
- Not recommended for metal door applications
- The magnet will be attached at the factory before shipping.
- The magnet catch will need to be installed at the job site.

Available colors for Magnet Catch



- Nickel-Plated (Default)
- (Optional) Pure White, Silk White, Bisque, Pearl, Bright Brass, Antique Brass, Black, Crisp Linen, String, Sea Mist, Stone Gray, Brown Gray, Taupe Gray



Magnet



Magnet Catch



Additional Options - Cut-outs


Systems	Shade Width (")	Min Cut-out Width	Ma
Cordless	$X \leq 16$		
	$16 < X \leq 23.5$	1/8"	
	$X > 23.5$	1/8"	
Cord Loop / SmartRelease / Motorized Bottom Up	All sizes	1/8"	
Norman Smart Motorized Bottom Up	All sizes	1/8"	
Vertical	All sizes	For baseboards only.	

Cut-outs for Horizontal Shades

- Cut-outs will be made on the bottom rail and the bottom section of the shade.
- Cut-out location options:
 - Bottom Corner (Left)
 - Bottom Corner (Right)
 - Bottom Corners (Both L & R)
- Cut-outs are made when the shade is fully extended. Measure up from the bottom of the Bottom Rail up to the start of the cut-out.
- Not available in:
 - Woven fabrics, **Designer Ashton**
 - TD/TDBU applications
 - Day & Night applications
 - All SmartFit® applications
 - 2-on-1 Shades
 - Specialty Shapes
 - Motorized Skylights

Cut-outs for Vertical Shades

- For patio door honeycomb shades, the cut-out is only on the rails and not the fabric. See chart for movable vs. stationary rail availability →
- The max cut-out height is 6". No deductions will be taken.







Co
F
I
Travelli
S
(Cer
Vertic



Call for current pricing
(609) 742-1720

Parts & Accessories

Description	Drawing	De
Hold-Down Bracket (optional)		SmartFit L installed fo
Magnetic Hold-Down (optional for OB)		SmartFit L (IB side n windows v
Shim/Spacer Block (optional & stackable) Not available for IB SmartFit, IB SmartFit Dual Shade, SmartFit for Sloped Windows, Specialty Shapes, Motorized Skylights and Patio Door Vertical Top-Mount	 3/8" thickness for one 1 1/16" thickness for two	Pole Attac max 2 per Color: Wh separately with poles (pole not i compatibl poles sold stores)
Mounting Plate for SmartFit® and SmartFit® Dual Shades 3/8" S, 3/4" S, 9/16" S, 1/2" D Cells: <u>Default:</u> With mounting plate <u>Optional:</u> Without mounting plate 3/4" D, 1 1/4" S Cells: Mounting plate comes standard (required)	 (Outside Mount) (Inside Mount)  	Pole Color: Bla Sizes: 36" (max 2 pe *Pole hold <u>Movable p</u> SmartRise™ Cordless T & Night; an Cordless T Woven/As <u>Stationary</u> SmartFit®, Shades an Sloped Wir
Cord Loop System Cord Tensioner		
Cord Loop System	 IM  (For Semi-	Honeycom Handles

Call for current pricing
(609) 742-1720

Mounting Brackets / Shim Quantity

For Cordless/ Cordless TDBU/ Cordless Day & Night

Shade Width	$X \leq 43"$
# of mounting brackets	2
1 spacer per bracket = 3/8" projection from the wall	2 spacers
2 spacers per bracket = 11/16" projection from the wall	4 spacers

For Woven Cordless/ Woven Cordless TDBU

Shade Width	$X \leq$
# of mounting brackets	
1 spacer per bracket = 3/8" projection from the wall	2 sp
2 spacers per bracket = 11/16" projection from the wall	4 sp

For Cord Loop/ SmartRelease™ / Cord Loop TD/ Cord Lo

Shade Width	$X \leq 39"$	$39" < X \leq 66"$
# of mounting brackets	2	3
1 spacer per bracket = 3/8" projection from the wall	2 spacers	3 spacers
2 spacers per bracket = 11/16" projection from the wall	4 spacers	6 spacers

Call for current pricing
(609) 742-1720

For SmartFit® / SmartFit® Dual Shade (With Mounting Plat

Cell Size	3/8" S	
Shade Width	$X \leq 40$	$40" < X \leq 50"$
# of L brackets	4	5
1 spacer per bracket = 3/8" projection from the wall	4 spacers	5 spacers
2 spacers per bracket = 11/16" projection from the wall	8 spacers	10 spacers

For SmartFit® / SmartFit® Dual Shade (Without Mounting F

Cell Size	3/8" S	3/4	
Shade Width	All width	$8.5" < X \leq 40"$	$40" < X$
# of L brackets	4	4	!

Mounting Brackets / Shim Quantity

For Motorized/ Motorized TD

Shade Width	$X \leq 56"$
# of mounting brackets	2
1 spacer per bracket = 3/8" projection from the wall	2 spacers
2 spacers per bracket = 11/16" projection from the wall	4 spacers

For Norman® Smart Motorized Bottom UP/ Motorized TDBU

Shade Width	$X \leq 64"$
# of mounting brackets	2
1 spacer per bracket = 3/8" projection from the wall	2 spacers
2 spacers per bracket = 11/16" projection from the wall	4 spacers

For Vertical Honeycomb Shade

Shade Width	$X \leq 39"$	$39" < X \leq 66"$	$66" < X \leq$
# of mounting brackets	2	3	4
1 spacer per bracket = 3/8" projection from the wall	Installation bracket qty + floor bracket	Installation bracket qty + floor bracket	Installation bracket qty + floor bracket
2 spacers per bracket = 11/16" projection from the wall	2*(Installation bracket qty + floor bracket)	2*(Installation bracket qty + floor bracket)	2*(Installation bracket qty + floor bracket)

Call for current pricing
(609) 742-1720

*floor bracket qty

	Right Stack	Left Stack	Travelling Center Stack
Qty	1	1	0

For Norman® Smart Motorized Skylights

Shade Width	$X \leq 39"$
# of mounting brackets (Fixed Rail with Motor)	2
# of mounting brackets (Fixed Rail)	2

But as with all fine window treatments there are certain inherent qualities to be found in any fine textile shade in the market. Since we always offer treatment solutions, we are communicating certain industry standards for shades.

ROOM DARKENING VERSUS BLACKOUT QUALITY

One of the appealing characteristics of a honeycomb shade is its range of opacity levels ranging from sheer to light filtering to room darkening or privacy or both.

While our room darkening fabrics provide more privacy and light filtering choices, they are not a total blackout solution.

Designer Ashton Collection


The Ashton collection is produced using a specialized process on the base fabric rather than traditionally woven or printed. This gives it a finish that gives each fabric its distinctive look. Because of this, there may be variations in texture or appearance that may occur between batches. These variations are a result of our craftsmanship and are not considered defects.

Call for current pricing
(609) 742-1720

Fabric Expectations & Product Care

FABRIC DISCLAIMERS: WOVEN & DESIGNER SHADES


Our Windsong, Breeze and **Ashton** fabrics utilize delicate fibers that give the fabric a soft and high-end look. The repeated rubbing of the fabric against the edge of the window may cause the fabric to fray. We recommend using fabric scissors to gently trim any fraying.



COLOR VARIATION

We offer a wide range of whites and neutrals in both warm and cool tones. As the fabric is stacked, the color may change when the fabric is stacked, as layered materials can create shadows. To ensure the best selection, we recommend reviewing fabric samples under different lighting conditions and alongside other fabric samples to set expectations accurately.

Fabric Stacked



Call for current pricing
(609) 742-1720

Fabric Expectations & Product Care

CLEANING HONEYCOMB SHADES

Routine cleaning will help maintain the beauty of your shades. Here are some tips for cleaning honeycomb shades:

Light dusting:

- Use a soft brush, feather duster or a compressed air/hair duster
- Vacuum with a low suction using a hand-held vacuum or a crevice tool

Spot Cleaning:

- Dampen a clean cloth or sponge with warm water and blot the stain (do not rub!)
- Add a mild detergent solution, if needed
- Allow shade to dry in a fully lowered position
- Headrails should never be immersed in liquid
- Do not use bleach or cleaning products that contain bleach

Ultrasonic Cleaning:

- Honeycomb shades may be professionally ultrasonic cleaned



Call for current pricing
(609) 742-1720