



Call for current pricing
(609) 742-1720



SmartPrivacy® Faux



Date	Revis
9/30/2024	Pg. 4: Updated terminology Pg. 8: Updated hold down bracket scr Pg. 10: Updated valance size for OB r bracket image
10/15/2023	Pg. 10: New adjustable valance clip
8/2/2023	Pg. 10: Added valance only option
7/1/2023	Pg. 7: Updated size considerations Pg. 8: Updated estimated stack height Pg. 9: Updated wand standard
11/15/2022	<u>General Updates</u> - Updated size considerations to max - Updated color availability to 6 colors - Removed the following options: cut-c joinery and keystones, side-by-side/st location override options, and returns Pg. 7: Updated size considerations Pg. 8: Updated color availability Pg. 9: Updated wand standard; Addec Pg. 10: Added custom valance size nc Pg. 11: Updated return location notes

Call for current pricing
(609) 742-1720



Terminology

Features

Color Availability

General Specifications

Additional Options & Hardware


Mounting Requirements

Call for current pricing
(609) 742-1720

Terminology

Performance Cordless Faux Wood Blind with Wand Tilt

PolyDeco Valance-Free Headrail



Call for current pricing
(609) 742-1720

Description			
1	PolyDeco Headrail	8	Drum Support
2	Headrail End Cap (Right)	9	Slat Clip
3	Headrail End Cap (Left)	10	Slat
4	Wand Tilter	11	Ladder
5	Spring Box	12	Wand (PVC)
6	Tilt rod	13	Trapezoid Bottom Rail

SMARTPRIVACY® CORDLESS F

2 & 2 1/2" SLATS

	Width					
	USA	24	28	32	36	42
Height	30	134	146	156	176	186
	36	140	153	163	185	199
	42	152	163	179	196	212
	48	161	176	186	209	227
	54	176	194	203	229	250
	60	186	200	217	246	266
	66	196	211	229	258	279
	73	208	226	244	278	299
	78	213	235	257	284	312
	84	226	246	269	304	328
	90	235	257	279	319	342
	96	244	270	291	329	361

NO EXTRA CHARGE

- IMPACT RESISTANT, MODERN, VALANCE FREE
- SMARTPRIVACY® FOR BETTER LIGHT & PRIVACY
- CO-EXTRUDED HIGH HDT SLAT

Call for current pricing
(609) 742-1720

Surcharges:

- Printed colors 20%
- Shim \$7 each
- Side mount bracket \$23 per blind

General Specifications:

- Modern, valance-free, color coordinated PolyDeco headrail
- Engineered trapezoid bottom rail
- SmartPrivacy®
- Wand tilt (Standard left)

Valance Surcharge:

Features & Options

Features & Benefits

- Award winning SmartPrivacy® seals light gaps with slat
- Smooth, reliable Performance cordless lift system. Wan
- Covers a large range of sizes
- 2" & 2 ½" slat sizes available in all colors
- Light-weight, co-extruded slats with 125° heat deflection
- Impact resistant, modern, valance-free Polyeco headrai
- Engineered trapezoid bottom rail allows for easy graspi

Call for current pricing
(609) 742-1720

Options

- Optional Valances Designer Crown & Modern Curved
- Side mount brackets
- Hold Down Brackets
- Shims



SIDE VIEW



Color Availability

No.	Color	Color Type	Finish
1	Pure White P001	Solid	Embossed
2	Pure White P001	Solid	Smooth
3	Designer White E008	Solid	Smooth
4	Silk White P003	Solid	Smooth
5	Pearl P006	Solid	Smooth
6	Mist 6957	Printed	Embossed

Call for current pricing
(609) 742-1720

Color Coordination Chart

Color Code	Color Name	Color Type	Finish	Headrail	Wand	Bottom Rail
6016	Pure White	Solid	Smooth	2080 Pure White	2080 Pure White	2080 Pure White
6016	Pure White	Solid	Embossed	2080 Pure White	2080 Pure White	2080 Pure White
6051	Designer White	Solid	Smooth	20103 Designer White	2080 Pure White	20103 Designer White
6017	Silk White	Solid	Smooth	2003 Silk White	2080 Pure White	2003 Silk White
6019	Pearl	Solid	Smooth	2095 Pearl	2095 Pearl	2095 Pearl

General Specifications

Size Considerations

Single blind	Min	Max	
Blind Width (Net)	16 1/2"	72" (Top Mount)/ 37" (Side Mount*)	
Blind Height	24"	96"	

* Side mount brackets are available for all widths (IB). For widths over 37" top mount brackets will be provided to be used in conjunction with side mount brackets.

*Please note that on SmartPrivacy™ Cordless Faux Wood Blinds with width level.

Standard Deductions

Inside Mount:

Blind Width= Ordered Width – 3/8"

Blind Height= Ordered Height

Outside Mount:

Ordered Width = Blind Width

Ordered Height= Blind Height

Tolerance:


Blind Width may vary $\pm 1/8$ "

Blind Height may vary +0~2 1/4" for **2" blinds**, and +0~1/2"

Measurements:

Blind width: Measure from the left end to the right end

Blind height: Lower the blind completely, then measure of the bottom rail with slats in an open position.



Call for current pricing
(609) 742-1720

General Specifications

Estimated Stacking Heights

Blind Height	2" Slat Qty	2" Slat Stacking Height (in inches)		2.5" Slat Qty
		Solid Color	Printed Color	
30"	16	6.08	6.20	12
36"	19	6.47	6.62	15
42"	23	6.99	7.17	18
48"	26	7.38	7.58	20
54"	30	7.90	8.13	23
60"	33	8.29	8.55	26
66"	37	8.81	9.10	28
74"	41	9.33	9.65	32
78"	43	9.59	9.93	34
84"	47	10.11	10.48	36
90"	50	10.50	10.89	39
96"	53	10.89	11.30	42

*The above tables are estimated calculations based on the stacking height before installation. Actual stacking heights may vary. This info cannot be used for RGA purposes.

Ladder Chart

Blind Width (Net)	# of Ladders	# of Ladders
$X \leq 24"$	2	
$24" < X \leq 37"$	3	
$37" < X \leq 50"$	4	
$50" < X \leq 63"$	5	
$63" < X \leq 72"$	6	

Note: Number of ladders may vary if the blind order is close to the next size.

Hardware

Blind Width (Net)	Installation Bracket qty
$X \leq 37"$	2
$37" < X \leq 47"$	3
$47" < X \leq 72"$	4

Screws	Quantity
1 1/4" Screw	Installation bracket qty x 2
2" Screw (with shim)	Installation bracket qty x 2
3/4" Screw	Hold down bracket qty x 2
M4 Nut & Bolt	4 (for Side Mount only)

Options
3 1/4" Depth
2 1/2" Mounting

Blind
37"
6"

Option
Down

Call for current pricing
(609) 742-1720

General Specifications

Wand Standard

- The standard wand location is on the left
- Wand Drop** is measured from the top of the headrail, to the bottom of the wand grip when slats are in a level opened position. Wand drop is not the height of the wand. The wand drop sizes come standard based on the ordered blind size. A non-standard wand drop can be selected to manually override this.



Call for current pricing
(609) 742-1720

- Wand Drop Sizes:
 - Standard** wand drop size is the default size for a blind and is available.
 - Optional** wand drop sizes can be selected from the 5 standard sizes: 11 3/4" & 17 3/4", 29 3/4" & 38 1/4", 47 1/4" & 56 1/4", 65 1/4" & 74 1/4", & 83 1/4" & 92 1/4"

Net Blind Width (X)	Blind Height (Y)	Standard Wand Drop Size
All	$Y \leq 36"$	1
	$36" < Y \leq 48"$	2
	$48" < Y \leq 72"$	2
	$72" < Y \leq 96"$	3

- Wands will be pieced accordingly:
 - 11 3/4" & 17 3/4" wand will come as one piece
 - 47 1/4" wand will come in a 2-piece design
 - * 29 3/4" & 38 1/4" wands may come in a 2-piece design
- Wand Spacing
 - Please note that multiple blinds produced at the same width may not share the same wand placement. The space/distance from the end of the headrail may vary. This is part of the new simplified program and is not considered a production error.

Options & Hardware


Valances

- Standard: No Valance
- Optional: 2 ½" Modern Curved & 3 ¼" Designer Crown Valance
- *Color availability: Valance color will match slat color.
- Custom Valance Size:
 - Maximum order width for a custom valance size is 5" wider than the ordered blind width.
- When ordering a valance only, the valance will be split equally if the inner dimension of an individual piece exceeds 96" (custom not available). Standard valance connector will be used by default (keystone not available). Max inner length for valance only = 36"

Mount Type & Return Option	Standard Valance Width	Custom Valance Width Maximum
IB with No Returns	Net Blind Width + 1/4"	Net Blind Width + 5"
IB with Returns	Net Blind Width + 5/8"	
OB with No Returns	Net Blind Width + 2"	
OB with Returns	Net Blind Width + 1"	

Call for current pricing
(609) 742-1720

Installation Bracket




Hold Down Bracket

- For 2" and 2.5"
- Default for widths ≤ 30"
 - Optional for widths over 30"



Side Mount
Includes
mounting



Shim
Offers
wall. 1
a 11/1

Mounting Requirement

Minimum Depth Requirements and Valance Returns

- Valance return locations: both left and right returns
- Standard or custom sizes available
 - Custom valance return size: minimum ½" and maximum 5"


Inside Mount

Blind/Valance Type	Fully Recessed IB
2" & 2 ½" Blinds with No Valance	2 13/16"
2" & 2 ½" Blind with Modern Curved Valance	3 7/8"
2" & 2 ½" Blind with Designer Crown Valance	4 1/16"


Call for current pricing
(609) 742-1720

Outside Mount

Blind/Valance Type	Coverage
2" & 2 ½" Blinds with any valance	Val



Fully IB



Semi

