

NORMAN®
SHUTTERS. BLINDS. SHADES.



Call for current pricing
(609) 742-1720



Soluna™ Roller



Revision Log

Date	Page	
Effective 1/1/2026	Pg.8	Relaunched previously discontinued color:F075
Effective 11/15/2025		Added premium hardware color option: White; Updated the center gap of coupled shades Updated size limitation for cordless shades (non-LG360)
Effective 10/15/2025		Updated fabric width of F0739 Cove/F0743 Silhouette/F0751 M Updated max. common valance quantity and rule Updated Valance Joinery and splicing rule Added square keystone for 8" fabric valance
Effective 10/1/2025		Added 20 new fabric colors to existing collection
Effective 9/1/2025		Added premium hardware color option: Bronze/Brushed Black/ Added Bronze/Brushed Black/ Brass/ Matte Silver colors for he Updated side by side rule Updated mounting depth
Effective 8/1/2025		Updated fabric width of F0749 Birch Added Bronze color option of LG360 Added basic light guard option for Cassettes system Added Coupled Shades (3 Shades)/Coupled Shades (4 Shade
Effective 7/14/2025		Updated fabric width for fabric F0738 Moonscape
Effective 7/1/2025		Updated fabric width for collection Valerie/ Hayes/ Fiji/ Bermud Updated side by side rule Updated valance split information table Discontinued Premium Wood Light Guard color 001 Pure White
Effective 5/31/2025		Updated LG360 IM bottom channel rule Updated valance split information table
Effective 4/30/2025		Updated dual shade spec Changed 7" valance to be 8" valance Updated dual shades light guard and max width/height for dual Updated deduction for dual shade Updated mounting depth illustration (new dual shade bracket) Updated mounting depth Illustrations –outside mount Updated dual shade bracket qty Updated discontinued fabrics

Call for current pricing
(609) 742-1720



Table of Contents

Features & Benefits

Available Fabrics

Fabric Information

Fabric List

Color Coordination

Selecting a Shade and Options

Lift Systems & Terminology

Applications:

Valance Options

Additional Options

Call for current pricing
(609) 742-1720

General Specifications

General Size Considerations

Min/Max by Fabric/System

Deductions

Mounting Depth Illustrations

Bracket Dimensions

Hardware Information

— . . . —

Features & Benefits

- The latest sheers, light filtering, solar screen and room darkening and GREENGUARD certified.

- PrecisionLift™ Cordless— certified WCMA Best for Kids™



- PrecisionLift™: also known as our new cordless shade by the handle to the desired location. To raise to the desired location. No additional pulling or tugging
- Tension adjustment dial allows you to fine tune window

- Choose from a wide array valance options to cover the fabric rod fabric valance or deluxe wooden valance.

- Optional innovative Light Guard mounts to the window and helps even on the top and sides.

- Hem bar options
 - Plain Hem Bar: Clean, sleek and sturdy; perfectly matches
 - Fabric-wrapped Hem Bar: The matching fabric wraps throughout the shade

Call for current pricing
(609) 742-1720

Lift Systems & Applications

- PrecisionLift™ Cordless
- Continuous Cord Loop
- SmartRelease™
- Motorized
- Applications: LightGuard 360™, Cassette System, Dual Shades, Shades (3 Shades)/Coupled Shades (4 Shades) & Side by Side

Installation Methods:

Windows: top mount or side (wall) mount and door applications

Fabric Information

Max Fabric Width

Fabric width is considered the max width available before additional lift order shade width. See [Size Considerations](#) for lift system limitations.

Opacity and Light Control

Fabric Opacity	Privacy Level	
Sheer	Minimal	Provides an atmospheric touch with outside view. Objects in the room are visible through the fabric.
Light Filtering	Medium	Offers a wide range of light diffusion. Objects in the room are visible through these shades but are softened.
Room Darkening	High	Blocks a significant amount of incoming light. A perfect choice for rooms where privacy is a priority.

Fabric Disclaimers

Due to the nature of the weaving process, some imperfections in the weave may vary based on the indoor light intensity. This is not a defect and is considered normal. Colors or sheens may vary slightly. It is recommended that all shades be hung to help ensure color consistency.

Natural Fabrics may have variations and visual inconsistencies in color, split, twist or bow, shrink or stretch, and change color over time due to climatic conditions. These unique characteristics are inherent in natural materials or workmanship. Repairs/ Remake will be only with like or similar material and cannot be guaranteed.

Room Darkening Fabrics

When a room darkening shade is first installed and is in a completely lowered position, indentations on the fabric near the roller tube. Additionally, when the shade is raised, it is also common to notice slight fabric indentations. These indentations will disappear when the shade is in a completely lowered position for a few days. This is one of the common characteristics of this type of coating.

Linen Fabrics Maui (RD), Breeze, Summerland, and Scarlett collection: characteristics of linen may lead to color variation when shades are ordered.

Solar Screens Openness factor refers to approximately how tight the weave is. The textures and patterns, and the angle of the yarns can affect the passage of light. A fabric that is more tightly woven and that there will be less visibility through it. A high openness factor provides better view-through with a lesser degree of light control. Solar screen fabrics have a minimum tolerance level of +/- 10% in openness to determine visibility, glare and thermal control.

During the shipping process, the material may shift slightly due to its weight, shortening or uneven edges. There may also be slight creases in the fabric. To unroll the shade completely, extend, and let it hang for several days.

Call for current pricing
(609) 742-1720

NO EXTRA CHARGE

- BEST FOR KIDS CERTIFIED CORDLESS
- STAINLESS STEEL OPERATING CHAIN
- RACEWAY INSTALLATION SYSTEM FOR
(on SmartRelease™, dual shades, t
- 30" FIBERGLASS OPERATING POLE

Pricing Notes:

- For Dual Shades, please price as 2 individual shades.
- Coupled Shades Pricing: First, price the shades based on
Then, apply the Coupled Shade surcharge as follows:
 - 2 shades: add the surcharge once
 - 3 shades: add the surcharge twice
 - 4 shades: add the surcharge 3 times

Call for current pricing
(609) 742-1720

Lift System Surcharges:

- Dual shade \$73
- SmartRelease™ \$89
- Coupled shade \$117

Miscellaneous:

- Shim
- Addit
- Magr
- Pole c
- Keyst
- Cordl
- prem
- Premi

Light Control Surcharges:

- Basic Light Guard \$45
- Premium Wood Light Guard \$117
- LightGuard 360™ \$375

Fascia and Valance Surcharges

	24	30	36	42	48	54	60	66	72
Fascia, Wood Valance*	117	122	133	139	150	161	171	188	204
3 1/2", 4 1/2" & 6" Fabric Valance*	133	139	155	161	171	183	199	216	232
8" Fabric Valance* & Cassette**	188	199	216	227	244	260	282	304	331



Call for current pricing
(609) 742-1720

CORDLESS SOLAR SCREEN

Height	Width								
	USA	24	30	36	42	48	54	60	66
	36	240	258	278	296	314	331	362	382
	48	259	282	302	325	350	372	412	439
	60	281	302	326	357	390	421	467	497
	72	297	325	359	397	430	468	522	558
	84	318	354	394	434	474	513	573	614
	96	336	383	428	471	518	563	618	656
	108	361	411	461	511	558	600	659	697
	120	387	440	495	546	597	635	697	739
132	408	470	526	582	627	670	737	780	8
144	434	498	561	609	659	703	777	823	8

CORDLESS SOLAR SCREEN

Height	USA	24	30	36	42	48	54	60	66	72
	36	261	283	306	325	346	367	406	428	449
	48	284	309	334	357	384	416	462	495	527
	60	307	334	361	396	434	468	525	561	600
	72	328	359	398	439	477	522	587	627	670
	84	351	390	437	483	527	574	645	693	744
	96	372	422	474	526	575	628	699	740	794
	108	399	456	510	571	624	672	745	791	848
	120	428	490	551	611	667	711	791	837	896
	132	454	523	591	650	701	749	835	887	948
	144	483	554	626	684	737	789	877	935	998

PRICE GROUP 2

SOLAR COLLECTIONS

Serene (1%) • Serene (3%) • Flo
 • W120 (12%) • Moon (5%) • Bre
 • NA400 (1%) • NA820 (3%)

Call for current pricing
 (609) 742-1720

CORDLESS SOLAR SCREEN

Height	USA	24	30	36	42	48	54	60	66	72
	36	290	322	346	374	404	430	460	488	518
	48	322	354	385	419	454	495	533	573	614
	60	349	385	423	469	515	561	605	651	700
	72	376	420	470	525	577	633	683	738	794
	84	406	462	519	579	641	699	762	818	880
	96	436	501	570	636	701	770	829	885	948
	108	469	544	620	693	766	829	890	945	1010
	120	503	587	668	745	821	885	950	1015	1085
	132	541	627	714	799	869	940	1010	1080	1155
	144	574	669	764	844	920	992	1070	1146	1225

SOLUNA™ ROLLER



Call for current pricing
(609) 742-1720

SOLUNA™ ROLLER

CORDLESS FABRIC

Width

Height	USA	24	30	36	42	48	54	60	66	72
36	254	273	291	312	333	351	371	401	422	442
48	274	298	318	345	368	397	422	464	495	526
60	296	318	346	377	414	448	482	526	569	602
72	313	345	382	420	457	497	538	591	622	653
84	336	375	418	462	503	546	592	648	689	729
96	357	406	453	501	549	598	639	696	737	777
108	383	437	488	544	594	640	677	737	777	817
120	409	469	526	582	636	676	719	782	822	862
132	435	500	560	623	670	714	762	828	867	907
144	462	530	596	649	701	750	802	871	909	949

PRICE GROUP 1

FABRIC COLLECTIONS

ROOM DARKENING : Callie RD •
DESIGNER : Brook • Chelsea • V
SHEER : Scarlett
NATURAL: Catalina

Call for current pricing
 (609) 742-1720

CORDLESS FABRIC

Width

Height	USA	24	30	36	42	48	54	60	66	72
36	278	299	323	341	367	389	412	446	477	508
48	301	328	353	377	406	440	471	518	549	580
60	325	353	384	420	462	497	537	587	628	668
72	349	383	422	467	509	555	600	659	700	740
84	370	415	465	513	562	611	661	727	767	807
96	396	449	503	561	613	670	714	777	822	862
108	423	486	543	605	667	717	763	829	877	917
120	454	520	591	650	708	759	809	878	927	967
132	485	558	627	697	748	801	854	932	981	1021
144	513	593	668	730	785	842	898	983	1032	1072

PRICE GROUP 2

FABRIC COLLECTIONS

NATURAL : Samoa • Phuket • Bora Bora •
DESIGNER : Francis • Hayes • Valerie • En
ROOM DARKENING : Jamaica • Bermud

SOLUNA™ ROLLER

CORDLESS FABRIC

Width

Height	USA	24	30	36	42	48	54	60	66	72
36	307	337	365	396	424	454	485	517	550	582
48	337	372	407	443	482	522	563	605	647	689
60	366	407	449	497	545	594	643	693	744	794
72	398	444	498	554	613	671	725	782	839	896
84	428	487	549	617	677	740	809	869	929	989
96	462	530	602	674	745	817	879	940	999	1059
108	497	575	656	734	813	879	944	1005	1065	1125
120	534	622	707	792	871	940	1011	1079	1147	1215
132	572	667	759	846	921	999	1071	1148	1224	1300
144	607	708	811	897	976	1054	1138	1219	1300	1381

PRICE GROUP 3
FABRIC COLLECTIONS

NATURAL : Caroline • Aruba • M
DESIGNER : Breeze • Clarissa
ROOM DARKENING : Lola BO •
• Remy RD • Summerland • Co

Call for current pricing
(609) 742-1720

CORDLESS FABRIC

Width

Height	USA	24	30	36	42	48	54	60	66	72
36	337	371	402	435	468	500	534	569	605	641
48	371	409	448	487	529	574	620	668	717	766
60	403	448	495	546	601	651	707	763	820	877
72	437	488	547	609	674	738	798	863	929	994
84	470	537	605	677	747	814	889	956	1024	1091
96	508	582	664	742	820	898	969	1035	1103	1170
108	546	634	723	809	895	969	1041	1106	1173	1240
120	590	682	778	870	959	1035	1112	1187	1263	1339
132	629	733	835	933	1015	1098	1179	1263	1347	1431
144	669	779	892	988	1075	1160	1252	1342	1431	1520

PRICE GROUP 4
FABRIC COLLECTIONS

DESIGNER : Kendra

Fabric List

Light Filtering Sheer & Natural

Fabric Type	Fabric List			Default Color Coordination	
	Collection Name	Color Code	Color Name	Color Coordination 1:	Color Coordination 2:
Sheer	Sheer ✓	F0908	Linen Weave	White	
	Dazzle ✓	F1538	Soft White	White	
		F1539	Eggshell	Cottage White	209
		F1540	Pewter Green	White	
		F1541	Charcoal	Black	24
		F1542	Ink	Black	
	Scarlett ✓	F1599	Cottage Linen	White	
		F1600	Seashell	Cottage White	209
		F1601	Crema	Cottage White	209
		F1602	Stone	Black	
Sheer	Lakeshore ✓	F1642	Natural Gray	White	
Natural	Aruba	F0860	Sparkle Ivory	Cottage White	209
		F0861	Sparkle Khaki	Cottage White	
		F0862	Sparkle Espresso	Black	
	Caroline	F0867	White Sand	White	
	Samoa	F0863	Daylight	White	
		F0864	Sand	Cottage White	209
		F0865	Cumin	Cottage White	209
		F0866	Old Teak	Black	
	Bali	F0668	Black Walnut	Black	
		F1668	Sand	Cottage White	209
		F1669	Flax	White	
		F1926	Latte	Cottage White	
		F1927	Stone Gray	Black	
		F2023	Desert Beige	Cottage White	
		F2024	Warm Mocha	Black	24
		F2025	Soft Sandstone	White	
		F2026	Gentle Ash	White	
		F2027	Gray	Black	
	Phuket	F0656	Snow White	White	
		F0657	Honey	Cottage White	
		F0659	Black Olive	Black	
		F0660	Grey Fog	White	
		F0661	Dust	Cottage White	
		F0868	Dough	Cottage White	209
		F1670	Mocha	Cottage White	24
	Bora Bora	F0662	Seashell White	White	
		F0663	Straw	Cottage White	209
		F0869	Cinnamon	Cottage White	24
	Sumatra	F0854	Fog	Black	
		F0856	Raffia	Cottage White	24
		F0857	Havstack	Cottage White	209


Call for current pricing
(609) 742-1720

Fabric List

Light Filtering Sheer & Natural

Fabric Type	Collection Name	Fabric List		Default Color Coordination	
		Color Code	Color Name	Color Coordination 1:	Color Coordination 2:
Natural	Riviera	F1290	Frost	White	
		F1291	Sugar Cane	White	
		F1292	Honey	Cottage White	
		F1293	Metal	Black	
		F1713	Silver Fox	Cottage White	209
	Maui* (Natural)	F1543	Vanilla Stripe	White	
		F1544	Natural Stripe	Cottage White	
		F1545	Slate Stripe	Black	
		F1548	Ink/Natural	Black	
		F1549	Coffee/Natural	Black	
	Lake Tahoe	F1577	Stone	White	
	Catalina	F1605	Sea Salt	White	
		F1712	Oatmeal	Cottage White	
	Cove	F1714	Jet Black	Black	

Call for current pricing
(609) 742-1720



*Note: Maui has a max fabric height of 120".

Fabric List

Light Filtering Designer F

Fabric List			Default Color Coordination	
Collection Name	Color Code	Color Name	Color Coordination 1:	Color Coordination 2:
Kendra ✓	F0890	LF Foliage	White	2094
Francis ✓	F0883	Brownie	Black	241
	F0876	Pearl	Cottage White	2094
	F0877	Barley	Cottage White	2094
	F0878	Sandstone	Cottage White	2094
	F0879	Toast	Black	241
	F0882	Espresso	Black	241
	F0884	Oatmeal	Cottage White	2094
	F0885	Doe	Black	241
	F0886	Shale	Black	241
	F0888	Black	Black	241
	F0889	Denim	White	2094
Breeze ✓	F0891	Linen Flax	Cottage White	2094
	F0893	Linen Natural	White	2094
	F0894	Linen Khaki	Cottage White	2094
	F0895	Linen Dune	Cottage White	2094
	F0896	Linen Graphite	Cottage White	2094
	F0927	Linen Almond Milk	White	2094
	F1778	Linen Stone	White	2094
	F1847	Linen Cloud	White	2094
	F1851	Linen Warm Ivory	Cottage White	2094
	F0747	Maple	Cottage White	2094
Hayes	F0748	Hickory	Cottage White	2094
	F0749	Birch	Black	241
	F0751	Mahogany	Black	241
	F0740	Dolphin	White	2094
Valerie	F0741	Pomegranate	Black	241
	F0739	Cove	White	2094
	F0743	Silhouette	Black	241
	F0738	Moonscape	White	2094
	F0742	Sapphire	Black	241
Emery ✓	F0752	Daylight	White	2094
	F0753	Creamy	White	2094
	F0754	Khaki	Cottage White	2094
	F1560	Chiffon	Cottage White	2094
	F1561	Maize	Cottage White	2094
Brook ✓	F1120	Pewter	White	2094
	F1121	Egret	White	2094
	F1122	Smoke	White	2094
	F1123	Beige	Cottage White	2094
	F1157	Latte	Cottage White	2094
Chelsea ✓	F1445	Snow	White	2094
	F1446	Cream	White	2094
	F1448	Stone	Black	241
	F1449	Caviar	Black	241
	F1447	Natural	Cottage White	2094

Call for current pricing
(609) 742-1720

✓ GREENGUARD
Certified

Fabric List

Light Filtering Designer F

Fabric List			Default Color Coordination	
Collection Name	Color Code	Color Name	Color Coordination 1:	Color Coordination 2:
Sierra ✓	F1450	Snow	White	2094
	F1451	Cream	White	2094
	F1452	Natural	Cottage White	2094
	F1453	Stone	Black	2094
	F1454	Caviar	Black	2094
	F1966	Canvas	Cottage White	2094
Shimmer ✓	F1967	Graphite	Black	2094
	F1436	Goldmine	Black	2094
	F1437	Starry Night	Black	240
	F1439	Pewter	Black	2094
Amelia ✓	F1440	Midnight	Black	2094
	F1484	Mist Gray	White	2094
	F1485	Heather Gray	Black	2094
	F1486	Heather Charcoal	Black	2094
Lola LF ✓	F1487	Heather Smoke	Black	2094
	F1551	Porcelain	White	2094
	F1552	Almond	Cottage White	2094
	F1553	Light Khaki	White	2094
	F1554	Wheat	Cottage White	2094
	F1555	Platinum	White	2094
	F1556	Cement	Cottage White	2094
	F1557	Pewter	Black	2094
	F1558	Iron	Black	2094
Clarissa ✓	F1559	Indigo	Black	2094
	F0870	Wheat	White	2094
	F0871	Platinum	White	2094
	F0872	Tobacco Brown	Cottage White	2094
	F0873	Sable Brown	Black	2094
	F0874	Burlap	White	2094
	F0928	Porcelain	White	2094
	F1532	Powder	Cottage White	2094
	F1533	Steel	Black	2094
	F1534	Silver Satin	Black	2094
Verona LF ✓	F1535	Golden Straw	Black	2094
	F1536	Coffee Bean	Black	240
Callie ✓	F1550	Coal	Black	2094
	F1641	Pearl Cotton	White	2094
	F1734	Pure White	White	2094
	F1736	Natural Tan	Cottage White	2094
	F1737	Silver Ash	White	2094
	F1738	Pebble Gray	Black	2094
	F1739	Black Iron	Black	2094
	F1735	Vanilla Cream	Cottage White	2094
	F2028	Cloudy Gray	White	2094
	F2030	Gray	Black	2094
Remy ✓	F2032	Rich Truffle	Black	240
	F1746	White Dove	White	2094
	F1747	Seashell Gray	White	2094
	F1748	Dune	Cottage White	2094

Call for current pricing
(609) 742-1720

Fabric List

Room Darkening Fabric

Fabric List			Default Color Coordination	
Collection Name	Color Code	Color Name	Color Coordination 1:	Color Coordination 2:
Garden ✓	F0853	RD Foliage	White	205
	F1514	Winter White	White	205
	F1515	Ecru	White	2579
	F1516	Cinnamon	Black	2463
	F1517	Forest	Black	220
	F1518	Midnight	Black	220
Elements (White Backing) ✓	F1108	White	White	205
	F1109	Stone Gray	Black	212
	F1110	Broken White	White	205
	F1111	Cloudy Gray	White	205
	F1112	Gray	Black	212
Elements ✓	F1113	Anthracite Gray	Black	220
	F2109	Stone Gray	Black	212
	F2110	Broken White	White	205
	F2111	Cloudy Gray	White	205
	F2112	Gray	Black	212
	F2113	Anthracite Gray	Black	220
	F2114	Weathered White	White	205
	F2115	Soft Sandstone	White	205
	F2116	Gentle Ash	White	212
	F2117	Soothing Gray	Black	212
	F2118	Graphite	Black	212
	F2119	Desert Beige	Cottage White	2579
	F2120	Warm Mocha	Black	2463
	F2121	Rich Truffle	Black	2463
	F2043	Alabaster	White	205
Jamaica ✓	F2044	Canvas	Cottage White	2579
	F2045	New Khaki	Black	233
	F0827	Latte	White	205
	F0828	Crystal	White	205
Bermuda	F0829	Biscuit	White	205
	F0831	Mushroom	Cottage White	2094 Cc
	F0832	Cocoa	Black	2463
	F0834	Charcoal	Black	220
Fiji	F0822	Pure White	White	205
	F0823	Cream/Ash	White	205
	F0824	Flax/Brown	Cottage White	2094 Cc
	F0826	Charcoal/Brown	Black	220
	F0825	Chocolate/Cream	Black	220

Call for current pricing
(609) 742-1720

✓ GREENGUARD
Certified

*Select colors on this list are FR rated. This information is on the next page. [Click here](#) to see the complete list of FR rated colors.

Fabric List

Room Darkening Fabr

Fabric List			Default Color Coordi	
Collection Name	Color Code	Color Name	Color Coordination 1:	Coord
Lola BO ✓	F1455	Porcelain	White	205
	F1456	Almond	Cottage White	2094 Cc
	F1457	Light Khaki	White	205
	F1458	Wheat	Cottage White	233
	F1459	Platinum	White	205
	F1460	Cement	Cottage White	212
	F1461	Pewter	Black	212
	F1462	Iron	Black	220
	F1463	Indigo	Black	220
Summerland ✓	F1510	Pearl	Cottage White	2094 Cc
	F1511	Maize	Cottage White	2094 Cc
	F1512	Sterling	White	212
Cory ✓	F1479	White	White	205
	F1480	Ivory	Cottage White	2094 Cc
	F1481	Sand	White	205
Callie RD ✓	F1740	Pure White	White	205
	F1742	Natural Tan	Cottage White	2578
	F1743	Silver Ash	White	212
	F1744	Pebble Gray	Black	220
	F1745	Black Iron	Black	220
	F1741	Vanilla Cream	Cottage White	2094 Cc
	F2033	Cloudy Gray	White	205
	F2035	Gray	Black	212
	F2037	Rich Truffle	Black	2463
Remy RD ✓	F1752	White Dove	White	205
	F1753	Seashell Gray	White	212
	F1754	Dune	Cottage White	2578
	F1755	Hickory Bark	Cottage White	233
	F1756	Creamy Mocha	Black	212
	F1757	Natural Slate	Black	212
Francis RD ✓	F1763	Sandstone	Cottage White	2578
	F1764	Oatmeal	Cottage White	2094 Cc
	F1765	Doe	Black	220
	F1766	Black	Black	220
	F1767	Denim	White	205
	F1762	Pearl	Cottage White	2094 Cc
Breeze RD ✓	F1768	Linen Flax	Cottage White	2094 Cc
	F1769	Linen Natural	White	205
	F1770	Linen Khaki	Cottage White	2094 Cc
	F1771	Linen Dune	Cottage White	2578
	F1772	Linen Graphite	Cottage White	233
	F1773	Linen Almond Milk	White	205
	F1779	Linen Stone	White	212
	F1848	Linen Cloud	White	2094 Cc
	F1852	Linen Warm Ivory	Cottage White	233
Amelia RD ✓	F1774	Mist Gray	White	205
	F1775	Heather Gray	Black	212
	F1776	Heather Charcoal	Black	212
	F1777	Heather Smoke	Black	220

Call for current pricing
(609) 742-1720

✓GREENHOUSE

*Select colors on this list are FR rated. This info

Fabric List

Solar Screens (1

Fabric List			Default Color Coordination 1: 2094	
Collection Name	Color Code	Color Name	Color Coordination 1: 2094	Color Coordination 2: 2094
Lakeview 3% ✓	F1270	Light Taupe	White	2094
	F1271	Sand Drift	Cottage White	2094
Lakeview 7% ✓	F1266	Flax	White	2094
	F1267	Yellow Stone	Cottage White	2094
Lakeview 10% ✓	F1268	Frost Gray	Black	2094
	F1269	Java	Black	240
Meadows 1% ✓	F1274	Travertine	White	2094
	F1275	Mushroom	Black	2094
	F1276	Sun Buff	Black	240
Meadows 3% ✓	F1272	Rustic Brown	Black	240
	F1273	Earth Brown	Black	240
Jubilee 3% ✓	F1280	Egg Shell	White	2094
	F1277	Sweet Cream	White	2094
	F1278	Steel Blue/Beige	Black	2094
	F1279	Chestnut	Black	2094
	F1281	Coal	Black	2094
Moon 5% ✓	F1519	Chalk	White	2094
	F1520	Pearl Linen	White	2094
	F1521	Pearl	Cottage White	2094
	F1522	Pearl Pewter	White	2094
	F1523	Charcoal Chestnut	Black	2094
	F1524	Charcoal Gray	Black	2094
	F1525	Raven Black	Black	2094
Serene 1% ✓	F1158	Snow White	White	2094
	F1150	Silver	White	2094
	F1149	Umber	Black	2094
	F1151	Steel	Black	2094
Serene 3% ✓	F1232	Snow White	White	2094
	F1233	Silver	White	2094
	F1234	Umber	Black	2094
	F1235	Steel	Black	2094
Serene 7% ✓	F1240	Snow White	White	2094
	F1241	Silver	White	2094
	F1242	Umber	Black	2094
	F1243	Steel	Black	2094

Call for current pricing
(609) 742-1720

✓ GREENGUARD
Certified



UV Ray/Light blockage of the Solar operation (5 %) blocks 9

Fabric List

Solar Screens (2

Fabric List			Default Color Coordination	
Collection Name	Color Code	Color Name	Color Coordination 1:	Color Coordination 2:
Flow 1% ✓	F1244	Polar White	White	2094
	F1245	Wheat	White	2094
	F1246	Quarry Stone	White	2094
	F1247	Ink	Black	2094
Flow 5% ✓	F1159	Polar White	White	2094
	F1152	Wheat	White	2094
	F1154	Quarry Stone	White	2094
	F1153	Ink	Black	2094
Flow 7% ✓	F1248	Polar White	White	2094
	F1249	Wheat	White	2094
	F1250	Quarry Stone	White	2094
	F1251	Ink	Black	2094
Windsong 1% ✓	F1252	Soft White	White	2094
	F1253	Canvas	Cottage White	2094
	F1254	Graphite	Black	2094
	F1255	Raven Black	Black	2094
Windsong 5% ✓	F1260	Soft White	White	2094
	F1261	Canvas	Cottage White	2094
	F1262	Nickel	Black	2094
	F1263	Graphite	Black	2094
	F1264	Eclipse	Black	2094
	F1265	Raven Black	Black	2094
Breeze Screen 1% ✓	F1780	Linen Flax	Cottage White	2094
	F1782	Linen Khaki	Cottage White	2094
	F1785	Linen Almond Milk	White	2094
	F1786	Linen Stone	White	2094
	F1784	Linen Graphite	Cottage White	2094
	F1846	Linen Cloud	White	2094
	F1850	Linen Warm Ivory	Cottage White	2094
Breeze Screen 3% ✓	F1783	Linen Dune	Cottage White	2094
	F1787	Linen Flax	Cottage White	2094
	F1789	Linen Khaki	Cottage White	2094
	F1792	Linen Almond Milk	White	2094
	F1793	Linen Stone	White	2094
	F1791	Linen Graphite	Cottage White	2094
	F1845	Linen Cloud	White	2094
Galaxy 3%	F1849	Linen Warm Ivory	Cottage White	2094
	F1790	Linen Dune	Cottage White	2094
	F1727	Black	Black	2094
	F1728	Soft White	White	2094
	F1731	Ash	Black	2094

Call for current pricing
(609) 742-1720



UV Ray/Light blocking
of the Solar open

Fabric List

Solar Screens (Comme

Fabric List			Default Color Coord	
Collection Name	Color Code	Color Name	Color Coordination 1:	Coo
NA300 (1%) ✓	F0355	Pearl	White	2
	F0356	Pearl/Linen	Cottage White	2094
	F0357	Pearl/Pewter	White	2
	F0358	Charcoal/Chestnut	Black	2
	F0359	Charcoal/Gray	Black	2
	F1872	Charcoal	Black	2
NA400 (1%) ✓	F0379	Charcoal/Chestnut	Black	2
	F0378	Charcoal	Black	2
	F1875	Chalk	White	2
	F1876	Chalk/Beige	Cottage White	2094
NA300 (3%) ✓	F0360	Pearl	White	2
	F0361	Pearl/Linen	Cottage White	2094
	F0362	Pearl/Pewter	White	2
	F0363	Charcoal/Chestnut	Black	2
	F0364	Charcoal/Gray	Black	2
	F1873	Charcoal	Black	2
NA400 (3%) ✓	F0381	Chalk	White	2
	F0382	Chalk/Beige	Cottage White	2094
	F0384	Charcoal	Black	2
NA820 (3%) ✓	F0407	Oyster/Pewter	White	2
NA300 (5%) ✓	F0365	Pearl	White	2
	F0366	Pearl/Linen	Cottage White	2094
	F0367	Pearl/Pewter	White	2
	F0368	Charcoal/Chestnut	Black	2
	F0369	Charcoal/Gray	Black	2
	F1874	Charcoal	Black	2
NA400 (5%) ✓	F0388	Chalk/Beige	Cottage White	2094
	F0390	Charcoal	Black	2
NA400 (10%) ✓	F0396	Charcoal	Black	2

Call for current pricing
(609) 742-1720

✓ GREENGUARD
Certified



UV Ray/I
Solar op
ie (5 %) i

*Select colors on this list are FR rated. This informati
new page. [Click here](#) to see the complete list of FR r

Default Color Coordinatio
(see Color Coordination pag

Color Coordination

Default Color Hardware: Each fabric has a set of pre-coordinated default hardware colors and details by the fabric in the fabric list. If you wish to override these default colors, please refer to the table below. The colors available for color coordination override include:

Optional Hardware: Anodized Silver

- Available for Plain Curved Fascia, Square Fascia and Plain hem bar (see table below)
- Matte finish
- The end caps will be provided in White.

		Color Coordination				
		Color Coordination 1				
Color Coordination	Component	White	Cottage White	Black	Silver	Natural
Default based on fabric selection	CC1 Standard Hardware	✓	✓	✓	✓ Optional	
	CC2 Bead Chain (+ Tension Device)	✓	✓	✓	✓	✓
	CC1 Square Fascia	✓	✓	✓		
	CC1 Curved Fascia (Plain)	✓	✓	✓		
	CC1 Hem Bar (Plain)	✓	✓	✓		
	CC2 End Caps: Fabric-wrapped Hem Bar & Fabric-wrapped Curved Fascia	✓	✓	✓	✓	✓
	CC2 Charging Port	✓	✓	✓	✓	✓
No Defaults. Must select from the colors available; all components will match.	LG360: Housing, Channels, & Charging Port	✓	✓	✓	✓	
	Cassette	✓	✓	✓	✓	

Call for current pricing
(609) 742-1720

Standard Hardware refers to the headrail system, including shade brackets, raceway also includes the back of a fabric-wrapped hem bar. Optional override is available. (Color Coordination 1)

- Silver is an optional Standard Hardware color when the hardware is exposed.
- Norman Smart Motorized Roller Button Box (MRS-32A) and Wire Connector bracket color is silver
- For Fabric override, the Standard Hardware will default to the shade's fabric specified.
- Raceway mounting brackets are nickel plated by default. Optional color override is available. (Color Coordination 1)

Clutch plastic bead chain Optional color override is available. (Color Coordination 2)

- Stainless Steel chain is optional.
- The Tension Device will coordinate with the default or optional plastic bead chain.
- The Tension Device of Stainless Steel Chain will coordinate with the Standard Hardware color.

Plain Curved Fascia, Square Fascia and Plain Hem Bar Optional color override available.

- Anodized Silver is optional for Plain Curved Fascia, Square Fascia and Plain Hem Bar.

End caps for Curved Fascia with fabric and end caps for fabric-wrapped hem bar

- The hem bar is wrapped with fabric at the front but the back is left plain. The end caps will match the Standard Hardware color. Optional color override is available. (Color Coordination 1)

Charging Ports (Motorization only)

- Optional override is available. (Color Coordination 2)

Dual Shades: Due to the multiple systems in this application, the Standard Hardware override and its coordination is determined accordingly.

- The raceway, brackets and bracket covers will always match with the front shade.
- The rest of the components such as clutch, end plug, chain, etc. will match with the back shade.

Color Coordination

Premium Hardware

- The premium hardware is designed specifically for open roll single shades (no components, with preset finishes that cannot be mixed and matched:
 - Brackets (Inside mount-side mount is not available)
 - Clutches & chains
 - Hem bars
- Available finishes: Brass, Bronze, Brushed Black, Matte Silver, White
- Please refer to the following coordination for reference.

Premium hardware color	Plain Hem Bar (*Premium color)	Shade Bracket/Clutch	Plain Hem Bar End Cap/Plastic Bead Chain/Tension Device/Tension Dial	(for Non-Adaptive) (for Non-Rechargeable)
Bronze	Bronze*	Bronze	Chocolate	
Brushed Black	Brushed Black*	Brushed Black	Black	
Brass	Brass*	Brass	Brass	
Matte Silver	Matte Silver*	Matte Silver	Silver	
White	White	White	White	


- * The premium hem bar is also available as a standalone option for all shades, (Exclusions:LightGuard360™ and Cassette systems.)



Shade Bracket






Shade Bracket



Hem Bar

Call for current pricing
(609) 742-1720

Lift Systems - PrecisionLift™ Cordless



No.	
1	Brack
2	Shac
3	Race
4	Mour
5	Race
6	Race
7	Shac
8*	Race
9	Brack
10	Shac
11	Race
12	Race
13	Race
14	Shac
15*	Race
16	Shac
17	Shac
18	Brack
19	Fabri
20	Hanc
21	Hem
22	Tens

* Raceway fascia/valance

Call for current pricing
(609) 742-1720

PrecisionLift™ also known as Cordless, is our STANDARD s

Featuring exclusive one-touch lift technology for quick, accurate pull the shade by lifting the handle to the desired position. The desired location. No additional pulling or tugging is required

If the shade does not stay at the desired location, it can be fixed

- Raceway is optional when there is no valance. When the valance automatically.
- Cordless is not available for Coupled (2 Shades) / Coupled (3 S

Important Disclaimers & Tips:

Aligned hem bar level: For side by side PrecisionLift™ Cordless shades, the shade is raised all the way to the top may vary, depending on speed. Therefore, we can't guarantee the hem bars are lined up perfectly.


Telescoping: To prevent telescoping, first ensure the shade is installed. Additionally, the handle must be placed in the center of the hem bar. If telescoping occurs, lower the shade completely and slowly raise it.

Lift Systems – Continuous Cord Loop (Manual Clutch)

For Continuous Cord Loop, the Raceway is only optional when there valance is selected, the raceway will be included by default.

With



No.
1
2
3
4
5
6
7
8
9
10
11



Call for current pricing
(609) 742-1720

With R

No.	
1	Brac
2	Sha
3	Rac
4	Mou
5	Rac
6	Rac
7	Sha
8*	Rac
9	Brac
10	Sha
11	Rac
12	Rac
13	Rac
14	Sha
15*	Rac
16	Clut
17	Bea
18	Ten
19	Hen
20	Hen




Lift Systems – SmartRelease™

This exclusive, and patent-pending innovation to cord loop system lowered from an upward position with a gentle pull.

- Raceway is provided for SmartRelease™ regardless if a valance or no valance is selected.
- IM and OM tension device will match the bead chain color (except when stainless steel is selected).

Call for current pricing
(609) 742-1720

IM	Semi-IM	C
		


Motorization

Please see dedicated Motorization product specifications.

Lift Systems / Applications – LightGuard 360™

Inside Mount


	Description
1	Housing
2	Housing Cover
3	Wool pile strip
4	Housing end caps
5	Light block film
6	Fabric tube
7	LightGuard 360 Hem bar
8	Wool pile strip
9	Cordless Handle and Handle Base
10	Bottom Channel "U"
11	Bottom Channel: low-profile "M"
12	Side Channels
13	Screw location labels
14	Side channel wool pile
15	Side channel top caps



Call for current pricing
(609) 742-1720

Outside Mount

	Description
1	Housing
2	Housing Cover
3	Wool pile strip
4	Housing end caps
5	Fabric tube
6	Swivel brackets
7	LightGuard 360 Hem bar
8	Cordless Handle and Handle Base
9	Bottom Channel (optional)
10	Bottom Channel wool pile
11	Bottom Channel cover



Lift Systems / Applications – LightGuard 360™

General Size Considerations

- This table is for reference only. There may be some exceptions due to some fat

Lift System	Single Shade - LightGuard 360™			
	Min Width	Max Width*	Min Length	Max Length
Cord Loop	8"	118"	12"	144"
Motorized	Refer to motorization program guide			
Cordless with 1 3/4" tube	18" ≤ X ≤ 19"	96"	12"	Y ≤ 48"
	19" < X ≤ 24"			Y ≤ 72"
	24" < X ≤ 96"			Y ≤ 120" *
Cordless with 2" tube	20" < X ≤ 24"	118"	12"	Y ≤ 96"
	24" < X ≤ 118"			Y ≤ 144" *

*Note: Shades with the Fabric Wrap option will be limited to the Max Fabric Wid

Application Availability:

- Cord Loop, Motorized, and Cordless** lift systems
- Available with all fabric colors
- Mounting type: Inside Mount, Semi-Inside Mount, and Outside Mount

Structure: All-around solution with Housing, Side Channels and Botto

- Integrated Housing comes standard
 - Housing Cover with End caps:
 - Housing is available in 5 colors. (See coordination table bel the side/bottom channel and end cap colors.
 - Fabric Wrapped Housing is optional.
 - The fabric defaults to the selected shade fabric; (
 - Housing Size: 3 ½" or 4 ½" for larger shades
 - Tube Sizes: 1 3/4" & 2"
 - Tube and housing size will vary based on shade s
 - For matching purposes, Side by Side can be selec
- Bottom Channels:
 - Inside Mount options:** A bottom channel is required for inside
 - "U" Bottom Channel
 - Low-profile "M" Bottom Channel
 - Outside Mount options:** The OM bottom channel is provided t available; select from the "U" Bottom Channel, Low-profile "M" l window application .
 - (Default): Standard OM Bottom Channel
 - (Optional): "U" Bottom Channel
 - (Optional): Low-profile "M" Bottom Channel
 - (Optional): No Bottom Channel 3-sided application
- Side Channels:
 - IM & Semi-IM housing, bottom channels, and side channels will
 - OM housing and bottom channels will be pre-drilled. The side c

Call for current pricing
(609) 742-1720

Lift Systems / Applications – LightGuard 360™

General Specifications:

- Shade Type: Single
- Fabric roll: Standard roll only
- LightGuard 360 Hem Bar: Plain
- Shims are not available

Control Location		Power Cord Position
Cord Loop	Right or Left	N/A
Motorized	Right or Left	Refer to motorization program guide

Color Coordination:

- LightGuard 360™ Housing is available in 5 colors. These are optional c specified, with no defaults based on the fabric selection.
- The Standard Hardware components (including brackets, clutch, end pl housing and will be provided in Black; optional color override is not avai

Housing / Front Cover	Side Channels, End Caps, & Hem Bar	Bottom Channel: "U" and "M"	Bottom Channel Standard OM
SELECT COLOR:	DEFAULT	DEFAULT	DEFAULT
White	White	White	White
Cottage White	Cottage White	Cottage White	Cottage White
Silver	Silver	Silver	Silver
Black	Black	Black	Black
Bronze	Bronze	Bronze	Bronze

LightGuard 360™ Housing

Mount Type	Lift System	Width (X)	Length (Y)	Housing & Cover Size
Inside Mount / Semi-Inside Mount / Outside Mount	CCL/Motorized/ Cordless	$X \leq 96"$	$Y \leq 96"$	3 ½"
			$Y > 96"$	4 ½"
		$X > 96"$	$Y \leq 72"$	3 ½"
			$Y > 72"$	4 ½"


- This table is for housing size reference only. There may be some exceptions.
- For size matching purposes, please select Side By Side during order entry when the same housing size is required and the order includes some larger shades.

	Housing and Cover	Housing E
3.5" Housing		
4.5" Housing		


Call for current pricing
(609) 742-1720

Lift Systems / Applications – LightGuard 360™

LightGuard 360™ Components





Low-profile "M" Bottom Channel
(IM&OM)




"U" Bottom Channel
(IM & OM)




Standard OM
Bottom Channel with Cover



Screw install way



Side Channels (IM & OM)



Swivel Bracket for side
channels (OM)

•For Inside Mount LightGuard 360™, if the bottom window opening is wider than the channel width is available by selecting out of square (A-Shape) window. Please provide channel width will be calculated automatically. Shade specifications and pricing will be

Call for current pricing
(609) 742-1720

LightGuard 360™ Cordless Operating Poles

- Optional operating pole or pole attachments available with LightGuard
- Suited for LightGuard 360™ Cordless shades only. Not compatible with shades
- Pole Attachment only
 - Color: White
 - Screw ring (pole not included; compatible with telescopic poles sold at hardware stores)



- P
- C
- O

Lift Systems / Applications – Cassette System

Cassette System

Ideal for window or door applications where a secured cassette is necessary.

Application Availability:

- **Cord Loop, SmartRelease™, Motorized*, and Cordless** lift systems
- Available with all fabric colors
- Mounting type: Inside Mount and Outside Mount. All mount types include drilled cassette.
- Installation Type:
 - Install on Window
 - Install on Door

Structure: Integrated Cassette with Shade for Windows or Door

- Standard Specs:
 - Cassette comes standard with shade
 - Magnetic Hold Downs are provided by default on door application for windows
- Integrated Cassette housing comes standard
- Cassette Cover with End caps:
 - Cassette is available in 4 colors. The color selection color will determine Cassette, hem bar and end cap colors.
 - Fabric Wrapped Housing is optional.
 - The fabric defaults to the selected shade fabric; Optional fabric selection is available. (Note: Shades with the Fabric Wrap option will limit the Max Fabric Width of the color selected.)
 - Cassette Size: 3 ½" or 4 ½" for larger shades
 - Tube Sizes: 1/8", 1 3/4" & 2"
 - Tube and cassette size will vary based on shade size (see

General Specifications:

- Shade Type: Single
- Fabric roll: Standard roll only
- Hem Bar: Plain or fabric-wrapped
- For Cord Loop and Motorization only:
 - The charging cable (motorized) will be located at the front
 - The bottom of the Cassette cover will have a notch out for the Cord

Control Location	
CordLoop/ SmartRelease™	Right
Motorized	Right

Color Coordination

- Select from 4 cassette colors available
- The hem bar (Plain) will coordinate with the Cassette selection
- The end caps for the Fabric-wrapped hem bar and the bead chains are coordinated to match the shade fabric selection. Color override is available (Fabric List)
- For all other components, such as brackets, clutch, end plugs, etc., color is not available.

* Cassette System Exclusions:




Motorized: Norman Smart Rechargeable Battery Charging Wands, All Valances/Fascias, Premium Light Guard, Reverse fabric roll, Traditional hold Standard Hardware and Plain Hem Bar color override, Side by Side, Shims

Cassette & Cassette Cover size:





Call for current pricing
(609) 742-1720

Lift Systems / Applications – Cassette System

Minimum Mounting Depth

3 1/2" Housing & Housing Cover		4 1/2" Housi
Flush Inside Mount	Semi-Inside Mount	Flush Inside Mo
		

Components

Component	Drawing	
3 1/2" Cassette/ Housing		
	Housing	Housing Cover
4 1/2" Cassette/ Housing		
	Housing	Housing Cover

Call for current pricing
(609) 742-1720

Fabric Deduction

Single Shade - Inside Mo				
System	Shade Width	Shade Length	Tube Dimensions	
Continuous Cord Loop	8" to 60"	12" to 144"	1 1/8"	
	8" to 96"		1 3/4"	
	8" to 118"		2"	
SmartRelease™	12" to 96"	12" to 144"	1 3/4"	
PrecisionLift™ Cordless	9.5" to 96"	12" to 120"	1 3/4"	
	20 1/8" to 118"	12" to 144"	2"	
All other motor	Refer to motorization program guide		1 3/4", 2"	
Norman Smart RB w/ AC Charger				

•For Door Cassette, an additional 1/16" fabric deduction will be t

Lift Systems / Applications – Dual Shades & Coupled S

Dual Shades

- Like two shades in one, Dual Shades feature one shade behind another, allowing for ultimate light and privacy control
- Available in cordless & motorization
- Same lift systems for both front and back shades.
(Motorized system should have same motor type)
- Fabric roll directions: reverse roll (front/top shade)/ standard roll (back/bottom shade)
- Control location:


Lift System	Control* Position	Front Shade	Back Shade
Cordless*	Standard	Right	Left
Motorized*	Optional	Right	Left
		Left	Right
		Left	Left
		Right	Right

*For cordless, control refers to the tension dial. For motorized, control refers to the power location.

- Valance options: no valance or 8" fabric valance (must select from match front shade fabric, match back shade, or specify a new fabric).
- Raceway is optional when there is no valance. When the valance is selected, raceway will be provided automatically.

Coupled Shades (2 Shades)

- Great for side by side windows with small gaps
- A Coupled Shade (2 Shades) configuration links two shades together, operated by a single control or operated independently.
- All Valance types are available for Coupled Shades
- Available Lift Systems: **Continuous Cord Loop & Motorized**
- Standard: Allows two shades to be operated together by one control
 - Control Location: L/R
- Independently Operated: Allows each shade to be operated separately
 - Control Location: Left Shade: L, Right Shade: R
- Each shade will match tube size, clutch size, fascia size and brackets, upgrading to the larger size within the shades selected.
- Exclusions: PrecisionLift™ Cordless and SmartRelease™ lift systems are not available for any Coupled Shades applications.
- Raceway: Raceway is optional when there is no valance. When the valance is selected, raceway will be provided automatically.



Call for current pricing
(609) 742-1720


Lift Systems / Applications – Coupled Shades (3 Shade

Coupled Shades (3 Shades)


A Coupled Shade with 3 Shades configuration combines a standard coupled shade

- Configuration Options & Control Locations:**

Option 1 (from left to right): Coupled Shades (L) + Single Shade (R)



Option 2 (from left to right): Single Shade (L) + Coupled Shades (R)



- Valance:**
 - All valance types are available
- Available Lift Systems:** Continuous Cord Loop & Motorized
- Exclusions:** PrecisionLift™ Cordless and SmartRelease™ systems are not available for this configuration.
- Matching Note:** Tube size, clutch size, fascia size, and bracket size will match within the selected shades.
- Raceway:** Raceway is optional when there is no valance. When the valance is used, the raceway is not required.

Call for current pricing
(609) 742-1720




Lift Systems / Applications – Coupled Shades (4 Shade

Coupled Shades (4 Shades)


A Coupled Shade with 4 Shades configuration combines two sets of sta

- Configuration Options & Control Locations:
Coupled Shades (L) + Coupled Shades (R)




- **Valance:**
 - All valance types are available
- **Available Lift Systems:** Continuous Cord Loop & Motorized
- **Exclusions:** PrecisionLift™ Cordless and SmartRelease™ system
- **Matching Note:** Tube size, clutch size, fascia size, and bracket size must match the larger size within the selected shades.
- **Raceway:** Raceway is optional when there is no valance. When used, it is installed automatically.

Call for current pricing
(609) 742-1720



Race



Lift Systems / Applications – Side by Side & Common

Side by Side Shades

- Side by Side will match tube size, clutch size, fascia size and bracket size selected. This is ideal when a uniform look for shades of different sizes is wanted at the same time and the following criteria are identical in:

- **Room**
- **Mount type**
- **Fabric color**
- **Lift system**
- **Motor type/power source*** (motorized shades only)
- **Valance type & size**
- **Application type**
(i.e., cannot match LightGuard 360™ with a single shade; cannot match Raceway type)
- **Raceway type**
(i.e., shades with raceway cannot match shades with no raceway)
- **Hardware type**
 - Only shades with premium hardware color selected can do side by side (i.e. Shades with brass premium hardware selected can only match silver premium hardware selected.)
(i.e. Shades only with premium color hem bar cannot do side by side)


Additional Notes:

- When the line item is more than Quantity 1, all shades for that line item must match.
- Matching Side by Side shades cannot be guaranteed if the order is for different shades than listed above. To request Side by Side shades according to these order instructions, please list the shades you want side by side.
- Brackets: Side by side shades can be produced with different bracket sizes. If different bracket sizes are selected, we will not match the bracket size.
- Motorization: all shades must have the same motor type & power source. (i.e., A battery-powered shade cannot be matched with an plug-in power source.)
- For PrecisionLift™ cordless shades, side-by-side option is not available.
- Coupled Shades (3 Shades) and Coupled Shades (4 Shades) are not eligible for side by side.

Call for current pricing
(609) 742-1720

Common Valance

- Available in all Valance types
- Available for all lift systems
(Exception: PrecisionLift™ cordless shades—common valance not available)
- All shades sharing a common valance must use the same lift system
- One Common Valance can share up to 6 shades
(Exception: Continuous Cord Loop/SmartRelease™/AutoWand systems—no common valance.)
- Common valance will match tube size, clutch size, fascia size, and bracket size of the selected shades
- All splicing rules apply to oversized Common Valance
- Minimum fabric gap between shades varies by lift system (see Deductions)
- No additional bracket gap is required between two shades
- Additional Requested Gap: 0"—12"




Lift Systems / Applications – Install on Door

Roller Shades Installed on a Door

To receive shades suited for door applications, please select the "Install

- All fabric colors, lift systems, and options available
- Standard features:
 - Magnetic hold-downs are defaulted and required when
 - Shades on doors will have an additional fabric deduct side in order to prevent the fabric from fraying. (See fabric width deductions.)
- All Fascia and Valances are available for door applications, but not recommended for doors, please refer to Door Cassette system.



Call for current pricing
(609) 742-1720

Valance Options

Valances	Available Colors	Notes
 Curved Fascia (Plain or with Fabric)	Plain: White, Cottage White & Black; Optional: Anodized Silver With fabric: Fabric: Defaulted to the selected shade fabric. Optional fabric selection available. End Cap: White, Cottage White, Nature, Terra, Sahara, Chocolate, Silver, and Black	For Curved Fascia max fascia width fabric width. When fascia will be split connector supplied. Fascia size will vary with size, see chart. Must be specified.
 Square Fascia	White, Cottage White & Black; Optional: Anodized Silver	Fascia size will vary with size. Matching size.
 Fabric Valance	The default fabric on this valance will be the selected shade fabric. Optional fabric selection available. For Dual Shades, the desired fabric valance must be selected manually.	For Fabric Valance width is subject to change. When exceeded, 7" the valance will be cut to fit keystone or connector. Valance returns shipping & OB
 Crown Wood Valance	Paint: 001 Pure White 003 Silk White 006 Pearl 012 Crisp Linen 049 Stone Gray 053 Clay	Valance returns shipping & OB. Valance returns shipping & OB.
 Modern Wood Valance	Stain: 109 Weathered Teak 110 Limed White 212 Dark Teak 221 Black Walnut 237 Wenge 246 Matte Black See digital swatches here.	Valance returns shipping & OB. Valance returns shipping & OB.

Call for current pricing
(609) 742-1720

**All the above Valance types are not available for LightGuard360™ or

Valance Options

Valance Joinery and Splicing Rules

All Valances wider than its maximum limitations will be spliced. A **valance** on all spliced valances. This applies to single, dual shades, coupled shades, coupled shades (4 Shades) and common valances shades.

- Up to 5 total keystones can be selected per valance.

Valance Type	Shade Type	Max Valance Width Without Joint *	Max Valance Width With Joint
Fabric Valance (inner width)	Single (All)& Dual (8" Fabric Valance only)	Using 2 rules**: 1. Max Valance Fabric Width-7" 2. 93"	Shade Width+12"
Wood Valance (inner width)		93"	
Curved Fascia With Fabric		Using 2 rules**: 1. Max Fascia Fabric Width 2. Fascia End Cap to End Cap: 93"	
Curved Fascia		Fascia End Cap to End Cap: 93"	
Square Fascia			
Fabric Valance (inner width)	Common Valance & Coupled Shades (2 Shades)/ Coupled Shades (3 Shades)/ Coupled Shades (4 Shades)	Using 2 rules**: 1. Max Valance Fabric Width-7" 2. 93"	Total Shade Widths + Gap Sizes +12"≤558" ***
Wood Valance (inner width)		93"	
Curved Fascia With Fabric		Using 2 rules**: 1. Max Fascia Fabric Width 2. Fascia End Cap to End Cap: 93"	
Curved Fascia		Fascia End Cap to End Cap: 93"	
Square Fascia			

Call for current pricing
(609) 742-1720

Note:

*The max custom valance is total shade width+12"

**If max valance fabric width-7"<93" or max fascia fabric width<93" , the valance will be split when valance length>93"

***If max valance fabric width-7"<93" or max fascia fabric width<93" , the max valance width will be (max valance fabric width-7")x6 or max fascia fabric widthx6

- For Continuous Cord Loop/SmartRelease™/AutoWand system under common valance
 - Total Shade Widths + Gap Sizes +12"≤186"
 - If max valance fabric width-7"<93" or max fascia fabric width<93" , the max valance width will be (max valance fabric width-7")x2 or max fascia fabric widthx2
 - Up to 3 keystones can be selected per valance

Valance Options

V-Shape Keystone



Square Fascia Keystone




Curved Fascia Keystone




Fabric Valance Keystone

Square Shape Keystone: It is not available for Crown Valance



Square Fascia Keystone



Curved Fascia Keystone



Fabric Valance Keystone

Connector




Wood Modern Valance
Connector




Wood Crown Valance
Connector



3.5"/4.5"/6" Fabric Valance
Connector



Curved Fascia Connector



Square Fascia Connector

Call for current pricing
(609) 742-1720

Keystone Spacing Requirements

Keystone Qty		Custom keystone location limitation	
		Min	Max
1 Keystone		18"	total valance width-18"
2 Keystone	1st keystone	18"	total valance width-18"
	2nd keystone	1st keystone location+18"	total valance width-18"
3 Keystone	1st keystone	18"	total valance width-18"
	2nd keystone	1st keystone location+18"	total valance width-18"
	3rd keystone	2nd keystone location +18"	total valance width-18"
4 Keystone	1st keystone	18"	total valance width-18"
	2nd keystone	1st keystone location+18"	total valance width-18"
	3rd keystone	2nd keystone location +18"	total valance width-18"
	4rd keystone	3rd keystone location +18"	total valance width-18"
5 Keystone	1st keystone	18"	total valance width-18"
	2nd keystone	1st keystone location+18"	total valance width-18"
	3rd keystone	2nd keystone location +18"	total valance width-18"

Valance Options

Lift System & Valance Availability

	Single			
	Cordless	Motorized	Clutch/ SmartRelease	Cc
No Raceway or Fascia / Valance	✓	✓	✓	
Raceway only*	✓	✓	✓	
Square Fascia	✓	✓	✓	
Curved Fascia	✓	✓	✓	
Fabric Valance (3 ½" & 4 ½")	✓	✓	✓	
Fabric Valance (6")	✓	✓	✓	
Fabric Valance (8")	✓	✓	✓	
Wood Valances	✓	✓	✓	

*Raceway will be provided on all shades with a valance or fascia selected. SmartRelease™ shades, even if no valance

Call for current pricing
(609) 742-1720

Fascia Size Chart

System	Width (X)	Height (Y)	Sizes (Standard)
Cord Loop* / Motorized/ PrecisionLift™ Cordless	X≤96"	Y≤96"	3.5"
		Y>96"	4.5"
	X>96"	Y≤72"	3.5"
		Y>72"	4.5"
SmartRelease™	X≤96"	Y≤96"	3.5"
		Y>96"	4.5"
	X>96"	All heights	4.5"

Fabric

System
Cord L Moto /Precisi Cord
SmartR

Notes:

- To ensure all fascia sizes in an order will match, **Side by Side** needs to be selected in order entry to avoid any matching issues. Fascia sizes will not automatically be matched for an order.
- This table is for reference only. There may be exceptions due to some size ratios.

*Cord Loop 1:5 Size Ratio:

For manual clutch, when the width to height ratio exceeds 1:5, the clutch size will be upgraded. This will upgrade the Fascia size.

Notes:

- The avail width and reflects th the total u per unit m
- This table size ratios
- *Cord Loc
- For mant clutch size upgrade t

Valance Return Size Options

--	--	--

Additional Options

Fabric Roll

- Standard Roll: Fabric rolls down against the window glass.
 - Reverse Roll: Fabric rolls down away from the window glass.
- *Exclusions: Curved Fascia, Square Fascia, LightGuard 360™, (Smart Motorization with Charging Wands.



Standard Roll



Reverse Roll


Call for current pricing
(609) 742-1720

Hem Bar

- Default: Plain hem bar
 - Plain Hem Bars are available in default and optional colors.
- Optional: Fabric-wrapped hem bar
 - Front: Wrapped with the fabric that has been selected for
 - Back: Will not be fabric-wrapped and will coordinate with
 - End Caps are available in default and optional colors. See



Plain Hem Bar



Back of the hem bar is not fabric-wrapped. Default color coordinates with Standard Hardware.

Choose an End Cap Color or keep the default.

Additional Options

Hold Downs

Choose from Traditional or Magnetic hold-down brackets (one for the left and one for the right) to help secure the shade in place when closed. Not available for LightGuard 360™.


- **Traditional Hold Down**

- Optional for window applications




- **Magnetic Hold-Down**

- Defaulted for door applications.
 - Magnetic hold-downs are required for door applications.
 - Not recommended for metal door applications.
- Optional for window applications.
- For single/common valance/ Coupled Shades (2 Shades)/ Coupled Shades (4 Shades), the magnet will be pre-installed at the bottom of the shade.
- For dual shades, the magnet will be pre-installed at the far left and right ends of the shade.
- The magnet catch, which needs to be installed at the job site.



Magnet




Magnet Catch

Available colors for Magnet Catch

- (Default) Nickel-Plated
- (Optional) Pure White, Silk White, Bisque, Pearl, Bright Bronze, Sea Mist, Stone Gray, Brown Gray, Taupe Gray

Call for current pricing
(609) 742-1720



All colors available

-
-

Shim

- Optional
- Dimensions: 1.614" x 0.394"
- Up to 3 shims can be stacked per bracket
- Not available for LightGuard 360™



Additional Options

Chain for Continuous Cord Loop & SmartRelease™ Shades

•Chain Options:

- Standard: Plastic
Available in White, Cottage White, Black, Nature, Sahara, Terra
- Optional: Stainless Steel

•Chain length is measured from the top of the brackets/installation bracket to the tension device

•SmartRelease™:

- Chain length tolerance: 0~1.18"

•Common Valance:

- When standard chain length is ordered, the chain length of every height of each shade.
- When custom chain length is ordered, the chain length will be supplied

Chain Length	Order Height (Y)	Chain Length (For SmartRelease™)
Default Length	$12" \leq Y \leq 18"$	Y-2"
	$18" < Y \leq 25.5"$	16"
	$25.5" < Y \leq 30"$	16"
	$30" < Y \leq 42"$	24"
	$42" < Y \leq 54"$	36"
	$54" < Y \leq 66"$	48"
	$66" < Y \leq 90"$	60"
	$90" < Y \leq 144"$	84"
Custom Length	All shade heights	Plastic/Stainless Steel: Minimum: 10" Maximum: Order Height – 2" *

*If there are no any window sills or obstructions at bottom of the tension device, please specify the custom chain length in Special Instructions.

Call for current pricing
(609) 742-1720

Poles for PrecisionLift™ Cordless Shades

One complimentary fiberglass pole is included in every cordless roller shade. An additional pole can be added to your order as an option (max 1 pole or max 1 pole attachment). The number of poles will vary based on the shade size ordered, but additional poles are not compatible with LightGuard 360™ Cordless shade.

58" Fiberglass Pole



- 30" Fiberglass Pole
 - Additional poles available upon request
- 58" Fiberglass Pole (with connector)
 - Additional poles available upon request
- Cordless Operating Pole
 - Color: Black
 - Length options: 36" & 60"




Additional Options

Light Guard

Light Guard is specifically designed to block incoming light escaping off the

- Available in IM only
- Application consists of 2 side blocks (select from premium wood light guard)
- *If Light Guard is ordered with Common Valance / Coupled (2 Shades) / please note that only 1 set will be provided.

*If light guard is ordered with Cassette system, only Basic Light Guard is

	Dimensions	
Premium Wood Light Guard (Side Channels)	7mm (0.28") 30mm (1.18") 7mm (0.28") 30mm (1.18") 7mm (0.28") 30mm (1.18") 7mm (0.28") 35mm (1.38") (running change) Provided for all other colors Provided for Stone Gray 	*Th 1/4 provid
Basic Light Guard (Side Channels)	15mm [0.59"] 35mm [1.38"] 0.8mm [0.03"] End Caps *End Caps will come pre-installed on top of the light guard pieces.	3058 White When into two th Front
Single Shade Light Guard (Top Light Block)	Size: 4 1/2"	A white
Dual Shades Light Guard (Top Light Block)	Size: 8 1/2"	A white

Call for current pricing
(609) 742-1720

Reverse Pattern for Kendra, LF Foliage

- F0890 LF Foliage in the Kendra collection is



Size Considerations

Application	Single Shade			D
Lift System	Clutch	Cordless*	Motorized	Cordless
Min Width	8" (CCL) 12" (SR)	9.5"	Refer to motorization program guide	9.5"
Max Width	118"	118"		118"
Min Height	12"	12"		12"
Max Height	144"	144"		144"

- **This table is for reference only.** There may be exceptions due to different factors in the appendix.
- Utilizes a 1 3/4" or 2" tube : Except cordless system, 2" tube will be used when the width is greater than 118".
- Note that when Fabric Wrapped is selected for these applications, the width is details.
- *PrecisionLift™ Cordless shades have additional size restrictions based on the

Call for current pricing
(609) 742-1720

	PrecisionLift™ Cordless Size Limitations	
	Width	Length
Cordless with 1 3/4" tube	$9.5" \leq X \leq 24"^{**}$	$Y \leq 72"$
	$24" < X \leq 96"$	$Y \leq 120"$
Cordless with 2" tube	$20" < X \leq 24"$	$Y \leq 96"$
	$24" < X \leq 118"$	$Y \leq 144"$


- **Shades with widths 20" or less will not include a tension dial.
- Fabrics with Max Height Limitations
 - Natural collection: Select colors in Maui Natural (Ink/Natural & Coffee)

Shade Size Definition

Shade Width: Distance from left end cap to right end cap.

Shade Length: Distance from the top of the mounting brackets/raceway

Inside Mount



Outside Mount



Deductions

Inside Mount:

Shade width = Order width - 1/8" (**Top Mount & Back Mount**)

Shade width = Order width (**Side Mount**)

Shade height = Order height (**Top, Back & Side Mount**)

Outside Mount:

No Deductions—


Shade width = Order width

Shade height = Order height

OM Recommendation: To avoid light leakage, add the [minimum mounting space height](#) around the other sides (left side, right side and bottom side).

*For OM LG360: Add 4 1/4" to the overall width; for the height, add 1 3/8" to the bottom or 4 1/2" for the 4.5" housing size.

*For OM with Cassette: The shade should be overlapping the window opening at least 1/2" to the top depending on the housing/cassette size.



Call for current pricing
(609) 742-1720

Deductions for Roller Shades with a Cassette

(IM)

Left shade width = left shade order width - 1/8"

Center shade(s) width = center shade(s) order width - 1/8"

Right shade width = right shade order width - 1/8"

Left

Center shade(s)

Right

Deductions for Roller Shades Coupled Shade(2)/ Center

(IM)

Top Mount & Back Mount:

Split Equally:

Coupled(2): Left/Right Shade Width=(Total Order Width-1/8")÷2

Coupled(3): Left/ Center/Right Shade Width=(Total Order Width-1/8")÷3

Coupled(4): Left/ Center Left/Center Right/Right Shade Width=(Total Order Width-1/8")÷4

Split

Coupled

Coupled

Width

Coupled

Total

Custom:

Left Shade Width=Left shade Order Width-1/16"

Center/Center Left/ Center Right Shade Width = Center/Center Left/ Center Right

Order Width

Right Shade Width=Right Shade Order Width-1/16"

Custom

Left

Center

Left

Right

Side Mount:

Split Equally:

Coupled(2): Left/Right Shade Width=Total Order Width÷2

Coupled(3): Left/ Center/Right Shade Width=Total Order Width÷3


Side

Deductions

Single PrecisionLift™ Cordless - Inside Mount			
Shade Width	Shade Length	Tube Dimensions	Shade Type
9.5" to 118"	12" to 144"	1 3/4", 2"	Cordless without Valance & Raceway
			Cordless with Fasteners
			Cordless with Valance

Outside Mount:

For the fabric deduction on OM shades, round up above IM Fabric Deduction value and exclude (e.g. If the Fabric Width = Order Width - 1 then the Fabric Width = Order Width - 1)



Call for current pricing
(609) 742-1720


IM / OM Shade Type	Gap
Cordless roller shade without Valance & Raceway / with Raceway	9/16" (0
Cordless roller shade	9/16" (0

Deductions

Single SmartRelease™ - Inside Mount		
Shade Width	Shade Length	Shade Type
12" to 118"	12" to 144"	SmartRelease™ without Valance / with Raceway
		SmartRelease™ with Fascia
		SmartRelease™ with Valance

Outside Mount:

For the fabric deduction on OM shades, refer to the chart above IM Fabric Deduction value and exc (e.g. If the Fabric Width = Order Width - 1" then the Fabric Width = Order Width - 1")




Call for current pricing
(609) 742-1720

IM / OM Shade Type	Chain Clutch	Tube Diameter
SmartRelease™ with Raceway	1 3/4"	1 3/4"
	2"	2"
SmartRelease™	1 3/4"	1 3/4"

Deductions

Single Continuous Cord Loop - Inside Mount				
Shade Width	Shade Height	Clutch Size	Tube Size	Shade Type
8" to 60" *	12" to 144"	1 1/8"	1 1/8" *	CCL without Valance & with Raceway
8" to 96"		1 3/4"	1 3/4"	CCL with Fabric
				CCL with Valance
8" to 118"		1 3/4"	2"	CCL without Valance & with Raceway
				CCL with Fabric
				CCL with Valance

Call for current pricing
(609) 742-1720



For
abo
(e.g.
the

Tube S


*For Cor
60" and
the selec
limitatio
this occu
1 3/4" tu

IM / OM Shade Type	Tube Diameter	
Continuous Cord Loop without Valance & Raceway / with Raceway	1 1/8", 1 3/4"	9
	2"	9
Continuous Cord Loop with Valance & Raceway	1 1/8", 1 3/4"	9

Deductions

Single Motorized - Inside Mount a

Motor Type	Shade Width	Shade Length	Tube Dimensions	Sha
Norman Smart Motorization: Rechargeable Battery with AC Adapter Charger only	Refer to motorization program guide	1 3/4", 2"	Motorized w Raceway / Ra	
			Motorizer	
			Motorized	
All other motor			Motorized w Raceway / Ra	
			Motorizer	
			Motorized	




Call for current pricing
(609) 742-1720

IM / OM Shade Type	Tube diameter	Motor type
Motorized without Valance & Raceway/ with Raceway	1 3/4", 2"	All other motors
		Norman Smart RB v AC Charger


Deductions

Coupled Shades (2 Shades) in Continuous Cord L



IM / OM Shade Type	Tube Diameter	Gap A
CCL Without Valance & Raceway or With Raceway only	1 3/4"	9/16" (0.53)
	2"	9/16" (0.53)
CCL with Fascia	1 3/4"	9/16" (0.59)
	2"	9/16" (0.59)
CCL with Valance	1 3/4"	1/2" (0.49)
	2"	1/2" (0.49)

Coupled Shades (2 Shades) in Motorized




IM / OM Shade Type	Tube diameter	Motor type	
Motorized Without Valance & Raceway / with Raceway	1 3/4", 2"	All other motors	9/16"
		Norman Smart RB w/ AC Charger	9/16"
		All other motors	9/16"

Call for current pricing
(609) 742-1720

Deductions


Independently Operated Coupled Shades (2 Shade



IM / OM Shade Type
CCL Without Valance Raceway / W Raceway
CCL with Fascia
CCL with Valance

Call for current pricing
(609) 742-1720


Independently Operated Coupled Shades (2 Shade



IM / OM Shade Type	Tube Diameter	Motor type
Motorized Without Valance & Raceway / with Raceway	1 3/4", 2"	All other motors Norman Smart RB AC Charger
Motorized with Fascia	1 3/4", 2"	All other motors Norman Smart RB AC Charger


Deductions

Coupled Shades (3 Shades) in Continuous Cord Loo



Call for current pricing
(609) 742-1720


Coupled Shades (3 Shades) in Motorized



IM / OM Shade Type	Tube Diameter	Motor type
Motorized Without Valance & Raceway/ with Raceway	1 3/4", 2"	All other motors
		Norman Smart RB AC Charger
Motorized with Fascia	1 3/4", 2"	All other motors
		Norman Smart RB

Deductions


Coupled Shades (4 Shades) in Continuous Cord Loop



IM / OM Shade Type	Tube Diameter	Gap A
CCL Without Valance & Raceway/ With Raceway	1 3/4"	3/4" (0.75")
	2"	13/16" (0.8125")
CCL with Fascia	1 3/4"	13/16" (0.8125")
	2"	7/8" (0.875")
CCL with Valance	1 3/4"	11/16" (0.6875")
	2"	3/4" (0.75")

Call for current pricing
(609) 742-1720

Coupled Shades (4 Shades) in Motorized




IM / OM Shade Type	Tube Diameter	Motor type
Motorized Without Valance & Raceway/ with Raceway	1 3/4", 2"	All other motors
		Norman Smart RB w/ Charger
		All other motors

Deductions

- A/B Gaps apply to both IM / OM Shades


Dual Shade in Motori



Shade Type	Motor Position	Motor Type
Without Valance & Raceway/ With Raceway	At different side	All other Motor types Norman® Smart Motorized w AC Adapter Charger
	At same side	All other Motor types Norman® Smart Motorized w AC Adapter Charger
With Fabric Valance	At different side	All other Motor types Norman® Smart Motorized w AC Adapter Charger
	At same side	All other Motor types Norman® Smart Motorized w AC Adapter Charger

Call for current pricing
(609) 742-1720

Dual Shade in PrecisionLift™



Deductions

Deductions / Finished Widths by Valance

Inside Mount		
Valance		Finished Width
Fascia Width	including end caps	Fascia width = shade width*
		Common fascia width = left/center/right total shade width
	excluding end caps	Fascia width = shade width* – 1/8"
		Common fascia width = left/center/right total shade width
Wood/ Fabric Valance Width	excluding valance returns	Valance width = shade width *
		Common valance width= left/center/right total shade width

* Shade width = order width – 1/8"

• Coupled shade (2) / Coupled shade (3) / Coupled shade (4) calculation

Semi-Inside Mount		
Valance		Finished Width
Fascia Width	including end caps	Fascia width = shade width*
		Common fascia width = left/center/right total shade width
	excluding end caps	Fascia width = shade width* – 1/8"
		Common fascia width = left/center/right total shade width
Wood/Fabric Valance Width	including valance returns	Valance inner width = shade width* + 3/16" x return qty
		Common valance inner width= left/center/right total shade width + 3/16" x return qty
		For 8" Fabric Valance only: Valance width = Valance inner width + 8"
		For others Fabric Valance: Valance width = Valance inner width + 10"
		For Wood Modern Valance: Valance width = valance inner width + 10"
		For Wood Crown Valance: Valance width = valance inner width + 10"

* Shade width = order width – 1/8"

• Coupled shade (2) / Coupled shade (3) / Coupled shade (4) calculation

Outside Mount		
Valance		Finished Width
Fascia Width	including end caps	Fascia width = shade width*
		Common fascia width = left/center/right total shade width
	excluding end caps	Fascia width = shade width* – 1/8"
		Common fascia width = left/center/right total shade width
Wood/Fabric Valance Width	including valance returns	Valance inner width = shade width* + 3/16" x return qty
		Common valance inner width= left/center/right total shade width + 3/16" x return qty
		For 8" Fabric Valance only: Valance width = Valance inner width + 8"
		For others Fabric Valance: Valance width = Valance inner width + 10"
		For Wood Modern Valance: Valance width = valance inner width + 10"
		For Wood Crown Valance: Valance width = valance inner width + 10"
	excluding valance returns	Valance width = shade width* = order width
		Common valance width= left/center/right total shade width

Call for current pricing
(609) 742-1720

Mounting Depth Illustrations – Inside Mount

	Flush IB-To			
	CCL (with 1 1/8 " Clutch)	CCL (with 1 3/4" Clutch)	SmartRelease™ 1 3/4" Clutch	SmartRelease™ 2" Clutch
No Raceway and No Valance	3.27"	3.78"		
With a Raceway, but No Valance	3.28"	3.79"	3.51"	3.78"
With a 3.5" Fascia	3.38"	3.58"	3.57"	
With a 4.5" Fascia	3.94"	4.2"	4.06"	4.2"
With Fabric Valance	3.64"(SB) 4.12"(LB)	3.79"(SB) 4.3"(LB)	3.79"(SB) 4.3"(LB)	4.12"(SB) 4.6"(LB)
With Wood Crown Valance	4.08"(SB) 4.45"(LB)	4.08"(SB) 4.71"(LB)	4.08"(SB) 4.57"(LB)	4.08"(SB) 4.71"(LB)
With Modern Valance	3.91"(SB) 4.28"(LB)	3.91"(SB) 4.54"(LB)	3.91"(SB) 4.4"(LB)	3.91"(SB) 4.54"(LB)
Basic light guard without raceway	3.19" (1 1/8" tube) 3.5"(1 3/4" tube) 3.58"(2" tube)			
Basic light guard with raceway	3.33"	3.87"	3.84"	3.87"
LightGuard 360™				3.375"(3.5" tube) 3.94"(4.5" tube)

	Semi IB-To			
	CCL (with 1 1/8 " Clutch)	CCL (with 1 3/4" Clutch)	SmartRelease™ 1 3/4" Clutch	SmartRelease™ 2" Clutch
No Raceway and No Valance	2.99"	3.25"		
With a Raceway, but No Valance	2.94"	3.2"	3.05"	3.25"
With a 3.5" Fascia	2.68"	2.88"	2.87"	
With a 4.5" Fascia	2.94"	3.2"	3.05"	3.2"
With Fabric Valance	2.72"(SB) 2.89"(LB)	2.87"(SB) 3.07"(LB)	2.87"(SB) 3.07"(LB)	2.87"(SB) 3.07"(LB)
With Wood Crown Valance	2.88"(SB) 2.94"(LB)	2.88"(SB) 3.2"(LB)	2.87"(SB) 3.05"(LB)	2.88"(SB) 3.05"(LB)
With Modern Valance	2.87"(SB) 3.05"(LB)	2.87"(SB) 3.19"(LB)	2.87"(SB) 3.05"(LB)	2.87"(SB) 3.05"(LB)
Basic light guard without raceway	2.9" (1 1/8" tube) 3.11"(1 3/4" tube) 3.15"(2" tube)			
Basic light guard with raceway	3"	3.36"	3.36"	3.36"

*SB: Small Bracket / LB: Large Bracket

*For 8" fabric valance, the max mounting depth size is 0.2" more than other fabric valances listed

Call for current pricing
(609) 742-1720

Mounting Depth Illustrations – Inside Mount

	IB-Back m			
	CCL (with 1 1/8 " Clutch)	CCL (with 1 3/4"Clutch)	SmartRelease ™ 1 3/4" Clutch	Smart 2" C
With a Raceway, but No Valance	3.38"	3.55	3.55"	3
With a 3.5" Fascia				3.48"
With a 4.5" Fascia				4.09"
With Fabric Valance				3.7"(SE 4.3"(LE
With Wood Crown Valance				3.99"(SI 4.6"(LE
With Modern Valance				3.82"(SI 4.43"(LI

*SB: Small Bracket / LB: Large Bracket

Mounting Depth Illustrations – Outside Mount

The *mounting area height* refers to the area required for installing screw
space required for the shade

For Single/Coupled Shade


Without Raceway/Valances/Fascias:

Mounting area height: (2 1/16")

Mounting space:

Shade with 1 1/8" tube--mounting space height: (2 3/8")

Shade with 1 3/4" & 2" tube--mounting space height: (2 5/8")



For Dual Shades without/wit








Shade with 5 1/2" bracket--minimum mounti

Shade with 6 1/2" bracket--minimum mounti



Call for current pricing
(609) 742-1720

Bracket Dimensions

Bracket	Picture	
Small Brackets	 Control Side	 End P
Medium Brackets	 Control Side	 End P
Medium Brackets (with wider lug)	 Control Side	 End PI
Large Bracket: Motorized	 Control Side	 End PI
Large Mounting Brackets (with		

Call for current pricing
(609) 742-1720

Bracket Dimensions





Bracket	Picture
Motorized Brackets	Control Side End Plug Side Control Side End Plug Side
CordLoop/Cordless Brackets (with wider lug)	Control Side End Plug Side Control Side End Plug Side

Call for current pricing
(609) 742-1720

Bracket Dimensions

Inside Mount / Outside Mount Dual Shades



- No Valance " & 8" Fabric Valance

Bracket	Picture
Dual Shades 5.5" Mounting Brackets	 (Left Side) (Right Side)
Dual shade 5.5" raceway installation bracket	
Dual Shades 6.5" Mounting Brackets	 (Left Side) (Right Side)
Dual shade 6.5" raceway installation bracket	

Call for current pricing
(609) 742-1720

Bracket Dimensions

Outside Mount with Raceway

Bracket	Picture
OM mounting bracket-3.5	
OM mounting bracket-4.5	

Call for current pricing
(609) 742-1720


System	Width (X)	Length (Y)
PrecisionLift™ Cordless	X ≤ 96"	Y ≤ 96"
		Y > 96"
Clutch/Motorized	X ≤ 96"	Y ≤ 96"
		Y > 96"
	X > 96"	Y ≤ 72"
		Y > 72"
SmartRelease™	X ≤ 96"	Y ≤ 96"
		Y > 96"
	X > 96"	All heights

This table is for reference only.


Hardware Information

Different installation hardware will be provided for different control systems depend on the shade width.

Shade Brackets used for IB Top Mount / IB Side Mount / IB back mount



Shade brackets used for IB Top Mount (Pre-Drilled Raceway) with raceway or Valance



Installation Bracket/Shim Quantities

- Up to 3 sets of shims can be stacked.
- IM brackets will come automatically screwed onto raceway
- For fascia custom widths, the qty of valance bracket = (Custom width -
- For common valance or valance in custom width, the qty of valance bracket =
- Not available for LightGuard 360™ and Cassette System

Call for current pricing
(609) 742-1720

Single Shades	Shade width X	Shade bracket qty	Mounting bracket qty	1
IM & OM without raceway	All	2	n/a	
IM Top Mount with raceway	$X \leq 80"$	2	n/a	
	$X > 80"$	2	n/a	
IM Back/Wall Mount & OM with raceway	$8" \leq X \leq 40"$	2	2	
	$40" < X \leq 80"$	2	3	
	$X > 80"$	2	4	

Dual Shades	Shade width X	Shade bracket qty	Middle bracket qty	1
IM&OM without raceway	All	2	n/a	
IM&OM with raceway	$8" \leq X \leq 40"$	2	n/a	
	$40" < X \leq 80"$	2	1	
	$X > 80"$	2	2	

Mounting Type	Shade Type	Shade width X	Shade bracket qty	Link bracket qty
---------------	------------	---------------	-------------------	------------------



Soluna™ R Product Care

Soluna™ Roller shades are designed for sustainability. Occasional cleaning will help maintain the beauty of your shade. Here are the proper cleaning methods:

Dusting:

- Use a duster to remove any light dust
- Use a vacuum with a soft brush attachment or a handheld vacuum to remove dust and debris

Spot cleaning:

- Roller Fabrics cannot be dampened or spot cleaned. Water will damage the fabric.
- Solar Screens can be spot cleaned with a damp cloth. If necessary, a mild detergent can be used and must be rinsed out thoroughly. Always allow the shade to dry completely in a lowered position before operating.

Iron/Steam:

- Do not iron roller shade fabrics.
- If wrinkles develop, a garment steamer can be used on the select roller shade fabrics listed below:

Call for current pricing
(609) 742-1720

Fabric Type	Collection Name
Light Filtering-Sheer & Natural, Designer	Aruba, Bali, Bora Bora, Breeze, Caroline, Dazzle, Emery, Francis, Java, Kendra, Ph Riviera, Samoa, Shimmer, Sierra, Sumatra Catalina, Cove, Lakeshore
	Amelia, Brook, Chelsea, Clarissa(Burlap, Porcelain), Hayes, Lola LF, Maui , Sheer, Lake Tahoe, Scarlett, Callie, Remy. Vero
Room Darkening	Bermuda**
	Fiji, Jamaica, Lola BO, Summerland, Cor Elements, Elements (White Backing), Amelia RD, Breeze RD, Callie R Francis RD, Remy RD, Garden
Solar Screen	Flow 1%, Flow 7%, Jubilee 3%, Lakeview 1%, Lakeview 3%, Lakeview 7%, Meadows 1%, Meadows 3%, Moon 5%, Serene 1%, Serene 7%, Windsong 5%
	Flow 5%, Windsong 1%, NA300 (1%), NA300 (5%), NA400 (1%), NA400 (10%), NA400 (3%), NA400 (5%), NA820 (3%), Breeze Screen 3%, Galaxy 3%

Call for current pricing
(609) 742-1720

**Keep steamer 1~2 inches away from this fabric

Appendix 2-Discontinued Fabrics

Discontinued Fabrics

The following fabrics are **no longer available**
from sample portfolios

Room Darkening

- F0456 Mustard** in Loft
- F0455 White** in Loft
- F0833 Gray** in Bermuda
- F0847 Raspberry** in Glamour
- F0849 Snow White** in Cambria
- F0653 Brilliant White** in Jewel
- F0457 Graphite** in Loft
- F0458 Blue** in Loft
- F0459 Linen** in Loft
- F0843 Willow** in Glamour
- F0817 Snow** in Luxe
- F0820 Dusted Moss** in Luxe
- F0821 Ink** in Luxe
- F0819 Espresso** in Luxe
- F0652 Sugar Peach** in Jewel
- F0851 Parchment** in Cambria
- F1468 White** in Canvas
- F1469 Heather Gray** in Canvas
- F0830 Almond** in Maui
- F0850 Ivory** in Cambria
- F0852 Jet** in Cambria
- F1030 Cream** in Bridget
- F1041 Latte** in Bridget
- F0841 Persimmon** in Glamour
- F0844 Aquamarine** in Glamour
- F0848 Violet** in Glamour
- F0842 Limelight** in Glamour
- F0845 North Sea** in Glamour
- F0846 Rose** in Glamour
- F1108 White** in Glamour
- F1109 Stone Gray** in Glamour
- F1110 Broken White** in Glamour
- F1111 Cloudy Gray** in Glamour
- F1112 Gray** in Glamour
- F1113 Anthracite Gray** in Glamour
- F0818 Flint** in Luxe

LF Designer

- F0756 Toffee** in Emery
- F0757 Onyx** in Emery
- F0880 Mocha** in Francis
- F0750 Rosewood** in Hayes
- F0881 Mink** in Francis
- F1434 Warm Beige** in Shimmer
- F1435 Champagne** in Shimmer
- F1433 Snow** in Shimmer
- F0892 Linen Sand** in Breeze
- F1438 Silver** in Shimmer
- F0887 Jet** in Francis

LF Sheer & Natural

- F0666 Natural** in Bali
- F0667 Tan** in Bali
- F0902 Sheer Foliage** in Shimmer
- F0658 Cocoa** in Phuket
- F0903 Garden** in Sheer
- F0837 Frost** in Sheer
- F0835 Sweet Cream** in Sheer
- F0904 Palm** in Sheer
- F0855 Redwood** in Sumatra
- F0836 Pumpkin** in Sheer
- F0838 Onyx** in Sheer
- F1546 Wheat** in Bahamas
- F1547 Steel** in Bahamas

Call for current pricing
(609) 742-1720