

2023 Shutter Revision log

Effective Date	Topic	Section	Note
	Pre-drill L Frames (Inside Mount Only) or Z frames		e: add content: Please note that the 100% complete fit, the screw. Shutter issue.
	Mount Options For Direct Mount		i: add content: Light block and L n following situation • Direct moun • 2-sided Har • 3-sided Har • 3-sided inve
			Light block is avail (waterproof option) • Direct moun • 2-sided Har • 3-sided Har • 3-sided inve
	Custom colors	e,i,k	k: add content: For custom color o form of: a 4" x 4" c requesting a custo are requesting a cu custom color samp forms; however, pl custom color samp customs. In the ev sample that is not i supplemental deta the right color quic the material, detail package method, r the value, certificat
			Due to varying ma custom color samp louver and send th confirmation. In ord the color variation custom color samp

Call for current pricing
(609) 742-1720

2023 Shutter Revision log



2023/01/15	Color	b,i,e	b: Update colors opti
	Color coordination chart		i: 1. New added Bla 2. New added 3 ty 3. Update color cc 4. add content: ** The 017 Gray Bl Brown Colors will h
	Frame		e: Woodlore plus wat Frame, so delete tl option" under 2" Bl

Call for current pricing
(609) 742-1720



Table of Contents

- a. Features & Benefits
- b. Colors & Louver Sizes/Louver C
- c. Stiles
- d. Panel Configurations
- e. Frame Styles
- f. General Product Specifications
- g. Tilt Rods
- h. Divider Rails
- i. Hardware
- j. Track Shutters
- k. Special Options
- l. Hardwood Specialty Shapes
- m. Pricing

Call for current pricing
(609) 742-1720

Features and Benefits

Built around the concept of modern convenience, Woo composite frames with durable ABS louvers. Wood co harvested from well-managed forests and finished with prevents moisture absorption and allows for easy stain are dimensionally stable, which resist cupping, warping

- 36" wide single panel for enhanced view.

Reinforced engineered stiles – Stile core durability reinforced together. The result is a robust support system

UV inhibitor protects shutters and home décor from UV damage.

Multiple stile options are available in various sizes to accommodate configurations. Astragal or Rabbet stiles provide a natural

A wide range of frames with inserts, which keep installation and decorative look, match any style and preference.

Personalize shutters with special options. Choose from rods, café styles, bay and corner window shutters, track

Quick and easy on-site assembly and installation with pre-mitered frames and slotted keyholes.

Call for current pricing
(609) 742-1720

For Waterproof Option:

- The special option is perfect for wet or moisture prone
- Featuring enhanced resistance to moisture, shrinking and and louvers are made from durable and waterproof ABS
- The unique UV inhibiting finish is designed for a virtual
- Stainless steel hinges included in the option are guaranteed

Colors & Louver Sizes/Louver Clearance


No.	Color ID	Color Name
1	001	Pure White
2	002	Extra White
3	003	Silk White
4	004	Bright White
5	006	Pearl
6	007	Ivory Lace
7	009	Creamy
8	012	Crisp Linen
9	013	Bisque
10	017	Gray Black
11	019	String
12	032	Sea Mist
13	046	Ice
14	053	Clay
15	063	Decorator's White
16	066	Winchester White 2010
17	076	Aura White
18	080	Taupe Gray
19	836	Classic Black
20	090	TS White
21	600	True White
22	601	Chiffon
23	603	Natural Linen
24	609	Chateau Brown

Call for current pricing
(609) 742-1720


- Please note that darker colors absorb more heat than light colors that face direct sunlight for an extended period of time potentially affect the long-term performance of the shutter.

Louvers	
Elliptical	$1 \frac{7}{8}"^*$ $2 \frac{1}{2}"$ $3"$ $3 \frac{1}{2}"$ $4 \frac{1}{2}"$


Louver Depth Clearance



Louver Depth Clearance For Specific Frames




L Frame with 1/4" light block
Not available for waterproof option




L Frame

Call for current pricing
(609) 742-1720

WC




L Frame with 1/2" Buildout



L Frame with 1" Buildout


Not available

Call for current pricing
(609) 742-1720




1 1/4" Beaded Z Frame

Not available for waterproof option




1 1/2" Bullnose Z Frame




Call for current pricing
(609) 742-1720

For non-waterproof op






For waterproof optic



Hang Strip (Behind the panel)






Hang Strip (Beside the panel)

Call for current pricing
(609) 742-1720

Stiles

Default: Beaded stile




Call for current pricing
(609) 742-1720

Note: 1 5/8" and 2 1/4" stile is not available for Waterproof option


Optional: Chamfer stile

For Non-Waterproof option:



Call for current pricing
(609) 742-1720

For Waterproof option:



Stile between panel closure

Single panel

I) Panel width < 9"

Rabbeted stile (Deco frame, L frame, Z frame and Hang strip beside panel)

- 1 ⁵/₈"

- 2" (default)

Butt stile only (Hang strip behind panel)

- 1 ⁵/₈" (Optional for panel width ≤ 12")

- 2" (default)



II) Panel width ≥ 9"

Butt stile only

- 1 ⁵/₈" (Optional for panel width ≤ 12")

- 2" (default)



2 panels or more

Rabbet stile

- 1 ⁵/₈" (Optional for panel width ≤ 12")

- 2" (default)

Astragal stile


- 1 ⁵/₈"

- 2"

Call for current pricing
(609) 742-1720

Panel Configurations

Single Panel




OR

Two Panels



LR



Three Panels





LLR




LRR



LTLTL




LTRR





LLTR

Call for current pricing
(609) 742-1720


Four Panels




LLRR



LLTRR




Six Panels




Panel Configurations – Astragal Stile


- 2 Panels – LR/LL/RR




- 3 Panels - LRR



- 3 Panels – LLR



- 4 Panels - LLRR




Call for current pricing
(609) 742-1720




Frame Styles

22.2mm



Not available for
Waterproof option

22.2mm [0.875"]




Not available for
Waterproof option

Not available for
Waterproof option

Not available for
Waterproof option

Call for current pricing
(609) 742-1720



For Waterproof


2



De




Frame Styles




2" Camber Deco Frame

Not available for Waterproof




2" Classic Deco Frame

Not available for Waterproof




3" Ridge Deco Frame

Not available for Waterproof option




Ridge Deco Sill Plate

Not available for V



2.5" Mission Deco Frame

Not available for
Waterproof option



2" Camber Deco Frai

For Waterproof opti

Call for current pricing
(609) 742-1720


There are 2 options for the Deco frame installation when Wi
frame as an example)

1. Default: light block part install into the window opening;

The window size is the exact size of the window opening;

The MFF size is the measurement of the entire shutter, including the f



The MFF size = Window Size + Face Width






Frame Styles

The window size is the exact size of the window opening;
The MFF size is the measurement of the entire shutter, including
The MFF size = Window Size + Frame Back Width




1 1/2" Bullnose Z Frame




1 1/4" Beaded Z Fram

Not available for Waterpi

Call for current pricing
(609) 742-1720




3" Crown Z Frame




3" Crown Z Sill Plate




Frame Styles




Bullnose Z
1 1/4" Beaded Z
Sill Plate




2" Bel Air Z Sill Plate



7/8" Vintage Z
Not available
Waterproof opt



2" Bullnose Z Frame





Tilt Out Z Frame

Not available for Waterproof option


Not available for W

Call for current pricing
(609) 742-1720







Frame Styles



Note: Outside mounted hang strips, behind the panel, is not sides inverted.




1" Chamfer T Post with 1/4" Light Block (Deco)



1" Cha Light B

Call for current pricing
(609) 742-1720




1" T Post with 1/4" Thick Light Block (Deco)




1" T Blo

For Waterproof option only

Fo




1.75" Chamfer T Post with 1/4"



1.75"




Frame Styles




1" Chamfer T Post with 1/4" Thick x 3/8" Wide Light Block (Deco)

Not available for Waterproof option




1" Chamfer T Post with 3/8" Wide Light Block (L)

Not available for Wat



1" T Post with Insert with 3/4" Light Block

Not available for Waterproof option



1" T Post with Insert with 1 5/16" Light Block

Not available for Waterproof option


Call for current pricing
(609) 742-1720

Note: 1" Chamfer T Post with 3/4" Light Block, 1 3/4" Chamfer T Post with 3/4" Thick x 3/8" Wide Light Block, 1" T Post with Insert with 3/4" Light Block, 1" T Post with Insert with 1 5/16" Light Block and Custom Chamfer T Post with 3/4" Thick Light Block (Deco) frames and L frames with 1/4" Light Block.


- Custom width* up to 7½" for T Posts (Made of Wood), and
 - Size limits (7 1/2")
 - Available for composite but it will be made from wood for
 - That a surcharge applies and customers should refer to
 - Any limitations



Frame Styles



Note: Scribe Trim 1 & Scribe Trim 2 will be made of wood for
Scribe Trim1 & Scribe Trim 2 will be made of Woodlore plu.




Quarter Round

Not available for Waterproof option
Note: Quarter Round will be made in Wood for non waterpro

Call for current pricing
(609) 742-1720

Sill Frames- For use where there is




Not available for Waterproof option Not avail.




Frame Styles


Sill caps-Used to cover exis



Designer Sill Cap (L)




Designer Sill Cap (D/HS)



Mission Sill Cap (D/HS)

Not available for
Waterproof option




Mission Sill Cap (L)

Not available for
Waterproof option

Call for current pricing
(609) 742-1720

Note: For Mission Sill Cap, the extended size at each side n


Sill Plates- Used with exi



2" Sill Plate with 5/8"



Frame Styles




1.5" Sill Plate with 5/8" Light Block (Camber Deco)


For Waterproof option



1.5" Block



1.6" Sill Plate with 3/8" Light Block




1.6"

Call for current pricing
(609) 742-1720

(All Deco & L frames with 1/4" light block) - I


For 1.5" / 1.6" / 2" sill plate with 5/8" (or 3/8") light block, when excess width will be divided evenly on both sides, take the following reference:






Frame Styles

Standard Corner & Bay



Corner Post with 3/4\"
Light Block (L/Z/HS)

*Notch out corner post required if ordering Z Frame with s



Bay Post with 3/4\"
Light Block (L/Z/HS)


Call for current pricing
(609) 742-1720

Also available

- Custom angle bay posts*

For bay window at 170 degree or above


- 1" T Post with 3/8" light block will be used as Bay post;
- For Hang Strip (Behind Panel) and Waterproof option, ba






Frame Styles

Slim Fit Corner & Bay



Slim Fit Corner Post for
90 Degree (L/Z/HS)


Not available for
Waterproof option



Slim Fit Bay Post for
135 Degree (L/Z/HS)


Not available for
Waterproof option

Call for current pricing
(609) 742-1720



Slim Fit Corner Post for 90 Degree (D)

Not available for
Waterproof option



Slim Fit Bay Post for 135 Degree (D)

Not available for
Waterproof option

Note: Due to size and weight limitations, Slim Fit Posts may be used on single panel (no bi-folded panels). Please consider this when ordering.

- Slim Fit Posts are available in 90, 135 and 150 Degrees
- All Bay posts, Corner posts and Slim Fit Posts are made of ABS for Water

In order to better match corner windows / bay windows:

- For non sample orders, please note that corner windows / bay windows are made of ABS for Water
 - Post Type (Standard or Slim Fit)
 - Color
 - Hinge Options



Frame Styles


- Sill Options
- T-Post Options
- Height
- Stile Type and Profile
- Tilt Type
- Divider Rail Options
- Double-Hung Options
- Split Tilt Options
- PerfectTilt Options

- **For non sample orders, please note that bay window**

- Post Type (Standard or Slim Fit)
- Color
- Hinge Options
- Louver Size
- Frame Type
- Mount Type
- Extension
- Sill Options
- T-Post Options
- Height
- Stile Type and Profile
- Tilt Type
- Divider Rail Options
- Double-Hung Options
- Split Tilt Options
- PerfectTilt Options


Call for current pricing
(609) 742-1720

- **Limitation for the Notch Out Size: $A \leq 1"$; $B \leq 1/2"$ (for **






Frame Styles




Notch Out
Beaded L Frame (B) *




Notch Out
Vintage L Frame (B)

Pre-drill L Frames (Inside Mount Only) or Z frames:



Please note that the prefilled hole and the plug will not be a affect the performance of the screw. Shutters can't be rema

Extension for Deco Frame* (Default to have full extension):



Note: Custom extensions* are available for Deco Frames, L panel) & T posts, when the extension thickness is more thar the frames and/or T posts.

Custom extensions* are available for the lips of all Z frames extension thickness is more than 1", the extension will not b

● Standard Filler Strips (width x depth) for non-wat

1" x 3/4"	1" x 2 15/16"	3/4" x 1 1/2"
1" x 1 3/16"	2 7/16" x 7/16"	1" x 1 1/2"

Call for current pricing
(609) 742-1720

Frame Styles

● Standard Filler Strips (width x depth) for waterproof

1/8" x 9/16"	3/16" x 1 3/4"	1 1/4" x 3/8"
1/8" x 3/4"	3/16" x 2 1/2"	1" x 1 3/16"
1/8" x 1"	1 3/16" x 1 9/16"	1" x 1 9/16"
1/8" x 1 3/16"	1 9/16" x 1 9/16"	1" x 2"
1/8" x 2 3/8"	13/16" x 13/16"	1" x 2 3/8"
3/16" x 9/16"	3/4" x 3/4"	1" x 2 15/16"
3/16" x 1"	1" x 3/4"	2 7/16" x 7/16"

Note:


1. The width or depth of Custom filler strip / Standard filler s
2. The width or depth of Custom filler strip / Standard filler s
non-waterproof option.
3. The width or depth of Custom filler strip / Standard filler s
waterproof option.
4. The width and depth of Custom filler strip / Standard filler
same time.

Notch out*:

- o L Frame
- o T Post

Specify dimensions in special instruction box.


Call for current pricing
(609) 742-1720




Default principles:

1. The coordinating T-post for 1 1/2" Deep Bullnose Z frame

Frame Styles



1 1/2" Deep Bullnose Z frame



Deep Plain L fr

3. OM Deep Plain L frame will **NOT** be pre-drilled.
4. Regarding shutter with horizontal T-post type issue:
 - 1). If Woodlore Plus-Waterproof with **Beaded** vertical T-post will be a Beaded T post; Otherwise, horizontal T-Post type v
 - 2). For Woodlore Plus-non Waterproof, Horizontal T-Pos unless otherwise specified.

Call for current pricing
(609) 742-1720

General Product Specifications

<u>Description</u>	<u>Minimum</u>	
		Non-Waterproc
Single Panel Width (Regular)	6"	24" for 1 7/8" 36" for 2 1/2", 3", louver
Single Panel Width (Bifold)	6"	24"
Single Panel Width (Bifold Track)	6"	24"
Single Panel Height	10"	
Shutter Width (Without T Post)	N/A	4x sing
Shutter Width (With T Post)	N/A	(For orders ship will be spliced ir For orders ship will be spliced ir
Shutter Height	N/A	

Call for current pricing
(609) 742-1720

Divider rail is required for panel heights over 78" for non-water
Divider rail is required for panel heights over 72" for waterproc
Standard divider rail size is 3".
Please note the standard top/bottom rail size should be within
for the rail size is 1/8".

Shutters to be installed where there is no bottom sup

Shutters without bottom supports may sag and deform, includ

1. Shutters with a bottom gap over 0.1";
2. Shutters with no frame or existing bottom sill to support the
frame/existing sill, but the panel is frequently left in the ope


Side by Side / Match Line Number:

When **Side by Side** is selected, it is solely to match top or bot
also be matched when the panel heights are within 1/8". With

Tilt Rods

Standard Tilt Rod


Default Location: In the middle of the panel on front side (de



Offset Tilt Rod*


Default Location: On the front side of the panel and at 1" from

Optional location: On the back side of the panel, 1" from the




Call for current pricing
(609) 742-1720

Offset tilt rod on the front side of panel,
the louvers dress up from front view



Offset tilt rod on the back side of panel, Offs

InvisibleTilt™ *



Louver tilting system embedded within panel stile. It is not available when the number of louvers exceeds the limits as listed below.

Louver Size	Maximum Possible Louvers	Panel Height Range
2½"	24	54 ¾" – 57 ¼"
3"	19	54 ¼" – 57"
3½"	16	54 ¾" – 58"
4½"	12	54 ¾" – 60"

For even numbers of louvers, the number of louvers operated by the top tilting system will be the same;
For odd numbers of louvers, the number of louvers operated by the top tilting system will be less than the number of louvers operated by the bottom tilting system;
To ensure split tilt is included, always specify on the order.


Split Tilt

When selected, the louvers are split evenly by default unless otherwise specified.

When the customer selects a custom location, the measurements are taken from the center of the louvers (when the louvers are in the closed position when measured):

- Window size:
- Measure from the bottom of the window to the top of the louvers.
- Max frame-to-frame:
- Measure from the bottom of the frame (or panel if there is no frame) to the top of the louvers.

Call for current pricing
(609) 742-1720



Split tilt &

Louver

1 7/8"
2 1/2"
3"
3 1/2"
4 1/2"

Split Location:

— Per the customer's specification. However, the location of the split may be adjusted to achieve more balanced top and bottom rail during order entry. If necessary the location will be moved up or down to cover an obstruction is covered. The amount of the deviation from the center of the louver selected.

If the exact location of the split is critical, customer may select a specific location when placing the order. This may result in significantly different top and bottom rail sizes. If a location is selected, a popup will reveal the resulting top and bottom rail sizes. The customer may either:

1. Accept the listed top and bottom rail sizes
2. Modify the split location (sometimes a slight adjustment in location will achieve desired top and bottom rail sizes)
3. Change to **allow deviations** so the system will calculate the rail sizes based on the selected louver.

Note: Top and bottom rail sizes may change if the current line item is changed. Carefully review all top and bottom rail sizes and split location to ensure the desired split location is achieved.

- Please note that Tilt options, Split Tilt, Divider Rail, Do Not Motorize, and Motorize are not available for panels with one louver on the rails.

Call for current pricing
(609) 742-1720

Divider Rails

A divider rail is an extra rail in the middle of the panel
Creates two sections in the panel so louvers can be
Strengthens the panel and enhances structural integ
Required for panel heights over 78" for non-waterpro
Required for panel heights over 72" for waterproof o


Specifications

Standard size: 3"
Default location: center of the panel unless specified
If the Divider Rail Location must be accurate, "Exact
specified when placing an order.

Measurements:

- Window size:
— Measure from the bottom of the window to the center
- Max frame-to-frame:
— Measure from the bottom of the frame to the center of
- Position:
— Per customer's specification. However, the divider rail
higher position, within our allowable deviation, to ensi
the shutter.
When placing the order, please clearly specify if the d
with that of other shutter divider rails in the same roo
below for the allowable deviation details.
- Between 2 divider rails / 2 split tilt rod locations / 1 divid
location, there needs to have at least two or more louve

Call for current pricing
(609) 742-1720



Divider


Lou




Hardware

Hinges

2.375" Self-Mortise Hinge



2.375" L Hinge



Call for current pricing
(609) 742-1720

Hinges are available in:

Pure White, Silk White, Bisque, Pearl, Bright Brass, Antique Brushed Nickel, Stainless Steel*, Crisp Linen, String, Sea Mist, Taupe Gray.

While hinge colors of Crisp Linen, String, Sea Mist, Stone Gray not available for Direct mount 3" Hinges.


For Waterproof option, regular hinges are only available in S Base Plate will be used as catches. Invisible hinges are only Plated.

False hinges are not available.




➤ Direct Mount 3" Hinge:

1. The hinge position of the direct mount 3" hinge will be different from the 2.375" hinge; the direct mount 3" hinge will match that of the direct mount 3" hinge;
2. The hinge is only to install between the panel and the existing hinges will be used;
3. To avoid conflict, there will be cut-out for the light block drawing below.



4. Direct Mount 3" Hinge is not suitable for drywall installation



Direct Mount 3" hinge is not suitable for drywall installations.

It's not recommended.

Call for current pricing
(609) 742-1720

Invisible Hinge*:





1. Invisible hinge is not available for Multifold panels.
2. Invisible hinge can only be between the panel & frame/T p use a regular hinge.
3. Color Option: Only available for Pearl Chrome Plated.

Frame Options	Hinge	
2" Camber Deco Frame	Y	
2" Classic Deco Frame	Y	
2.5" Mission Deco Frame	N	
3" Ridge Deco Frame	N	
Vintage L Frame W / 1/4" Light Block	N	
Vintage L	N	
Vintage L Frame w/ 1/2" Buildout	N	
Vintage L Frame w/ 1" Buildout	N	
Beaded L w 1/4"light block	Y	
Beaded L	Y	
Beaded L Frame w/ 1/2" Buildout	Y	
Beaded L Frame w/ 1" Buildout	Y	
Tilt out Z Frame	N	
1.25" Beaded Z Frame	Y	
2" Bullnose Z Frame	Y	
1.5" Bullnose Z Frame	Y	
2" Bel Air Z Frame	Y	
3" Crown Z Frame	N	
7/8" Vintage Hang Strip	N	
Traditional Hang Strip (beside the panel)	Y	
1" T-Post w/ 1/4" Light Block(for Deco)	Y	only available side, for ex available,
1" T-Post w/3/4" Light Block(for L/Z/HS)	Y	
1" Chamfer T-Post w/ 1/4" Light Block(for Deco)	Y	
1" Chamfer T-Post w/3/4" Light Block(for L/Z/HS)	Y	
1" Chamfer T-Post w/ 1/4" thick 3/8"		

Call for current pricing
(609) 742-1720



1" Chamfer T-Post w/3/4" thick 3/8" wide Light Block(for L/Z/HS)	Y	
1 3/4" Chamfer T-Post w/1/4" Light Block(for Deco)	Y	available v side, for e
1 3/4" Chamfer T-Post w/3/4" Light Block(for L/Z/HS)	Y	
Corner Post w/1/4" Light Block(for Deco)	Y	
Corner Post w/3/4" Light Block(for L/Z/HS)	Y	
Bay Post w/1/4" Light Block(for Deco)	Y	
Bay Post w/3/4" Light Block(for L/Z/HS)	Y	

Invisible Hinge Qty:


Panel Height (H)	Hinge Qty
H<=48"	2
48"<H<=78"	3
78"<H<=96"	4
96"<H<=120"	5

Call for current pricing
(609) 742-1720

Preinstallation:

Panels and frames will be packaged individually, and the hir the frame/post, with the screws for the other half part on the box.


Note: If Custom T-posts need to install Invisible Hinge, the s side light block width can't be more than 4 5/8"; Please see c







Installation Instructions for the Invisible hinges

Take L Frame as an example:



- 1). Remove the corresponding panels and frames from their correct frames.


Install the frames on the corresponding windows and make them equal)



Call for current pricing

(609) 742-1720

- 2). Please insert **ALL** of the Invisible hinges on the panel into the frames prior to trying to secure any single hinge. This may require you to hold the panel to prevent the hinges from sliding out of the frames (do not let the panels hang from just one hinge).




3). To properly secure the panels, first please tighten the upper and the lower screw of the lowest hinge. Close the panel normal and the gap is uniform.


Note:

- a) When locking the screw, again it is important to prevent their slots.
- b) Only the screws provided in the hardware box may be used, not other screws.

Call for current pricing
(609) 742-1720



4). When the closure gap is uniform, secure the remaining



5). Install the remaining panels in the same manner.




Call for current pricing
(609) 742-1720


Panel Lock: (not available for 1.625" Stile)

Available Material: All

Color: Brush Nickel Plated, Pure White, Pearl, **Black.**




Position: (Only available on Bottom for Track Shutters with E
Top/Bottom/both Top and Bottom)




Call for current pricing
(609) 742-1720

The Panel Lock location for both track system shutters and r
The general principle is that the Panel Lock position will avoid
loaded guide at bottom (same stile as the Wheel carrier).





Ring pull: for easy opening and closing. (Not available for 1
Available in all shutter programs.



Handles(Not available for 1.625" Stile):

Available in all shutter programs.

Curved Hidden Handle & Rectangle Hidden Handle (for non



Call for current pricing
(609) 742-1720

Recessed Handle (for Bypass track shutter)





Ring pull and Handles location principle for Floating Panel

1. When floating panel config is in pairs, it will be split into half for LL and half for RR. So the ring pull / handles location for FF/F floating panel config as LL/RR, LL/LL/RR/RR.
2. When floating panel config is FF, the ring pull / handles location is LL config LL.
3. When floating panel config is singular, it will be split into half for LL and the right section is for RR. So the ring pull / handles location for FF/FF/FF/FF/FF will be same as that of LL/LL/RR, LL/LL/RR.

Please note the ring pull / handles color will match with the hinge color. When shutter order with Invisible Hinge, the ring pull / handles color.

Please see the matching chart below:

Hinge color	Pure White	Silk White	Bisque	Pearl	Black	Nickel Plated
Ring Pull color	White	White	Bisque	Pearl	Black	Brushed Nickel
Handles color	White	White	Pearl	Pearl	Black	Brushed Nickel

Hinge color	Crisp Linen	String	Sea Mist	Stone
Ring Pull color	Bisque	Bisque	Brushed Nickel	Brushed Nickel
Handles color	Pearl	Pearl	Brushed Nickel	Brushed Nickel

Call for current pricing
(609) 742-1720

- The ring pull color is selectable.



For non-waterproof option:

Paint colors (Solid colors) (24) :

No.	Color ID	Color Name	2.375" Hinge color (Default)	Direct Mount 3" Hinge color (Default)	T-post connector color (Default)	Ring pull color (Default)	Curved Hidden Hand Receiver Hand Rectangular Hidden Hand color (Default)
1	001	Pure White	Pure White	Pure White	Pure White	White	White
2	002	Extra White	Silk White	Silk White	Silk White	White	White
3	003	Silk White	Silk White	Silk White	Silk White	White	White
4	004	Bright White	Silk White	Silk White	Silk White	White	White
5	006	Pearl	Pearl	Pearl	Pearl	Pearl	Pearl
6	007	Ivory Lace	Pearl	Pearl	Pearl	Pearl	Pearl
7	009	Creamy	Pearl	Pearl	Pearl	Pearl	Pearl
8	012	Crisp Linen	Crisp Linen	Bisque	Bisque	Bisque	Pearl
9	013	Bisque	Bisque	Bisque	Bisque	Bisque	Pearl
10	017	Gray Black	Black	Black	Black	Black	Black
11	019	String	String	Bisque	Bisque	Bisque	Pearl
12	032	Sea Mist	Sea Mist	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
13	046	Ice	Silk White	Silk White	Silk White	White	White
14	053	Clay	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
15	063	Decorator's White	Silk White	Silk White	Silk White	White	White
16	066	Winchester White 2010	Pearl	Pearl	Pearl	Pearl	Pearl
17	076	Aura White	Silk White	Silk White	Silk White	White	White
18	080	Taupe Gray	Taupe Gray	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
19	836	Classic Black	Black	Black	Black	Black	Black

Call for current pricing
(609) 742-1720



21	600	True White	Silk White	Silk White	Silk White	White	White
22	601	Chiffon	Silk White	Silk White	Silk White	White	White
23	603	Natural Linen	Pearl	Pearl	Pearl	Pearl	Pearl
24	609	Chateau Brown	Nickel Plated	Nickel Plated	Nickel Plated	Brushed Nickel	Brush Nickel

For waterproof option:

Paint colors (Solid colors) (24) :

No.	Color ID	Color Name	Regular Hinge color (Default)	Ring Pull color (Default)	Curved Hidden Handle / Recessed Handle Rectangle Hidden Handle color (Default)	Panel Lock (Default)
1	001	Pure White	Stainless Steel	Brushed Nickel	Brushed Nickel	Brush Nickel Plated
2	002	Extra White				
3	003	Silk White				
4	004	Bright White				
5	006	Pearl				
6	007	Ivory Lace				
7	009	Creamy				
8	012	Crisp Linen				
9	013	Bisque				
10	017	Gray Black				
11	019	String				
12	032	Sea Mist				
13	046	Ice				
14	053	Clay				
15	063	Decorator's White				
16	066	Winchester White 2010				
17	076	Aura White				
18	080	Taupe Gray				
19	836	Classic Black				
20	090	TS White				

Call for current pricing
(609) 742-1720




23	603	Natural Linen				
24	609	Chateau Brown				

**** The 017 Gray Black, 836 Classic Black and 609 Chateau**

- When the bottom track colors are bright white and metall color will be white; When the bottom track colors are bro guide color will be coffee.
- Please note that the color options for pin/tension gears a orders please select either White or Coffee when placing
- For custom color orders, the supplied dovetail keys will n (White or Coffee).
- For custom color orders, please select the desired T-pos options when placing an order.
- For custom color orders with Invisible Hinge, but without magnet catch (round magnet catch or sill magnet catch c available options when placing an order.

Position: For different panel configuration, please refer to the which stile the pull will be fixed.

Call for current pricing
(609) 742-1720




Position:
A. Above Bottom Rail



If both Panel Lock & ring pull are specified, the distance between location is 6 3/4" from the bottom of panel.

When there is no mid rail, ring pull will be just on the top of F default location; if there are mid rails, bottom of ring pull line: location.



Call for current pricing
(609) 742-1720

Position:


- A. 2 3/4" Above Panel Lock
- B. Above Divider Rail
- C. Custom Position

Measurements:


- Window size:
 - Measure from the bottom of the window to the center of the window
- Max frame-to-frame:
 - Measure from the bottom of the frame to the center of the frame




Position: For different panel configuration, please refer to the which stile the Handles will be fixed.



Call for current pricing
(609) 742-1720




Position:
A. Above Bottom Rail
B. Above Divider Rail




Position:

- A. Center of panel
- B. Above Divider Rail
- C. Custom Position

Call for current pricing
(609) 742-1720





Position:

- A. Handle at center of panel
- B. Handle Above Divider Rail
- C. Custom Location

Measurements:



- Window size:
 - Measure from the bottom of the window to the center
- Max frame-to-frame:
 - Measure from the bottom of the frame to the center

Call for current pricing
(609) 742-1720

Mount Options for Direct Mount (non waterproof opt

Light block

L mag





10mm Round Magnet without screw hole (recessed into pan)



Round Magnet Catch (installed on light blocks); Not available

L Magnet Catch (sill magnet catch): used for catching the m
blocks. Not available for Waterproof option.



Round Magnet Catch and L Magnet Catch are available in:
Pure White, Silk White, Bisque, Pearl, Bright Brass, Antique
String, Sea Mist, Stone Gray, Brown Gray, Taupe Gray.

Call for current pricing
(609) 742-1720

Light block and L magnet catch are available in one of the fo

- Direct mount without top & bottom sill frame
- 2-sided Hang strip without top & bottom sill frame
- 3-sided Hang strip without bottom sill frame
- 3-sided inverted Hang strip without top sill frame

Light block is available in one of the following situation (wate

- Direct mount without top & bottom sill frame
- 2-sided Hang strip without top & bottom sill frame
- 3-sided Hang strip without bottom sill frame
- 3-sided inverted Hang strip without top sill frame

Side Magnet: Not available for Waterproof option

Available for Butt, rabbet and Astragal stile






Side Magnets will be applied in following situation:


1. Double Hung shutter but without horizontal T post:

Side magnets will be applied to the meeting stiles of the l




2. Café Shutter

Side magnets will be applied to the meeting stiles of the l



3. No frame or light block or L-shape striker plate on either top or bottom gap is requested.

Side magnets will be applied to the meeting stiles of the l




4. Note: if panels only with side magnets and there is no stop panels may open for external factors.

Call for current pricing
(609) 742-1720






T-Post Connector




- . Available colors: Pure White; Silk White; Pearl; Bisque
- . Available for all types of T Posts (custom-width T posts)

T Post Connector can be used with the following Frame:



Hang Strip (Beside)



Call for current pricing
(609) 742-1720


Note:

1. For Horizontal T Post, Hang Strip (Behind) and shutter w sill (for non-Waterproof option) / 2" Sill, T Post connector installed by screws instead;
2. If there is a panel lock or sleeve & base plate which may the T-Posts for the entire shutter will be installed with scr even in cases where the panel lock may only interfere wi
3. T post connectors can only be installed on a straight piec Post installed on a curved or raked piece.
4. The screw color is Stainless Steel for Waterproof shutter connector;
5. The screw color is Nickel Plated for Non-Waterproof shui connector;



Optional Poles:

1. Terminology



Call for current pricing
(609) 742-1720

Component

NO.	Name	
1	Pole with Attachment	Aluminum Tube, Pole B *Surcharge applies.
2	Attachment only	• Compatible with exter improvement stores. • Screw thread (3/4") at *Surcharge applies.

2. Available Pole Length

Two lengths available:

- 36"
- 60"

Bi-fold 180™


Guidelines and Specs:

<u>Description</u>	<u>Minimum</u>
Single-Panel Width (Bi-fold Track) for Non-Waterproof option	6"
Single-Panel Width (Bi-fold Track) for Waterproof option	6"
Single-Panel Width (LLL/RRR)	N/A
Single-Panel Height	10"

Outside Mount

Max frame-to-frame width: window width + 3 1/2"

Max frame-to-frame height: window height + 4 1/2"




Track is pre-installed on the header; standard 1 tr

Call for current pricing
(609) 742-1720

Mounting Options: Outside Mount only


Side View



Call for current pricing
(609) 742-1720

Top View


Without Casing:




Note:

- ◇ Fascia return will protrude the panel about 1/2" for each side.
- ◇ The header will protrude the panel about 1/8" for each side.
- ◇ Header, light blocks, and bottom pivot bracket(s) must be installed on a flat surface.

With Existing Casing:




- ✧ Header Extension: Optional
- ✧ Custom extension up to 2" for Header
- ✧ When extension is needed, the header will protrude the return will protrude the panel 11/16" for each side.




Call for current pricing
(609) 742-1720

- ✧ The extension will be pre-attached.




For 180 Bi-fold, if Bottom Pivot L Bracket is required, the extension will be 3/4" in width. Please see picture below:



Panel Configuration:

Only 2", 2 1/4" rabbet and butt stiles are available for n
Only 2" rabbet and butt stiles are available for waterpro
Center stile is not available.



Call for current pricing
(609) 742-1720


Notes:

If there is no baseboard to the wall, 3" header can be used.

If there is baseboard to the wall, then it should be as below

1. If base board thickness is less or equal to 5/8", 3 1/2" h
2. If base board thickness is over 5/8", it is suggest using t
out thickness=base board thickness-1/8".

Please see the drawing below:



180° Bi-fold Track Shutters Framing Materials

Type	Header Dimension	Top Fascia Dimension
Header & Top Fascia & Light Block Strip	3"	3 3/8"
	3 1/2"	

Call for current pricing
(609) 742-1720

180° Bi-fold Track Shutters Hardware Box

Parts
Wrench
Hinge Pin
Triangle Bracket (based on the length of header)
2" screws for Triangle Bracket
3/4 " screws for Triangle Bracket
Bottom Pivot Bracket
1 1/2 " screws for bottom pivot bracket
2 1/2 " screws for Frame with predrilled screw holes

Bi-fold 90

Guidelines and Specs:

<u>Description</u>	<u>Minimum</u>
Single-Panel Width (Bi-fold Track) for Non-Waterproof option	6"
Single-Panel Width (Bi-fold Track) for Waterproof option	6"
Single-Panel Width (Multifold track up to 4 panels)	N/A
Single-Panel Height	10"

Outside Mount

Max frame-to-frame width: window width + 3 1/2"

Max frame-to-frame height: window height + 4 1/2"

Semi-Inside Mount


Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height + 1 3/8"

Inside Mount

Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height - 1/8"




Track is pre-installed on the header; standard 1 track only

Call for current pricing
(609) 742-1720

Mounting Options: Outside Mount


Side View



Call for current pricing
(609) 742-1720

Top


Without Casing:




Note:

- ◇ Fascia return will protrude the panel about 1/2" for each side.
- ◇ The header will protrude the panel about 1/8" for each side.
- ◇ Header, light blocks, and bottom pivot bracket(s) must be installed on a flat surface.

With Existing Casing:




Semi-Inside/Inside Mount




Call for current pricing
(609) 742-1720

Semi-Inside Mount To




Inside Mount Top View



Call for current pricing
(609) 742-1720

- ✧ Header Extension: Optional.
- ✧ Custom extension up to 2" for Header
- ✧ The extension will be pre-attached.




Panel Configuration :

Only 2", 2 1/4" rabbet and butt stiles are available for non-v


Only 2" rabbet and butt stiles are available for waterproof

Center stile is not available.



LL or RR



LLRR



90° Floating Panels




- o Two panels can be hinged together, either direction
- o Application comes with wheel carrier guide and floor track
- o Can be used on large window

Note:


1. For 90° Floating Panels outside mount/semi-inside mount will be supplied by default. The gap between the fascia return each side.

The 2016 stopper can also be used in the center or any position.

2016 Stopper




Call for current pricing
(609) 742-1720




2. When rabbet stile required, the meeting stile of unh

Optional (Hang Strip for Inside Mount Only, not availab



Call for current pricing
(609) 742-1720

Note: When Butt/rabbet Stile is required, the stile next to the ha




90 degree Bi Fold Track Shutters Framing Material (fascia is available)

Type		Header Dimension	Top Fascia Dimension	Light Block Dimension
Header & Top Fascia & Light Block Strip	OM	3"	3 3/8"	1 9/16"
		3 1/2"		2 1/8"
	Semi-IM	3"	1 7/8"	5/8"
	IM	3"		5/8"


Note: It will be L shape light block strip for outside mount.

Frame Hinged Bifold (Not available for Waterproof)

Available Stile: Rabbet Stile Only
Available Frame type





Vintage Hang Strip with 13mm light block: For single dir frame on the unhinged side will be Vintage Hang Strip with the Vintage Hang Strip will match with that of the hinged side made in wood with surcharge.



Call for current pricing
(609) 742-1720

Top View

Hinged at Left or Right with wheel assembly at top;




Side View


Outside Mount

3-Sides + bottom light block

3-Sides + 3'




Call for current pricing
(609) 742-1720




Note: For OM Frame Hinged at bottom, use as a door, if there is no light block at bottom of the window opening.


Semi-Inside



Inside Mount



For frame hinged bifold track shutter used as door, the Please specify “Used As Door” on the order form.





Call for current pricing
(609) 742-1720

Panel Configuration (uneven panel width)



- 1) If the hinge type between panel and frame is 2 3/8" Self the panel width1 (hinged with Self Mortise Hinge) = A, the other panels width (panel width2) = A + 34.5mm;
- 2) If the hinge type between panel and frame is Invisible H the panel width1 (hinged with Invisible Hinge) = A, the other panels width (panel width2) = A + 29.5mm;

Take the drawings of the hinge type between panel and fra examples:




Call for current pricing
(609) 742-1720

Frame Hinged Bifold Track Panel Hanger Location



Notes:

1. Only available for 3-Sides + bottom light block or 3-Side available); Panels can be folded and open at 90 degree




2. Frames available: Only Vintage L Frame

- 1) For top frame, the insert will be replaced by top fascia;
- 2) Top track will be pre-attached to the top frame;
- 3) Frame will be pre-drilled with screw holes same as regu

Ring Pull: The ring pull will be provided as option; and for fran supplied as default; Customer need specify ring pull location on measured from the floor to center of the ring pull in height direct Ring pull color will match the hinge color.


Please refer to below drawing of ring pull position for all shutter




Call for current pricing
(609) 742-1720

Bottom Pivot Bracket for 90 degree bifold:

For 90° Bifold Track Shutter, there will be 2 types of Bottom




For Inside Mount, Bottom Pivot Bracket will be supplied as default;



For Semi-Inside or Outside Mount, the bottom pivot bracket will be supplied as default.



For 180° Bifold Track Shutter, 81mm Bottom Pivot L Bracket



Call for current pricing
(609) 742-1720


Track Dimension:

Top Track




M Shape Bottom Track

Extra 8.5x25mm Magnet Catches and magnets will be supplied (not available for Waterproof option)



Side Magnet: applied to the meeting stiles of LR panels,



Extra magnet and Side Magnet (Not available for Waterproof option)




Call for current pricing
(609) 742-1720

90° Bi Fold Track Shutters Hardware Box

Parts
Wrench
Hinge Pin
Triangle Bracket (based on the length of header)
2" screws for Triangle Bracket
¾" screws for Triangle Bracket
Bottom Pivot Bracket
38.1mm screws for bottom pivot bracket
63.5mm screws for Frame with predrilled screw holes

Notes:

1. for all bifold track shutter Outside Mount, the header will insert and screws will be supplied by default;
2. for all bifold track shutter Inside/Semi-Inside Mount, the screws and wood plug and screws and wood plug will be



Call for current pricing
(609) 742-1720

3. For both 90° & 180° bi-fold track, for waterproof option, v make as 2 3/8" (Vintage L frame for waterproof option) + 5/

When 3 1/2" header is selected, the header will make as 2 + 1 1/8" extension.

The extension for both header sizes will be pre-attached.


4. For waterproof option, only plain fascia is available.

Keystone for Fascia of the Track Shutter


When fascia length exceeds the limitation and needs to split without surcharge for track shutters.

For fascia length within the split limitation, keystone can also


For Deco Fascia:



For Flat Fascia:



The keystone will be installed by screws. We will pre-drill the track and the keystone. Screws are packed in hardware box.



Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass

Definitions

Closed Bypass - louvers must be in the closed position with each other when sliding.

Open Bypass - louvers can remain open position with each other allowing for a clearer view when sliding.

Combi-joined panels - two or more panels combine to form a single, wider sliding section, please see the drawing for details installed.

Note: the interlocking bottom guide is standard on the closed bypass optional on the open bypass.

Guidelines and Specs:

<u>Description</u>	<u>Minimum</u>	<u>Maximum</u>	
		17/8"	21/8"
Single-Panel Width (Regular) for Non-Waterproof option	6"	24"	
Single-Panel Width (Regular) for Waterproof option	6"	24"	
Single-Panel Height	10"	120"	

Call for current pricing
(609) 742-1720

Outside Mount

Max frame-to-frame width: window width + 3"

Max frame-to-frame height: window height + 4½"

Semi-Inside Mount

Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height + 1 1/8"

Inside Mount


Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height - 1/8"

Track Shutters—2020 Bypass

Wheel Carriers are in the Track / Wheel Carrier Bracket

Adjustments to panel alignment are made by turning the wheel carrier bracket with the Hardware Box




Push wheel carrier into the wheel carrier bracket

Note: 2020 Stopper will be supplied at both ends of top track


Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass


Top View




Outside Mount



Semi-Inside Mount



Inside Mount




Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass


Top View

Combi - joined Panels:

For Non-Waterproof option:




For Waterproof option:




Call for current pricing
(609) 742-1720

For shutters with 4 or more panels, please select "side open

Side Open for Non-Waterproof option:




Side Open for Waterproof option:




Track Shutters—2020 Bypass


Center Open




4 panels side open w/Rabbet stile



4 panels center open w/Butt stile




6 panels side open w/Rabbet stile




For 6 panels center open configurations, the center panels for them to be combi-joined into a single 2 panel section.

6 panels center open w/Rabbet stile




6 panels center open w/Rabbet stile



Call for current pricing
(609) 742-1720


Track Shutters—2020 Bypass

8 panels side open w/Rabbet stile




For 8 panels center open configurations, the center panels for them to be combi-joined into a single 4 panel section.

8 panels center open w/Rabbet stile



8 panels center open w/Rabbet stile




Call for current pricing
(609) 742-1720


Track Shutters—2020 Bypass

Triple Track


3 panels side open w/Butt stile



6 panels side open w/Rabbet stile



6 panels center open w/Butt stile




Call for current pricing
(609) 742-1720

Stile: Only 2", 2 1/4" rabbet stiles are available,
1 5/8" rabbet stile only used for combi-joined panel:
Center stile is not available.



Track Shutters—2020 Bypass

Mounting Options (Closed Bypass)





Side View

Bottom Guide For non-wat




If the closed bottom guide bottom of the

Call for current pricing
(609) 742-1720




Track Shutters—2020 Bypass



Mounting Options (Closed Bypass with 3 Tracks, 1



Call for current pricing
(609) 742-1720





Track Shutters—2020 Bypass




Call for current pricing
(609) 742-1720

Mounting Options (Opened Bypass) 2 1/2" Louver

Only available




Track Shutters—2020 Bypass




Call for current pricing
(609) 742-1720

3" / 3 1/2" Louver




Track Shutters—2020 Bypass




Call for current pricing
(609) 742-1720

Bottom guide for Open ByPass:

Default Bottom Guide




Optional Interlockin




Track Shutters—2020 Bypass

Opened Bypass



Note: The light block for open bypass will be changed to use current dowels.



Separation of track

Louver	U shape bottom guide		Regular Tilt Rod
	Regular Tilt Rod	Invisible tilt	
2.5"	3 9/16"	2 3/4"	3 9/16"
3" / 3.5"	4 1/2"	3 5/8"	4 1/2"

Light block thickness for panel

Louver		U shape bottom guide		Regular Tilt Rod
		Regular Tilt Rod	Invisible tilt	
2.5"	h1	3/4"	3/4"	3/4"
	h2	1 9/16"	3/4"	1 9/16"
3" / 3.5"	h1	1 3/16"	1 3/16"	1 3/16"
	h2	1 15/16"	1 3/16"	1 15/16"


Nylon Guide: The nylon guide is composed by 2 parts and (bottom part 16mm and top part 5mm), please remove the



Call for current pricing
(609) 742-1720


Track Shutters—2020 Bypass

The 2020 Stopper




Note: 2020 Stopper will be supplied at both ends of top track

The 2020 stopper can also be used in the center or any position. Please specify the actual position when placing an order.



Call for current pricing
(609) 742-1720



Track Shutters—2020 Bypass

Track Shutters Framing Materials (For waterproof coating)

Framing	Size	
L Shape Header	Header (Closed Bypass)	Header (Opened Bypass)
(2 in 1)	$\frac{3}{4}" \times 5\frac{1}{2}"^*$ (Default for Outside Mount; Optional for Semi-Inside and Inside Mount)	$\frac{3}{4}" \times 5\frac{1}{2}"$ ($2\frac{1}{2}"$ Inside Mount)
Header with Supporting Strip	$\frac{3}{4}" \times 4\frac{1}{2}"^*$ (Default for Semi-Inside and Inside Mount; Optional for Outside Mount)	$\frac{3}{4}" \times 4\frac{1}{2}"$ (3", $3\frac{1}{2}"$ Inside Mount)
	Custom $^* \leq 8"$	Custom $^* \leq 8"$
U Shape Side Frame	Side Frame (Closed Bypass)	Side Frame (Opened Bypass)
(3 in 1)	$\frac{3}{4}" \times 5\frac{7}{8}"^*$ (Default for Outside Mount; Optional for Semi-Inside and Inside Mount)	$\frac{3}{4}" \times 5\frac{7}{8}"$ ($2\frac{1}{2}"$ Inside Mount)
Side Frame with Supporting Strip & Side Fascia	$\frac{3}{4}" \times 4\frac{7}{8}"^*$ (Default for Semi-Inside and Inside Mount; Optional for Outside Mount)	$\frac{3}{4}" \times 4\frac{7}{8}"$ (3", $3\frac{1}{2}"$ Inside Mount)
	Custom $^* \leq 8"$	Custom $^* \leq 8"$
Top Fascia (Plain/Deco)	4" (Semi-inside and Outside Mount)	
	$\frac{1}{2}" \times 2\frac{3}{4}"$ (Inside Mount)	
Top Fascia Return	4" (Semi-inside and Outside Mount)	
	N/A (Inside Mount)	

Call for current pricing
(609) 742-1720

Note:

- When the header size is $4\frac{1}{2}"^*$, $5\frac{1}{2}"^*$, $6\frac{1}{4}"^*$ or $7\frac{13}{16}"^*$, the Side Frame will be sent integrally. That is:
 1. The header and the supporting strip will be sent integral
 2. The side frame, supporting strip and the side fascia will

Track Shutters—2020 Bypass

2. The side frame, supporting strip and the side fascia will Frame.
 - Custom Boxout Width is available for both closed and o
 - For Outside Mount Bypass, the custom header size can header size with extension thickness can't be exceeded
 - For Inside Mount and Semi-Inside Mount Bypass, the c extension thickness of header can reach to 2".

Hardware Box

Hardware Box
Part
Wrench
Nylon Guide
$\frac{3}{4}$ " screws for Nylon Guide
Triangle Bracket (based on the length of header)
2" screws for Triangle bracket
$\frac{3}{4}$ " screws for Triangle bracket


Call for current pricing
(609) 742-1720

Keystone for Fascia of the Track Shutter


When fascia length exceeds the limitation and needs to spl without surcharge for track shutters.

For fascia length within the split limitation, keystone can als

For Deco Fascia:




For Plain Fa:



The keystone will be installed by screws. We will pre-drill th packed in hardware box.

Track Shutters—2020 Bypass




Plastic L Bracket to Connect the Header, Fascia &




L Bracket will be used to connect the header, fascia and fa
applies for Inside Mount, Semi-Inside Mount & Outside Mo

OM & Semi-IM



IM



Call for current pricing
(609) 742-1720

Special Options

Café Shutters*

- The top of the panel requires a special finish. Please indicate “café shutter” when placing orders.
- The shutter does not come with recessed magnet on top.
- When the height of the framing material (including t-posts) exceeds the panel height, by more than 5", a surcharge will apply.
-




Double-Hung Shutters*

- For total number of panels, please include panels in both rooms.
- Bifold panel is not available under this option.
- For panel configuration, please provide panel fold for one room.
- The default location for the division point is the center unless specified otherwise.
- Horizontal T Post* can be added for increased structural integrity.
- The length of Horizontal T post in each section must be less than or equal to 48".
- For Double Hung shutter, whenever an upper or lower panel is larger than 78", we will add one more extra hinge for it, we will also attempt to create larger top/bottom rails for additional strength by reducing the number of louvers by one as long as the rail sizes remain within spec.

Call for current pricing
(609) 742-1720

Fixed Louvers




Fixed louvers Closed Dress Down and Fixed louvers Open

French Door Cut-out Collection*

- Flush and offset cutout options are available in both cur
Offset cutout is good option for French Door with moldir
- All French door cutouts are only available in L frame ex
behind the Type E/F panel to block light.

Louver size	Batten Width	
1 7/8" & 2 1/2"	3/4"	
3" & 3 1/2"	3/4"	
4 1/2"	3/4"	

- For measurement details please refer to Form section.
- French Door cutouts with Arch/Quarter Arch at the top a
- Vintage L frame with 1/4" light block, Beaded L frame w
are not available for French door Type A, B, C & D.



Call for current pricing
(609) 742-1720

- Type E & Type F are Not available for Waterproof W

Custom Colors *

Available in Woodlore® plus, Woodlore® plus Waterproof s

Option (Color Code)	Sample Size	Cont
Custom Solid (C01)	A 4"x4" coated foam core or poster board.	All or actu the n comr hand

*Samples sent to the factory will not be returned

Note:

- 1) All custom colors will be finished with the standard gloss
- 2) Please be aware that we will only be able to match the to sample you submit.
- 3) Only one color revision will be allowed during the color c
- 4) Custom color does not apply to hardware or accessories

5) For custom color orders, please provide a color sample i poster board if you are requesting a custom paint color, or custom stain color. You are able to send in your custom co three listed forms; however, please anticipate a longer lead required to be processed through customs. In the event the sample that is not in the three listed formats, providing any assist us in getting the right color quickly, e.g. material, the Size, a photo of the color sample, the package method, net the value, certificate of origin, plant inspection certificate et

Due to varying materials corresponding to different colors, match the color on a louver and send the physical louver s streamline the process, in the event that the color variation the custom color sample falls outside of our acceptable ran you before mailing the physical color swatch for final confir

Call for current pricing
(609) 742-1720

Disclaimer:

**Sherwin Williams ColorSnap (MWCS),
Sherwin Williams Designer Expressions (MWDE),
Benjamin Moore Classic (MBMC) (M2460009TL) &
Benjamin Moore Preview (MBMP) (M2440564TL)
Benjamin Moore, Off White Collection M2451888TL**
are registered trademarks or trademarks of their respective herein are the property of Norman International, Inc. and/or countries. Reference herein to the commercial products or trademark, manufacturer, or otherwise, does not necessari

*For better tracking and minimal customs delays we recom use the USPS - United States Postal Service.

Specialties

Specialty Shutters for Waterproof option:

Specialty shutters are made from waterproof ABS co-polymer Norman shutters. Templates are required if it is an imperfect shape. Please refer to the order confirmation date for all specialty shutters. Please refer to the Requirement sections for details.

Continuous Arch is not available for Waterproof option.

Regarding frame with an insert or solid frame issue:

1). For Woodlore plus waterproof option, no matter which type of frame will always be made as solid frame;

2). For Half Round Sunburst, Quarter Round Sunburst, Eye Sunburst:

All Vintage L frames & 1 1/2" Deep Bullnose Z frame & Deep shape frame) will be made as a solid frame but the bottom will be made as regular frames with inserts.

3). For Triangle, Hexagon, Octagon, Peak & Angle top: all 'L' frame & Deep Plain L frame will be made as regular frames

4). For Circle, Oval: all Vintage L frames & 1 1/2" Deep Bullnose L frame will be made as solid frames (not with an insert).

5). For Sunburst on top with Divider strip: the top Vintage L frame (curve shape frame) will be made as a solid frame but the bottom frames (straight frames) will be made as regular frames with inserts.

6). For Louver Arch with Eyebrow curve shape:

All Vintage L frames & 1 1/2" Deep Bullnose Z frame & Deep shape frame) will be made as a solid frame but the bottom will be made as regular frames with inserts;

7). For other Specialty Shutters when curve shape is similar except Louver Arch with Eyebrow curve shape in point 6), all round side panels(-Standard louvered arch), Sunburst louvered panels, Arch Top Picture Window with horizontal louvers, Arch Standard unit with horizontal arch center etc.):

All Vintage L frames & 1 1/2" Deep Bullnose Z frame & Deep shape frame) will be made as a solid frame but the bottom will be made as regular frames with inserts.

8). Hand string behind the panel is not available for Hexagon

Call for current pricing
(609) 742-1720



Hardwood Specialty Shape

Specialty Shutters for non-waterproof option:

Specialty shutters are made of premium solid wood, finished shutters. Templates are required if it is an imperfect specialty confirmation date for all specialty shutters. Please refer to 5 sections for details.

Regarding frame with an insert or solid frame issue:

1). For Half Round Sunburst, Quarter Round Sunburst, Eye Sunburst:

- All deco frames will be made as solid frames;
- All Vintage L frames & Vintage hang strip: all top frames & solid frame but the bottom & both sided frames (straight frames) & inserts

2). For Triangle, Hexagon, Octagon, Peak & Angle top: all frames & inserts.

3). For Circle, Oval: all frames will be made as solid frames

4). For Sunburst on top with Divider strip: the top frame (curved frame) but the bottom & both side frames (straight frames) & inserts

5). For Louver Arch with Eyebrow curve shape:

- All deco frames excluding 2.5" Mission deco frame: all frames & an insert).
- All Vintage L frames & Vintage hang strip & 2.5" Mission deco frame) will be made as a solid frame but the bottom & both sides made as regular frames with inserts;

6). For other Specialty Shutters when curve shape is similar except Louver Arch with Eyebrow curve shape in point 5), all round side panels(-Standard louvered arch & Continuous arch & quarter round side panels, Arch Top Picture Window with horizontal arch & Window with Sunburst, Standard unit with horizontal arch & c


- All deco frames will be made as solid frames;
- All Vintage L frames & Vintage hang strip: all top frames & made as a solid frame but the bottom & both sided frames & frames with inserts.

7). Hang strip behind the panel is not available for Hexagon

8). All sunburst hubs must be less than or equal to 12".


9). If a requested half round sunburst arch will result in louver

Call for current pricing
(609) 742-1720




The louvers in the curved section can be installed in an Invisible Tilt system. They can be installed in a separate standard tilt rod installed


Call for current pricing
(609) 742-1720



for non-waterproof option




Quarter Round
Sunburst




Half Round
Sunburst



Louver
w/ Cen




Elongated Eyebrow
Sunburst



Eyebrow Sunburst



H




Angle Top


Call for current pricing
(609) 742-1720



*Top loc
fi




Louver Arch in a Rectangle



Horizontal louvers center arch
with quarter round side panels
-Standard louvered arch


Horiz
quart
-Cont
Not a

Call for current pricing
(609) 742-1720



Sunburst louvers center arch with quarter round side


Fixed louver



Arch Top Picture Window with
horizontal louvers
-Standard louvered arch


Arch
horiz
-Cor
Not

Call for current pricing
(609) 742-1720




Arch Top Picture Window with Sunburst

Stand



Left Triangle



R

Call for current pricing
(609) 742-1720



Pricing

1) By Max Frame-to-Frame Measurement:		
Regular Shutter		
Inside and Outside Mount		Width
Track Shutter**		
Inside		Width
Semi-Inside and Outside Mount		Width
2) By Net Panel Measurement:		Width
3) By Window Size:		
2" Camber Deco Frame 2" Classic Deco Frame	4-sided	(Width+4")
	3-sided with Sill Plate	(Width+4")
	3-sided	(Width+4")
	2-sided with Sill Plate	(Width+4")
	2-sided	(Width+4")
3" Ridge Deco Frame	4-sided	(Width+6")
	3-sided with Sill Plate	(Width+6")
	3-sided	(Width+6")
	2-sided with Sill Plate	(Width+6")
	2-sided	(Width+6")
2.5" Mission deco frame	4-sided	(Width+5")
	3-sided	(Width+5")
	2-sided	(Width+5")
3" Crown Z Frame	4-sided	(Width+4 ½")
	3-sided with Sill Plate	(Width+4 ½")
	3-sided	(Width+4 ½")
	2-sided with Sill Plate	(Width+4 ½")
	2-sided	(Width+4 ½")

Call for current pricing
(609) 742-1720



Pricing

2" Bel Air Z Frame 2" Bullnose Z Frame	4-sided	(Width+2 ½")	x
	3-sided with Sill Plate	(Width+2 ½")	x
	3-sided	(Width+2 ½")	x
	2-sided with Sill Plate	(Width+2 ½")	x
	2-sided	(Width+2 ½")	x
1 1/2" Bullnose Z Frame 1 ¼" Beaded Z Frame/ Bullnose Tilt Out Z Frame	4-sided	(Width+2")	x
	3-sided with Sill Plate (N/A w/ Tilt out Z)	(Width+2")	x
	3-sided	(Width+2")	x
	2-sided with Sill Plate (N/A w/ Tilt out Z)	(Width+2")	x
	2-sided	(Width+2")	x
Vintage Hang Strip Traditional Hang Strip	Inside	Width	x
	Outside 4-sided	(Width+3")	x
	Outside 3-sided	(Width+3")	x
	Outside 2-sided	(Width+3")	x
Vintage L Frame/ Beaded L Frame	Outside 4-sided	(Width+3")	x
	Outside 3-sided	(Width+3")	x
	Outside 2-sided	(Width+3")	x
Track Shutter**			
Inside and Semi-Inside Mount		Width	x
Outside Mount		(Width+3")	x

Call for current pricing
(609) 742-1720



1 side frame price:

2" Camber Deco Frame	1-sided	(Width+2")	x
2" Classic Deco Frame (Not available for Waterproof option)	1-sided	(Width)	x
3" Ridge Deco Frame (Not available for Waterproof option)	1-sided	(Width+3")	x
	1-sided	(Width)	x
2 1/2" Mission deco frame (Not available for Waterproof option)	1-sided	(Width+2 1/2")	x
	1-sided	(Width)	x
3" Crown Z Frame	1-sided	(Width+2 1/4")	x
	1-sided	(Width)	x
2" Bel Air Z Frame	1-sided	(Width+1 1/4")	x
2" Bullnose Z Frame (Not available for Waterproof option)	1-sided	(Width)	x
1 1/2" Bullnose Z Frame	1-sided	(Width+1")	x
1 1/4" Beaded Z Frame (Not available for Waterproof option)			
Bullnose Tilt Out Z Frame (Not available for Waterproof option)			
1 1/2" Deep Bullnose Z Frame (For Waterproof option only)			
Vintage Hang Strip (Not available for Waterproof option)	Outside 1-sided	(Width+1 1/2")	x
Traditional Hang Strip (For Waterproof option only)	Outside 1-sided	(Width)	x
Vintage L Frame	Outside 1-sided	(Width+1 1/2")	x
Beaded L Frame			
Beaded L with 1/4" Light Block (Not available for Waterproof option)			
Beaded L with 1/2" Buildout			
Beaded L with 1" Buildout (Not available for Waterproof option)			
Vintage L with 1/4" Light Block (Not available for Waterproof option)			
Vintage L with 1/2" Buildout	Outside 1-sided	(Width)	x
Vintage L with 1" Buildout (Not available for Waterproof option)			

Call for current pricing
(609) 742-1720