

2023 Shutter Revision log

Effective Date	Topic	Section	Note
	Pre-drill L Frames (Inside Mount Only) or Z frames		e: add content: Please note that a 100% complete performance of t solely because c
	Mount Options For Direct Mount	e,i	i: add content: Light block and l following situatio • Direct mo • 2-sided H • 3-sided H • 3-sided in
2023/01/15	Colors		b: Update colors op
	Single panel width limitation		f: 1. The maximum louvers is cha 2. add content: Please note the 3½" & 4½" louve a. Double hung s not available; b. Shutters must support (such as windows with a r panel etc. are no
	Color coordination chart	b,f,i,j2	i: 1. New added E 2. New added 3 3. Update color
	Single panel width limitation		j2: The maximum si is changed from

Call for current pricing
(609) 742-1720

Table of Contents

- a. Features & Benefits
- b. Colors & Louver Sizes/Louver Cl
- c. Stiles
- d. Panel Configurations
- e. Frame Styles
- f. General Product Specifications
- g. Tilt Rods
- h. Divider Rails
- i. Hardware
- j. Track Shutters
- k. Special Options
- l. Pricing

Call for current pricing
(609) 742-1720



Features and Benefits

Built around the concept of modern convenience, Woodlore is harvested from well-managed forests and finished with a protective coating that prevents moisture absorption and allows for easy stain and twisting.

Reinforced engineered stiles – Stile core durability reinforced and bonded together. The result is a robust support system.

UV inhibitor protects shutters and home décor from UV damage.

Woodlore's classic solid colors harmonize brilliantly with the quality finish of Woodlore shutters is reasonably priced.

Multiple stile options are available in various sizes to accommodate different window configurations. Astragal or Rabbet stiles provide a natural look.

A wide range of frames with inserts, which keep installation simple and decorative look, match any style and preference.

Personalize shutters with special options. Choose from various materials, rods, café styles, bay and corner window shutters, track and pull styles.

Quick and easy on-site assembly and installation with pre-mitered frames and slotted keyholes.


A guarantee of Norman Shutters exemplary quality with superior materials and workmanship.

Call for current pricing
(609) 742-1720


Colors & Louver Sizes/Louver Clearance

Solid Colors

No.	Color ID	Color Name
1	001	Pure White
2	002	Extra White
3	003	Silk White
4	006	Pearl
5	032	Sea Mist
6	063	Decorator's White




Louver Depth Clearance




Call for current pricing
(609) 742-1720

Louver Depth Clearance For Specific Frames




L Frame with 1/4" light block




L Frame

Call for current pricing
(609) 742-1720




L Frame with 1/2" Buildout




L Frame with 1" Buildout

W




1 1/4" Beaded Z Frame




1 1/2" Bullnose Z Frame

Call for current pricing
(609) 742-1720




2" Bel Air Z Frame




3" Crown Z Frame

W6



Hang Strip (Behind the panel)






Hang Strip (Beside the panel)

Call for current pricing
(609) 742-1720



Stiles


Default: Beaded stile



Call for current pricing
(609) 742-1720

Optional: Chamfer stile





Stile between panel closure

Single panel

I) Panel width < 9"

Rabbeted stile (Deco frame, L frame, Z frame and Hang strip beside panel)

- 1 5/8"
- 2" (default)

Butt stile only (Hang strip behind panel)

- 1 5/8" (Optional for panel width ≤ 12")
- 2" (default)



Call for current pricing
(609) 742-1720

II) Panel width ≥ 9"

Butt stile only

- 1 5/8" (Optional for panel width ≤ 12")
- 2" (default)

2 panels or more



Rabbet stile


- 1 5/8" (Optional for panel width ≤ 12")
- 2" (default)

Astragal stile


- 1 5/8"
- 2"

Panel Configurations


Single Panel



OR




Two Panel




Three Panels





LLR




LRR



LTLTL




LTRR





LLTR

Call for current pricing
(609) 742-1720


Four Panels





LLRR



LLTR




RRLL





LTLR

Call for current pricing
(609) 742-1720

Six Panels




LRRLRRLR




LTLRRLR

Panel Configurations – Astragal Stile


- 2 Panels – LR/LL/RR




- 3 Panels - LRR



- 3 Panels – LLR





- 4 Panels - LLRR





Call for current pricing
(609) 742-1720


Frame Styles



Call for current pricing
(609) 742-1720



Frame Styles




2.5" Mission Deco Frame

There are 2 options for the Deco frame installation wher
Deco frame as an example)


1. Default: light block part install into the window opening

The window size is the exact size of the window opening;
The MFF size is the measurement of the entire shutter, includi
The MFF size =Window Size + Face Width




2. Optional: light block part flush with window opening.


The window size is the exact size of the window opening;
The MFF size is the measurement of the entire shutter, includ
The MFF size = Window Size + Frame Back Width




Call for current pricing
(609) 742-1720




Frame Styles




3" Crown Z Frame



Bullnose Z
1 1/4" Beaded Z
Sill Plate




2" Bel Air Z Sill Plate



2" Bullnose Z Frame


Note: Quarter




Note: Outside mounted hang strips, behind the panel, is r
3 sides inverted.

Call for current pricing
(609) 742-1720


Frame Styles




1" Chamfer T Post with 1/4" Light Block (Deco)



1" Chamfer T Post with 1/4" Light Block (L/Z/HS)




1.75" Chamfer T Post with 1/4" Light Block (Deco)




1.75" Chamfer T Post with 1/4" Light Block (L/Z/HS)



Call for current pricing
(609) 742-1720



1" T Post with Insert with 3/4" Light Block



1" T Post with Insert with 1 5/16" Light Block




Frame Styles

Note: 1" Chamfer T Post with 3/4" Light Block, 1 3/4" Chamfer T Post with 3/4" Thick x 3/8" Wide Light Block, 1 1" T Post with Insert with 1 5/16" Light Block, 1" T Post with Custom Chamfer T Post with 3/4" Thick Light Block are not frames with 1/4" Light Block.

- Custom width* up to 7½" for T Posts (Made of Wood)
 - Size limits (7 1/2")
 - Available for composite but it will be made from wood
 - That a surcharge applies and customers should refer
 - Any limitations


Note: The 1"x3/4" Post (No Light Block) is only available if supplied to install it on the existing window opening.



Note: Scribe Trim 1 & Scribe Trim 2 will be made of wood


Call for current pricing
(609) 742-1720

Sill Frames- For use where there is




Sill caps-Used to cover existing


Frame Styles




Designer Sill Cap (L)



Designer Sill Cap (D/H)



Mission Sill Cap (D/HS)




Mission Sill Cap (L)

Call for current pricing
(609) 742-1720


Note: For Mission Sill Cap, the extended size at

Sill Plates- Used with e:



2" Sill Plate with 5/8" Light Block (L/Z)

Frame Styles




1.6" Sill Plate with 3/8" Light Block

1.


(All Deco & L frames with 1/4" light block) (All Deco

For 1.6" / 2" sill plate with 5/8" (or 3/8") light block, when a excess width will be divided evenly on both sides, take the reference:



Call for current pricing
(609) 742-1720


Standard Corner & Base



Corner Post with 3/4" Light Block (L/Z/HS)

*Notch out corner post required if ordering

Frame Styles




Bay Post with 3/4"
Light Block (L/Z/HS)

Also available

- Custom angle bay posts *


For bay window at 170 degree or above,

- 1" T Post with 3/8" light block will be used as Bay post
- For Hang Strip (Behind Panel), bay post will be used




Call for current pricing
(609) 742-1720

Slim Fit Corner & Bay



Frame Styles



Note: Due to size and weight limitations, Slim Fit Posts m single panel (no bi-folded panels). Please consider this w

- Slim Fit Posts are available in 90, 135 and 150 Degree
- All Bay posts, Corner posts and Slim Fit Posts are ma

In order to better match corner windows / bay window


- **For non sample orders, please note that corner wi**
 - Post Type (Standard or Slim Fit)
 - Color
 - Hinge Options
 - Louver Size
 - Frame Type
 - Mount Type
 - Extension
 - Sill Options
 - T-Post Options
 - Height
 - Stile Type and Profile
 - Tilt Type
 - Divider Rail Options
 - Double-Hung Options
 - Split Tilt Options
 - PerfectTilt Options
- **For non sample orders, please note that bay wind**
 - Post Type (Standard or Slim Fit)
 - Color

Call for current pricing
(609) 742-1720


Frame Styles

- Sill Options
- T-Post Options
- Height
- Stile Type and Profile
- Tilt Type
- Divider Rail Options
- Double-Hung Options
- Split Tilt Options
- PerfectTilt Options


- Limitation for the Notch Out Size: $A \leq 1"$; $B \leq 1/2"$




Notch Out
Beaded L Frame (A) *



Notch Out
Vintage L Frame (A) *




Notch Out
Beaded L Frame (B) *



Notch Out
Vintage L Frame (B)


Call for current pricing
(609) 742-1720

Pre-drill L Frames (Inside Mount Only) or Z frames:



Frame Styles

Extension for Deco Frame* (Default to have full extension



Note: Custom extensions* are available for Deco Frames panel) & T posts, when the extension thickness is more th to the frames and/or T posts.

Custom extensions* are available for the lips of all Z fram extension thickness is more than 1", the extension will no

● Standard Filler Strips (width x depth):

1" x 3/4"	1" x 2 15/16"	3/4" x 1 1/2"
1" x 1 3/16"	2 7/16" x 7/16"	1" x 1 1/2"
1" x 1 9/16"	3/16" x 1 1/2"	1 3/16" x 1 1/2"
1" x 2"	3/8" x 1 1/2"	1 3/8" x 1 1/2"
1" x 2 3/8"	9/16" x 1 1/2"	1 9/16" x 1 1/2"

Note:

1. The width or depth of Custom filler strip / Standard fille
2. The width or depth of Custom filler strip / Standard fille
3. The width and depth of Custom filler strip / Standard fi the same time.


Call for current pricing
(609) 742-1720

Frame Styles

Notch out*:

- ☐ L Frame
- ☐ T Post

Specify dimensions in special instruction box.



Default principles:

Regarding shutter with horizontal T-post type issue:

Horizontal T-Post type will always be the Chamfer T p

General Product Specifications

Description	Minimum	Maximum
Single Panel Width (Regular)	6"	24" for 1 7/8" 30" for 2 1/4" 36" for 3", 3 1/2"
Single Panel Width (Bifold)	6"	24"
Single Panel Width (Bifold Track)	6"	24"
Single Panel Height	10"	12"
Shutter Width (Without T Post)	N/A	4x single panel width
Shutter Width (With T Post)	N/A	Unlimited (For orders shipped in frames longer than 120" spliced in the middle.) (For orders shipped in frames longer than 120" spliced in the middle.)
Shutter Height	N/A	120" +

Call for current pricing
(609) 742-1720

Divider rail is required for panel heights over 74".

Standard divider rail size is 3".

Please note the standard top/bottom rail size should be within 1/8" for the rail size is 1/8".

Shutters to be installed where there is no bottom support. Shutters without bottom supports may sag and deform, include:

1. Shutters with a bottom gap over 0.1";
2. Shutters with no frame or existing bottom sill to support the frame/existing sill, but the panel is frequently left in the open position.


Side by Side / Match Line Number:

When **Side by Side** is selected, it is solely to match top or bottom

Tilt Rods

Standard Tilt Rod


Default Location: In the middle of the panel on front side (de



Offset Tilt Rod*


Default Location: On the front side of the panel and at 1" from

Optional location: On the back side of the panel, 1" from the



Call for current pricing
(609) 742-1720


Offset tilt rod on the front side of panel,
the louvers dress up from front view



Offset tilt rod on the back side of panel.

Offs

InvisibleTilt™ *



Louver tilting system embedded within panel stile. It is not available for split tilt when the number of louvers exceeds the limits as listed below.

Louver Size	Maximum Possible Louvers	Panel Height Range
2½"	24	54 ¾" – 57 1/8"
3"	19	54 1/4" – 57 1/4"
3½"	16	54 ¾" – 58 1/4"
4½"	12	54 ¾" – 60 1/4"

For even numbers of louvers, the number of louvers operated by the top tilting system will be the same;
For odd numbers of louvers, the number of louvers operated by the top tilting system will be less than the number of louvers operated by the bottom tilting system;
To ensure split tilt is included, always specify on the order.

Split Tilt


When selected, the louvers are split evenly by default unless otherwise specified.

When the customer selects a custom location, the measurements are taken from the center of the louvers (when the louvers are in the closed position when measured):

Window size:
— Measure from the bottom of the window to the top of the louvers.

Max frame-to-frame:
— Measure from the bottom of the frame (or panel if there is no frame) to the top of the louvers.

Call for current pricing
(609) 742-1720



Split tilt &

Louver

1 7/8"
2 1/2"
3"
3 1/2"
4 1/2"

Split Location:

— Per the customer's specification. However, the location of the split may be adjusted to achieve more balanced top and bottom rail sizes during order entry. If necessary the location will be moved up or down if an obstruction is covered. The amount of the deviation from the center of the louver selected.

Call for current pricing
(609) 742-1720

If the exact location of the split is critical, customer may select the split location when placing the order. This may result in significantly different top and bottom rail sizes. If a different location is selected, a popup will reveal the resulting top and bottom rail sizes. The customer may either:

1. Accept the listed top and bottom rail sizes
2. Modify the split location (sometimes a slight adjustment in the split location will achieve the desired top and bottom rail sizes)
3. Change to **allow deviations** so the system will calculate the rail sizes based on the selected split location.

Note: Top and bottom rail sizes may change if the current line item is changed. Carefully review all top and bottom rail sizes and split location before finalizing the order to ensure the desired split location is achieved.

- Please note that Tilt options, Split Tilt, Divider Rail, Do Not Motorize, and Motorize are not available for panels with one louver on the rails.

Divider Rails

A divider rail is an extra rail in the middle of the panel
Creates two sections in the panel so louvers can be
Strengthens the panel and enhances structural integrity
Required for panel heights over 74".


Specifications

Standard size: 3"
Default location: center of the panel unless specified
If the Divider Rail Location must be accurate, "Exact" must be specified when placing an order.

Measurements:

- Window size:
 - Measure from the bottom of the window to the center of the divider rail
- Max frame-to-frame:
 - Measure from the bottom of the frame to the center of the divider rail
- Position:
 - Per customer's specification. However, the divider rail must be in a higher position, within our allowable deviation, to ensure the shutter operates properly.
 - When placing the order, please clearly specify if the divider rail location is to match with that of other shutter divider rails in the same room or not. See below for the allowable deviation details.
- Between 2 divider rails / 2 split tilt rod locations / 1 divider rail location, there needs to have at least two or more louvers


Call for current pricing
(609) 742-1720




Hardware

Hinges

2.375" Self-Mortise Hinge



2.375" L Hinge



Call for current pricing
(609) 742-1720


Hinges are available in:

Pure White, Silk White, Bisque, Pearl, Bright Brass, Antique Nickel, Stainless Steel*, Crisp Linen, String, Sea Mist, Stone White hinge colors of Crisp Linen, String, Sea Mist, Stone G not available for Direct mount 3" Hinges.


False hinges are not available.

- Direct Mount 3" Hinge:
 1. The hinge position of the direct mount 3" hinge will be For shutters used both the 2.375" and the direct mour 2.375" ones will match that of the direct mount 3" hinc

the drawing below.




4. Direct Mount 3" Hinge is not suitable for drywall installation




Panel Lock: (not available for 1.625" Stile)

Available Material: All

Color: Brush Nickel Plated, Pure White, Pearl, **Black.**




Position: (Only available on Bottom for Track Shutters with E Top/Bottom/both Top and Bottom)




Call for current pricing
(609) 742-1720

The Panel Lock location for both track system shutters and r
The general principle is that the Panel Lock position will avoid
loaded guide at bottom (same stile as the Wheel carrier).



Ring pull: for easy opening and closing. (Not available for :
Available in all shutter programs.



Handles (Not available for 1.625" Stile):

Available in all shutter programs.

Curved Hidden Handle & Rectangle Hidden Handle (for non



Call for current pricing
(609) 742-1720

Recessed Handle (for Bypass track shutter)



Ring pull and Handles location principle for Floating Panel

1. When floating panel config is in pairs, it will be split into half for LL and half for RR. So the ring pull / handles location for FF/F panel config as LL/RR, LL/LL/RR/RR.
2. When floating panel config is FF, the ring pull / handles location is for LL.
3. When floating panel config is singular, it will be split into half for LL and the right section is for RR. So the ring pull / handles location for FF/FF/FF/FF/FF will be same as that of LL/LL/RR, LL/LL/RR/RR.

Please note the ring pull / handles color will match with the hinge color.

Please see the matching chart below:

Hinge color	Pure White	Silk White	Bisque	Pearl	Black	Nickel Plated
Ring Pull color	White	White	Bisque	Pearl	Black	Brushed Nickel
Handles color	White	White	Pearl	Pearl	Black	Brushed Nickel

Hinge color	Crisp Linen	String	Sea Mist	Stone
Ring Pull color	Bisque	Bisque	Brushed Nickel	Brushed Nickel
Handles color	Pearl	Pearl	Brushed Nickel	Brushed Nickel

Call for current pricing
(609) 742-1720

- The ring pull color is selectable.


Paint colors (Solid colors) (6) :

No.	Color ID	Color Name	2.375" Hinge color (Default)	Direct Mount 3" Hinge color (Default)	T post connector color (Default)	Ring pull color (Default)	Curved Hidden Handle Receiver Hidden Handle color (Default)
1	001	Pure White	Pure White	Pure White	Pure White	White	White
2	002	Extra White	Silk White	Silk White	Silk White	White	White

4	006	Pearl	Pearl	Pearl	Pearl	Pearl	Pearl
5	032	Sea Mist	Sea Mist	Nickel Plated	Nickel Plated	Brushed Nickel	Brushed Nickel
6	063	Decorator's White	Silk White	Silk White	Silk White	White	White

- When the bottom track colors are bright white and metall color will be white; When the bottom track colors are bron guide color will be coffee.


Position: For different panel configuration, please refer to the which stile the pull will be fixed.



Call for current pricing
(609) 742-1720

- Position:
- A. Above Bottom Rail
 - B. Above Divider Rail
 - C. Custom Position

If both Panel Lock & ring pull are specified, the distance betw location is 6 3/4" from the bottom of panel.
When there is no mid rail, ring pull will be just on the top of F



Call for current pricing
(609) 742-1720



Position:

- A. 2 3/4" Above Panel Lock
- B. Above Divider Rail
- C. Custom Position

Measurements:


- Window size:
 - Measure from the bottom of the window to the center of the ring pull
- Max frame-to-frame:
 - Measure from the bottom of the frame to the center of the ring pull

Position: For different panel configuration, please refer to the which stile the Handles will be fixed.



Call for current pricing
(609) 742-1720


- Position:
- A. Above Bottom Rail
 - B. Above Divider Rail
 - C. Custom Position




Position:

- A. Center of panel
- B. Above Divider Rail
- C. Custom Position

Call for current pricing
(609) 742-1720





Call for current pricing
(609) 742-1720

Position:


- A. Handle at center of panel
- B. Handle Above Divider Rail
- C. Custom Location

Measurements:

- Window size:
 - Measure from the bottom of the window to the center of the handle
- Max frame-to-frame:
 - Measure from the bottom of the frame to the center of the handle

Mount Options for Direct Mount:

Light block





10mm Round Magnet without screw hole (recessed into panel)



Round Magnet Catch (installed on light blocks)

L Magnet Catch (sill magnet catch): used for catching the meeting blocks.



Round Magnet Catch and L Magnet Catch are available in: Pure White, Silk White, Bisque, Pearl, Bright Brass, Antique Brass, Sea Mist, Stone Gray, Brown Gray, Taupe Gray.

Light block and L magnet catch are available in one of the following situations:

- Direct mount without top & bottom sill frame
- 2-sided Hang strip without top & bottom sill frame
- 3-sided Hang strip without bottom sill frame
- 3-sided inverted Hang strip without top sill frame


Call for current pricing
(609) 742-1720

Side Magnet: Available for Butt, rabbet and Astragal stile




Side Magnets will be applied in following situation:

1. Double Hung shutter but without horizontal T post:
Side magnets will be applied to the meeting stiles of the l



2. Café Shutter


Side magnets will be applied to the meeting stiles of the l



Call for current pricing
(609) 742-1720


3. No frame or light block or L-shape striker plate on either top or bottom gap is requested.

Side magnets will be applied to the meeting stiles of the l





4. Note: if panels only with side magnets and there is no stail panels may open for external factors.

T-Post Connector




- Available colors: Pure White; Silk White; Pearl; Bisque
- Available for all types of T Posts (custom-width T posts)

T Post Connector can be used with the following Frame:



Hang Strip (Beside)




Call for current pricing
(609) 742-1720

Note:

1. For Horizontal T Post, Hang Strip (Behind) and shutter w available and T Post will be installed by screws instead;
2. If there is a panel lock which may interfere with the T-Post shutter will be installed with screws and the frames to be panel lock may only interfere with one T-Post;
3. The screw color is nickel-plated regardless of the color of
4. T post connectors can only be installed on a straight piece of Post installed on a curved or raked piece.

Optional Poles:
1. Terminology



Component

NO.	Name	
1	Pole with Attachment	Aluminum Tube, Pole B *Surcharge applies.
2	Attachment only	• Compatible with exter improvement stores. • Screw thread (3/4") at *Surcharge applies.

2.Available Pole Length

Two lengths available:

- 36"
- 60"

Call for current pricing
(609) 742-1720

Bi-fold 180™


Guidelines and Specs:

<u>Description</u>	<u>Min</u>
Single-Panel Width (Bi-fold Track)	
Single-Panel Width (LLL/RRR)	1
Single-Panel Height	1

Outside Mount

Max frame-to-frame width: window width + 3 1/2"

Max frame-to-frame height: window height + 4"




Call for current pricing
(609) 742-1720

Track is pre-installed on the header; standa

Side View




Without Casing:




- ◇ Fascia return will protrude the panel a
- ◇ The header will protrude the panel ab
- ◇ Header, light blocks, and bottom pivc
surface.

With Existing Casing:




- ✧ Header Extension: Optional
- ✧ Custom extension up to 2" for Header
- ✧ When extension is needed, the header will protrude fascia return will protrude the panel 11/16" for each




Call for current pricing
(609) 742-1720


- ✧ The extension will be pre-attached.



For 180 Bi-fold, if Bottom Pivot L Bracket is required, the



Panel Configuration : Only 2", 2 1/4" rabbet and butt still available.



Call for current pricing
(609) 742-1720


Notes:

If there is no baseboard to the wall, 3" header can be used.

If there is baseboard to the wall, then it should be as below:

1. If base board thickness is less or equal to 5/8", 3 1/2" header can be used.
2. If base board thickness is over 5/8", it is suggested using a 3" header with a build out thickness = base board thickness - 1/8".

Please see the drawing below:



180° Bi-fold Track Shutters Framing Materials

Type	Header Dimension	Top Fascia Dimension
Header & Top Fascia & Light Block Strip	3"	3 3/8"
	3 1/2"	

Call for current pricing
(609) 742-1720

180° Bi-fold Track Shutters Hardware Box

Parts
Wrench
Hinge Pin
Triangle Bracket (based on the length of header)
2" screws for Triangle Bracket
3/4 " screws for Triangle Bracket
Bottom Pivot Bracket
1 1/2 " screws for bottom pivot bracket
2 1/2 " screws for Frame with predrilled screw holes

Bi-fold 90

Guidelines and Specs:

<u>Description</u>	<u>M</u>
Single-Panel Width (Bi-fold Track)	
Single-Panel Width (Multifold track up to 4 panels)	
Single-Panel Height	

Outside Mount

Max frame-to-frame width: window width + 3 1/2"

Max frame-to-frame height: window height + 4 1/2"

Semi-Inside Mount


Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height + 1 3/8"

Inside Mount

Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height - 1/8"




Call for current pricing
(609) 742-1720

Track is pre-installed on the header; standard 1 tra

Mounting Options: Outside Mount


Side View



Call for current pricing
(609) 742-1720

Top View


Without Casing:



Note:


- ◇ Fascia return will protrude the panel about 1/2" for each side
- ◇ The header will protrude the panel about 1/8" for each side
- ◇ Header, light blocks, and bottom pivot bracket(s) must be installed

With Existing Casing:




Semi-Inside/Inside Mount

Side View




Call for current pricing
(609) 742-1720

Semi-Inside Mount Top View




Inside Mount Top View




Call for current pricing
(609) 742-1720

- ✧ Header Extension: Optional.
- ✧ Custom extension up to 2" for Header
- ✧ The extension will be pre-attached.




**Panel Configuration: Only 2", 2 1/4" rabbet and butt
Center stile is not available.**



LL or RR



LLRR



90° Floating Panels



- o Two panels can be hinged to either direction
- o Application comes with wheel guide and floor track
- o Can be used on large windows


Call for current pricing
(609) 742-1720


Note:

1. For 90° Floating Panels outside mount/semi-inside mount will be supplied by default. The gap between the fascia and panel will be 5mm each side.

The 2016 stopper can also be used in the center or any other position.


2016 Stopper






2. When rabbet stile required, the meeting stile of unhinged stile

Optional (Hang Strip for Inside Mount Only)



Call for current pricing
(609) 742-1720

Note: When Butt Stile is required, the stile next to the ha



90 degree Bi Fold Track Shutters Framing Material


Type		Header Dimension	Top Fascia Dimension	Light Di
Header & Top Fascia & Light Block Strip	OM	3"	3 3/8"	
		3 1/2"		
	Semi-IM	3"		5
	IM	3"	1 7/8"	5

Note: It will be L shape light block strip for outside mount

Frame Hinged Bifold


Available Stile: Rabbet Stile Only

Available Frame type





Call for current pricing
(609) 742-1720

Vintage Hang Strip with 13mm light block: For single frame on the unhinged side will be Vintage Hang Strip with the Vintage Hang Strip will match with that of the hinged made in wood with surcharge.



Top View

Hinged at Left or Right with wheel assembly at top;





Side View


Outside Mount

3-Sides + bottom light block

3-Side




Call for current pricing
(609) 742-1720




Note: For OM Frame F use as a door, if there bottom of the window (to have the 3" Deco Si

Semi-Inside




Inside Moun





Call for current pricing
(609) 742-1720

For frame hinged bifold track shutter used as door, t
Please specify "Used As Door" on the order form.





Panel Configuration (uneven panel width)

The hinge type between panel and frame is 2 3/8" Self Mortise Hinge
 the panel width1 (hinged with Self Mortise Hinge) = A
 the other panels width (panel width2) = A + 34.5mm;




Call for current pricing
 (609) 742-1720

Frame Hinged Bifold Track Panel Hanger Location



Notes:

1. Only available for 3-Sides + bottom light block or 3-S (available); Panels can be folded and open at 90 degree




2. Frames available: Only Vintage L Frame

- 1) For top frame, the insert will be replaced by top fascia;
- 2) Top track will be pre-attached to the top frame;
- 3) Frame will be pre-drilled with screw holes same as re

Call for current pricing
(609) 742-1720


Ring Pull: The ring pull will be provided as an option; and for supplied as default; Customer need specify ring pull location measured from the floor to center of the ring pull in height direction. Ring pull color will match the hinge color.

Please refer to below drawing of ring pull position for all




Bottom Pivot Bracket for 90 degree bifold:

For 90° Bifold Track Shutter, there will be 2 types of Bottom




For Inside Mount, Bottom will be supplied as default.



For Semi-Inside or Outside bottom pivot bracket will be as default.



For 180° Bifold Track Shutter, 81mm Bottom Pivot L Bracket



Call for current pricing
(609) 742-1720


Track Dimension:

Top Track




M Shape

Extra 8.5x25mm Magnet Catches and magnets will be s
top and bottom hinges)



Side Magnet: applied to the meeting stiles of LR pane



Extra magnet and Side Magnet




Call for current pricing
(609) 742-1720

90° Bi Fold Track Shutters Hardware Box

Parts
Wrench
Hinge Pin
Triangle Bracket (based on the length of header)
2" screws for Triangle Bracket
¾" screws for Triangle Bracket
Bottom Pivot Bracket
38.1mm screws for bottom pivot bracket
63.5mm screws for Frame with predrilled screw holes

Notes:

1. for all bifold track shutter Outside Mount, the header insert and screws will be supplied by default;
2. for all bifold track shutter Inside/Semi-Inside Mount, the header insert, screws and wood plug and screws and wood plug will be supplied by default;




Call for current pricing
(609) 742-1720

Keystone for Fascia of the Track Shutter


When fascia length exceeds the limitation and needs to be joined, it is supplied without surcharge for track shutters.

For fascia length within the split limitation, keystone can be used without surcharge.


For Deco Fascia:



For Flat Fascia:



The keystone will be installed by screws. We will pre-drill holes in the fascia. Screws are packed in hardware box.



Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass

Definitions

Closed Bypass - louvers must be in the closed position other when sliding.

Open Bypass - louvers can remain open position allowing for a clearer view when sliding.

Combi-joined panels - two or more panels combined in a single, wider sliding section, please see the drawing when installed.

Note: the interlocking bottom guide is standard on the open bypass.

Guidelines and Specs:

<u>Description</u>	<u>Minimum</u>	
		1 7/8"
Single-Panel Width (Woodlore)	6"	24"
Single-Panel Height	10"	120"

Call for current pricing
(609) 742-1720

Outside Mount

Max frame-to-frame width: window width + 3"

Max frame-to-frame height: window height + 4 1/2"

Semi-Inside Mount

Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height + 1 1/8"

Inside Mount




Max frame-to-frame width: window width - 1/8"

Max frame-to-frame height: window height - 1/8"

Track Shutters—2020 Bypass

Wheel Carriers are in the Track / Wheel Carrier Brack

Adjustments to panel alignment are made by turning the
included in the Hardware Box




Push wheel carrier into the wheel carrier brack

Note: 2020 Stopper will be supplied at both ends of top tr

Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass

Top View




Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass


Top View

Combi - joined Panels:




For shutters with 4 or more panels, please select “side of

Side Open




Center Open




Call for current pricing
(609) 742-1720


4 panels side open w/Rabbet stile



4 panels center open w/Butt stile




6 panels side open w/Rabbet stile




Track Shutters—2020 Bypass

For 6 panels center open configurations, the center pane option for them to be combi-joined into a single 2 panel s


6 panels center open w/Rabbet stile



6 panels center open w/Rabbet stile




8 panels side open w/Rabbet stile




Call for current pricing
(609) 742-1720

For 8 panels center open configurations, the center pane option for them to be combi-joined into a single 4 panel s

8 panels center open w/Rabbet stile




8 panels center open w/Rabbet stile




Track Shutters—2020 Bypass

Triple Track


3 panels side open w/Butt stile



6 panels side open w/Rabbit stile



6 panels center open w/Butt stile







Call for current pricing
(609) 742-1720

Stile: Only 2", 2 1/4" rabbit stile is available,
1 5/8" rabbit stile only used for combi-joined pan
Center stile is not available.

Track Shutters—2020 Bypass

Mounting Options (Closed Bypass)


Side View




Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass


Mounting Options (Closed Bypass with 3 Tracks,



Call for current pricing
(609) 742-1720




Track Shutters—2020 Bypass




Call for current pricing
(609) 742-1720

Mounting Options (Opened Bypass) Only availa 2 1/2" Louver




Track Shutters—2020 Bypass




Call for current pricing
(609) 742-1720

3" / 3 1/2" Louver




Track Shutters—2020 Bypass




Call for current pricing
(609) 742-1720

Bottom guide for Open ByPass:




Track Shutters—2020 Bypass

Opened Bypass (Top View)



Note: The light block for open bypass will be changed to current dowels.



Call for current pricing
(609) 742-1720

Separation of track


Louver	U shape bottom guide		
	Regular Tilt Rod	Invisible tilt	
2.5"	3 9/16"	2 3/4"	
3" / 3.5"	4 1/2"	3 5/8"	

Light block thickness for panel


Louver		U shape bottom guide		
		Regular Tilt Rod	Invisible tilt	
2.5"	h1	3/4"	3/4"	
	h2	1 9/16"	3/4"	1
3" / 3.5"	h1	1 3/16"	1 3/16"	1
	h2	1 15/16"	1 3/16"	1 1

Nylon Guide: The nylon guide is composed by 2 parts . default (bottom part 16mm and top part 5mm), please rei

Track Shutters—2020 Bypass




The 2020 Stopper



Note: 2020 Stopper will be supplied at both ends of top track.

The 2020 stopper can also be used in the center or any position. Please specify the actual position when placing an order.

Call for current pricing
(609) 742-1720



Track Shutters—2020 Bypass

Track Shutters Framing Materials

Framing	Size	
L Shape Header	Header (Closed Bypass)	Header (Open)
(2 in 1)	$\frac{3}{4}" \times 5\frac{1}{2}"^*$ (Default for Outside Mount; Optional for Semi-Inside and Inside Mount)	$\frac{3}{4}"$ ($2\frac{1}{2}"$)
Header with Supporting Strip	$\frac{3}{4}" \times 4\frac{1}{2}"^*$ (Default for Semi-Inside and Inside Mount; Optional for Outside Mount)	$\frac{3}{4}"$ ($3"$, $3\frac{1}{2}"$)
	Custom $^* \leq 8"$	Custom
U Shape Side Frame	Side Frame (Closed Bypass)	Side Frame (Open)
(3 in 1)	$\frac{3}{4}" \times 5\frac{7}{8}"^*$ (Default for Outside Mount; Optional for Semi-Inside and Inside Mount)	$\frac{3}{4}"$ ($2\frac{1}{2}"$)
Side Frame with Supporting Strip & Side Fascia	$\frac{3}{4}" \times 4\frac{7}{8}"^*$ (Default for Semi-Inside and Inside Mount; Optional for Outside Mount)	$\frac{3}{4}"$ ($3"$, $3\frac{1}{2}"$)
	Custom $^* \leq 8"$	Custom
Top Fascia (Plain/Deco)	4" (Semi-inside and Outside)	
	$\frac{1}{2}" \times 2\frac{3}{4}"$ (Inside Mount)	
Top Fascia Return	4" (Semi-inside and Outside)	
	N/A (Inside Mount)	

Call for current pricing
(609) 742-1720

Note:

- When the header size is $4\frac{1}{2}"^*$, $5\frac{1}{2}"^*$, $6\frac{1}{4}"^*$ or $7\frac{13}{16}"^*$,
Side Frame will be sent integrally. That is:
1. The header and the supporting strip will be sent integrally.

Track Shutters—2020 Bypass

- 2. The side frame, supporting strip and the side fascia w Frame.
- For any custom header sizes other than 4½", 5½", the U Shape Side Frame will be sent separately. The
- 1. The header and the supporting strip will be sent sepa
- 2. The side frame, supporting strip and the side fascia w Frame.
- Custom Boxout Width is available for both closed and
- For Outside Mount Bypass, the custom header size c custom header size with extension thickness can't be
- For Inside Mount and Semi-Inside Mount Bypass, the and the extension thickness of header can reach to 2'

Hardware Box
Part
Wrench
Nylon Guide
¾ " screws for Nylon Guide
Triangle Bracket (based on the length of header)
2" screws for Triangle bracket
¾" screws for Triangle bracket


Call for current pricing
(609) 742-1720

Keystone for Fascia of the Track Shutter


When fascia length exceeds the limitation and needs to s supplied without surcharge for track shutters.

For fascia length within the split limitation, keystone can i surcharge.

For Deco Fascia:




For Plain F



Track Shutters—2020 Bypass

The keystone will be installed by screws. We will pre-drill packed in hardware box.




Plastic L Bracket to Connect the Header, Fascia



L Bracket will be used to connect the header, fascia and applies for Inside Mount, Semi-Inside Mount & Outside Mount


OM & Semi-IM



IM

Call for current pricing
(609) 742-1720

Track Shutters—2020 Bypass



Call for current pricing
(609) 742-1720

Special Options



Café Shutters*

- The top of the panel requires a special finish. Please indicate “café shutter” when placing orders.
- The shutter does not come with recessed magnet on top.
- When the height of the framing material (including t-posts) exceeds the panel height, by more than 5", a surcharge will apply.




Double-Hung Shutters*

- For total number of panels, please include panels in both rows.
- Bifold panel is not available under this option.
- For panel configuration, please provide panel fold for one row.
- The default location for the division point is the center unless specified otherwise.
- Horizontal T Post* can be added for increased structural integrity.
- The length of Horizontal T post in each section must be less than or equal to 48".
- For Double Hung shutter, whenever an upper or lower panel is larger than 78", we will add one more extra hinge for it, we will also attempt to create larger top/bottom rails for additional strength by reducing the number of louvers by one as long as the rail sizes remain within spec.



Call for current pricing
(609) 742-1720

Fixed Louvers



C
di
(

Pricing

1) By Max Frame-to-Frame Measurement:		
Regular Shutter		
Inside and Outside Mount		Width
Track Shutter**		
Inside		Width
Semi-Inside and Outside Mount		Width
2) By Net Panel Measurement:		
		Width
3) By Window Size:		
2" Camber Deco Frame 2" Classic Deco Frame	4-sided	(Width+4")
	3-sided with Sill Plate	(Width+4")
	3-sided	(Width+4")
	2 sided with Sill Plate	(Width+4")
	2-sided	(Width+4")
3" Ridge Deco Frame	4-sided	(Width+6")
	3-sided with Sill Plate	(Width+6")
	3-sided	(Width+6")
	2-sided with Sill Plate	(Width+6")
	2-sided	(Width+6")
2.5" Mission deco frame	4-sided	(Width+5")
	3-sided	(Width+5")
	2-sided	(Width+5")
3" Crown Z Frame	4-sided	(Width+4 ½")
	3-sided with Sill Plate	(Width+4 ½")
	3-sided	(Width+4 ½")
	2-sided with Sill Plate	(Width+4 ½")
	2-sided	(Width+4 ½")

Call for current pricing
(609) 742-1720

Pricing

2" Bel Air Z Frame 2" Bullnose Z Frame	4-sided	(Width+2
	3-sided with Sill Plate	(Width+2
	3-sided	(Width+2
	2-sided with Sill Plate	(Width+2
	2-sided	(Width+2
1.5" Bullnose Z Frame 1 ¼" Beaded Z Frame/ Bullnose Tilt Out Z Frame	4-sided	(Width+2
	3-sided with Sill Plate (N/A w/ Tilt out Z)	(Width+2
	3-sided	(Width+2
	2-sided with Sill Plate (N/A w/ Tilt out Z)	(Width+2
	2-sided	(Width+2
Vintage Hang Strip	Inside	Width
	Outside 4-sided	(Width+3
	Outside 3-sided	(Width+3
	Outside 2-sided	(Width+3
Vintage L Frame Beaded L Frame	Outside 4-sided	(Width+3
	Outside 3-sided	(Width+3
	Outside 2-sided	(Width+3
Track Shutter**		
Inside and Semi-Inside Mount		Width
Outside Mount		(Width+3

Call for current pricing
(609) 742-1720

1 side frame price:

2" Camber Deco Frame	1-sided	(Width+2")
2" Classic Deco Frame	1-sided	(Width)
3" Ridge Deco Frame	1-sided	(Width+3")
	1-sided	(Width)
2 1/2" Mission deco frame	1-sided	(Width+2 ½")
	1-sided	(Width)
3" Crown Z Frame	1-sided	(Width+2 ¼")
	1-sided	(Width)
2" Bel Air Z Frame	1-sided	(Width+1 ¼")
2" Bullnose Z Frame	1-sided	(Width)
1 1/2" Bullnose Z Frame	1-sided	(Width+1")
1 ¼ " Beaded Z Frame	1-sided	(Width)
Bullnose Tilt Out Z Frame		
Vintage Hang Strip	Outside 1-sided	(Width+1 ½")
	Outside 1-sided	(Width)
Vintage L Frame	Outside 1-sided	(Width+1 ½")
Beaded L Frame		
Beaded L with 1/4" Light Block		
Beaded L with 1/2" Buildout		
Beaded L with 1" Buildout	Outside 1-sided	(Width)
Vintage L with 1/4" Light Block		
Vintage L with 1/2" Buildout		
Vintage L with 1" Buildout		

Call for current pricing
(609) 742-1720