





SPARKED BY TRADITION

WROUGHT IRON: FOR LOVERS OF OLD WORLD TRADITION

Real Wrought Iron is sand casted
by skilled iron workers.

Time-honored methods and designs.

Hand finished so all unique textures
and qualities are showcased.

Our skilled iron workers still use the time-honored methods to form classic, heavyweight wrought iron products, while protecting the authenticity of the craft and keeping the timeless practice of this beautiful tradition alive. We are proud to keep this remarkable custom alive with the Kirsch Wrought Iron Collection.



CONTENTS

06	Overview
08	1" Finials & Components
18	1⅜" Finials & Components
28	Helpful Guides
28	AMP™ Motorization
30	Estate™ Overview
32	Bracket Spacing & Mount Option
34	Calculating Drapery Weight
35	Stack Guides
42	Pole Installation, Cutting & Splicing
43	Complete Collection Overview



COLLECTION OVERVIEW

6

FINISHES

An alluring range of metals

2

VERSATILE SIZES

1" & 1 $\frac{3}{8}$ "

1

ESTATE™ TRAVERSE ROD SIZES

1 $\frac{3}{8}$ "

1

REMARKABLE COLLECTION


ARCHITRAC™ K-RAIL COMPATIBLE

1 $\frac{3}{8}$ " finials only

AMP™ MOTORIZATION COMPATIBLE

Estate™ Traverse Rods only






- 1 | Black
- 2 | Iron Oxide
- 3 | Rust
- 4 | Graphite | **NEW**
- 5 | Chalk | **NEW**
- 6 | Heirloom Copper | **NEW**



1" Finials & Endcaps

Axiom



Fits	Dimensions	Quantity per Box
1" Wrought Iron Poles	Depth: 3¼" Height: 2⅞" Width: 2⅞"	5 pairs per box

Product Number & Finish					
56381770	Black	56381804	Graphite	56381802	Iron Oxide
56381803	Chalk	56381805	Heirloom Copper	56381777	Rust

Finial Plugs included.

Darby



Fits	Dimensions	Quantity per Box
1" Wrought Iron Poles	Depth: 2⅞" Height: 1½" Width: 1½"	5 pairs per box

Product Number & Finish					
56384770	Black	56384804	Graphite	56384802	Iron Oxide
56384803	Chalk	56384805	Heirloom Copper	56384777	Rust

Finial Plugs included.

Lincoln



Fits	Dimensions	Quantity per Box
1" Wrought Iron Poles	Depth: 2¼" Height: 1⅓¼" Width: 1⅓¼"	5 pairs per box

Product Number & Finish					
56383770	Black	56383804	Graphite	56383802	Iron Oxide
56383803	Chalk	56383805	Heirloom Copper	56383777	Rust

Finial Plugs included.

Otto



Fits	Dimensions	Quantity per Box
1" Wrought Iron Poles	Depth: 2⅞" Height: 2⅞" Width: 2⅞"	5 pairs per box

Product Number & Finish					
56382770	Black	56382804	Graphite	56382802	Iron Oxide
56382803	Chalk	56382805	Heirloom Copper	56382777	Rust

Finial Plugs included.



Otto	Black
Lincoln	Chalk
Darby	Heirloom Copper

1" Finials & Endcaps

Pedestal Ball



Fits	Dimensions	Quantity per Box
1" Wrought Iron Poles	Depth: 3¼" Height: 2" Width: 2"	5 pairs per box

Product Number & Finish					
56351770	Black	56351804	Graphite	56351802	Iron Oxide
56351803	Chalk	56351805	Heirloom Copper	56351777	Rust

Finial Plugs included.

Petite Faucet



Fits	Dimensions	Quantity per Box
1" Wrought Iron Poles	Depth: 1¾" Height: 1¾" Width: 1¾"	5 pairs per box

Product Number & Finish					
56374770	Black	56374804	Graphite	56374802	Iron Oxide
56374803	Chalk	56374805	Heirloom Copper	56374777	Rust

Finial Plugs included.



1⅜" Otto | Black
1" Otto | Rust

1" Finials & Endcaps

Petite Modern Ball



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Depth: 2" Height: 1¾" Width: 1¾"		5 pairs per box	
Product Number & Finish					
56373770	Black	56373804	Graphite	56373802	Iron Oxide
56373803	Chalk	56373805	Heirloom Copper	56373777	Rust

Finial Plugs included.

Ponce



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Depth: 4 ¹³ / ₁₆ " Height: 1½" Width: 1½"		5 pairs per box	
Product Number & Finish					
56385770	Black	56385804	Graphite	56385802	Iron Oxide
56385803	Chalk	56385805	Heirloom Copper	56385777	Rust

Finial Plugs included.

Endcap



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Depth: 7⁄8"		5 pairs per box	
		Height: 17⁄8"			
		Width: 17⁄8"			
Product Number & Finish					
56358770	Black	56358804	Graphite	56358802	Iron Oxide
56358803	Chalk	56358805	Heirloom Copper	56358777	Rust

Finial Plugs included.

1" Poles

6' Pole



Diameter		Length		Quantity per Box	
1"		6'		6 pieces per box	
Product Number & Finish					
56359770	Black	56359804	Graphite	56359802	Iron Oxide
56359803	Chalk	56359805	Heirloom Copper	56359777	Rust

8' Pole



Diameter		Length		Quantity per Box	
1"		8'		6 pieces per box	
Product Number & Finish					
56360770	Black	56360804	Graphite	56360802	Iron Oxide
56360803	Chalk	56360805	Heirloom Copper	56360777	Rust

1" Rings

Ring




Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Internal: 1½" External: 2½" External to eyelet: 2¾"		10 bags per box - 7 rings per bag	
Product Number & Finish					
56361770	Black	56361804	Graphite	56361802	Iron Oxide
56361803	Chalk	56361805	Heirloom Copper	56361777	Rust

Bypass C-Ring



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Internal: 1⅝" External: 2⅝" External to eyelet: 2¾"		10 bags per box - 7 rings per bag	
Product Number & Finish					
56371770	Black	56371804	Graphite	56371802	Iron Oxide
56371803	Chalk	56371805	Heirloom Copper	56371777	Rust



Use the measurement guide to the left to help determine the correct dimensions for your selected product.

1" Brackets

3½" Return Bracket



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Depth: 4¼"	Wall to Pole: 3"	5 pieces per box	
		Height: 4"	Return: 3½"		
		Width: ⅝"			
Product Number & Finish					
56362770	Black	56362804	Graphite	56362802	Iron Oxide
56362803	Chalk	56362805	Heirloom Copper	56362777	Rust

5⅜" Return Bracket



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Depth: 6¼"	Wall to Pole: 4⅞"	5 pieces per box	
		Height: 4¼"	Return: 5⅜"		
		Width: ⅝"			
Product Number & Finish					
56363770	Black	56363804	Graphite	56363802	Iron Oxide
56363803	Chalk	56363805	Heirloom Copper	56363777	Rust

Center Bypass Bracket



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Depth: 4¼"	Wall to Pole: 3"	5 pieces per box	
		Height: 4"	Return: 3½"		
		Width: ⅝"			
Product Number & Finish					
56372770	Black	56372804	Graphite	56372802	Iron Oxide
56372803	Chalk	56372805	Heirloom Copper	56372777	Rust

Double Bracket



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		Depth: 7½" Height: 5⅝" Width: ⅝"	Wall to Pole: 3" Inner Return: 3½" Outer Return: 6½"	5 pieces per box	
Product Number & Finish					
56365770	Black	56365804	Graphite	56365802	Iron Oxide
56365803	Chalk	56365805	Heirloom Copper	56365777	Rust



1" Brackets, Accessories & Components

Inside Mount Socket



Fits	Dimensions	Quantity per Box
1" Wrought Iron Poles	Depth: 1" Height: 2" Width: 2"	5 pairs per box

Product Number & Finish					
56370770	Black	56370804	Graphite	56370802	Iron Oxide
56370803	Chalk	56370805	Heirloom Copper	56370805	Rust


Mounts a 1" rod between two facing walls.

Swivel Socket



Fits	Dimensions	Quantity per Box
1" Wrought Iron Poles	Partial Length: 1 5/8" Plug Length: 7/8" Full Length: 2 1/2"	5 pieces per box

Product Number & Finish					
56367770	Black	56367804	Graphite	56367802	Iron Oxide
56367803	Chalk	56367805	Heirloom Copper	56367777	Rust



Use the measurement guide to the left to help determine the correct dimensions for your selected product.

1" Accessories & Components

36" Baton with Bypass C-Ring



Fits		Dimensions		Quantity per Box	
1" Wrought Iron Poles		36" long		6 pieces per box	
Product Number & Finish					
56375770	Black	56375804	Graphite	56375802	Iron Oxide
56375803	Chalk	56375805	Heirloom Copper	56375777	Rust

Finial Plug



Fits		Quantity per Box
1" Wrought Iron Poles		50 pieces per box
Product Number & Finish		
56369058	White	

Internal Rod Splice




Fits		Quantity per Box
1" Wrought Iron Poles		5 pieces per box
Product Number & Finish		
56366061	Zinc Plated	
Connects two poles together for larger width options.		



1 3⁄8" Finials & Endcaps

Axiom



Fits	Dimensions	Quantity per Box
1 3⁄8" Wrought Iron Poles	Depth: 3 13⁄16"	5 pairs per box
1 3⁄8" Estate™ Traverse Rods	Height: 3 3⁄8"	
1 3⁄8" K-Rail Traverse Rods	Width: 3 3⁄8"	

Product Number & Finish					
56481770	Black	56481804	Graphite	56481802	Iron Oxide
56481803	Chalk	56481805	Heirloom Copper	56481777	Rust

Finial Plugs included.

Darby



Fits	Dimensions	Quantity per Box
1 3⁄8" Wrought Iron Poles	Depth: 3 1⁄4 "	5 pairs per box
1 3⁄8" Estate™ Traverse Rods	Height: 2"	
1 3⁄8" K-Rail Traverse Rods	Width: 2"	

Product Number & Finish					
56484770	Black	56484804	Graphite	56484802	Iron Oxide
56484803	Chalk	56484805	Heirloom Copper	56484777	Rust


Finial Plugs included.



Axiom | Graphite

1 3/8" Finials & Endcaps

Lincoln



Fits	Dimensions	Quantity per Box
1 3/8" Wrought Iron Poles 1 3/8" Estate™ Traverse Rods 1 3/8" K-Rail Traverse Rods	Depth: 2 5/8" Height: 2 1/8" Width: 2 1/8"	5 pairs per box

Product Number & Finish					
56483770	Black	56483804	Graphite	56483802	Iron Oxide
56483803	Chalk	56483805	Heirloom Copper	56483777	Rust

Finial Plugs included.

Otto



Fits	Dimensions	Quantity per Box
1 3/8" Wrought Iron Poles 1 3/8" Estate™ Traverse Rods 1 3/8" K-Rail Traverse Rods	Depth: 2 9/16" Height: 3 1/4" Width: 3 1/4"	5 pairs per box

Product Number & Finish					
56482770	Black	56482804	Graphite	56482802	Iron Oxide
56482803	Chalk	56482805	Heirloom Copper	56482777	Rust

Finial Plugs included.

Pedestal Ball



Fits	Dimensions	Quantity per Box
1 3/8" Wrought Iron Poles 1 3/8" Estate™ Traverse Rods 1 3/8" K-Rail Traverse Rods	Depth: 4 7/8" Height: 3 3/8" Width: 3 3/8"	5 pairs per box

Product Number & Finish					
56451770	Black	56451804	Graphite	56451802	Iron Oxide
56451803	Chalk	56451805	Heirloom Copper	56451777	Rust

Finial Plugs included.

Petite Faucet



Fits	Dimensions	Quantity per Box
1 3/8" Wrought Iron Poles 1 3/8" Estate™ Traverse Rods 1 3/8" K-Rail Traverse Rods	Depth: 2 3/8" Height: 2 3/4" Width: 2 3/4"	5 pairs per box

Product Number & Finish					
56474770	Black	56474804	Graphite	56474802	Iron Oxide
56474803	Chalk	56474805	Heirloom Copper	56474777	Rust

Finial Plugs included.

1 3⁄8" Finials & Endcaps

Petite Modern Ball



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Depth: 3⅝"		5 pairs per box	
1⅜" Estate™ Traverse Rods		Height: 1 ¹⁵ / ₁₆ "			
1⅜" K-Rail Traverse Rods		Width: 1 ¹⁵ / ₁₆ "			
Product Number & Finish					
56473770	Black	56473804	Graphite	56473802	Iron Oxide
56473803	Chalk	56473805	Heirloom Copper	56473777	Rust

Finial Plugs included.

Ponce



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Depth: 5½"		5 pairs per box	
1⅜" Estate™ Traverse Rods		Height: 1¼"			
1⅜" K-Rail Traverse Rods		Width: 1¼"			
Product Number & Finish					
56485770	Black	56485804	Graphite	56485802	Iron Oxide
56485803	Chalk	56485805	Heirloom Copper	56485777	Rust

Finial Plugs included.

Endcap



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Depth: 1⅝"		5 pairs per box	
1⅜" Estate™ Traverse Rods		Height: 2½"			
1⅜" K-Rail Traverse Rods		Width: 2½"			
Product Number & Finish					
56458770	Black	56458804	Graphite	56458802	Iron Oxide
56458803	Chalk	56458805	Heirloom Copper	56458777	Rust

Finial Plugs included.

1 3⁄8" Poles

6' Pole



Diameter		Length		Quantity per Box	
1⅜"		6'		6 pieces per box	
Product Number & Finish					
56459770	Black	56459804	Graphite	56459802	Iron Oxide
56459803	Chalk	56459805	Heirloom Copper	56459777	Rust

8' Pole



Diameter		Dimensions		Quantity per Box	
1⅜"		8'		6 pieces per box	
Product Number & Finish					
56460770	Black	56460804	Graphite	56460802	Iron Oxide
56460803	Chalk	56460805	Heirloom Copper	56460777	Rust



1 3/8" Estate™ Traverse Rod

To learn more about the technical specs on Estate Traverse Rods and AMP™ Motorization, see pages 28-31.

Assembled Set with Slides



Manual Traversing Rods with Selected Carriers

Unit of Measure

Foot

AMP™ Motorization Upcharge

Charger, item #62201300 included. Remotes sold separately.

Product Number & Finish

83697770	Black	83697804	Graphite	83697802	Iron Oxide
83697803	Chalk	83697805	Heirloom Copper	83697777	Rust

Assembled Set with Wheeled Ripplefold™ Carriers



Manual Traversing Rods with Selected Carriers

Unit of Measure

Foot


AMP™ Motorization Upcharge

Charger, item #62201300 included. Remotes sold separately.

Product Number & Finish

83698770	Black	83698804	Graphite	83698802	Iron Oxide
83698803	Chalk	83698805	Heirloom Copper	83698777	Rust

1 3/8" Estate™ Keystone



Fits

Quantity per Box

1 3/8" Estate™ Traverse Rods

25 pieces per box


Product Number & Finish

1833770	Black	1833804	Graphite	1833802	Iron Oxide
1833803	Chalk	1833805	Heirloom Copper	1833777	Rust

1 3/8" Estate™ Traverse Rod Components


To learn more about the technical specs on Estate Traverse Rods and AMP™ Motorization, see pages 28-31.

Double Bracket



Fits	Dimensions	Quantity per Box
1 3/8" Estate™ Traverse Rods 2" Estate™ Traverse Rods	Depth: 5 3/4" Height: 2 1/4" Width: 1"	10 pieces per box
Product Number & Finish		
71134110 Satin Brass		

Double Bracket



Fits	Dimensions	Quantity per Box
1 3/8" Estate™ Traverse Rods 2" Estate™ Traverse Rods	Depth: 5 3/4" Height: 3 1/8" Width: 1"	10 pieces per box
Product Number & Finish		
71132062 Antique Brass	71132110 Satin Brass	
71132006 Black	71132012 Satin Nickel	

Item	Product No. & Finish	Description	Quantity Per Box
	62101000 White	AMP Remote Control RF 2W 15 Channel	1 piece per box
	62101010 Black		
	62201300 White	AMP Battery Charger 16.5V/0.89A	1 piece per box
	62102000 White	AMP Gateway USB Bridge	1 piece per box
	62109000 White	AMP Wall Switch Surface RF 2W 15 Channel	1 piece per box
	62108000 White	AMP Wall Switch RF 2W 15 Channel	1 piece per box
	1026660	15" Cable Assembly	10 pieces per box
	1026661	4' Cable Assembly	10 pieces per box
	1026662	10' Cable Assembly	10 pieces per box
	1026663	20' Cable Assembly	10 pieces per box

1 3/8" Rings

Ring




Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Internal: 2" External: 2½" External to eyelet: 2⅜"		10 bags per box - 7 rings per bag	
Product Number & Finish					
56461770	Black	56461804	Graphite	56461802	Iron Oxide
56461803	Chalk	56461805	Heirloom Copper	56461777	Rust

Bypass C-Ring



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Internal: 2" External: 2½" External to eyelet: 2 ¹³ / ₁₆ "		10 bags per box - 7 rings per bag	
Product Number & Finish					
56471770	Black	56471804	Graphite	56471802	Iron Oxide
56471803	Chalk	56471805	Heirloom Copper	56471777	Rust



1 3⁄8" Brackets

3 1⁄2" Return Bracket



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Depth: 4½" Height: 4⅛" Width: 1¼"	Wall to Pole: 3" Return: 3½"	5 pieces per box	
Product Number & Finish					
56462770	Black	56462804	Graphite	56462802	Iron Oxide
56462803	Chalk	56462805	Heirloom Copper	56462777	Rust

5 3⁄8" Return Bracket



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Depth: 6½" Height: 4⅝" Width: 1⅛"	Wall to Pole: 4⅜" Return: 5⅜"	5 pieces per box	
Product Number & Finish					
56463770	Black	56463804	Graphite	56463802	Iron Oxide
56463803	Chalk	56463805	Heirloom Copper	56463777	Rust

Center Bypass Bracket



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Depth: 4⅜" Height: 4⅛" Width: 1⅙"	Wall to Pole: 3" Return: 3½"	5 pieces per box	
Product Number & Finish					
56472770	Black	56472804	Graphite	56472802	Iron Oxide
56472803	Chalk	56472805	Heirloom Copper	56472777	Rust

Double Bracket



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Depth: 7⅞"	Wall to Pole: 1⅜"	5 pieces per box	
		Height: 5⅝"	Inner Return: 3½"		
		Width: ⅝"	Outer Return: 6½"		
Product Number & Finish					
56465770	Black	56465804	Graphite	56465802	Iron Oxide
56465803	Chalk	56465805	Heirloom Copper	56465777	Rust



Use the measurement guide to the left to help determine the correct dimensions for your selected product.

1 3/8" Bracket, Accessories & Components

Inside Mount Socket



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Depth: 1 ⅙" Height: 2⅜" Width: 2⅜"		5 pairs per box	
Product Number & Finish					
56470770	Black	56470804	Graphite	56470802	Iron Oxide
56470803	Chalk	56470805	Heirloom Copper	56470777	Rust
Mounts a 1" rod between two facing walls.					

Swivel Socket



Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		Partial Length: 2⅞" Plug Length: 1⅝" Full Length: 3½"		5 pieces per box	
Product Number & Finish					
56467770	Black	56467804	Graphite	56467802	Iron Oxide
56467803	Chalk	56467805	Heirloom Copper	56467777	Rust

36" Baton with Bypass C-Ring




Fits		Dimensions		Quantity per Box	
1⅜" Wrought Iron Poles		36" long		6 pieces per box	
Product Number & Finish					
56376770	Black	56376804	Graphite	56376802	Iron Oxide
56376803	Chalk	56376805	Heirloom Copper	56376777	Rust

Finial Plug



Fits		Quantity per Box
1 3/8" Wrought Iron Poles		50 pieces per box
Product Number & Finish		
56469058	White	




1" & 1 3⁄8" Accessories & Components

Internal Rod Splice



Fits	Quantity per Box
1 3⁄8" Wrought Iron Poles	5 pieces per box
Product Number & Finish	
56466061 Zinc Plated	
Connects two poles together for larger width options.	

Teflon Tape



Dimensions	Quantity per Box
54' per roll	1 roll per box
Product Number & Finish	
84990000 Clear	
Teflon tape is used on stationary poles to help rings slide smoothly across the pole.	

AMP™ Motorization

Why AMP™?

The slim design of the quiet, yet powerful motor and the position on the track allows the motor to tuck seamlessly behind your drapery panel so you'll never have to sacrifice your style or comfort. For safety measures, you're able to move the draperies with a gentle tug, allowing for operation when a remote is not present or if a guest is unaware of the motorization feature. The dual battery and AC power sources allows operation in case of a power outage so draperies may be opened in the event of an emergency. AMP™ Motorization is available on our most popular traversing tracks, Estate and Architrac® Series 94001 and in drapery header styles Ripplefold™ and pleated for a variety of styling options. This is comfortable living at its finest.

For AMP™ Motorization brochure, programming instructions and installation instructions, please visit the drapery hardware resource library at kirsch.com.

Benefits & Features

AMP™ Motorization

- Motor mounts to the back of the track which allows a seamless look between motorized and manual traverse rods
- Drapery fabrication does not need to change between manually controlled draperies and motorized draperies; No additional returns or any special instructions
- Limits are set automatically after installation
- Remote control is radio frequency and easily pairs with the motor
- Tug feature; when drapery is pulled the motor will traverse the drapery
- AMP™ App with AMP™ USB Bridge
- Architrac® Series 94001 Rods with AMP™ cannot be bent or curved

Frequently Asked Questions

What is the weight capacity?

64 lbs Motor is rated to 64 lbs. Be sure not to exceed the Estate or Architrac track specifications to ensure your motor operates optimally.

Can you double the weight capacity by using two motors?

No Only use one motor per rod.

Does AMP™ offer limit setting?

Yes The motor automatically sets its limits.

Does AMP™ offer touch control?

Yes The tug feature allows you to pull on the drapery and the motor will automatically open or close your draperies.

How long is the power cord?

6 ft The durable, non-extendable power cord is extra long for out of reach places. Any extra can be rolled and secured for a tidy look. Cable extensions are available in 15", 4', 10' and 20' lengths to reach outlets that are farther away from the motor.

Is there a wall switch?

Yes There are Flush Mount and Surface Mount Wall Switches available.

Does AMP™ offer a warranty?

Yes See the Kirsch Warranty document for more information.

Download the AMP™ APP to get started




AMP™ Motorization Overview

Overview

- Soft start/stop & manual operation
- Tug feature: when drapery is pulled the motor will traverse the drapery
- Automatic limits on end stop
- Favorite/intermediate position
- Dry contact for external control
- RF Remote and wall switches
- Setting with buttons on motor units
- Setting with external dry contact switch
- LED Indicators
- One-Way and Two-Way Draw
- Pleated
- Ripplefold™
- AMP™ App with AMP™ USB Bridge

Available Colors




White


Side View



Front View



Bottom View



Motor Unit

Product No.

AMP™ Drapery Motor 62001300

Technical Specs

AMP™ Motor

Power Supply DC 16.5V-0.89A
(100-240VAC 50/60Hz 0.5A)

Amperage 2.55Ah

Average Linear Speed 7.8inches/sec

Power Consumption 40 watts

Torque 1.2Nm

Power Cable Length 6 feet

Variable Speed 80, 100 & 120 rpm

Certifications UL/CE

Max. Track Length Estate™ - 16 ft
Architrac™ 94001 - 16 ft

Max. Load 64 lbs

Follow track specifications for drapery weight.

Estate™ Overview

To help determine which system is right for your project, use the guideline below to select the best fit. For more detailed information about each track, please visit our resource library at kirsch.com.

Estate™ Series	Designer Metals™	Wood Trends™	Wrought Iron
What is your preferred size?			
1 3/8"	•	•	•
2"	•	•	
What is your preferred Draw type?			
Motorized	•	•	•
Manual	•	•	•
What is your preferred Drapery Heading type?			
Pleated	•	•	•
Ripplefold™	•	•	•
What is your mounting location?			
Ceiling Mount*	•	•	•
Wall Mount	•	•	•

*Finial choices may be limited for ceiling mounted Estate™ Rods.

Track Performance Data								
Style		Heading Style	Mount	Draw	Minimum Track Length	Maximum Track Length	Minimum Fabric Weight	Lbs. per Ft.
	83611 1 3/8" Estate™ Manual or Motorized Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	18 in	16 ft	64 lbs	4
				Two-Way	18 in	16 ft	64 lbs	4
	93601 2" Estate™ Manual or Motorized Draw	Pleated, Ripplefold™	Ceiling, Wall	One-Way	18 in	16 ft	64 lbs	4
				Two-Way	18 in	16 ft	64 lbs	4

*Maximum track lengths and maximum fabric weight do not apply to curved track. Check with customer service for feasibility. Send complete specifications and fabric weight.


Splices & Keystones per Track

Track Length	Number of Splices	Keystones Included
8 ft. to 16 ft.	1	1

Operating Systems

Motorized Draw


AMP™ Motorization



- Easy to use
- Quiet, powerful motor
- Pleated or Ripplefold™
- For Estate™ Traverse Rods or Architrac® Series 94001
- For more information, see page 28

Manual Draw

Cord Draw




- Easy to use
- Pleated or Ripplefold™

Hand/Baton Draw



- Easy to use
- A gentle tug allows drapery to glide across track
- Pleated or Ripplefold™


Baton Duplex Draw



- Easy to use
- Used on split draw rods
- Pleated or Ripplefold™
- When the baton is pulled on one stack, draperies on both sides of the traverse rod open or close


Header Styles

Ripplefold™



- Panels can be pressed flat, yet fall into fold
- No hooks or pins
- Headings are suspended under track
- Stack back is less than conventional pleated draperies
- Draperies snap on/off carriers for easy installation
- Interior drapery appearance is identical to exterior-facing appearance

Pleated



- A classic header option
- Can be used with most track systems using slip-in or pin-on hooks
- Headings can be suspended under the track or over the face of the track to conceal hardware
- Four carriers per foot is standard, additional carriers or rings can be ordered

Bracket Spacing & Mount Options

Place brackets at each end. On the ends where the drapery will stack, place the next bracket at a maximum of 24" from the first bracket, then place remaining brackets at 48" intervals over the remainder of the track. Spacing may need to be shortened for heavier draperies. All mounting options are compatible with our AMP™ Motorization.



Wall Mount using parts:

To achieve this look, order Estate rod, wall mount and all components will be included.

94129061
Zinc

or


1856973
Satin Nickel

or


1856978
Brushed Bronze

or

1857324
Black



1 3/8" Wall Mount




Ceiling Mount using parts:

To achieve this look, order Estate rod, ceiling mounted. 94130xxx brackets are included with the rod. Then order item 1796061 ceiling mount bracket in the quantity needed based on the bracket spacing drawing on page 32.


94130xxx

&

1796061




1 3/8" Ceiling Mount



Double Wall Mount using parts:


To achieve this look, order Estate rod, ceiling mounted. 94130xxx brackets are included with the rod. Then order one, item 94125xxx double bracket and two, item 1796061 ceiling mount brackets multiplied by the quantity needed based on the bracket spacing drawing on page 32.

94125xxx




⊞

1796061




⊞

94130xxx




1⅜" Double Wall Mount



Double Wall Mount using parts:


To achieve this look, order Estate rod ceiling mounted. 94130xxx brackets are included with the rod. Then order one, item 71134110 double bracket in the quantity needed based on the bracket spacing drawing on page 32.

71134110




⊞

94130xxx



1⅜" Front & 1⅜" Back Double Wall Mount



Calculating Drapery Weight

1. Fabric Weight

Some fabric samples list on the back of the swatch the weight listed in Ounces/SqYd (ounces per square yard).
Call the manufacturer for the weight if not listed.

2. Lining Weight

Most drapery linings are 2oz - 4oz per square yard.

Drapery Weight Formula

Total Square Yards = (total yards x 36 x fabric width) ÷ 1296 (1-square yard)
Weight = total square yards x weight in ounces per SqYd ÷ 16 oz in lb

Example 32 yards of 54" wide fabric weighing 14 oz/SqYd
Total square yards = (32 x 36 x 54) = 62,208 ÷ 1296 = 48 SqYds
Weight = (48 x 14oz) = 672 ÷ 16 = 42 lbs

Lining Weight Formula

Total Square Yards = (total yards x 36 x fabric width) ÷ 1296 (1-square yard)
Weight = total square yards x weight in ounces per SqYd ÷ 16 oz in lb

Example 32 yards of 54" wide fabric weighing 6 oz/SqYd
Total square yards = (32 x 36 x 54) = 62,208 ÷ 1296 = 48 SqYds
Weight = (48 x 4oz) = 192 ÷ 16 = 12 lbs

Fabrics by Weight

Contact the fabric manufacturer for your specific fabric weight.

Fabric Type	Weight per Square Yard
Drapery Lining	2-4oz
Interlining	5-6oz
Blackout Lining	6-10oz
Bump Lining	12-14oz
Silks	2-4oz
Chintz	2-4oz
Printed Cottons	4-6oz
Linens	6-10oz
Jacquards	10-14oz
Velvets	14-18oz

Stack Guides

Pleated Stack Guide (for 16 mm carriers)

Note: Stack size is estimated. Type of fabric used could alter these measurements.

Size of Track (in inches)	5 carriers per foot 3x fullness		4 carriers per foot 2½x fullness		3 carriers per foot 2x fullness	
	Stackback One-Way	Stackback Two-Way (per side)	Stackback One-Way	Stackback Two-Way (per side)	Stackback One-Way	Stackback Two-Way (per side)
18	11.75	8.75	10.5	8.5	10.5	8.5
24	13	9.25	11.75	8.75	10.5	8.5
30	15.75	10.5	13	9.25	11.75	8.75
36	17	11.25	14.5	10	13	9.25
42	18.5	12	15.75	10.5	14.5	10
48	19.75	12.5	17	11.25	14.5	10
54	22.25	14	18.5	12	15.75	10.5
60	23.75	14.5	19.75	12.5	17	11.25
66	25	15.25	21	13.25	18.5	12
72	26.25	16	22.25	14	18.5	12
78	29	17.25	23.75	14.5	19.75	12.5
84	30.25	18	25	15.25	21	13.25
90	31.5	18.5	26.25	16	22.25	14
96	33	19.25	27.5	16.5	22.25	14
102	35.5	20.5	29	17.25	23.75	14.5
108	36.75	21.25	30.25	18	25	15.25
114	38.25	21.75	31.5	18.5	26.25	16
120	39.5	22.5	33	19.25	26.25	16
126	42.25	23.75	34.25	19.75	27.5	16.5
132	43.5	24.5	35.5	20.5	29	17.25
138	44.75	25.25	36.75	21.25	30.25	18
144	46	25.75	38.25	21.75	30.25	18
150	48.75	27	39.5	22.5	31.5	18.5
156	50	27.75	40.75	23.25	33	19.25
162	51.5	28.5	42.25	23.75	34.25	19.75
168	52.75	29	43.5	24.5	34.25	19.75
174	55.25	30.5	44.75	25.25	35.5	20.5
180	56.75	31	46	25.75	36.75	21.25
186	58	31.75	47.5	26.5	38.25	21.75
192	59.25	32.5	48.75	27	38.25	21.75
198	62	33.75	50	27.75	39.5	22.5
204	63.25	34.5	51.5	28.5	40.75	23.25
210	64.5	35	52.75	29	42.25	23.75
216	66	35.75	54	29.75	42.25	23.75
222	68.5	37	55.25	30.5	43.5	24.5
228	69.75	37.75	56.75	31	44.75	25.25
234	71.25	38.25	58	31.75	46	25.75
240	72.5	39	59.25	32.5	46	25.75

Ripplefold™ Stack Guide for Butt Master 84111xxx

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabrication Manual for more information.

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap Tape Length (less return length)*	Panel Stackback
13⅝	15⅝	17⅝	18⅝	8	32½	5½
17⅝	19⅝	21⅝	24⅝	10	41	6½
21⅝	23⅝	26⅝	29⅝	12	49½	7½
24⅝	28⅝	31⅝	34⅝	14	58	8¾
28⅝	32⅝	36⅝	39⅝	16	66½	9¾
32⅝	36⅝	40⅝	45⅝	18	75	11
36⅝	40⅝	45⅝	50⅝	20	83½	12
39⅝	45⅝	50⅝	55⅝	22	92	13
45⅝	49⅝	55⅝	60⅝	24	100½	14¼
47⅝	53⅝	59⅝	66⅝	26	109	15¼
51⅝	57⅝	64⅝	71⅝	28	117½	16½
54⅝	62⅝	69⅝	76⅝	30	126	17½
58⅝	66⅝	74⅝	81⅝	32	134½	18½
62⅝	70⅝	78⅝	87⅝	34	143	19¾
66⅝	74⅝	83⅝	92⅝	36	151½	20¾
69⅝	79⅝	88⅝	97⅝	38	160	22
73⅝	83⅝	93⅝	102⅝	40	168½	23
77⅝	87⅝	97⅝	108⅝	42	177	24
81⅝	91⅝	102⅝	113⅝	44	185½	25¼
84⅝	96⅝	107⅝	118⅝	46	194	26¼
88⅝	100⅝	112⅝	123⅝	48	202½	27½
92⅝	104⅝	116⅝	129⅝	50	211	28½
96⅝	108⅝	121⅝	134⅝	52	219½	29½
99⅝	113⅝	126⅝	139⅝	52	228	30¾
103⅝	117⅝	131⅝	144⅝	54	236½	31¾
107⅝	121⅝	135⅝	150⅝	56	245	33
111⅝	125⅝	140⅝	155⅝	58	253½	34
114⅝	130⅝	145⅝	160⅝	60	262	35
118⅝	134⅝	150⅝	165⅝	62	270½	36¼
122⅝	138⅝	154⅝	171⅝	64	279	37¼
126⅝	142⅝	159⅝	176⅝	66	287½	38½
129⅝	147⅝	164⅝	181⅝	68	296	39 ½
133⅝	151⅝	169⅝	186⅝	70	304½	40½
137⅝	155⅝	173⅝	192⅝	72	313	41¾
141⅝	159⅝	178⅝	197⅝	74	321½	42¾
144⅝	164⅝	183⅝	202⅝	76	330	44

Ripplefold™ Stack Guide for Butt Master 84111xxx

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabrication Manual for more information.

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap Tape Length (less return length)*	Panel Stackback
148⅝	168⅝	188⅝	207⅝	78	338½	45
152⅜	176⅝	192⅝	213⅝	80	347	46
156⅞	176⅞	197⅝	218⅜	84	355½	47¼
159⅞	181⅞	202⅜	223⅜	86	364	48¼
163⅝	185⅜	207⅞	228⅞	88	372½	49½
167⅜	189⅞	211⅞	234⅞	90	381	50½
171⅞	193⅞	216⅝	239⅞	92	389½	51½
174⅞	198⅞	221⅜	244⅝	94	398	52¾
178⅝	202⅜	226⅞	249⅞	96	406½	53¾
182⅜	206⅜	230⅞	255⅞	98	415	55
186⅞	210⅞	235⅝	260⅞	100	423½	56
189⅞	215⅞	240⅜	265⅝	102	432	57
193⅝	219⅜	245⅞	270⅞	104	440½	58¼
197⅜	223⅜	249⅞	276⅞	106	449	59¼
201⅞	227⅞	254⅝	281⅜	108	457½	60½
204⅞	232⅞	259⅜	286⅝	110	466	61½
208⅝	236⅜	264⅞	291⅞	112	474½	62 ½
212⅜	240⅞	268⅞	297⅞	114	483	63¾
216⅞	244⅞	273⅝	302⅜	116	491½	64¾
219⅞	249⅞	278⅜	307⅝	118	500	66
223⅜	253⅜	283⅞	312⅞	120	508½	67
227⅜	257⅝	287⅞	318⅞	122	517	68
231⅞	261⅞	292⅝	323⅜	124	525½	69¼
234⅞	266⅞	297⅜	328⅝	126	534	70¼
238⅝	270⅞	302⅞	333⅞	128	542½	71½
242⅜	274⅝	306⅞	339⅞	130	551	72½
246⅞	278⅞	311⅝	344⅜	132	559½	73½
249⅞	283⅞	316⅜	349⅝	134	568	74¾
253⅜	287⅜	321⅞	354⅞	136	576½	75¾
257⅜	291⅞	325⅞	360⅞	138	585	77
261⅞	295⅞	330⅝	365⅜	140	593½	78
264⅞	300⅞	335⅜	370⅞	142	602	79
268⅝	304⅜	340⅞	375⅞	144	610½	80¼
272⅜	308⅝	344⅞	381⅞	146	619	81¼
276⅞	312⅞	349⅝	386⅜	148	627½	82½
279⅞	317⅞	354⅜	391⅞	150	636	83½

Ripplefold™ Stack Guide for Butt Master 84214xxx

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabrication Manual for more information.

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap Tape Length (less return length)*	Panel Stackback
14⅞	16⅜	17⅞	19⅞	8	32½	7½
18⅞	20⅞	22⅞	24⅞	10	41	8½
22⅞	24⅞	27⅞	29⅞	12	49½	9¾
26⅞	29⅞	32⅞	35⅞	14	58	10¾
29⅞	33⅞	36⅞	40⅞	16	66½	12
33⅞	37⅞	41⅞	45⅞	18	75	13
37⅞	41⅞	46⅞	50⅞	20	83½	14
41⅞	46⅞	51⅞	56⅞	22	92	15¼
44⅞	50⅞	55⅞	61⅞	24	100½	16¼
48⅞	54⅞	60⅞	66⅞	26	109	17½
52⅞	58⅞	65⅞	71⅞	28	117½	18½
56⅞	63⅞	70⅞	77⅞	30	126	19½
59⅞	67⅞	74⅞	82⅞	32	134½	20¾
63⅞	71⅞	79⅞	87⅞	34	143	21¾
67⅞	75⅞	84⅞	92⅞	36	151½	23
71⅞	80⅞	89⅞	98⅞	38	160	24
74⅞	84⅞	93⅞	103⅞	40	168½	25
78⅞	88⅞	98⅞	108⅞	42	177	26¼
82⅞	92⅞	103⅞	113⅞	44	185½	27¼
86⅞	97⅞	108⅞	119⅞	46	194	28½
89⅞	101⅞	112⅞	124⅞	48	202½	29½
93⅞	105⅞	117⅞	129⅞	50	211	30½
97⅞	109⅞	122⅞	134⅞	52	219½	31¾
101⅞	114⅞	127⅞	140⅞	54	228	32¾
104⅞	118⅞	131⅞	145⅞	56	236½	34
108⅞	122⅞	136⅞	150⅞	56	245	35
112⅞	126⅞	141⅞	155⅞	60	253½	36¼
116⅞	131⅞	146⅞	161⅞	62	262	37¼
119⅞	135⅞	150⅞	166⅞	64	270½	38¼
123⅞	139⅞	155⅞	171⅞	66	279	39½
127⅞	143⅞	160⅞	176⅞	68	287½	40½
131⅞	148⅞	165⅞	182⅞	70	296	41¾
134⅞	152⅞	169⅞	187⅞	72	304½	42¾
138⅞	156⅞	174⅞	192⅞	74	313	43¾
142⅞	160⅞	179⅞	197⅞	76	321½	45
146⅞	165⅞	184⅞	203⅞	78	330	46

Ripplefold™ Stack Guide for Butt Master 84214xxx

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabrication Manual for more information.

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap Tape Length (less return length)*	Panel Stackback
149⅞	169⅞	188⅞	208⅞	80	338½	47¼
153⅞	173⅞	193⅞	213⅞	82	347	48¼
157⅞	177⅞	198⅞	218⅞	84	355½	49½
161⅞	182⅞	203⅞	224⅞	86	364	50½
164⅞	186⅞	207⅞	229⅞	88	372½	51½
168⅞	190⅞	212⅞	234⅞	90	381	52¾
172⅞	194⅞	217⅞	239⅞	92	389½	53¾
176⅞	199⅞	222⅞	245⅞	94	398	55
179⅞	203⅞	226⅞	250⅞	96	406½	56
183⅞	207⅞	231⅞	255⅞	98	415	57
187⅞	211⅞	236⅞	260⅞	100	423½	58¼
191⅞	216⅞	241⅞	266⅞	102	432	59¼
194⅞	220⅞	245⅞	271⅞	104	440½	60½
198⅞	224⅞	250⅞	276⅞	106	449	61½
202⅞	228⅞	255⅞	281⅞	108	457½	62½
206⅞	233⅞	260⅞	287⅞	110	466	63¾
209⅞	237⅞	264⅞	292⅞	112	474½	64¾
213⅞	241⅞	269⅞	297⅞	114	483	66
217⅞	245⅞	274⅞	302⅞	116	491½	67
221⅞	250⅞	279⅞	308⅞	118	500	68¼
224⅞	254⅞	283⅞	313⅞	120	508½	69¼
228⅞	258⅞	288⅞	318⅞	122	517	70¼
232⅞	262⅞	293⅞	323⅞	124	525½	71½
236⅞	267⅞	298⅞	329⅞	126	534	72½
239⅞	271⅞	302⅞	334⅞	128	542½	73¾
243⅞	275⅞	307⅞	339⅞	130	551	74¾
247⅞	279⅞	312⅞	344⅞	132	559½	75¾
251⅞	284⅞	317⅞	350⅞	134	568	77
254⅞	288⅞	321⅞	355⅞	136	576½	78
258⅞	292⅞	326⅞	360⅞	138	585	79¼
262⅞	296⅞	331⅞	365⅞	140	593½	80¼
266⅞	301⅞	336⅞	371⅞	142	602	81¼
269⅞	305⅞	340⅞	376⅞	144	610½	82½
273⅞	309⅞	345⅞	381⅞	146	619	83½
277⅞	313⅞	350⅞	386⅞	148	627½	84¾
281⅞	318⅞	355⅞	392⅞	150	636	85¾

Ripplefold™ Overlap Stack Guide

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabrication Manual for more information.

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap Tape Length (less return length)*	Panel Stackback
16¾	17¾	19⅞	20¾	8	34	9
20	22	23⅞	26	10	42½	10¾
23¾	26¼	28⅞	31¼	12	51	11¼
27½	20½	33⅞	26½	14	59½	12½
31¼	34¾	38⅞	41¾	16	68	13½
35	39	42⅞	47	18	76½	14½
38¾	43¼	47⅞	52¼	20	85	15¾
42½	47½	52⅞	57½	22	93½	16¾
46¼	51¾	57⅞	62¾	24	102	18
50	56	61⅞	68	26	110½	19
53¾	60¼	66⅞	73¼	28	119	20
57½	64½	71⅞	78½	30	127½	21¼
61¼	68¾	76⅞	83¾	32	136	22¼
65	73	80⅞	89	34	144½	23½
68¾	77¼	85⅞	94¼	36	153	24½
72½	81½	90⅞	99½	38	161½	25½
76¼	85¾	95⅞	104¾	40	170	26¾
80	90	99⅞	110	42	178½	27¾
83¾	94¼	104⅞	115¼	44	187	29
87½	98½	109⅞	120½	46	195½	30
91¼	102¾	114⅞	125¾	48	204	31
95	107	118⅞	131	50	212½	32¼
98¾	111¼	123⅞	136¼	52	221	33¼
102½	115½	128⅞	141½	54	229½	34½
106¼	119¾	133⅞	146¾	56	238	35½
110	124	137⅞	152	56	246½	36½
113¾	128¼	142⅞	157¼	60	255	37¾
117½	132½	147⅞	162½	62	263½	38¾
121¼	136¾	152⅞	167¾	64	272	40
125	141	156⅞	173	66	280½	41
128¾	145¼	161⅞	178¼	68	289	42
132½	149½	166⅞	183½	70	297½	43¼
136¼	153¾	171⅞	188¾	72	306	44¼
140	158	175⅞	194	74	314½	45½
143¾	162¼	180⅞	199¼	76	323	46½
147½	166½	185⅞	204½	78	331½	47½

Ripplefold™ Overlap Stack Guide

Note: Stack size is estimated. Type of fabric used could alter these measurements. Please refer to the Ripplefold Fabrication Manual for more information.

120% Fullness	100% Fullness	80% Fullness	60% Fullness	Number of factory snaps	Snap Tape Length (less return length)*	Panel Stackback
151¼	170¼	190⅞	209¾	80	340	48¾
155	175	194⅞	215	82	348½	49¾
158¾	179¼	199⅝	220¼	84	357	51
162½	183½	204⅜	225½	86	365½	52
166¼	187¾	209⅞	230¾	88	374	53
170	192	213⅞	236	90	382½	54¼
173¾	196¼	218⅝	241¼	92	391	55¼
177½	200½	223⅜	246½	94	399½	56½
181¼	204¾	228⅞	251¾	96	408	57½
185	209	232⅞	257	98	416½	58½
188¾	213¼	237⅝	262¼	100	425	59¾
192½	217½	242⅜	267½	102	433½	60¾
196¼	221¾	247⅞	272¾	104	442	62
200	226	251⅞	278	106	450½	63
203¾	230¼	256⅝	283¼	108	459	64
207½	234½	261⅜	288½	110	467½	65¼
211¼	238¾	266⅞	293¾	112	476	66¼
215	243	270⅞	299	114	484½	67½
218¾	247¼	275⅝	304¼	116	493	68½
222½	251½	280⅜	309½	118	501½	69½
226¼	255¾	285⅞	314¾	120	510	70¾
230	260	289⅞	320	122	518½	71¾
233¾	264¼	294⅝	325¼	124	527	73
237½	268½	299⅜	330½	126	535½	74
241¼	272¾	304⅞	335¾	128	544	75
245	277	308⅞	341	130	552½	76¼
248¾	281¼	313⅝	346¼	132	561	77¼
252½	285½	318⅜	351½	134	569½	78½
256¼	289¾	323⅞	356¾	136	578	79½
260	294	327⅞	362	138	586½	80½
263¾	298¼	332⅝	367¼	140	595	81¾
267½	302½	337⅜	372½	142	603½	82¾
271¼	306¾	342⅞	377¾	144	612	84
275	311	346⅞	383	146	620½	85
278¾	315¼	351⅝	388¼	148	629	86
282½	319½	356⅜	393½	150	637½	87¼

Pole Installation, Cutting & Splicing

Top Hole Installation Guide

This chart will position the bracket so the drapery will clear the floor approximately 1/2".

1. Find your pole style, size and header style in the chart.
2. Determine the desired finished drapery length.
3. Add or subtract number in the top hole column from the drapery's finished length to determine how high to measure for the top hole of the bracket.

Stationary Poles					
1" Standard Bracket	Rod Pocket (no top ruffle)			Pleated (any variety)	
	Top Hole			Top Hole	Pin Set
	+3/4"			+25/8"	1/4"
Wall Mount Traverse Rods					
1 3/8" Estate™	Pleated (any variety)			Ripplefold™ (any fullness)	
	Top Hole for Wall Mount	Floor to Ceiling Deduction	Suggested Pin Set	Top Hole for Wall Mount	Floor to Ceiling Deduction
	+1 11/16"	-2 1/8"	1/2"	+1 11/16"	-2 1/8"
Ceiling Mount Traverse Rods					
	+0"	-3 5/8"	1/2"	+0"	-3 5/8"

Cutting & Splicing Wrought Iron Poles

- Measure to desired length and carefully wrap area with an easy peel, blue painter's tape as not to damage the finish.
- Cut through the tape with sharp fine tooth saw or a pipe cutter with a stainless steel blade. Cut slowly to reduce any chipping to the product finish.
- For spliced poles, add a finial plug to the end cut.
- Splice fits inside the pole and is specific to the pole diameter.



Finial Plug
Part #56369058
or #56469058



Splice
Part #56366061
or #56466061

Learn more about all of our collections



Designer Metals™ Collection

sophisticated styles
acrylic and metals
striking finishes

Wood Trends™ Collection

crafted timelessness
beautiful finishes
classic designs

Wrought Iron Collection

architectural statement
remarkable history
real wrought iron

Estate™ Traverse Rods Collection

form meets function
innovative solutions
customizable

Available Diameters

1" 1⅜" & 2"

1⅜" & 2"

1" & 1⅜"

1⅜"
Wrought Iron

1⅜" & 2"
Designer Metals™
Wood Trends™

Pole Lengths

Fixed - 4', 6' & 8'
Telescoping - 36"-180"

4', 6', 8', 12'

6' & 8'

18"-16'

Pole Material

Metal

Wood

Metal

Wood & Metal

Operation Modes

Stationary,
Traversing Manual
or Motorized Draw

Stationary,
Traversing Manual
or Motorized Draw

Stationary,
Traversing Manual
or Motorized Draw

Traversing Manual
or Motorized Draw

Pole Sizing

Fixed Width
& Telescoping

Fixed Width

Fixed Width

Cut to Measure

Finishes

8

9

6

62

Finials

27

18

18

106

Bracket Types

Decorative Fixed
& Bypass Fixed

Decorative Fixed

Decorative Fixed
& Bypass Fixed

Concealed Adjustable

Bracket Sizes

3" – 8¾",
Inside Mount
& Ceiling Mount

3½" – 7",
Inside Mount
& Ceiling Mount

3½" – 6½"
& Inside Mount

1¾" – 3¼"

Treatment Styles

Stationary
& Traversing

Stationary
& Traversing

Stationary
& Traversing

Traversing



Designer Metals™
inspiring brilliance

Wood Trends™
renewing traditions

Wrought Iron
forging artistry

**Custom Rodding
& Basic Hardware**
unique solutions