

The horizontal presetter and measuring machine
for use with turning machines

ZOLLER
expect great measures

hyperion



ZOLLER solutions

ZOLLER solutions – comprehensive optimization of your manufacturing operations to increase quality, efficiency and productivity. To do this, we combine machines, software and services to create individual system solutions that guarantee you a sustainable and competitive advantage.

The ZOLLER company is a worldwide expert and market leader in the field of metrology for tools and tool-based manufacturing organization. ZOLLER has been developing innovative tool presetter and measuring machines as well as software for measuring, inspection and the management of metal cutting tools for over 65 years.

In close cooperation with our customers and partners, we develop practice-oriented and user-friendly leading edge technology at our facilities in Germany, a commitment now in its third generation of the family-run business. Certified according to DIN EN ISO 9001:2008 and DIN EN ISO 14001:2004 for quality and environmental management, we manufacture durable quality products which excel by highest precision and maximum efficiency.

Our worldwide subsidiaries and agents guarantee customer proximity and a first class service in local markets. Our declared aspiration is that products with our name fully satisfy your requirements and make a measurable contribution to your success.

Your family ZOLLER

Alexander Zoller, Christoph Zoller, Eberhard Zoller





»hyperion 300 – pilot 3.0«

Contents

ZOLLER solutions

02___ System solutions to give you a competitive advantage

Tool presetter and measuring machine »hyperion«

- 06___ 20 % more productivity starting with batch size 1
- 08___ For numerous tool holding fixtures – »hyperion«
- 10___ As stand-alone unit directly next to the machine tool – »hyperion 300« without turret table
- 12___ For a wide array of tool holding fixtures and systems – »hyperion 300« with turret table
- 14___ For up to 12 tool holding fixtures simultaneously – »hyperion 500/700«
- 16___ ZOLLER turret tables – well thought out and easy to operate
- 18___ Universal holding fixture and tool post – for guaranteed fast changes
- 19___ Basic holding fixture GA/GA-PP and adapter – for virtually all tool systems
- 20___ Optic adjustment ± 50 mm – precise measurement of Y-axis
- 21___ Center height measuring device – presetting to center height

Image processing »pilot 3.0«

22___ Ready for virtually any requirement – fast and simple

Tool management and service

24___ SOFTWARE SOLUTIONS – simply better organized
BUSINESS SOLUTIONS – service all the way

ZOLLER worldwide


26___ At your call everywhere – addresses of subsidiaries and agents

Starting with batch size 1


20 % more productivity

The universal tool presetter and measuring machines of the ZOLLER »hyperion« series guarantee maximum efficiency and flexibility of horizontal tool holding in CNC manufacturing. Tools of virtually all tool systems are measured and preset fast, easily and reliably. This means fewer rejects and machine downtimes, better quality and increased productivity - and greater profits. In short: with ZOLLER »hyperion« you produce efficiently, on time, profitably with perfect quality.

- Increased productivity of your manufacturing operations by at least 20% by using measured and preset tools
- Competitiveness through lower production costs
- Automatically safe selection of adapters results in less machine crash and correct measured results at all times
- Virtually no need to change tool holding fixtures through use of various tool holding fixtures mounted on the turret table
- Extremely simple operation results in minimum training requirements and motivated employees
- Low maintenance requirements due to use of high quality brand products
- In every case you will benefit from absolute leading edge technology and more than 65 years of ZOLLER know-how



Turret table D 900 mm/12-fold pitch/10 mounted tool holding fixtures



more efficiency
more flexibility
more profits

For numerous tool holding fixtures

»hyperion«

Universal geniuses still exist, despite the high levels of specialization. For example, the ZOLLER »hyperion 300/500/700«. Whether you want to preset tools for turning machines or milling centers – with the ZOLLER »hyperion 300/500/700« a single measuring machine is sufficient for nearly all your different tool fixtures. This does not only let you save time and money, but also you benefit from a significant increase in productivity by using measured and preset tools.

»hyperion 300/500/700« are the universal horizontal tool presetting and measuring machines for CNC manufacturing. A variety of tool holding fixtures can be mounted on a turret table allowing quick and straightforward access. The series can be adapted to your specific needs by various measuring ranges, three sizes of turret tables and the superior ZOLLER image processing

system »pilot 3.0«: absolutely ideal, if not only rotating tools, but also lathe cutting tools and tools for automatic multi-spindle lathes are to be preset and measured in your company. With the »hyperion 300/500/700« you have a measuring machine for virtually all tool systems and will always stay that decisive step ahead of the competition.

universal
time-saving
accurate

- Easy to operate owing to intuitive ZOLLER software user interface and comfortable operating elements
- Fast and accurate through high performance ZOLLER image processing technology
- Robust and workshop-oriented through special alloys and optimized thermal design
- Process-safe due to intelligent software and maximum safety standards
- Ergonomic, owing to functional and proven design
- Flexible, as a result of modular design and upgradeable software
- Economic, due to best price-performance ratio
- Environment-friendly due to use of recyclable materials and compliance with the RoHS standard



»hyperion 300 – pilot 3.0«

»hyperion 500 – pilot 3.0«

Top performance through high quality components

Bosch pneumatics

Sony camera and special
ZOLLER optics from Jena

Heidenhain measuring system

Uhing drive

THK recirculating linear ball bearing guide

Calibration gauge image processing



Subject to technical modifications. The depicted machines may include options, accessories and control variants.

As stand-alone unit directly next to the machine tool


»hyperion 300« without turret table

A host of applications at an attractive price: the basic model of the »hyperion 300« without turret table and its universal basic holding fixture for a large variety of tool holding fixtures offers all the options for presetting and measuring tools.

The ZOLLER »hyperion 300« model without turret table is equipped with a universal basic holding fixture which allows manual or power-operated clamping of virtually all different tool holding fixtures.

With this ZOLLER »hyperion 300« you will have made a decision in favor of maximum universality and a favorable price-performance ratio.

accurate
suitable for shop floor conditions
can be adapted individually



»hyperion 300 – pilot 3.0« without turret table

Always the correct holding fixture for the chosen application


The basic variant with attractive price-performance ratio

ZOLLER basic holding fixture GA-PP for quick adapter change. Adapters can be supplied for virtually all tool systems. Adapters and tool holders are clamped pneumatically. Without photo: ZOLLER basic holding fixture GA for manual clamping of adapters and tool holders.

ZOLLER universal holding fixture HGH-UZ. Tool posts and clamping elements are available for steep tapers, hollow shank tapers HSK, Capto, Kennametal and many others, universal holding fixture HGH-UZ can be turned, with 4 x 90° indexing and clamping in any position. All power-operated functions are controlled via a membrane keyboard on the ZOLLER measuring machine.

Göltzenbott basic holding fixture for clamping plates and rapid-change holders for single and multiple spindle automatic lathes. Basically, any tool holder change system can be fitted to the »hyperion 300«.

Technical specification	Length Z-axis	Transversal X-axis
»hyperion 300« without turret table	350 mm	300 mm ± 150 mm



Subject to technical modifications. The depicted machines may include options, accessories and control variants.

For a wide array of tool holding fixtures and systems


»hyperion 300« with turret table


The benefits of the ZOLLER »hyperion 300« are enhanced even more by adding a turret table. This can be fitted with 2, 3 or 4 large tool holding fixtures to increase speed and operator-friendliness even further.

The robust turret table makes the use of the »hyperion 300« even more flexible: by swiveling the turret table, the user always has the correct tool holding fixture in the measuring range. The number of adapters and tool posts that can be used is virtually unlimited for

the ZOLLER basic and universal holding fixtures. Special tool holding fixtures can also be fitted for specific tool systems, e.g. Göltzenbodt. Virtually any tool holder change system can be fitted to the turret table.

fast
universal
operator-friendly





»hyperion 300 – pilot 3.0« with turret table D = 450 mm,
Optic adjustment ± 50 mm and center height measuring device camera

Turret table D 450: design and mounting examples

Mounting example with universal holding fixture HGH-UZ, two basic holding fixtures GA and a basic holding fixture GA-PP.


Mounting example with two basic holding fixtures GA and two basic holding fixtures GA-PP for power clamping.

Mounting example with universal holding fixture HGH-UZ, basic holding fixture GA and basic holding fixture GA-PP.

Mounting example with various tool holding fixtures for different tool systems, such as Schütte, Index, Traub TNL18 and many others.

Flexible turret table loading as required

Technical specification	Length Z-axis	Transversal X-axis
»hyperion 300« with turret table	350 mm	300 mm ± 150 mm



Subject to technical modifications. The depicted machines may include options, accessories and control variants.

For up to 12 tool holding fixtures simultaneously

»hyperion 500/700«

The ZOLLER »hyperion 500/700« are nearly always equipped with a turret table. The turret tables are available in the sizes 745 mm and 900 mm with 4, 6, 8 or 12 partitions. You can't be more universal than that! And all that at maximum precision, best possible ease of use and - upon request - with innovative tool management.

Save on continuously changing tool holding fixtures by fitting the turret table with the most commonly used holding fixtures. This makes work easier for your employees, saves valuable time and increases productivity and competitiveness. So easy.

»hyperion 500 – pilot 3.0«
with turret table D = 745 mm,
optic adjustment ± 50 mm and
center height measuring device camera




fast
accurate
universal



»hyperion 700 – pilot 3.0« with turret table D = 900 mm,
Optic adjustment ± 50 mm and center height measuring device camera

Greater productivity through time-saving work



Subject to technical modifications. The depicted machines may include options, accessories and control variants.

Technical specification	Length Z-axis	Transversal X-axis
»hyperion 500« without turret table	500 mm	400 mm
with turret table D 745	400 mm	400 mm
with turret table D 900	325 mm	400 mm
»hyperion 700« without turret table	700 mm	500 mm
with turret table D 745	600 mm	500 mm
with turret table D 900	525 mm	500 mm


- Modular design
- Pneumatic slide clamping and one-hand operating handle
- Machine table with integrated, lockable doors
- Extra storage boards for adapters and tool posts
- Cockpit for monitor, keyboard, mouse, printer and other accessories
- Metal bellow covers over guide and measuring system
- Electronic fine adjustment
- Manual infinite fine adjustment*
- Remote maintenance
- Adapter and machine management
- Image processing »pilot 3.0« with standard functions and measuring programs
- Manual design
- CNC control unit*
- Tool management with ZOLLER TMS Tool Management Solutions/GOLD, SILVER, BRONZE package* and more

*Option

ZOLLER turret tables


Well thought out and
easy to operate

Turret table does not equal turret table!
ZOLLER turret tables are extremely robust, easy
to handle and operate with absolute precision.




Loading D 745 – 6-fold pitch

For different tool holding fixtures.
By swiveling the turret table, the user
always has the correct tool holding
fixture in the measuring range.



Loading D 745 – 8-fold pitch

For four universal holding fixtures HGH-UZ,
two basic holding fixtures GA-PP and two basic
holding fixtures GA. The number of adapters and
tool posts that can be used is virtually unlimited.



Loading D 900 – 12-fold pitch

Universal holding fixture HGH-UZ for rotating and
stationary tools – special tool holding fixtures for
Göddenbott, Schütte, Traub, Index and others can
also be fitted.

ZOLLER turret tables do not sag,
even with long oversize or heavy
tools. They turn very easily and
without stop into the desired
position. The pneumatic and electric
elements are docked automatically.
Lifting and lowering is power-oper-
ated per push of a button, lowering
is monitored electronically and
displayed optically.

Fitting the ZOLLER turret tables
with tool holding fixtures depends
entirely on your requirements. You
can choose between 4, 6, 8 and 12
partitions and a number of possible
tool holding fixtures.




Docking and support

The intelligent docking system for electric and
pneumatic elements allows smooth rotation of
the turret table.



Automatic zero point selection

Automatic zero point selection (optional) via
positioning of the turret table is possible with
the »hyperion 500/700«.



Foot switch

For clamping and unclamping the tools
in the tool holding fixture (optional).

Two loading stations:
ergonomic and comfortable

ZOLLER turret tables are equipped with a second loading
station to allow ergonomic front-loading of heavy and large
tools.




robust
easy handling
precise

Universal holding fixture and tool posts

Guaranteed rapid change

The universal holding fixture HGH-UZ enables fast, easy and micro-precise changing of tool posts via ball bushings with a quick change device for clamping elements of any design. It is fitted with a 4 x 90° indexing device for positioned mounting of the lathe tools as well as a power-operated spindle brake and can be supplied with autofocus and/or rotary encoder.



Universal holding fixture HGH-UZ

Changing accuracy 1 µm, concentricity 2 µm



Tool posts/steep tapers with clamping element tension (clamping element not shown)



Tool post HSK with integrated clamping device



Tool post Capto with integrated clamping device



Tool post VDI cylinder shank with integrated clamping device




Tool post Kennametal with integrated clamping device

Tool posts can be supplied for virtually all tool holding fixtures, including Citizen, Gildemeister, Haas, Hardinge, Hydromat, Index, Mazak, Mori-Seiki, Okuma, Star, Traub and many others.

Basic holding fixture GA/GA-PP and adapters

For virtually all tool systems

The basic holding fixture GA is designed for manual change of adapters. Adapters can be supplied for nearly all the different tool holding fixtures and are all designed for manual clamping of the tools.



fast
accurate
versatile


VDI straight shank adapter



Adapter HSK




Storage tray for adapters, clamping elements, tool posts and much more.



Basic holding fixture GA

Other tool and machine systems

Tool holding fixtures can be supplied for virtually all tool systems and machine systems, for example, Benzinger, Comau, Dörries, Imac, Index, Mori-Seiki, Nakamura, Schütte, Star, Takisawa, Tornos, Traub and many more.



1



2



3

- 1_ Basic holding fixture GA-PP for power-operated clamping of the adapters and tool holders (tool holder clamping as far as technically possible).
- 2_ Tool holding fixture for Traub TNL 18. Angle adjustment is manual via a hand wheel, the angle position is displayed, printed and outputted control-oriented on the »pilot 3.0« controls (optional).
- 3_ Göltenbott basic holding fixture with rapid changeable and presettable flat shaped tool holders.

Optic adjustment ± 50 mm

Accurate measurement on the Y-axis

The optic adjustment was developed specifically for the horizontal ZOLLER tool presetter and measuring machines to be able to also measure and preset the tool cutting edges on the y-axis. Adjustment travel is ± 50 mm and is fitted with manual fine adjustment and a hand wheel or, optionally, with a CNC axis.


Manual fine adjustment or CNC-controlled

Optic adjustment for measuring and tool pre-setting above or below the center height, particularly for multiple holders as well as tools with Y-offset.



The counter for the Y-axis displays -0.637 mm. This is the correction value that can be put in the controller format used on the CNC machine.

The Y counter displays -0.001 mm. The turning tool is set manually to this center height by fitting inserts or readjusting of the tool holder to center height.




Optic adjustment ± 50 mm,
manual adjustment via hand wheel

Center height measuring device

Presetting to center height

The additional fitting of a dial gauge or CCD incident light camera allows measurement and precise presetting of the center height of the tool cutting edges.



reliable
easy to operate
precise

Dial gauge

Dial gauge with 0.01 mm division and measuring sensors for normal and over-head cutting tools.




Rotatable CCD incident light camera with centered lighting

Center height measurement device with swivable CCD incident light camera and centered LED lighting is in horizontal position during standardized measuring for safety reasons (see page 20). The camera

is rotatable in 3 positions for measuring tool cutting edges in incident light. This allows tools to be measured from the front, the left or the right side depending on the cutting direction of the tools.



Brilliant display of cutting edges and intuitive operation



Fixed crosshairs for presetting and
measuring of the center height.

Rotating and sliding crosshairs for the measure-
ment of effective cutting and clearance angles.

Color change for contrast optimization.

ZOLLER image processing »pilot 3.0«

Ready for virtually any requirement – fast and simple

»pilot 3.0« fulfills all manufacturing needs and despite its comprehensive performance profile it is above all: user-friendly. Discover the easy access to the world of tool measurement via the menu buttons of the start menu and gain a first impression of the performance potential of »pilot 3.0«. Best of all, test image processing live – and bring your tools with you.


The »pilot 3.0« image processing technology sets standards: the design of the start menu is oriented along the tasks which the operator has to fulfill. Your benefit: easy orientation and use of the software depending on the functional area and its needs. The modular design ensures that you also remain flexible in the future.

easy to operate
easy to learn
modular design



The starting menu of »pilot 3.0« offers direct access to virtually all functions.

Measuring and presetting: a new experience in ergonomic operation




»elephant« technology for measuring and presetting without any data entry or previous knowledge. Standard tools are displayed realistically and measured 100% automatically once selected. This function requires autofocus and CNC.

Manufacturing: the efficient design of manufacturing processes



The tool lists/setting sheets for the parts that you want to manufacture on the respective tool machines are stored in the machine management system for each tool machine. The image processing »pilot 3.0« stores your tool programs in exactly the same manner as you file your „workpiece programs“ in your programming system. This means savings in time for repeat processes and staying the critical step ahead of the competition.

Inspection: Trust, but verify



The dimmable LED lighting ensures brilliant display and inspection of cutting edges. Tools can be inspected and measured under transmitted or incident light using the »metis« tool analysis system. Inspection reports are easy to generate for detailed documentation or reliable evidence.

Management: organization means order



With »pilot 3.0« you can install additional software packages via the ZOLLER TMS Tool Management Solutions to give you complete overall management of your operating equipment. Nothing is left to chance, you manufacture efficiently and secure jobs.

SOFTWARE SOLUTIONS – managing tools

Simply better organized

As an expert for tool organization, our ZOLLER TMS Tool Management Solutions offer you tailor-made solutions to meet your requirements in terms of optimizing your tool and stock management as well as tool-based manufacturing organization. Our software packages BRONZE, SILVER and GOLD are of modular design, can be updated and are easy to implement.

ZOLLER TMS Tool Management Solutions ensures consistency of the data throughout the process chain: you can manage your tools from the office or directly at the tool presetter and measuring machine, file your data in the central data base, link to third party systems without problems, and extend functions stepwise with modules.

You are simply better organized with this software
You minimize your costs – improve on-time delivery – guarantee quality

- Easy data entry and centralized data storage
- Effective set-up of machines
- Optional interfaces to third party systems
- Save time through finding instead of searching
- Reduction of tool costs
- Easy to extend through modular design
- Easy to implement



BUSINESS SOLUTIONS – from A–Z

Service all the way

Supplying quality at ZOLLER also means being there for you after the sale. With personal assistance and with high quality maintenance models for your ZOLLER tool presetter and measuring machines. The ZOLLER Service Team with its specially ZOLLER-trained technicians is always at your call. For low downtimes and first class service.

ZOLLER offers you unique support and service – worldwide. This starts with preventive maintenance for a long service life, precision and reliability. And is complemented by quality certificates, calibration services and targeted training measures to ensure that your entire hardware and software are always in top condition. Extremely well trained and equipped ZOLLER service employees are available to install and service the measuring machines.

The competent ZOLLER hotline offers you support in all questions pertaining to applications and services. A call is all it takes:

- Training and courses on numerous application fields
- Full service maintenance contract
- ISO 9000 check with calibration certificate
- Capability testing of measuring machines
- Calibration of machines
- Proof of accident prevention regulations
- Software updates and hardware upgrades
- Modification and retrofitting of mechanical, optical and electronic components



Telephone +49 7144 8970-0

Made in Germany – Available Wherever You Are

ZOLLER quality is “made in Germany” and there for you, anywhere in the world.

Our company has its own locations and branches at 85 sites in 62 countries, guaranteeing we are close to customers and can provide first-class, personal customer service in local markets.

Your Advantage ZOLLER presence

Global. Close. Personal.

- Parent company
- Headquarters
- Branch office
- Representative

GERMANY

HEADQUARTERS

E. ZOLLER GmbH & Co. KG
Einstell- und Messgeräte
Gottlieb-Daimler-Straße 19
D-74385 Pleidelsheim
Tel: +49 7144 8970-0
Fax: +49 7144 8970-70191
post@zoller.info | www.zoller.info

ZOLLER NORTH

E. ZOLLER GmbH & Co. KG
Service- und Vertriebszentrum
D-30179 Hannover

ZOLLER EAST

E. ZOLLER GmbH & Co. KG
Service- und Vertriebszentrum
D-04158 Leipzig

ZOLLER WEST

E. ZOLLER GmbH & Co. KG
Service- und Vertriebszentrum
D-40764 Langenfeld

EUROPE

AUSTRIA

ZOLLER Austria GmbH
A-4910 Ried im Innkreis
office@zoller-a.at | www.zoller-a.at

SWITZERLAND

ZOLLER Schweiz GmbH
CH-9016 St. Gallen
info@zoller-ch.com | www.zoller-ch.com

FRANCE

ZOLLER France
F-67380 Lingolsheim
info@zoller.fr | www.zoller.fr

SPAIN + PORTUGAL

ZOLLER Ibérica S.L.
E-08005 Barcelona
correo@zoller.info | www.zoller.info

SWEDEN

ZOLLER Sweden AB
SE-63221 Eskilstuna
info@zoller-se.com | www.zoller.info

TURKEY

ZOLLER Ölçüm Teknolojileri San.ve Tic. Ltd. Sti.
TR-16120 Nilüfer / Bursa
info@zoller-tr.com | www.zoller-tr.com

RUSSIA

LLC ZOLLER Russia
RU-111123 Moscow, Russia
info@zoller-ru.com | www.zoller-ru.com

ISRAEL

ZOLLER Israel GmbH
Ramat Yishay 3009500
info@zoller-il.com | www.zoller.info

POLAND

ZOLLER Polska Sp. z o.o.
63-100 Śrem
biuro@zoller-a.at | www.zoller.net.pl

CZECH REPUBLIC + SLOVAKIA

ZOLLER Czech s.r.o.
602 02 Brno
info@zoller.cz | www.zoller.cz

AMERICA

USA

ZOLLER Inc.
North American Headquarters
USA-48108 Ann Arbor, MI
sales@zoller-usa.com | www.zoller.info/us

CANADA

ZOLLER Canada Inc.
CAN-L5N 8G4 Mississauga, ON
sales@zoller-canada.com | www.zoller.info/ca

MEXICO

ZOLLER Tecnologías S de R.L. de C.V.
MEX-C.P. 76030 San Angel Querétaro
sales@zoller-mexico.com | www.zoller.info/mx

BRAZIL

ZOLLER do Brasil
BRA-CEP 13284-198 Nova Vinhedo,
Vinhedo - São Paulo
comercial@zoller-br.com | www.zoller-br.com

ASIA

INDIA

ZOLLER India Private Ltd.
IN-Pune 411019 Maharashtra, India
info@zoller-in.com | www.zoller-in.com

CHINA

ZOLLER Shanghai, Ltd.
Asia Pacific Regional Headquarter
RC-201108 Shanghai
info@zoller-cn.com | www.zoller-cn.com

ZOLLER Asia Pacific, Ltd.

RC-Kowloon, Hongkong
info@zoller-cn.com | www.zoller-cn.com

JAPAN

ZOLLER Japan K. K.
JP-564-0037 Osaka, Japan
info@zoller-jp.com | www.zoller-jp.com

THAILAND

ZOLLER (Thailand) Co. Ltd.
Amphur Muang Chonburi, TH-20000 Thailand
info@zoller-in.com | www.zoller-th.com

INDONESIA

ZOLLER Singapore Pte. Ltd
Indonesia Representative Office
Tambun-17510, Bekasi, Jawa Barat
info@zoller-in.com | www.zoller-in.com

SINGAPORE

ZOLLER Singapore Pte. Ltd
SG-199589 Singapore
info@zoller-in.com | www.zoller.info

MALAYSIA

ZOLLER MALAYSIA SDN. BHD.
Malaysia Representative Office
MY-Petaling Jaya | Selangor Darul Ehsan, Malaysia
lau@zoller-my.com | www.zoller-in.com

VIETNAM

ZOLLER Vietnam
VNM-Ho Chi Minh City, Vietnam
info@zoller-in.com | www.zoller-in.com

KOREA

ZOLLER Korea Co., Ltd.
KOR-15119 - Siheung-Si, Gyeonggi-Do, Südkorea
info@zoller-kr.com | www.zoller-kr.com

REPRESENTATIVES

Argentina, Australia, Belgium, Bolivia, Chile, Colombia, Costa Rica, Croatia, Denmark, Estonia, Finland, Great Britain, Hungary, Iran, Ireland, Italy, Lettland, Latvia, Luxembourg, New Zealand, The Netherlands, Norway, Pakistan, Peru, Romania, Saudi Arabia, South Africa, Southern Tyrol, Taiwan, United Arab Emirates, Venezuela.



Your Customer Portal
www.myzoller.com

simple. direct. online.

ZOLLER Solutions

More speed, higher quality, safe processes – with ZOLLER, you increase the efficiency of your production. ZOLLER offers you outstandingly precise devices for adjusting, measuring and testing cutting tools, software, interfaces, cloud services and solutions for the automation of tool processes. You can combine all of this to create your individual system solution – on your way to the smart factory.

Presetting & Measuring

Tool Management

Inspection & Measuring

Automation

Everything from a Single Source.
Everything for your Success.
Everything with ZOLLER Solutions.

ZOLLER
expect great measures

Headquarters in Pleidelsheim

E. ZOLLER GmbH & Co. KG

Tool presetter and measuring machines

Gottlieb-Daimler-Straße 19 | D-74385 Pleidelsheim

Phone: +49 7144 8970-0 | Fax: +49 7144 8970-70191

post@zoller.info | www.zoller.info