


ZOLLER Product Portfolio – for Diamond Tools
With Maximum Precision and Process Reliability

ZOLLER
expect great measures

ZOLLER Solutions Stone CNC Machining



We Stand for Smart Progress

ECONOMICS

In stone cutting/machining, precise tool measurement and reliable tool inspection are decisive factors in determining the quality of the end product. ZOLLER combines measurement, inspection, and cleaning processes into a consistent, reliable, and efficient process chain.

ZOLLER solutions enable efficient tool measurement while the machine tool continues to produce. The tools must be regularly reground/resharpened, typically after 150-210 meters of machining. This often results in several hours of valuable production time being lost per machine and per shift. ZOLLER Solutions significantly reduces this downtime. The correct removal rate is also crucial for optimum service life and precise contours: excessive removal overloads the tool and creates premature lines, while insufficient removal leaves visible lines for the following grit sizes. ZOLLER ensures that diamond tools are measured with reproducible precision and are immediately ready for use – through exact tool preparation, fast and highly accurate contour measurement, and automatic, software-controlled data preparation for the machine control system.

The result: perfectly prepared and coordinated tools, less machine downtime, optimum edge quality and significantly more machine running time.



For maximum process reliability

μ-precise condition assessment

Higher quality & service life guarantee



Perfect Contouring Begins With Precision

The ZOLLER contour detection and analysis system »conDiaZ« provides companies with reliable and precise quality testing directly in production. The system detects the contours of stoneworking tools in seconds and delivers accurate data that can be used immediately in the machine. ZOLLER AI automatically recognizes the tool type based on the contour and loads the parameters and the target contour – without the operator having to mark or define any areas.

Your ZOLLER advantages

- Precise contour measurement in seconds
- Reproducible results – regardless of the operator
- Compact test station for the workshop
- Direct measurements for the machine



»conDiaZ«

The ZOLLER presetting and measuring device »smile | GB0« with large-screen optics enables particularly precise height measurement thanks to its additional Z-axis – a clear advantage for form and profile tools. High mechanical stability, sensitive feed, and the large-screen optical display ensure precisely reproducible length determination and reliable detection of even the smallest contour details. The Z-axis also makes the device particularly flexible and universally applicable for different tool lengths and types.

Your ZOLLER advantages

- Tool assembly without readjustment
- Reliable results even with complex cutting shapes
- Long-term stable data for series
- Precision for harsh environments



»smile | GB0«

Precise Recording – ZOLLER »conDiaZ«


The ZOLLER »conDiaZ« was specially designed for measuring and testing diamond-coated stoneworking tools and enables precise contour detection and determination of correction values for the machine. Fast, intuitive operation delivers efficient, operator-independent measurement results with high process reliability and reproducibility. Thanks to compact axes, telecentric large-image optics, perfect software, and workshop-compatible design, »conDiaZ« fits perfectly into existing processes and allows high-precision analysis directly on the tool – fully integrated into the measuring process.



»conDiaZ«

Benefits for your tool preparation/data collection


- Fast, intuitive, and easy operation
- Operator-independent measurement results
- Compact design suitable for workshop use



»conDiaZ« – optional as a seated workstation



»conDiaZ« – optional as a standing workstation



Rotary encoder and manual quick adjustment

The high-precision SK 40 spindle with integrated rotary encoder and the manual quick adjustment in the X-axis offer maximum precision and user-friendliness. The rotary encoder ensures precise, reproducible angular positioning, while the quick adjustment enables lightning-fast and convenient positioning of the tool. This makes every measuring process more efficient, more intuitive, and more ergonomic – for perfect results in the shortest possible time.

Universal Measurement – ZOLLER »smile | GB0«

The ZOLLER presetting and measuring device »smile | GB0« with large-screen optics leaves nothing to be desired. Specially designed for forming tools in metal, wood, and stoneworking, the »smile | GB0« covers the entire range of tool measurement. The compact, ergonomic, and workshop-friendly design makes the device extremely robust. The ergonomic longitudinal axis and the universal high-precision spindle also expand the range of applications to include a wide variety of tool types – for maximum flexibility and precision in every area of application.




»smile | GB0«

Targeted Dressing – ZOLLER »conDress 200«

With the ZOLLER dressing device »conDress 200« you can reliably remove deposits on diamond-coated grinding surfaces and in the spaces between the diamond coating. This restores the cutting ability of your stoneworking tools – for permanently efficient grinding processes and precise machining results. Thanks to the robust design and simple operation of the device, cleaning your tools remains safe and efficient. At the same time, you extend the service life of your diamond tools and measurably reduce your tool costs.



»conDress 200«




ZOLLER high-precision spindle »pcs«



Membrane keypad for tool clamping



ZOLLER tool holder spindles – for precise concentricity



Adjustable rotation speed up to 1100 rpm


Record, Compare, Finished – ZOLLER »lasso«

With the »lasso« function, users can capture tool data more intuitively and efficiently than ever before. After measurement, the complete actual contour appears in the »lasso« screen and can be precisely positioned there – for exact determination of the tool center and perfect alignment with the material.

By simply outlining the relevant area, all important information is automatically recognized, intelligently grouped, and directly transferred to the process. This not only reduces clicks and potential operating errors, but also significantly speeds up tool data acquisition – for a significantly smoother, faster, and reliably stable workflow during setup and maintenance.

Advantages of the »lasso« function



- Thousands of measuring points in seconds – freely selectable 0 to 360°
- Nominal/actual comparison with tolerances and variable superelevation
- Specialized functions for stoneworking tools



Intelligent »lasso« function – enables tool areas to be marked intuitively and precisely to be captured.



Target/actual comparison – of tool performance: Deviations become transparent, measurable, and precisely optimized.





»lasso« screen – on which appears after measuring with the tool and can be positioned precisely at.

Seven Tools. One Contour.

A set of seven shaping tools, ranging from coarse grinding to polishing, is used to process a workpiece – designed for marble, granite, natural stone, synthetic materials, and agglomerates. The seven tools and their contours are recorded and measured with high precision using ZOLLER »conDiaZ«. They are then intelligently compared with each other in »pilot 4.0« and optimally coordinated so that the tools and correction data are perfectly prepared for the CNC machine and the workpiece is manufactured to the highest quality right from the start. This protects both the tools and the CNC machine in the long term.

Advantages of »conDiaZ« contour detection


- Fully automatic inspection of all contours
- Optimal tool preparation for the machine
- No reworking, no adjustment runs



- Tool 1** – Coarse-grained grinding wheel
Tool 2 – Medium-grained grinding wheel
Tool 3 – Intermediate grinding wheel
Tool 4 – Fine grinding wheel
Tool 5 – Final fine grinding wheel
Tool 6 – Polishing tool
Tool 7 – Final polishing tool

Precision That Saves Setup Times – »pilot 4.0«


The ZOLLER software »pilot 4.0« makes measuring seven tool sets efficient. All tools are recorded one after the other in a single process, the contours are automatically compared, and deviations are displayed. The measurement and correction values are optimized in relation to each other and transferred directly to the CNC control – without the need for readjustment. This ensures that the entire tool set fits together perfectly, significantly reducing both setup time and machine downtime.



Control warehouse management – with TMS Tool Management Solutions



Find grinding wheels immediately – transparent and reliable




Smart Cabinets for diamond tools

ZOLLER Smart Cabinets enable a secure, clear and digital management process for diamond coated tools that are used in the stone industry. Each disc is clearly assigned, can be found immediately, and is protected from damage. Stock is automatically visible, and mix-ups are impossible enabling a fast tool setup process and complete process reliability.


Installation Dimensions and Technical Data

Technical data	»conDiaZ«
Dimensions without under table (H x W x D)	804 x 774 x 522 mm
Travel distance in the X-direction	+60/-50 mm, fine adjustment
Maximum tool diameter D	130 mm
Maximum tool length L	125 mm
Tool holder spindle	SK 40
Camera capture area	73 x 48.7 mm



Note: P Air connection, Ø 6 E Electrical connection Installation dimensions in mm


Technical data	»smile GB0«
Dimensions (H x W x D)	1750 x 1700 x 750 mm
Travel distance in the X-direction	210 mm
Maximum tool diameter D	210 mm
Maximum tool length L	420 mm
Tool holder spindle	SK 50
Camera capture area	73.1 x 48.7 mm



Note: P Air connection E Electrical connection Installation dimensions in mm

Installation Dimensions and Technical Data

Technical data	»conDress 200«
Dimensions (H x W x D)	392 x 656 x 530 mm
Rotational speed	max. 1100 rpm
Maximum tool diameter D	130 mm
Maximum tool length L	200 mm
Tool holder spindle	HSK 63/HSK 80B/SK 40 DIN 69872/SK 40 ISO 7388



”

Discover ZOLLER –
the high-tech company for
tomorrow’s manufacturing!

Take this opportunity to find out
how ZOLLER sets global standards:
maximum precision, intelligent
digitalization, and measurable
productivity gains.

Scan the QR code and learn more about ZOLLER!





Your Customer Portal
www.myzoller.com

simple. direct. online.

ZOLLER Solutions

More speed, higher quality, safe processes – with ZOLLER, you increase the efficiency of your production. ZOLLER offers you outstandingly precise devices for adjusting, measuring and testing cutting tools, software, interfaces, cloud services and solutions for the automation of tool processes. You can combine all of this to create your individual system solution – on your way to the smart factory.

Presetting & Measuring

Tool Management

Inspection & Measuring

Automation

Everything from a Single Source.
Everything for your Success.
Everything with ZOLLER Solutions.

ZOLLER
expect great measures

Headquarters in Pleidelsheim

E. ZOLLER GmbH & Co. KG

Tool presetter and measuring machines

Gottlieb-Daimler-Straße 19 | D-74385 Pleidelsheim

Phone: +49 7144 8970-0 | Fax: +49 7144 8970-70191

post@zoller.info | www.zoller.info