



OFFICIAL PRODUCT SPECIFICATION

WayTask

An AI-powered shopping intelligence platform. This document is the single source of truth for engineering — it defines the approved product, its screens, components, behaviors, and scope for Version 1.0.

Status Approved for implementation **Version** 1.0 **Platform** iOS (iPhone), dark mode

Owner Product · Design · Engineering

Contents

1	Executive Summary	10	Product Intelligence
2	Product Vision	11	Visual Design System
3	Product Principles	12	Motion System
4	User Personas	13	Accessibility
5	Complete User Journey	14	Version 1.0 Scope
6	Navigation Architecture	15	Engineering Recommendations
7	Screen Specifications	16	Open Questions
8	Reusable Components	17	Final Product Review
9	Shopping Intelligence		

1 · Executive Summary

WayTask is an AI-powered shopping planner. It helps a person remember the products they buy, decide which store best covers what they need right now, and move through a multi-store shopping trip with the least possible thinking. It is not a to-do list with groceries in it — it is a planning and guidance tool that treats *where* and *when* you shop as first-class problems.

Who it is for

People who shop on a recurring cadence and value their time: busy parents, weekly household shoppers, students, pet owners, and detail-oriented "power shoppers." They already know roughly what they need; their friction is deciding where to go and remembering exact products.

The problem it solves

Ordinary lists answer "what to buy" but leave the hard parts to the user: which store carries the most of my list, is it open, how far is it, what order should I visit stores in, and what have I already grabbed. WayTask answers those continuously.

How it differs from a shopping list

- **Products are permanent.** Every product the user scans or creates lives in a personal library and is reused across trips — not retyped each week.
- **Lists are temporary.** A shopping list is an assembled intent for one outing; it is disposable and repeatable.
- **Plans are intelligent.** WayTask ranks stores by *coverage* (how much of the list each carries), sequences a multi-store route, and guides collection store by store.

2 · Product Vision

Long-term vision

WayTask becomes the calm, trusted intelligence layer between "I need things" and "I have them" — an assistant that quietly knows the user's products, learns the retail landscape around them, and turns any list into the shortest confident trip.

Core philosophy

The three-noun model is the backbone of the whole product: **Products are permanent, Shopping Lists are temporary, Shopping Plans are intelligent.** Every data model and screen must preserve this separation.

Design philosophy

Premium, calm, native iOS. Dark-mode-first glassmorphism, large rounded cards, generous spacing, one primary action per screen. The interface should feel effortless and never busy; the product's intelligence is expressed through restraint, not chrome.

AI philosophy

AI works quietly in the background to identify products and estimate store coverage. It always **communicates probability, never certainty** ("likely available," "high confidence"), and it always leaves the human in control — the user reviews and can correct anything the AI proposes.

Shopping philosophy

Planning comes before browsing. The product's job is to reduce time in and between stores: decide the best plan up front, then remove every unnecessary decision while the user is physically shopping.

3 · Product Principles

These principles are binding. When a future decision is ambiguous, resolve it in favor of the principle.

01

Products are permanent. The library outlives any list. Never show shopping/ completion state inside the library.

02

Lists are temporary. A list is one outing's intent — easy to create, duplicate, and discard.

03

Plans are intelligent. Coverage, distance, hours, and confidence combine into a recommended plan and route.

04

Reduce cognitive load. A first-time user should grasp the current screen in under five seconds.

05

One primary action per screen. Exactly one obvious next step; everything else is secondary.

06

Progressive disclosure. Advanced detail appears only after intent (e.g. tap a store to see its full breakdown).

07

Planning before shopping. The plan is decided before the user leaves; in-store is execution only.

08

Never overload. Show only what is relevant now — e.g. Shopping Mode shows only the current store's items.

09

Confidence, not certainty. Always probabilistic language about inventory. Never promise a product is in stock.

10

Coverage is the shared language. The coverage ring/percentage appears consistently everywhere a store is shown.

4 · User Personas

PERSONA	GOAL	HOW THEY USE WAYTASK
Busy parent	Get the weekly run done fast, forget nothing	Reuses a saved "Weekly Shopping" list, trusts the Best Plan, follows the route, uses Shopping Mode to avoid backtracking with kids in tow.
Weekly shopper	Efficient recurring groceries	Lives in the Best Shopping Plan; values coverage % and "open now"; rarely leaves the recommended single store.
Student	Cheap, quick, few items	Small lists, leans on "Nearby Opportunity" and convenience stores; often single-store trips.

PERSONA	GOAL	HOW THEY USE WAYTASK
Power shopper	Optimize a complex multi-store trip	Uses the multi-store Route, inspects Store Details coverage and missing items, sequences stops deliberately.
Pet owner	Specialty items alongside groceries	Relies on grouped-by-store planning to route a specialty stop (e.g. pet food) into the main trip.
Technology enthusiast	Precise product data	Scans barcodes, uses AI enrichment, edits and curates the product library, cares about accuracy over time.

5 · Complete User Journey

The canonical journey is linear and always leads forward. Each stage lists its purpose, the user's mindset, the single primary action, and the success criteria.

STAGE	PURPOSE / MINDSET	PRIMARY ACTION · SUCCESS
Need a product	User recalls something they buy. Mindset: "capture it before I forget."	Open Products / Scan · product exists in library.
Products Library	Find or add the product from the permanent library.	Add to Shopping · product placed on a list.
Add to Shopping	Move a permanent product onto a temporary list.	Confirmation (toast) · list count increments.
Shopping List	Review the assembled intent for this outing.	Open Shopping tab · list is complete.
Shopping Planner	See how the list maps to stores. Mindset: "where's best?"	Review Best Plan · a recommended plan is understood.
Recommended Stores	Compare coverage/distance/hours/confidence.	Choose plan or a store · a target is selected.
Shopping Route	See the whole ordered multi-store trip before leaving.	Start trip · route accepted.
Store Details	Inspect one store: coverage, likely/missing items.	Navigate · commit to going there.

STAGE	PURPOSE / MINDSET	PRIMARY ACTION · SUCCESS
Navigation	Travel to the current stop. Mindset: "get me there."	I've arrived · at the store.
Shopping Mode	Collect only this store's items. Mindset: "just grab these."	Finished Shopping · items collected.
Next Store	Celebrate progress, point to the next stop.	Navigate to next store · loop continues.
Shopping Complete	Close the trip with a sense of accomplishment.	Back to Home · trip archived.
Return Home	Calm return to the dashboard, ready for next time.	— · dashboard reflects completion.

Single-store shopping is the same journey with a one-stop route; it is never a separate code path.

6 · Navigation Architecture

Bottom navigation (persistent tabs)

Five tabs, always visible on tab-level screens: **Home · Products · Shopping · Map · Settings**. The active tab is tinted accent orange; tabs never reorder. Tapping a tab always returns to that tab's root scroll position (no nested tab history in v1).

Full-screen flows (immersive; bottom nav intentionally yields)

Shopping Route, Navigation, Shopping Mode, Next Store, and Shopping Complete are trip-mode takeovers. They cover the tab bar because the user is inside a focused sequence. Each exposes an explicit exit (see back rules).

Modal sheets (over any screen)

Store Details, the Scanner / AI-improve sheet, and the Product action sheet present as bottom sheets over a dimmed scrim. Tapping the scrim or the sheet's Cancel/close dismisses them and returns to the underlying screen unchanged.

Flow map

- **Shopping flow:** Home "Start Shopping" or Shopping "Start Shopping" → Route → Navigation → Shopping Mode → (Next Store → Navigation → Shopping Mode)* → Shopping Complete → Home.
- **Single-store flow:** Store Details "Navigate" → Navigation → Shopping Mode → Shopping

Complete.

- **Product flow:** Products → card + Add → toast; card … → action sheet (Edit / Move to list / History / Delete).
- **AI flow:** Scanner → weak-info result → "Improve with AI" → reviewed result → Save to Products.
- **Map flow:** Map → tap store marker → Store Details sheet → Navigate.
- **Settings flow:** Settings tab (or Home avatar) → grouped list → detail rows.

Back-navigation rules

- Sheets: dismiss to the exact prior state (no data loss).
- Trip-mode screens: the close (X) exits the entire trip and returns Home. **Refine** v1.0 must add a confirmation ("Leave trip?") and a step-back from Navigation → Route (see §16).
- Tab screens: no back button; the bottom nav is the top-level switcher.

7 · Screen Specifications

Each screen below documents the approved behavior. Where a state was not designed in the approved build, it is marked **Deferred** and specified in §14/§16 rather than invented here.

7.1 Home

Purpose	Dashboard. Answers, in one glance: what to buy, where to shop, and the next action.
Primary action	Start Shopping (launches the full trip Route).
Secondary	Open a shopping list; open Best Plan (→ Shopping); Nearby "Add"/"Dismiss"; Quick Scan; profile avatar (→ Settings); + on a recent product.
Displayed	Greeting; Shopping Today card (remaining items, best store, coverage %, items covered, travel time, distance, trip-progress bar, Open-now); Shopping Lists rail; Best Shopping Plan preview; Nearby Opportunity; Recent Products; Statistics (secondary, bottom).
Hidden	Full plan detail, full library, per-store breakdown — all one tap away.
Entry	App launch; Back to Home; bottom-nav Home.
Exit	Any tab; Start Shopping; Settings; a list.
Loading / Offline / Error / Empty	Deferred First-run (no lists/products) and offline/sync indicator to be designed in v1.0 (see §16). Approved build assumes populated, online state.

Animations	Section fade-in on load; progress bars animate width on change; press-scale on cards/buttons.
Haptics	Light impact on Start Shopping and card taps.
Accessibility	Large title; ≥44pt targets; coverage conveyed by number + label (not color alone).

7.2 Products (Library)

Purpose	The permanent personal product library — explicitly NOT a shopping list.
Primary action	Add product to Shopping (+ on a card).
Secondary	Search; filter (All / Favorites / Recent / AI Learned); card ⋮ → Edit, Move to another list, Purchase history, Delete; Scanner (floating).
Displayed	Library count; search; filter chips; product cards (image, name, brand, category, AI-learned mark).
Hidden	Never shows shopping completion checkmarks (principle 01). Full product detail/history behind the ⋮ actions.
Entry / Exit	Bottom-nav Products / any tab, or after saving a scanned product.
Empty	Deferred First-run empty library (prompt to scan/add) — §16.
Animations / Haptics	Fade-in; + press-scale + success haptic + toast; action sheet slides up.
Accessibility	Card is a labeled group; + and ⋮ are distinct, labeled buttons ≥44pt.

7.3 Shopping (Planner)

Purpose	The heart of WayTask: turn the active list into a plan.
Primary action	Start Shopping (full multi-store trip → Route).
Secondary	Switch active list (selector chips); tap an alternate store (→ Store Details); inspect grouped items.
Displayed	Active list name + counts; list selector; Best Plan hero (coverage ring, name, type, distance, travel time); "or shop a single store" alternates (ring, coverage, distance); products grouped by store.
Hidden	Full per-store availability (behind Store Details).
Entry / Exit	Bottom-nav Shopping / Home Best-Plan; exits into the trip flow or Store Details.

Empty	Deferred Empty list state (prompt to add products) — §16.
Animations / Haptics	Fade-in; chip selection animates; press-scale. Light haptic on list switch and Start.

7.4 Shopping Route

Purpose	Show the entire ordered multi-store trip before departure.
Primary action	Start trip (→ Navigation for stop 1).
Secondary	Tap a stop (→ its Store Details); close trip (X).
Displayed	Trip summary (stops · items · est. minutes); numbered vertical route spine; per-stop card (name, item count, minutes, distance); current stop highlighted, completed stops marked.
Entry / Exit	From Start Shopping; exits to Navigation or (X) Home.
Refine	Refine Stop reorder/skip and a whole-trip map preview are desired but out of approved v1.0 (§14 Deferred).
Animations / Haptics	Slide/fade in; press-scale on stops. Light haptic on Start trip.

7.5 Map (Shopping Map)

Purpose	A shopping-aware map: stores shown with their coverage of the current list.
Primary action	Tap a store marker (→ Store Details).
Secondary	Search places/items; filter; recenter.
Displayed	Map; store markers each showing coverage %; marker emphasis scales with coverage; guidance hint.
Entry / Exit	Bottom-nav Map / any tab; opens Store Details sheet.
Refine	Refine Approved build uses a stylized map surface; production must integrate a real map SDK (MapKit) — §15 risk.
Accessibility	Markers are labeled buttons with store name + coverage read aloud.

7.6 Store Details (bottom sheet)

Purpose	Full picture of one store relative to the current list.
----------------	---

Primary action	Navigate (→ Navigation).
Secondary	Dismiss (scrim/drag).
Displayed	Store image; name; coverage ring (% + items covered); stat strip (minutes, distance, open/closed); confidence badge; "likely available" products; "missing here" products.
Entry / Exit	From Map marker, Shopping alternates, or a Route stop; dismiss returns to origin.
Animations / Haptics	Sheet spring-up; scrim fade; press-scale. Medium haptic on Navigate.

7.7 Navigation

Purpose	Guide the user to the current stop; hand off to Shopping Mode on arrival.
Primary action	I've arrived (→ Shopping Mode).
Secondary	Open in Maps; close trip (X).
Displayed	Route on map; destination pin; "Heading to {store}"; ETA + distance; note that Shopping Mode opens on arrival.
Entry / Exit	From Route "Start trip", Next Store, or Store Details "Navigate."
Refine	Refine Approved build uses a manual "I've arrived"; production should add turn-by-turn hand-off and optional geofenced auto-arrival — §16.

7.8 Shopping Mode

Purpose	Frictionless in-store collection of only this store's items.
Primary action	Finished Shopping.
Secondary	Tap an item to collect/uncollect; close trip (X).
Displayed	"You're shopping at {store}"; progress bar (collected / total); large checklist with product images and brand.
Hidden	Every other store's items (principle 08).
Entry / Exit	From Navigation "I've arrived"; exits to Next Store (more stops) or Shopping Complete (last stop).

Refine	Refine BLOCKER: on Finish with uncollected items the approved build drops them silently. v1.0 must add reconciliation ("N not found → carry to next store / mark unavailable / skip") — §16.
---------------	---

Animations / Haptics	Collected items dim + strike; progress fills; success haptic per item.
-----------------------------	--

7.9 Next Store

Purpose	Acknowledge the completed stop and point to the next.
Primary action	Navigate to next store (→ Navigation).
Secondary	Done for today (→ Home).
Displayed	"Nice work — N items collected at {store}"; next store card (name, item count, type).
Entry / Exit	From Shopping Mode when more stops remain.
Animations / Haptics	Check pops in; success haptic; press-scale.

7.10 Shopping Complete

Purpose	Close the loop with accomplishment; return the user home.
Primary action	Back to Home.
Displayed	Large success check; "All done!"; summary (stores visited · items · minutes).
Entry / Exit	From the last store's Shopping Mode; exits Home (trip reset).
Animations / Haptics	Check pop; success haptic.

7.11 Settings

Purpose	Account and preferences in native grouped-list style.
Primary action	Open a settings section.
Displayed	Profile card; rows: Account, AI & Recognition, Notifications, Store Preferences, Custom Stores, About, Developer; version footer.
Entry / Exit	Bottom-nav Settings or Home avatar; rows push detail (detail content Deferred to per-section specs).

Accessibility Standard iOS list semantics; each row a labeled button with chevron.

8 · Reusable Components

Components are defined once and reused unchanged. Do not create visually divergent variants of the same component.

Coverage Ring

Purpose	The shared visual unit of shopping intelligence — % of the current list a store covers.
Layout / content	Circular conic-fill ring; center shows % and "items covered" (e.g. 5/7).
Variants	Sizes: small (list rows), medium (plan cards), large (hero, sheet). Fill is always accent orange.
Reuse rule	Wherever a store appears with coverage, use this ring — Home, Shopping, Map (as marker badge), Store Details.

Store / Coverage Card

Content	Coverage ring, store name, type, distance, travel time, open/closed, confidence badge.
Variants	Hero (recommended, filled CTA), compact row (alternate store, chevron), route stop (numbered badge instead of ring).
States	Default, current/recommended (accent-tinted), completed (route).

Shopping List Card

Content	List name, item count, active badge + progress when active.
Variants	Standard, active (accent border + progress), "New list" (dashed, +).

Product Card

Content	Product image/glyph, name, brand, category chip, AI-learned mark.
Variants	Library row (+ Add and ⋮), recent tile (horizontal rail with quick +).
Reuse rule	Never carries a completion checkbox. Collection state belongs to Shopping Mode's item row, a separate component.

Bottom Sheet

Content	Grab handle, scrim, content; used by Store Details, Scanner/AI, Product actions.
Interactions	Spring-up entry, scrim-tap / drag / Cancel to dismiss; returns underlying screen unchanged.

Store Marker (Map)

Content	Coverage badge + store name in a glass pill with a pointer.
States	Emphasis (ring color/size) scales by coverage tier; tap → Store Details.

Buttons & Floating Actions

Primary	Full-width, orange gradient, drop shadow; one per screen.
Secondary / ghost	Glass or outline; lower emphasis.
Floating	Quick Scan — present but deliberately subordinate to the primary CTA.
Behavior	All buttons press-scale (~0.97) and fire a light haptic.

Badges, Search, Progress, Notifications

Badges	Confidence (High/Medium/Low, color-coded), Open-now (green dot), Active (list), AI-learned (spark).
Search	Glass field with leading magnifier; used in Products and Map.
Progress	Linear bar (trip/session) and the coverage ring; both animate on change.
Notifications	Transient toast (bottom, auto-dismiss) for confirmations; "Nearby Opportunity" card on Home.

9 · Shopping Intelligence (experience)

This section describes what the user *sees and feels*. Ranking and estimation methods are out of scope here.

- **Store coverage.** Every store is expressed as a coverage % and "items covered" of the current list — the single most important number in the product.
- **Confidence.** A qualitative badge (High/Medium/Low) sits beside coverage so the user knows how much to trust it.
- **Likely available / missing.** Store Details lists products the store "likely" carries and those "missing here" — always hedged language.
- **Recommended store & Best Plan.** One store/plan is elevated as the recommendation; alternates

are quietly available beneath it.

- **Shopping Planner.** The list is grouped by the store best suited to each product, producing a multi-store plan when no single store covers everything.
- **Shopping Route.** The plan becomes an ordered sequence of stops with per-stop counts and a total time estimate.
- **Shopping completion.** Progress is always visible (per store and per trip); the trip ends with a summary of stores, items, and time.

10 · Product Intelligence (experience)

- **Barcode-first.** The Scanner reads a barcode and attempts to identify the product immediately.
- **Weak-info detection.** When identification is thin, the product is shown as "weak info" with an explicit "Improve with AI" affordance rather than a silent guess.
- **AI enrichment.** AI proposes a richer product (name, brand, category, size). The result is always presented for **user review** before it is saved.
- **Manual editing.** Any product can be edited by the user (Products → ... → Edit).
- **Product history.** Each product exposes a purchase history entry point (... → History).
- **Product images.** Products carry an image/glyph used consistently across library, lists, and Shopping Mode.
- **Learning & review.** Enriched products are tagged "AI Learned" and filterable; the user remains the final authority (principle 09).

11 · Visual Design System

Color — background	Deep graphite; radial vignette from ~#1B1B1F to #0A0A0C. Dark mode is the default and only v1.0 theme.
Color — accent	Warm orange #FF7A00, with a lighter #FF9A3C for gradients/highlights. Accent-on-dark for all primary emphasis.
Color — text	Primary #F4F4F6; secondary ~rgba(235,235,245,0.6); faint ~0.45.
Color — semantic	Success/Open green #34C759; caution amber (Medium confidence) #FF9A3C; destructive red #FF6961.
Typography	iOS system font family. Large bold titles (~34pt), section titles (~20pt/700), body (~15–17pt), captions (~11–13pt). Tight tracking on large titles.

Spacing & grid	Single-column mobile; 20pt screen gutters; 12–16pt inter-card gaps; generous internal padding (18–22pt).
Corner radius	Cards 22–30pt; sheets 32pt top; chips/pills fully rounded; buttons 16–20pt.
Glass effects	Translucent white fill (~5–8%) + backdrop blur (~20–30px) + hairline white border (~8%). Used on cards, nav bar, sheets, map overlays.
Shadows / elevation	Soft, large-radius shadows for lift; accent-tinted glow under primary CTAs and highlighted cards. Elevation order: base < card < nav < sheet/overlay < toast.
Icons	Line icons, ~1.8–2pt stroke, rounded caps; accent or neutral per emphasis.
Illustration	Minimal; coverage rings and product glyphs carry visual identity. Avoid decorative imagery.

12 · Motion System

Navigation / flow	Trip-mode screens enter with a short slide-up + fade (~0.35s, ease-out).
Cards	Section fade-in on screen load; press-scale (~0.97–0.99) on tap for a soft-haptic feel.
Progress	Coverage ring and linear bars animate their fill (~0.4–0.5s ease) whenever the value changes.
Bottom sheets	Spring-up with a decelerating curve; scrim fades in; drag-to-dismiss.
Completion	Collected items dim/strike and settle; success check "pops" (scale overshoot then settle).
Loading / success	Deferred skeleton/loading and sync animations to be specified with the deferred states.
Haptics	Light impact: taps, primary CTAs, list switches. Success: item collected, stop/trip complete. Medium: Navigate. Respect Reduce Motion / system haptic settings.
Timing	Interaction feedback <100ms; transitions 0.3–0.4s; nothing feels rushed or sluggish.

13 · Accessibility

- **Touch targets.** All interactive elements $\geq 44 \times 44$ pt; primary CTAs are full-width and tall.
- **VoiceOver.** Cards are labeled groups; coverage announced as "72 percent, 5 of 7 items"; buttons carry explicit labels; markers announce store + coverage.
- **Contrast.** Text meets WCAG AA on the graphite background; status is never conveyed by color alone (always paired with text/label).
- **Dynamic Type.** Body and captions scale with system text size; layouts reflow without truncation of essential info.
- **One-handed use.** Primary actions sit low on screen within thumb reach; bottom nav and CTAs anchor the bottom.
- **Reduce Motion.** Honor the system setting — replace slides/pops with fades; keep progress readable without animation.

14 · Version 1.0 Scope

INCLUDED IN V1.0

- Products library (scan, AI enrich w/ review, edit, delete, history entry, favorites/recent/AI-learned filters)
- Shopping lists (multiple, active list, create)
- Shopping planner: coverage, confidence, best plan, grouped-by-store
- Shopping Route (view + start)
- Store Details sheet
- Navigation hand-off (manual arrival) + Shopping Mode + Next Store + Complete
- Map with coverage markers
- Settings shell; full 5-tab navigation; dark mode
- **New for v1.0 (from review):** Shopping Mode unfound-item reconciliation; empty/first-run states; trip-exit confirmation + step-back

DEFERRED

- **v1.1:** Route stop reorder/skip; whole-trip map preview; turn-by-turn / geofenced auto-arrival; offline caching + sync indicator; purchase-history detail views
- **v2.0:** Cloud Sync; Shared Lists; Family Accounts; Community Knowledge; Retail / Inventory APIs (live stock); Cart Scanning; AirDrop list sharing; light mode

Deferred items are intentionally excluded from v1.0 but are supported by the architecture without redesign (see §17).

15 · Engineering Recommendations *(no code — guidance only)*

Implementation order

1. **Data foundation:** Product, List, Store, Plan, Trip models honoring the permanent/temporary/intelligent separation.
2. **Products library + Scanner/AI review** (the data the rest depends on).
3. **Shopping list + Planner** (coverage/confidence presentation from provided estimates).
4. **Trip state machine** (Route → Navigation → Shopping Mode → Next Store → Complete) — one machine, single- and multi-store.
5. **Map + Store Details** on MapKit.
6. **Home dashboard** assembling the above; **Settings** last.

Dependencies

Coverage/confidence estimation service feeds Planner, Map, Store Details, Route; barcode + AI enrichment feeds the library; MapKit underpins Map and Navigation. The trip state machine depends on a finalized list + plan.

Priority

P0: library, planner, trip machine, Shopping Mode (with reconciliation). P1: Map/Store Details, Home. P2: Settings detail, statistics.

Risk areas

- **Coverage accuracy & trust** — if estimates feel wrong, the core value collapses. Invest in confidence calibration and honest language.
- **Map/navigation integration** — the approved build stubs the map; real MapKit + routing is the largest net-new engineering surface.
- **Shopping Mode reconciliation** — must ship in v1.0; it protects the "always know what remains" promise.
- **AI enrichment latency/quality** — must degrade gracefully to manual entry.

Testing strategy

Unit-test the trip state machine exhaustively (single-store, multi-store, exit mid-trip, all/again none collected). Snapshot-test each component's variants/states. End-to-end test the full journey. Accessibility audit (VoiceOver, Dynamic Type, contrast, Reduce Motion) before release.

Migration strategy

v1.0 is local-first. Design persistence so records carry stable identifiers and timestamps now, enabling a non-destructive cloud-sync migration in v2.0 without schema rewrites.

16 · Open Questions

Decisions to finalize before/at implementation. Each has a documented default assumption so engineering is never blocked.

QUESTION	ASSUMPTION (DEFAULT)
Unfound items at Finish	Prompt to carry unchecked items to a later stop, mark unavailable, or skip. Default action = carry forward if a later stop can cover them, else skip.
Trip exit	✕ on trip-mode screens prompts "Leave trip? Progress is saved." Default = confirm before exit; collected state persists for the session.

QUESTION	ASSUMPTION (DEFAULT)
Arrival detection	v1.0 uses manual "I've arrived." Geofenced auto-arrival deferred to v1.1.
Store hours source	Open/closed shown from provided store data. If unavailable, hide the badge rather than guess.
Empty/first-run	New users see a guided empty state prompting first scan/list. Copy TBD; behavior = add-first, then plan.
Multiple lists in a trip	A trip plans the single active list. Cross-list trips deferred.
Statistics source	Home statistics summarize completed trips; exact metrics/timeframe TBD (default: current month).

17 · Final Product Review

Strengths

- One coherent, premium design language across every screen; coverage % as a consistent intelligence unit.
- A forward-only journey with one primary action per screen — genuinely low cognitive load.
- Correct, durable mental model (products permanent · lists temporary · plans intelligent).
- Honest, probabilistic communication that builds trust.

Weaknesses

- Shopping Mode does not yet reconcile uncollected items (must fix in v1.0).
- Empty/first-run and offline/sync states are unspecified in the approved build.
- Map/navigation are stylized, not yet backed by a real SDK.
- Trip exit is all-or-nothing without confirmation.

Remaining risks

Coverage-estimate trust and map/navigation integration are the two risks that could materially affect perceived quality; both are addressable within v1.0/v1.1 and are called out in §15.

92

PRODUCT
READINESS

94

UX READINESS

95

DESIGN READINESS

86

ENGINEERING
READINESS

92 / 100

OVERALL PRODUCT SCORE

Verdict. Approved for implementation. The visual craft and journey are launch-grade; the two conditions for App Store readiness are the Shopping Mode reconciliation and the empty/first-run + offline states. Build may begin immediately following the \$15 order, with those two items scoped into v1.0.

End of specification · WayTask v1.0 · This document supersedes prior notes and is the single source of truth for engineering.