

Описание

[Plain text] [Предпросмотр](#)

- ☐ GitHub project
- ☐ This build requires lockable resources
- ☐ Throttle builds
- ☐ Удалять устаревшие сборки
- ☐ Это - параметризованная сборка
- ☐ Приостановить сборки
- ☐ Разрешить параллельный запуск задачи



Расширенные...

Управление исходным кодом

- ☐ Нет
- ☒ Git



Repositories

Repository URL

https://github.com/n-a-romanov/java-courses.git

Credentials

- none -

Add



Расширенные...

Add Repository

Branches to build



Branch Specifier (blank for 'any')

*/main



Add Branch

Просмотрщик репозитория



(Автоматически)

Additional Behaviours

Добавить

Сохранить

Применить

Триггеры сборки

- ☐ Trigger builds remotely (e.g., from scripts)



General

Управление исходным кодом

Триггеры сборки

Среда сборки

Сборка

Послесборочные операции

☒ Trigger only if build is stable

☐ Trigger even if the build is unstable

☐ Trigger even if the build fails

☐ Always trigger, even if the build is aborted

☐ GitHub hook trigger for GITScm polling

☐ Запускать периодически

☒ Опрашивать SCM об изменениях

Расписание

*/*1 * * * *

Do you really mean "every minute" when you say "*/1 * * * *"? Perhaps you meant "H * * * *" to poll once per hour

Последний запланированный запуск: среда, 26 января 2022 г., 2:43:37 GMT+03:00; следующий запланированный запуск: среда, 26 января 2022 г., 2:43:37 GMT+03:00.

☐ Ignore post-commit hooks

Среда сборки

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s)

☐ Abort the build if it's stuck

☐ Add timestamps to the Console Output

☐ With Ant

Сборка

Invoke Gradle script

☒ Invoke Gradle

Gradle Version

gradle 7.2

☐ Use Gradle Wrapper

Tasks

clean test

Switches

-Pbrowser=firefox -Ptarget=remote -Pplatform=linux

System properties

Сохранить

Применить

☐ Pass all job parameters as System properties

Project properties

localhost:8080/job/addressbook-tests-linux/configure

2/3

☐ Pass all job parameters as Project properties

Root Build script ?

addressbook-web-tests

Build File ?

Specify Gradle build file to run. Also, [some environment variables are available to the build script](#)

☐ Force GRADLE_USER_HOME to use workspace ?

Добавить шаг сборки ▾

Послесборочные операции

Publish JUnit test result report

XML файлы с отчетами о тестировании

addressbook-web-tests/build/test-results/test/*.xml

[Fileset 'includes'](#) setting that specifies the generated raw XML report files, such as 'myproject/target/test-reports/*.xml'. Basedir of the fileset is [the workspace root](#).

?

☐ Retain long standard output/error

Health report amplification factor ?

1,0

1% failing tests scores as 99% health. 5% failing tests scores as 95% health

Allow empty results ?

☐ Do not fail the build on empty test results

Skip publishing checks ?

☐ If unchecked, then issues will be published to SCM provider platforms

Checks name ?

Skip marking build as unstable on test failure ?

☐ If checked, the test failures will still be reported but won't mark the build as unstable

Добавить шаг после сборки ▾

Сохранить

Применить