

MFCCs, Chroma Features, and Spectrogram Images for Deepfake Audio Classification Using Machine Learning

Nora Bakken, Shavil Singh, Makwana Prashant Lnu, and Tapadhir Das
Department of Computer Science, University of the Pacific

Stockton, California, USA
n_bakken@u.pacific.edu, tdas@pacific.edu

ABSTRACT

CCS CONCEPTS

• **Mel-frequency cepstral coefficients (MFCCs)** → *Audio representation*; • **Convolutional Neural Networks** → *Machine Learning*; • **Adversarial attack protection** → *Cybersecurity*.

KEYWORDS

MFCCs, Spectrogram, VGG16, ResNet50, Chroma Features, SVM, Gradient Boosting, Deepfakes

ACM Reference Format:

Nora Bakken, Shavil Singh, Makwana Prashant Lnu, and Tapadhir Das. 2024. MFCCs, Chroma Features, and Spectrogram Images for Deepfake Audio Classification Using Machine Learning. In *Proceedings of Conference name and year (Conf 2024)*. ACM, New York, NY, USA, 2 pages. <https://doi.org/XXXXXXX.XXXXXXX>

1 INTRODUCTION

2 MOTIVATION

With the rise of artificial intelligence (AI), deepfakes are more prevalent than ever, bringing with them a slough of potential dangers in a variety of areas. Likely the most well-known effect of deepfakes in everyday life is the rise of false media, especially targeting individuals.

The American Bar Association highlighted a targeted defamation attack involving an audio recording with the voice of a high school principal making racist and antisemitic comments. After the recording spread throughout the school, the principal was in danger of losing his livelihood. He denied making these comments. After a thorough investigation, the local police deemed the recording to have been manipulated using AI [Jr. 2024].

The less talked about consequence of accessible and easy to create deepfakes is the rise of non-consensual explicit deepfake attacks on individuals. These attacks, along with being traumatic to the individual, are expanding the ever-present gender gap at the global level, inflicting consequences at the societal level [Kim 2024].

In the recent United States election, nearly half of American voters stated that deepfakes had an influence on their ballots [Genovese

2024]. Looking at this problem from a purely monetary perspective, CFO states that 92 percent of companies have experienced financial loss due to a deepfake [Zaki 2024]. This is a significant economic impact.

These are just a few of many examples of individuals who have been hurt by deepfake attacks. There is no question about the negative impact that deepfakes actively have on our lives. It is now imperative that an application is developed to reliably identify deepfakes so that fewer individuals are harmed.

3 LITERATURE REVIEW

4 SYSTEM MODEL / BACKGROUND

Numerous technologies and algorithms were explored to gather insights on the most effective methods for deepfake audio detection. In this section we will explore the complex features we utilized in our data preprocessing pipeline and discuss the sophisticated machine learning models we employed in our experiments.

4.1 MFCCs

Mel-Frequency Cepstral Coefficients, or MFCCs, are a widely used feature set for speech recognition and other audio processing applications. They are a competitive feature set because they mimic what the human ear perceives [Hamza et al. 2022]. The process of extracting MFCCs involves several steps that convert raw audio into a compact representation of its spectral characteristics. One of the key stages in this process is the de-correlation of the log energies from a filter bank. The following quote provides a more detailed explanation of how MFCC coefficients are derived:

"MFCC coefficients are obtained by de-correlating the output log energies of a filter bank which consists of triangular filters, linearly spaced on the Mel frequency scale. Conventionally an implementation of discrete cosine transform (DCT) known as distributed DCT (DCT - II) is used to de-correlate the speech as it is the best available approximation of the Karhunen-Loeve Transform (KLT)" [Hossan et al. 2010].

The resulting vector represents spectral acoustic features as floating-point numbers. These values capture essential characteristics of the audio that aid the model in distinguishing between real and fake samples. The vector's size is flexible and depends on user configuration.

Generating a vector of MFCC features was an essential step in our preprocessing efforts. In our experiments, we used a sampling rate of 22050 Hz, which resulted in 20 features for each audio sample. These features were then saved to a CSV file, making them available

Permission to make digital or hard copies of all or part of this work for personal or

Unpublished working draft. Not for distribution. This document is preliminary and distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

Conf 2024, Date, Place

© 2024 Copyright held by the owner/author(s). Publication rights licensed to ACM.
ACM ISBN XXXX-X-XXXX-XXXX-X/XX/XX
<https://doi.org/XXXXXXX.XXXXXXX>

for later model training. These features played a pivotal role in the model’s ability to make accurate decisions.

4.2 Mel-Spectrogram Images

Nora TODO

4.3 Convolutional Neural Networks

Nora TODO

4.3.1 VGG16. Nora TODO

4.3.2 ResNet50. Nora TODO

5 METHODOLOGY

6 RESULTS

7 FUTURE WORK

Nora TODO

8 CONCLUSION

ACKNOWLEDGMENTS

REFERENCES

Daniella Genovese. 2024. Nearly 50% of voters said deepfakes had some influence on election decision: survey. <https://www.foxbusiness.com/politics/nearly-50-voters-said-deepfakes-had-some-influence-election-decision>. Accessed: 2024-12-03.

Ameer Hamza, Abdul Rehman Rehman Javed, Farkhund Iqbal, Natalia Kryvinska, Ahmad S. Almadhor, Zunera Jalil, and Rouba Borghol. 2022. Deepfake Audio Detection via MFCC Features Using Machine Learning. *IEEE Access* 10 (2022), 134018–134028. <https://doi.org/10.1109/ACCESS.2022.3231480>

Md. Afzal Hossan, Sheeraz Memon, and Mark A Gregory. 2010. A novel approach for MFCC feature extraction. In *2010 4th International Conference on Signal Processing and Communication Systems*. 1–5. <https://doi.org/10.1109/ICSPCS.2010.5709752>

Judge Herbert B. Dixon Jr. 2024. The “Deepfake Defense”: An Evidentiary Conundrum. https://www.americanbar.org/groups/judicial/publications/judges_journal/2024/spring/deepfake-defense-evidentiary-conundrum/. Accessed: 2024-12-03.

Hyung-Jin Kim. 2024. In South Korea, rise of explicit deepfakes wrecks women’s lives and deepens gender divide. <https://www.pbs.org/newshour/world/in-south-korea-rise-of-explicit-deepfakes-wrecks-womens-lives-and-deepens-gender-divide>. Accessed: 2024-12-03.

Adam Zaki. 2024. 92to a deepfake. https://www.cfo.com/news/most-companies-have-experienced-financial-loss-due-to-a-deepfake-regula-report/732094/?utm_campaign=Yahoo-Licensed-Content&utm_source=yahoo&utm_medium=referral. Accessed: 2024-12-03.

Received XX December 2024; revised XX X XXXX; accepted X X XXXX