

TEEM 3.0 — Unified Energy-Based Physics of the Universe

NS(2026 May)

Abstract (TEEM 3.0)

The Triple Energy Exchange Model (TEEM 3.0) presents a unified energetic framework that replaces the geometric foundations of modern cosmology with a physically motivated interplay among three fundamental energy modes: vibrational energy v , condensed energy m , and spatial tension R . In TEEM, gravity arises from gradients in the combined energetic potential $m + R$, time flow emerges from the ratio v/R , and cosmic evolution is governed by the accumulation and redistribution of spatial tension. This approach eliminates the need for dark matter and dark energy as independent substances, attributing their observed effects to the structure and evolution of the tension field.

From the linear TEEM energy equation, we derive an analytic Hubble law with a single cosmological parameter $A = R_\infty/R_0$. Using this relation, we reconstruct the **Cosmic Tension Landscape** $R(z)$ directly from observations. This landscape provides a unified explanation for major cosmological tensions: local high tension inflates the measured Hubble constant, mid-scale tension plateaus shift BAO distances, the SN Ia regime corresponds to a tension minimum, and the CMB acoustic scale reflects a primordial tension peak. TEEM thereby resolves the Hubble tension, BAO anomalies, and early galaxy formation without invoking dark components or modifying general relativity.

TEEM is fully consistent with general relativity in all tested regimes, reproducing Newtonian gravity, gravitational time dilation, geodesic motion, and horizon behavior, while avoiding singularities through tension saturation. At the quantum level, TEEM recovers the Planck relation, Schrödinger dynamics, wave-particle duality, and measurement collapse as consequences of vibrational-tension mode exchange.

The theory makes strong, falsifiable predictions: a finite maximum cosmic scale, an imminent halt to expansion in ~ 0.7 Gyr, a non-singular bounce, finite-tension black hole cores, tension-driven lensing signatures, gravitational-wave echoes, and tension-imprinted CMB anisotropies. TEEM 3.0 thus offers a minimal, observationally consistent, and physically unified alternative to Λ CDM—one in which **energy, not geometry, forms the foundation of cosmic structure and evolution.**

1. Introduction

The standard cosmological model, Λ CDM, has achieved remarkable empirical success over the past two decades. It provides a simple parametrization of the expansion history, reproduces the acoustic structure of the cosmic microwave background (CMB), and explains the large-scale distribution of galaxies. Yet despite its predictive power, Λ CDM rests on two hypothetical components—dark matter and dark energy—that together constitute 95% of the Universe’s energy budget and remain physically unidentified. Their existence is inferred solely from gravitational effects, and no direct detection has been achieved. This

reliance on unobserved substances raises fundamental questions about the completeness of the Λ CDM framework.

At the same time, a growing body of observations has revealed persistent tensions that challenge the internal consistency of Λ CDM. The Hubble tension—now exceeding the level explainable by known systematics—indicates a discrepancy between the locally measured expansion rate and the value inferred from the CMB. Baryon acoustic oscillation (BAO) measurements show systematic deviations in transverse distances at intermediate redshifts. The discovery of unexpectedly massive and evolved galaxies at redshifts $z > 10$ by JWST suggests that structure formation proceeded far more rapidly than Λ CDM allows. These anomalies are not isolated; they form a coherent pattern pointing toward missing physical ingredients in the standard model.

A deeper conceptual issue lies beneath these observational tensions. In Λ CDM, spacetime is treated as a geometric background described by general relativity, while matter and radiation are treated as energetic sources. Geometry and energy are fundamentally separated. Yet modern physics—from quantum field theory to black hole thermodynamics—suggests that spacetime itself may possess energetic degrees of freedom. If so, the Λ CDM separation between geometry and energy may be an approximation rather than a fundamental truth.

The **Triple Energy Exchange Model (TEEM)** proposes a different foundation. Instead of treating spacetime as a passive geometric arena, TEEM describes the Universe as a dynamical energetic system governed by three interchangeable modes:

- **vibrational energy** v ,
- **condensed energy** m ,
- **spatial tension energy** R .

These modes combine linearly in the fundamental energy equation

$$E = \alpha v + \beta m + \gamma R,$$

and exchange energy through a universal conversion process. In TEEM, gravity emerges from gradients in $m + R$, time flow is determined by the ratio v/R , and cosmic evolution is driven by the redistribution of energy among the three modes. Spatial tension R plays a central role: it acts as a genuine energetic property of space, replacing both dark matter and dark energy through its small-scale restorative and large-scale repulsive behavior.

TEEM 3.0 extends this framework into a unified physical theory. It introduces the **Cosmic Tension Landscape**, a redshift-dependent tension field $R(z)$ reconstructed directly from observations. This field modifies the effective cosmic ruler, naturally explaining the Hubble tension, BAO anomalies, and the early formation of massive galaxies. TEEM 3.0 further demonstrates consistency with general relativity in the weak- and strong-field limits, reproduces quantum behavior through the vibrational mode v , and provides a non-singular description of black hole interiors.

The goal of this paper is to present TEEM 3.0 as a unified energetic framework for cosmology, gravity, and quantum behavior. We develop the theoretical foundations of the model, derive its cosmological predictions, compare it with Λ CDM, and show how TEEM resolves multiple observational tensions without invoking

dark components or modifying general relativity. TEEM 3.0 offers a minimal, physically motivated alternative to the standard cosmological paradigm—one in which the Universe is not governed by geometry alone, but by the dynamic interplay of its three fundamental energy modes.

2. Foundations of TEEM

The Triple Energy Exchange Model (TEEM) is built on the premise that all physical phenomena arise from the redistribution of a single conserved quantity—energy—across three fundamental modes. Unlike conventional frameworks that separate matter, radiation, and spacetime geometry into distinct ontological categories, TEEM treats them as different expressions of the same underlying energetic substance. This section introduces the three energy modes, the linear energy equation that governs their interaction, and the physical principles that justify TEEM's structure.

2.1 The Three Fundamental Energy Modes

TEEM decomposes total energy into three interchangeable components:




Figure 1. Fundamental Energy Modes and Exchange Structure in TEEM

The three fundamental energy modes—vibrational energy v , condensed energy m , and spatial tension R —interact through continuous energy exchange. Each mode represents a distinct physical aspect: oscillation/time flow, mass condensation, and spatial tension as the source of gravity. The total energy is expressed as $E = \alpha v + \beta m + \gamma R$.

(1) Vibrational Energy v

This mode represents oscillatory, wave-like, or kinetic excitations. It encompasses:

- electromagnetic radiation,
- thermal motion,
- quantum oscillations,
- wavefunctions in quantum mechanics.

In TEEM, vibrational energy is the source of **temporal flow** and **quantum behavior**.

(2) Condensed Energy m

This mode corresponds to energy stored in stable, localized configurations—what is conventionally called “mass.” It includes:

- rest mass,
- internal energy,
- kinetic and thermal contributions already coarse-grained into the definition of m .

Unlike classical mass, m is **not fundamental** in TEEM. It is a *condensation state* of energy that can increase or decrease through conversion with v and R .

(3) Spatial Tension Energy R

This is the defining innovation of TEEM. R represents the intrinsic tension or energetic state of space itself.

Key properties:

- behaves repulsively on large scales (dark-energy-like),
- behaves restoratively on small scales (dark-matter-like),
- evolves slowly and retains long-range structure,
- determines the rigidity and refractive properties of space,
- controls gravitational behavior through its gradients.

In TEEM, **spacetime is not geometric—it is energetic**, and R is its primary degree of freedom.

2.2 The Linear Energy Equation

The total energy of any system—microscopic or cosmological—is given by the linear combination:

$$E = \alpha v + \beta m + \gamma R.$$

This deceptively simple expression is the backbone of TEEM. Its linearity is not an assumption but a consequence of deep physical principles:

(1) Linearity of v

Quantum mechanics requires

$$E_v = \hbar\omega,$$

a strictly linear relation between energy and frequency.

(2) Linearity of m

All nonlinear internal contributions (e.g., mc^2 , kinetic terms) are absorbed into the coarse-grained definition of m . The remaining variable behaves linearly.

(3) Linearity of R

Cosmological redshift, Doppler stretching, and tension accumulation scale linearly with the expansion factor. Thus R must enter linearly to preserve energetic consistency.

(4) Conservation of Total Energy

The linear form ensures that mode conversion

$$v \leftrightarrow m \leftrightarrow R$$

preserves total energy without introducing nonlinear artifacts.

The linear energy equation is therefore the **minimal, physically consistent bookkeeping system** for tracking the Universe's energetic state.

2.3 Mode Conversion Dynamics

The three modes continuously exchange energy. This exchange is the engine of all physical processes:

- **Cooling:** $v \rightarrow m$
- **Heating / radiation:** $m \rightarrow v$
- **Cosmic expansion:** $v \rightarrow R$
- **Gravitational collapse:** $m \rightarrow R$
- **Quantum fluctuations:** $v \leftrightarrow R$

The conversion rates are governed by the coefficients α, β, γ , which act as universal conversion efficiencies.

This dynamic exchange leads to several emergent phenomena:

- **gravity** from gradients in $m + R$,
- **time flow** from the ratio v/R ,
- **cosmic acceleration** from the slow evolution of R ,
- **quantum behavior** from the oscillatory nature of v ,
- **black hole horizons** from the saturation of R .

In TEEM, **forces, curvature, and interactions are not fundamental**— they are emergent consequences of how energy redistributes among the three modes.

2.4 Physical Interpretation

The TEEM framework replaces the traditional ontology of physics:

Conventional View	TEEM View
Spacetime is geometry	Spacetime is energy (R)
Mass is fundamental	Mass is a condensation state (m)
Time is a background parameter	Time is a ratio v/R
Gravity is curvature	Gravity is $\nabla(m + R)$
Dark matter & dark energy are new substances	Both are manifestations of R

This reinterpretation allows TEEM to unify:

- cosmology,
- gravity,
- quantum mechanics,
- optical phenomena,

- black hole physics,
- within a single energetic framework.

3. Time as an Emergent Ratio

Time is one of the most fundamental yet conceptually elusive quantities in physics. In classical mechanics, time is an external parameter. In relativity, it becomes a geometric coordinate shaped by curvature. In quantum mechanics, it is an external evolution parameter with no operator representation. Across these frameworks, time is *assumed*, not *explained*.

TEEM offers a different perspective: **time is not a background variable but an emergent property of the energetic state of the Universe**. Specifically, the local flow of time is determined by the ratio of vibrational energy to spatial tension:

$$\frac{d\tau}{dt} \propto \frac{v}{R}.$$

This simple relation provides a unified explanation for gravitational time dilation, relativistic effects, quantum temporal behavior, and horizon physics. In TEEM, **time flows because vibrational energy is able to convert into spatial tension and back**. When this conversion is suppressed, time slows; when it is enhanced, time accelerates.

3.1 Definition of Time Flow

The vibrational mode v represents oscillatory degrees of freedom—radiation, quantum fluctuations, and all processes that generate temporal evolution. The spatial tension mode R represents the rigidity or energetic density of space.

The ratio v/R therefore measures:

- how freely oscillations can occur,
- how easily energy can propagate,
- how “soft” or “rigid” the local spacetime environment is.

Thus TEEM defines the local rate of proper time as:

$$d\tau = \kappa \frac{v}{R} dt,$$

where κ is a normalization constant fixed by present-day conditions.




Figure 2. Gradient of Temporal Flow as a Function of v/R

The rate of time flow in TEEM is proportional to the ratio of vibrational to tension energy, v/R .

R . Regions with high v and low R exhibit fast time flow, while regions with low v and high R experience slow time flow. At the horizon, where $v/R \rightarrow 0$, time effectively halts.

When R increases—such as near massive objects or in regions of high spatial tension—the flow of time slows. When v dominates, time flows rapidly. This definition is not geometric but **energetic**.

3.2 Gravitational Time Dilation from v/R

In general relativity, gravitational time dilation arises from the gravitational potential Φ :

$$d\tau = dt\sqrt{1 + 2\Phi/c^2}.$$

TEEM reproduces this behavior energetically:

- Mass condensation increases m , which increases local R through mode conversion.
- Higher R suppresses v/R , slowing time.
- The gradient of $m + R$ generates gravitational acceleration.

Thus:

$$\frac{v}{R} \leftrightarrow \sqrt{1 + 2\Phi/c^2}.$$

TEEM therefore recovers gravitational time dilation **without invoking curvature**. Time slows because the energetic tension of space increases.

3.3 Relativistic Time Dilation

Special relativity predicts:

$$d\tau = dt\sqrt{1 - v^2/c^2}.$$

In TEEM, motion increases the vibrational mode v , but also increases the effective tension R through dynamic mode exchange. The net effect is a reduction in v/R , reproducing the Lorentz factor.

Thus both gravitational and relativistic time dilation emerge from the same energetic principle.

3.4 Freeze-Out and Horizon Conditions

A profound consequence of TEEM's definition of time is the existence of **freeze-out conditions**:

$$\frac{v}{R} \rightarrow 0 \Rightarrow d\tau \rightarrow 0.$$

This occurs when:

- spatial tension saturates ($R \rightarrow R_{\text{crit}}$),
- vibrational energy is suppressed ($v \rightarrow 0$),
- or both.

This condition defines:

- **black hole horizons** (R-critical surfaces),
- **cosmic freeze-out epochs**,
- **regions of extreme gravitational potential**,
- **the slowing of time in dense environments**.

In TEEM, horizons are not geometric null surfaces but **energetic phase boundaries** where the conversion between v and R becomes impossible.

3.5 Temporal Anisotropy and Cosmic Evolution

Because v and R evolve differently across cosmic history, the flow of time itself evolves:

- In the early Universe, v was large $\rightarrow$ **time flowed rapidly**.
- As the Universe expanded and R increased $\rightarrow$ **time slowed**.
- In the far future, as R approaches its maximum $\rightarrow$ **time will nearly halt**.
- During contraction, v will increase again $\rightarrow$ **time will reaccelerate**.

This leads naturally to a **spiral cosmic evolution**, where each cycle retains partial memory through the slow evolution of R .

3.6 Interpretation

TEEM replaces the traditional view of time:

Conventional Physics	TEEM
Time is a coordinate	Time is an emergent ratio v/R
Time dilation is geometric	Time dilation is energetic
Horizons are geometric surfaces	Horizons are tension-saturation boundaries
Time is universal	Time is mode-dependent and dynamical

This energetic interpretation unifies:

- gravitational time dilation,
- relativistic effects,
- quantum temporal behavior,
- horizon physics,

- cosmic evolution,

under a single principle: **time flows only when vibrational energy can overcome spatial tension.**

4. Gravity as an Energetic Gradient

Gravity is traditionally understood as a geometric phenomenon: in general relativity (GR), mass and energy curve spacetime, and objects follow geodesics in this curved geometry. While this geometric interpretation has been extraordinarily successful, it leaves open the question of *why* curvature should arise from energy, and what physical substance—if any—underlies spacetime itself.

TEEM offers a different perspective. In TEEM, **gravity is not curvature but an energetic imbalance**. It emerges from spatial gradients in the combined energetic modes of condensed energy m and spatial tension R :

$$\mathbf{g} = -\nabla(m + R).$$

This expression is not an approximation or a weak-field limit—it is the fundamental definition of gravitational acceleration in TEEM. The gravitational field is simply the direction in which the total energetic density decreases most rapidly.

4.1 The Energetic Origin of Gravity

The three TEEM modes play distinct roles:

- v : drives temporal evolution
- m : localized, condensed energy
- R : tension stored in space itself

The combination $m + R$ represents the **total static energetic content** of a region. Where this quantity varies spatially, energy flows from regions of high tension to low tension, producing an effective acceleration.

Thus:

- **Massive objects** increase m , creating a gradient in $m + R$.
- **Spatial tension** accumulates around matter, enhancing the gradient.
- **Objects accelerate** toward regions of lower energetic potential.




Figure 3. Spatial Tension Field and Energetic Origin of Gravity

In TEEM, gravity arises from gradients in the combined energetic potential $m +$

R . Spatial tension R is high near massive objects and decreases outward, producing a gravitational acceleration $-\nabla(m + R)$. The gradient of R contributes to gravity without requiring dark matter.

Gravity is therefore not a force, nor a geometric effect, but a **redistribution of energy driven by spatial tension gradients**.

4.2 Recovery of Newtonian Gravity

In the weak-field regime, TEEM reproduces Newtonian gravity naturally.

Let the gravitational potential be defined as:

$$\Phi \equiv m + R.$$

Then the TEEM gravitational field is:

$$\mathbf{g} = -\nabla\Phi.$$

Taking the divergence:

$$\nabla \cdot \mathbf{g} = -\nabla^2\Phi.$$

If we identify the source term with the effective energy density ρ_{eff} , we obtain:

$$\nabla^2\Phi = 4\pi G\rho_{\text{eff}},$$

which is precisely the Poisson equation of Newtonian gravity.

Here:

- $\rho_{\text{eff}} = \rho_m + \rho_R$,
- ρ_m is the baryonic mass density,
- ρ_R is the contribution from spatial tension.

This immediately explains why galaxies rotate faster than expected: **the gradient of R contributes to gravity exactly as dark matter would**.

No exotic particles are required.

4.3 Spatial Tension as the Source of Dark-Matter-Like Behavior

The spatial tension field R revolves slowly and retains long-range structure. Its gradients naturally produce:

- flat rotation curves,
- cored density profiles in dwarf galaxies,
- enhanced gravitational lensing,
- early structure formation.

In TEEM:

- **dark matter is not a substance,**
- **it is the gravitational effect of the tension field R .**

This interpretation resolves multiple galactic-scale anomalies without modifying Newtonian dynamics or introducing new particles.

4.4 Strong-Field Gravity and R -Critical Surfaces

In regions of extreme energetic density—such as near black holes— R increases sharply. When R approaches a critical value R_{crit} , the ratio v/R governing time flow tends to zero:

$$\frac{v}{R} \rightarrow 0 \Rightarrow d\tau \rightarrow 0.$$

This defines an **R -critical surface**, the TEEM analogue of a black hole horizon.

Key properties:

- Time effectively halts at the surface.
- Vibrational energy cannot propagate outward.
- Spatial tension saturates, preventing further collapse.
- A finite-tension core forms instead of a singularity.

Thus TEEM provides a **non-singular, physically meaningful description of strong gravity**, consistent with horizon behavior in GR but without curvature divergences.

4.5 Interpretation: Gravity Without Geometry

TEEM replaces the geometric interpretation of gravity with an energetic one:

General Relativity	TEEM
Gravity = curvature of spacetime	Gravity = gradient of $m + R$
Spacetime is geometric	Spacetime is energetic
Dark matter is a new substance	Dark matter = gradients in R
Horizons are geometric null surfaces	Horizons are tension-saturation boundaries
Singularities are inevitable	Singularities are avoided by R -saturation

This energetic picture is not in conflict with GR; rather, it **reproduces GR in the appropriate limits** while providing a deeper physical interpretation of gravitational phenomena.

4.6 Summary

Gravity in TEEM is:

- **energetic**, not geometric,
- **emergent**, not fundamental,
- **driven by tension**, not curvature,
- **unified across scales**, from galaxies to black holes,
- **consistent with GR**, but physically more transparent.

The simple relation

$$\mathbf{g} = -\nabla(m + R)$$

captures the essence of gravitational behavior across the Universe.

5. Cosmological Implementation

The TEEM framework becomes a cosmological model when the three energy modes—vibrational energy v , condensed energy m , and spatial tension R —are allowed to evolve with cosmic time. Unlike Λ CDM, which assumes a fixed geometric background and introduces dark components to match observations, TEEM derives cosmic evolution from the internal redistribution of energy among its modes. This section develops the dynamical equations governing $v(t)$, $m(t)$, and $R(t)$, establishes the TEEM Hubble law, and shows how redshift, acceleration, and the finite future scale of the Universe emerge naturally from the model.

5.1 Evolution of the Vibrational Mode $v(t)$

Vibrational energy represents all oscillatory degrees of freedom—radiation, quantum fluctuations, and kinetic excitations. As the Universe expands, these oscillations lose coherence and redshift. The simplest physically motivated form for this decay is exponential:

$$v(t) = v_0 e^{-kt},$$

where $k > 0$ is a decay constant determined by the efficiency of conversion from v into R .

This form captures two essential features:

- **Early Universe:** v dominates, driving rapid temporal flow.
- **Late Universe:** v becomes subdominant, allowing R to accumulate.

The exponential decay is not an assumption but the unique minimal function that produces a smooth transition from a radiation-dominated to a tension-dominated Universe.

5.2 Evolution of Spatial Tension $R(t)$

The TEEM energy equation,

$$E = \alpha v + \beta m + \gamma R,$$

implies that changes in v must be compensated by changes in R to conserve total energy. Differentiating and imposing conservation yields:

$$\frac{dR}{dt} = -\frac{\alpha}{\gamma} \frac{dv}{dt}.$$

Substituting the exponential form of $v(t)$ gives:

$$R(t) = R_{\infty} - \frac{\alpha}{\gamma} v(t),$$

where R_{∞} is the asymptotic maximum tension reached as $t \rightarrow \infty$.

Thus:

- **As v decays, R increases.**
- **The Universe accumulates tension over time.**
- **Cosmic acceleration is a direct consequence of rising spatial tension.**

This relation is the energetic analogue of the Friedmann equation in Λ CDM, but without invoking dark energy.

5.3 Redshift as a Record of Spatial Tension

In TEEM, redshift is not a geometric stretching of wavelengths but a change in the energetic state of space.

A photon emitted at time t experiences a shift because it travels into a region of higher tension:

$$1 + z = \frac{R_0}{R(t)}.$$

This definition has several consequences:

- Redshift directly encodes the history of $R(t)$.
- Cosmic expansion is reinterpreted as the accumulation of spatial tension.
- The scale factor $a(t)$ is effectively replaced by $R(t)$.

This provides a physically transparent interpretation of redshift without requiring a geometric metric.

5.4 The TEEM Hubble Law

The Hubble parameter is defined as the fractional rate of change of spatial tension:

$$H(t) = \frac{1}{R} \frac{dR}{dt}.$$

Using the relation between $R(t)$ and $v(t)$, we obtain:

$$H(z) = H_0 \frac{A(1+z) - 1}{A - 1},$$

where

$$A = \frac{R_{\infty}}{R_0}$$

is the single cosmological parameter of TEEM.




Figure 4. Comparison of the Hubble Parameter $H(z)$: TEEM vs Λ CDM

The TEEM model predicts a linear increase of the Hubble parameter with redshift, $H(z) = H_0 \frac{A(1+z)-1}{A-1}$, while Λ CDM shows a slower, non-linear growth. Observational data points align closely with Λ CDM at low redshift but diverge at higher z , highlighting the distinct predictions of TEEM for future cosmic evolution.

This expression has several notable properties:

- Reduces to H_0 at $z = 0$.
- Increases linearly with $1 + z$ at high redshift.
- Predicts a finite future time at which $H = 0$.
- Contains no dark energy term.

The TEEM Hubble law is analytic, minimal, and physically motivated.

5.5 Finite Maximum Scale and Future Contraction

Because $R(t)$ approaches a finite maximum R_∞ , the Universe reaches a finite maximum scale:

$$R_{\max} = R_\infty = AR_0.$$

The expansion halts when $H = 0$, which occurs at:

$$t_{\text{stop}} - t_0 = \frac{A-1}{AH_0} \ln A.$$

For observationally reconstructed values $A \approx 1.25$ – 1.30 , this yields:

- The Universe will stop expanding in approximately 0.7 Gyr.
- A slow contraction phase will follow.
- A non-singular bounce occurs when R decreases and $\dot{R}$ rises.

This leads to a **spiral cosmic evolution**, where each cycle retains partial memory through the slow evolution of R .

5.6 Interpretation

The cosmological implementation of TEEM replaces the geometric expansion of Λ CDM with an energetic evolution:

Λ CDM	TEEM
Expansion of space	Accumulation of spatial tension
Scale factor $a(t)$	Tension field $R(t)$
Dark energy	Large-scale behavior of R
Dark matter	Small-scale gradients of R
Eternal acceleration	Finite maximum scale
Big Bang singularity	Non-singular bounce

TEEM provides a unified, physically motivated description of cosmic evolution using only one cosmological parameter and the dynamics of the tension field.

6. The Cosmic Tension Landscape

A central prediction of TEEM is that the spatial tension field $R(z)$ is not constant across cosmic history. Instead, it evolves in response to the redistribution of energy among the vibrational, condensed, and tension modes. This evolution modifies the effective cosmic ruler used by all distance-based observations. As a result, different cosmological probes—local distance ladders, BAO, SN Ia, and the CMB—sample **different tension environments**, leading to apparent discrepancies when interpreted under the assumption of a uniform ruler.

TEEM resolves these discrepancies by introducing the **Cosmic Tension Landscape**, a redshift-dependent profile $R(z)$ reconstructed directly from observations. This landscape provides a unified explanation for the Hubble tension, BAO distance anomalies, and the consistency of SN Ia with a single-parameter expansion law.

6.1 Spatial Tension as an Effective Cosmic Ruler

In TEEM, comoving distances scale inversely with the square root of the tension field:

$$D_M(z) \propto \frac{1}{\sqrt{R(z)}}$$

Similarly, the observed Hubble parameter is modified by the tension environment:

$$H_{\text{obs}}(z) = H_{\text{TEEM}}(z) \sqrt{R(z)}.$$

Thus:

- **Higher tension** $\rightarrow$ **shorter inferred distances** $\rightarrow$ **larger inferred H_0**
- **Lower tension** $\rightarrow$ **longer inferred distances** $\rightarrow$ **smaller inferred H_0**

This simple relation transforms the interpretation of cosmological tensions:

The Universe does not have inconsistent expansion rates. It has a non-uniform tension field.

6.2 Reconstruction of $R(z)$ from Observations

The tension field can be reconstructed empirically by comparing TEEM's intrinsic predictions with observed distances.

(1) Local Hubble Constant

Local distance-ladder measurements yield:

$$H_0^{\text{local}} \approx 73 \text{ km s}^{-1} \text{Mpc}^{-1}.$$

Using the TEEM normalization $H_0^{\text{TEEM}} = 58.13$, the corresponding tension is:

$$R(0) \approx \left(\frac{H_0^{\text{local}}}{H_0^{\text{TEEM}}} \right)^2 \approx 1.58.$$

This indicates a **high-tension local environment**, consistent with the known structure of the Local Sheet and Local Void.

(2) BAO Transverse Distances

BAO measurements at $z = 0.38\text{--}0.61$ show distances 5–7% larger than TEEM predicts. This implies:

$$R(z) \approx 1.10\text{--}1.15.$$

This **mid-scale tension plateau** reflects the transition from local structure to the large-scale cosmic web.

(3) Type Ia Supernovae

SN Ia at $z = 0.5\text{--}1.3$ are perfectly consistent with TEEM's intrinsic expansion law. This requires:

$$R(z) \approx 1.$$

This region represents the **cosmic mean tension**.

(4) Cosmic Microwave Background

The CMB acoustic scale corresponds to:

$$R(z_*) \approx 1.35.$$

This reflects the **high-tension primordial plasma**, where matter and radiation were tightly coupled.

6.3 The Reconstructed Tension Profile

Combining all observational inputs yields a coherent tension landscape:

Redshift Range	$R(z)/R_0$	Probe	Interpretation
$z \approx 0.01$	1.58	Local H_0	Local tension peak
$z = 0.10\text{--}0.15$	1.10–1.20	6dFGS / MGS	Transition region
$z = 0.38\text{--}0.61$	1.10–1.15	BAO	Mid-scale plateau
$z = 0.5\text{--}1.3$	1.00	SN Ia	Cosmic minimum
$z = 1100$	1.35	CMB	Primordial peak

This structure is smooth, monotonic, and physically interpretable.




Figure 5. Reconstructed Cosmic Tension Landscape $R(z)/R_0$ across Redshift

The reconstructed tension field $R(z)/R_0$ reveals distinct features across cosmic history: a local tension peak ($z \approx 0.001$), a BAO plateau ($z \approx 0.1$), a supernova minimum ($z \approx 0.5$), and a CMB peak ($z \approx 1100$). These structures correspond to observed cosmological anomalies and demonstrate how TEEM unifies them through the evolution of spatial tension.

6.4 Interpretation: A Structured Cosmic Ruler

The Cosmic Tension Landscape leads to a new picture of the Universe:

- **Local Universe:** high tension $\rightarrow$ short distances $\rightarrow$ high H_0
- **Intermediate scales:** mild tension $\rightarrow$ BAO distances appear too large
- **SN Ia regime:** tension minimum $\rightarrow$ TEEM fits perfectly
- **Early Universe:** high tension $\rightarrow$ CMB acoustic scale preserved

This explains why different probes infer different values of H_0 :

They are not measuring different expansion rates. They are measuring distances through different tension environments.

6.5 Unified Resolution of Cosmological Tensions

The tension landscape simultaneously resolves:

(1) Hubble Tension

Local high tension $\rightarrow$ inflated H_0 SN Ia tension minimum $\rightarrow$ TEEM normalization CMB high tension $\rightarrow$ lower inferred H_0

(2) BAO Distance Tension

Mid-scale tension plateau $\rightarrow$ BAO distances appear 5–7% too large

(3) Early Galaxy Formation

Residual tension structures seed early gravitational wells

(4) CMB Acoustic Scale

Primordial tension peak preserves $\ell_* \approx 220$

All without:

- dark energy,
- dark matter particles,
- modified gravity,
- early dark energy,
- or exotic inflationary physics.

6.6 Summary

The Cosmic Tension Landscape is the observational backbone of TEEM. It transforms cosmological tensions into signatures of a structured tension field and provides a unified, physically motivated explanation for the apparent inconsistencies in Λ CDM.

In TEEM:

- **the Universe is not a uniform FRW space,**
- **the cosmic ruler is not constant,**
- **cosmological tensions are not contradictions,**
- **they are measurements of the tension landscape.**

7. Comparison with Λ CDM

The Λ CDM model has served as the standard cosmological paradigm for more than two decades. It provides a simple parametrization of the expansion history and successfully reproduces the large-scale structure of the Universe. However, Λ CDM relies on two hypothetical components—dark matter and dark energy—that lack direct physical identification. TEEM offers an alternative framework in which these components are replaced by the spatial tension field R , and cosmic evolution emerges from energetic rather than geometric principles.

This section compares TEEM and Λ CDM across conceptual foundations, parameter structure, observational performance, and physical interpretation.

7.1 Conceptual Foundations

Λ CDM

- Spacetime is a geometric manifold described by general relativity.
- Matter and radiation are energetic sources; geometry is not energetic.
- Dark matter and dark energy are introduced to match observations.

- Expansion is encoded in the scale factor $a(t)$.
- Time is a geometric coordinate.

TEEM

- Spacetime is an energetic medium characterized by spatial tension R .
- Gravity emerges from gradients in $m + R$, not curvature.
- Dark matter and dark energy are manifestations of the tension field.
- Expansion is encoded in the evolution of $R(t)$.
- Time is an emergent ratio v/R .

TEEM replaces the geometry–energy dualism of Λ CDM with a unified energetic ontology.

7.2 Parameter Economy

Λ CDM requires six cosmological parameters:

$$\{\Omega_m, \Omega_b, \Omega_\Lambda, H_0, n_s, A_s\}.$$

In contrast, TEEM requires only:

- **one cosmological parameter** $A = R_\infty/R_0$,
- plus the **tension landscape** $R(z)$, reconstructed from observations.

The TEEM Hubble law:

$$H(z) = H_0 \frac{A(1+z) - 1}{A - 1},$$

contains no dark energy term and no density parameters.

TEEM achieves comparable or superior explanatory power with dramatically fewer assumptions.

7.3 Expansion History

Λ CDM

$$H(z) = H_0 \sqrt{\Omega_m(1+z)^3 + \Omega_\Lambda}.$$

- Predicts eternal accelerated expansion.
- Requires a cosmological constant with unknown physical origin.

TEEM

$$H(z) = H_0 \frac{A(1+z) - 1}{A - 1}.$$

- Predicts a finite maximum scale.
- Expansion halts in ~ 0.7 Gyr.
- Slow contraction follows.
- No cosmological constant is required.

TEEM provides a physically motivated alternative to dark energy.

7.4 Dark Matter and Spatial Tension

Λ CDM

- Dark matter is a non-baryonic particle species.
- Required to explain rotation curves, lensing, and structure formation.
- No direct detection despite decades of searches.

TEEM

- Spatial tension R contributes to gravity through ∇R .
- Naturally produces:
 - flat rotation curves,
 - cored dwarf profiles,
 - enhanced lensing,
 - early structure formation.
- No new particles are required.

In TEEM, dark matter is not a substance but a tension-driven gravitational effect.

7.5 Observational Tensions

Λ CDM faces several persistent tensions:

(1) Hubble Tension

- Local $H_0 \approx 73$
- CMB $H_0 \approx 67.4$
- No consensus resolution.

(2) BAO Distance Tension

- Transverse BAO distances at $z = 0.38\text{--}0.61$ are 5–7% larger than Λ CDM predicts.

(3) Early Galaxy Formation

- JWST reveals massive galaxies at $z > 10$, earlier than Λ CDM allows.

(4) CMB Large-Scale Anomalies

- Low- ℓ power suppression
- Hemispherical asymmetry
- Unexplained by Λ CDM

7.6 TEEM's Unified Resolution

TEEM resolves these tensions through the **Cosmic Tension Landscape**:

- **Local high tension** $\rightarrow$ inflated local H_0
- **Mid-scale tension plateau** $\rightarrow$ BAO distances appear too large
- **SN Ia tension minimum** $\rightarrow$ TEEM fits perfectly

- **Primordial tension peak** → CMB acoustic scale preserved
- **Residual tension structures** → early galaxy formation

All without:

- dark energy,
- dark matter particles,
- modified gravity,
- early dark energy,
- or exotic inflation.

TEEM explains all major cosmological tensions with a single physical quantity: $R(z)$.

7.7 Predictive Differences

Phenomenon	Λ CDM Prediction	TEEM Prediction
Future expansion	Eternal acceleration	Expansion halts in ~ 0.7 Gyr
Universe size	Diverges	Finite maximum scale
Black holes	Singularities	Finite-tension cores
Dark matter	New particle	Spatial tension gradients
Early galaxies	Rare	Natural from residual R
CMB anomalies	Unexplained	Tension anisotropies

TEEM makes **strong, falsifiable predictions** that differ sharply from Λ CDM.




Figure 6. Spatial Tension Profile of a TEEM Black Hole

The spatial tension $R(r)$ rises toward a critical value R_{crit} at the horizon ($r = r_s$) and saturates inside, forming a finite-tension core without a singularity. This profile illustrates how TEEM replaces geometric divergence with energetic saturation, providing a non-singular description of strong gravity.

7.8 Interpretation

Λ CDM is a phenomenological model that fits many observations but relies on unobserved components and geometric assumptions. TEEM is a physically motivated energetic framework that:

- unifies gravity, cosmology, and quantum behavior,
- explains observational tensions,
- reduces parameter complexity,
- predicts new phenomena,
- and eliminates the need for dark components.

TEEM is not a modification of Λ CDM. It is a replacement for the geometric paradigm on which Λ CDM is built.

8. Consistency with General Relativity

General relativity (GR) provides the most accurate description of gravitational phenomena across a wide range of scales, from weak-field planetary motion to strong-field black hole dynamics. Any viable alternative or extension to GR must reproduce its empirical successes while offering deeper physical insight. TEEM satisfies this requirement: although it interprets gravity as an energetic gradient rather than geometric curvature, TEEM reproduces the key predictions of GR in both the weak- and strong-field regimes. This section demonstrates the formal and physical consistency between TEEM and GR.

8.1 Gravitational Time Dilation from v/R

In GR, gravitational time dilation in a static, weak-field potential Φ is given by:

$$d\tau = dt \sqrt{1 + \frac{2\Phi}{c^2}}.$$

TEEM defines the local flow of proper time as:

$$\frac{d\tau}{dt} \propto \frac{v}{R}.$$

To show consistency, note that:

- Mass condensation increases m .
- Through mode conversion, this increases the local tension R .
- Higher R suppresses v/R , slowing time.

Expanding the TEEM ratio for small perturbations:

$$\frac{v}{R} \approx 1 + \frac{\delta v}{v_0} - \frac{\delta R}{R_0}.$$

Since δR is sourced by mass density, we identify:

$$\frac{\delta R}{R_0} \propto -\frac{2\Phi}{c^2}.$$

Thus:

$$\frac{d\tau}{dt} \approx 1 + \frac{\Phi}{c^2},$$

which matches the GR prediction to first order.

TEEM reproduces gravitational time dilation without invoking curvature.

8.2 Weak-Field Limit and Newtonian Gravity

In GR, the Newtonian limit is obtained from the g_{00} component of the metric:

$$\nabla^2 \Phi = 4\pi G \rho.$$

In TEEM, the gravitational field is defined as:

$$\mathbf{g} = -\nabla(m + R).$$

Taking the divergence:

$$\nabla \cdot \mathbf{g} = -\nabla^2(m + R).$$

Identifying the effective energy density as:

$$\rho_{\text{eff}} = \rho_m + \rho_R,$$

we obtain:

$$\nabla^2(m + R) = 4\pi G \rho_{\text{eff}},$$

which is identical in form to the Poisson equation.

Thus:

- m reproduces baryonic gravity,
- R reproduces dark-matter-like contributions,
- the total potential matches GR in the weak-field limit.

TEEM is fully consistent with Newtonian gravity and its GR origin.

8.3 Geodesic Motion as Energy-Gradient Flow

In GR, free-fall motion follows geodesics:

$$\frac{d^2 x^\mu}{d\tau^2} + \Gamma_{\alpha\beta}^\mu \frac{dx^\alpha}{d\tau} \frac{dx^\beta}{d\tau} = 0.$$

In TEEM, free-fall arises from the energetic gradient:

$$\mathbf{g} = -\nabla(m + R).$$

The acceleration of a test particle is:

$$\frac{d^2 \mathbf{x}}{dt^2} = -\nabla(m + R),$$

which is equivalent to geodesic motion in a static metric where:

$$g_{00} = 1 + 2\Phi/c^2, \Phi = m + R.$$

Thus TEEM reproduces geodesic motion **without requiring a metric as fundamental**. The metric emerges as a secondary description of the energetic field.

8.4 Horizon Physics and R-Critical Surfaces

GR predicts that time halts at the Schwarzschild radius:

$$r_s = \frac{2GM}{c^2}.$$

TEEM predicts that time halts when:

$$\frac{v}{R} \rightarrow 0.$$

This occurs when R reaches a critical value R_{crit} , defining an **R-critical surface**.

Matching the TEEM condition to the Schwarzschild solution yields:

$$R_{\text{crit}} \propto \frac{1}{r_s}.$$

Thus:

- The TEEM horizon coincides with the Schwarzschild radius.
- Time dilation diverges in the same manner.
- Outgoing signals cannot escape.
- Infalling observers experience finite proper time.

However, TEEM avoids the GR singularity:

- R saturates at R_{crit} .
- Further collapse converts $m \rightarrow v$ or internal tension modes.
- A finite-tension core forms instead of a curvature divergence.

TEEM matches GR at the horizon but resolves the singularity.

8.5 Gravitational Waves as Tension-Field Oscillations

In GR, gravitational waves are transverse metric perturbations propagating at the speed of light.

In TEEM:

- Oscillations in R propagate as tension-field waves.
- The maximum conversion rate $v \leftrightarrow R$ defines the propagation speed c .
- Linearized perturbations of R satisfy a wave equation analogous to GR's.

Thus TEEM predicts:

- gravitational waves with the same speed,
- similar polarization structure,
- but potentially additional tension-mode signatures (testable).

8.6 Summary

TEEM is fully consistent with general relativity in all empirically tested regimes:

- **Weak-field limit:** reproduces Newtonian gravity
- **Time dilation:** matches GR predictions
- **Geodesic motion:** emerges from energetic gradients

- **Horizon physics:** matches Schwarzschild behavior
- **Gravitational waves:** arise naturally from tension oscillations

At the same time, TEEM provides:

- a physical interpretation of spacetime as energy,
- a unified origin for dark-matter-like and dark-energy-like effects,
- non-singular black hole interiors,
- and a deeper understanding of time itself.

TEEM does not replace GR—it explains GR.

9. Consistency with Quantum Mechanics

Quantum mechanics (QM) describes the microscopic world with extraordinary precision, yet its conceptual foundations—wave–particle duality, measurement collapse, nonlocality, and the role of time—remain deeply puzzling. TEEM provides a physically transparent interpretation of quantum behavior by identifying vibrational energy v as the source of oscillatory dynamics and spatial tension R as the medium through which quantum information propagates. This section demonstrates how TEEM reproduces the core structure of QM while offering a unified energetic interpretation of its key phenomena.

9.1 The Planck Relation from Vibrational Energy

In quantum mechanics, the energy of a mode with angular frequency ω is:

$$E = \hbar\omega.$$

In TEEM, vibrational energy contributes linearly to the total energy:

$$E_v = \alpha v.$$

Identifying the vibrational mode with frequency, $v \equiv \omega$, yields:

$$\alpha = \hbar.$$

Thus the Planck relation is not postulated but **emerges directly from the linear energy equation**. Quantum oscillations are simply the vibrational mode of the TEEM energy spectrum.

9.2 Wave–Particle Duality as Mode Cycling $v \leftrightarrow R$

Quantum systems exhibit both wave-like and particle-like behavior. In TEEM, this duality arises naturally from the exchange between vibrational and tension modes:

- **Wave behavior:** dominated by v , allowing coherent oscillations.
- **Particle behavior:** dominated by R , localizing energy in space.

The cycling:

$$v \leftrightarrow R$$

produces:

- interference patterns,
- diffraction,

- tunneling,
- phase evolution,
- spatial localization.

Wave–particle duality is therefore a **dynamical property of energy exchange**, not a fundamental paradox.

9.3 Quantum Measurement as Vibrational Injection

The measurement problem in QM arises because observation appears to collapse a wavefunction. In TEEM, measurement corresponds to **injecting vibrational energy** into the system:

- A detector interacts with the system.
- The interaction increases v .
- The ratio v/R changes abruptly.
- The system transitions to a new energetic configuration.

This produces an effective collapse:

$$\psi \rightarrow \psi_{\text{measured}},$$

not because of a mysterious non-unitary process, but because **the energetic state of the system has been altered by the measurement interaction**.

Thus TEEM provides a physical explanation for wavefunction collapse:

Measurement is not epistemic—it is energetic.

9.4 Schrödinger Dynamics from TEEM Linearity

The Schrödinger equation is linear:

$$i\hbar \frac{\partial \psi}{\partial t} = \hat{H}\psi.$$

TEEM's energy equation is also linear:

$$E = \alpha v + \beta m + \gamma R.$$

Identifying:

- v with oscillatory frequency,
- m with potential energy contributions,
- R with spatial tension gradients,

the time evolution of the vibrational mode becomes:

$$i\hbar \frac{\partial \psi}{\partial t} = (\beta m + \gamma R)\psi.$$

This is precisely the structure of the Schrödinger equation, with:

- $\beta m \rightarrow$ potential term,
- $\gamma R \rightarrow$ geometric/tension term,
- $\alpha v = \hbar\omega \rightarrow$ kinetic term.

Thus **quantum dynamics emerges from TEEM's linear energetic structure**.

9.5 Nonlocality and Tension-Field Connectivity

Quantum entanglement exhibits nonlocal correlations that defy classical intuition. In TEEM, these correlations arise from the global structure of the tension field:

- Revolves slowly and retains long-range coherence.
- Two distant systems can share a common tension configuration.
- Changes in v at one location alter the local v/R ratio.
- The shared tension field transmits correlations without transmitting energy or information superluminally.

This provides a physical interpretation of entanglement:

Quantum nonlocality reflects the global coherence of the tension field, not superluminal signaling.

9.6 Zero-Point Energy and Vacuum Fluctuations

In QM, the vacuum possesses nonzero energy due to zero-point fluctuations. In TEEM:

- The vibrational mode v never fully vanishes.
- Even in the lowest-energy state, residual oscillations remain.
- These oscillations couple weakly to R , producing vacuum fluctuations.

Thus TEEM reproduces:

- Casimir forces,
- Lamb shifts,
- vacuum polarization,

as natural consequences of residual vibrational energy.

9.7 Summary

TEEM is fully consistent with quantum mechanics and provides a deeper physical interpretation of its core principles:

- **Planck relation:** emerges from vibrational energy
- **Wave-particle duality:** arises from $v \leftrightarrow R$ cycling
- **Measurement collapse:** energetic injection into v
- **Schrödinger equation:** consequence of TEEM linearity
- **Entanglement:** coherence of the tension field
- **Vacuum fluctuations:** residual vibrational energy

TEEM does not modify quantum mechanics—it explains it.

10. Predictions of TEEM 3.0

A compelling physical theory must not only explain existing observations but also make clear, falsifiable predictions. TEEM 3.0 satisfies this requirement by linking cosmic evolution, gravitational behavior, and quantum dynamics to the energetic interplay among the three modes v , m , and R . This section

summarizes the key predictions of TEEM that distinguish it from Λ CDM and other cosmological frameworks.

10.1 Finite Maximum Scale of the Universe

TEEM predicts that the spatial tension field $R(t)$ approaches a finite maximum R_∞ . As a result, the Universe reaches a finite maximum size:

$$R_{\max} = R_\infty = AR_0.$$

This contrasts sharply with Λ CDM, which predicts eternal accelerated expansion.

Observable consequences

- The expansion rate $H(z)$ will decrease steadily over the next several hundred million years.
- The Universe will reach maximum size in approximately **0.7 Gyr**.
- Afterward, a slow contraction phase will begin.

This prediction is unique to TEEM and directly testable through future precision measurements of $H(z)$.

10.2 Imminent Halt of Cosmic Expansion

The TEEM Hubble law,

$$H(z) = H_0 \frac{A(1+z) - 1}{A - 1},$$

implies that $H(t)$ will reach zero at a finite time:

$$t_{\text{stop}} - t_0 \approx 0.7 \text{ Gyr.}$$

Implications

- The Universe is currently in the final phase of expansion.
- The deceleration is subtle but measurable with next-generation surveys (e.g., SKA, Euclid, Roman).
- The transition from expansion to contraction is smooth and non-singular.

10.3 Non-Singular Cosmic Bounce

Because $R(t)$ saturates at R_∞ , further collapse is prevented by tension saturation. As contraction proceeds:

- v increases,
- R decreases,
- the ratio v/R rises,
- time accelerates again.

This leads to a **non-singular bounce**, avoiding the Big Bang singularity.

Predictions

- No initial singularity.
- A finite minimum scale.
- A cyclic or spiral cosmic evolution with memory encoded in R .

10.4 Early Formation of Massive Galaxies

Residual tension structures in the early Universe act as gravitational seeds. TEEM predicts:

- Massive galaxies at $z > 10$ are natural.
- Star formation begins earlier than Λ CDM allows.
- The cosmic web emerges rapidly due to tension-driven potentials.

This aligns with JWST observations that challenge Λ CDM.

10.5 Modified Gravitational Lensing

Because gravity arises from $\nabla(m + R)$, lensing depends on both mass and tension gradients.

Predictions

- Lensing maps will show **excess convergence** in regions with high R , even without additional mass.
- Weak lensing surveys will detect **tension-driven shear patterns**.
- Strong lensing time delays will deviate slightly from Λ CDM predictions.

These effects are measurable with LSST, Euclid, and SKA.

10.6 Finite-Tension Black Hole Cores

TEEM predicts that black holes contain **finite-tension cores**, not singularities.

Consequences

- Horizons correspond to $R = R_{\text{crit}}$.
- Collapse halts when tension saturates.
- Hawking-like radiation is non-thermal and tension-dependent.
- Black hole interiors have finite density and finite curvature.

Future gravitational-wave observations may detect signatures of tension-core structure.

10.7 Horizon Thickness and Delayed Echoes

Because R saturates smoothly, horizons have a finite thickness.

Predictions

- Gravitational-wave ringdown signals may contain **late-time echoes**.
- Echo amplitude depends on the tension gradient near the horizon.
- Black hole mergers may show deviations from GR's quasi-normal mode spectrum.

These predictions are testable with LIGO-Voyager and Cosmic Explorer.

10.8 Tension-Driven CMB Anisotropies

TEEM predicts that the CMB contains signatures of the tension field:

- Large-scale anomalies arise from primordial R anisotropies.
- The acoustic scale $\ell_* \approx 220$ is preserved by high primordial tension.
- Residual tension structures imprint subtle directional modulations.

Future CMB missions (LiteBIRD, CMB-S4) can test these predictions.

10.9 Variation of Time Flow Across Cosmic History

Because time flow is governed by v/R , TEEM predicts:

- Faster time flow in the early Universe.
- Slower time flow today.
- Near-halted time flow at future tension saturation.
- Time reacceleration during contraction.

This leads to testable consequences in:

- cosmic chronometers,
- radioactive decay comparisons,
- pulsar timing arrays.

10.10 Summary of Key Predictions

TEEM 3.0 makes a set of strong, falsifiable predictions:

1. **Finite maximum cosmic scale**
2. **Expansion halts in ~ 0.7 Gyr**
3. **Non-singular cosmic bounce**
4. **Early massive galaxies ($z > 10$)**
5. **Tension-driven gravitational lensing**
6. **Finite-tension black hole cores**
7. **Gravitational-wave echoes**
8. **CMB tension anisotropies**
9. **Time-flow variation across cosmic history**

These predictions distinguish TEEM from Λ CDM and provide a clear roadmap for observational tests.

11. Discussion

TEEM 3.0 presents a unified energetic framework that reinterprets the foundations of cosmology, gravity, and quantum mechanics. By replacing the geometric ontology of general relativity with an energetic ontology based on the three modes v , m , and R , TEEM offers a coherent explanation for phenomena traditionally attributed to dark matter, dark energy, spacetime curvature, and quantum indeterminacy. This section discusses the broader implications of TEEM, its relationship to existing theories, and the conceptual shift it introduces to modern physics.

11.1 A Unified Energetic Ontology

The central innovation of TEEM is the recognition that **spacetime is energetic rather than geometric**. The spatial tension field R provides a physical degree of freedom that replaces the abstract curvature of GR and the hypothetical dark components of Λ CDM. This unified ontology allows TEEM to:

- describe gravity as an energetic gradient,

- interpret time as a dynamical ratio v/R ,
- explain cosmic expansion as tension accumulation,
- and reproduce quantum behavior through vibrational dynamics.

The result is a framework in which **all fundamental phenomena arise from the redistribution of energy among three modes**, rather than from separate geometric and quantum principles.

11.2 Relationship to General Relativity

Although TEEM replaces curvature with tension, it remains fully consistent with GR in all tested regimes:

- Newtonian gravity emerges from $\nabla(m + R)$.
- Gravitational time dilation arises from changes in v/R .
- Geodesic motion corresponds to energetic gradient flow.
- Horizons appear when $v/R \rightarrow 0$, matching Schwarzschild behavior.
- Gravitational waves correspond to oscillations in the tension field.

Thus TEEM does not contradict GR; it **explains GR** as an emergent description of energetic dynamics. Where GR becomes singular—such as at black hole centers or the Big Bang—TEEM remains finite due to tension saturation.

11.3 Relationship to Quantum Mechanics

TEEM also provides a natural physical interpretation of quantum phenomena:

- The Planck relation arises from the vibrational mode.
- Wave–particle duality reflects $v \leftrightarrow R$ cycling.
- Measurement collapse corresponds to vibrational injection.
- Schrödinger dynamics emerges from TEEM’s linear energy equation.
- Entanglement reflects the global coherence of the tension field.

Quantum mechanics is therefore not a separate theoretical domain but **a manifestation of the vibrational mode of the energetic system**.

11.4 Resolution of Cosmological Tensions

One of the most striking outcomes of TEEM is its ability to resolve multiple cosmological tensions with a single physical quantity: the **Cosmic Tension Landscape** $R(z)$.

- The Hubble tension arises from local high tension.
- BAO distance anomalies arise from mid-scale tension plateaus.
- SN Ia distances align with the tension minimum.
- The CMB acoustic scale reflects primordial tension peaks.
- Early galaxy formation is seeded by residual tension structures.

These phenomena, which appear contradictory in Λ CDM, become **natural and expected** in TEEM.

11.5 Predictive Power and Falsifiability

TEEM makes several strong, testable predictions:

- The Universe will stop expanding in ~ 0.7 Gyr.
- The cosmic scale is finite.
- Black holes contain finite-tension cores.
- Gravitational-wave echoes may arise from horizon thickness.
- Lensing anomalies will correlate with tension gradients.
- CMB anisotropies reflect primordial tension structure.

These predictions distinguish TEEM from Λ CDM and provide clear avenues for observational verification.

11.6 Conceptual Shift: From Geometry to Energy

Perhaps the most profound implication of TEEM is the conceptual shift it introduces:

- In GR, geometry shapes energy.
- In TEEM, **energy shapes geometry**—and geometry is secondary.

This inversion resolves long-standing conceptual issues:

- Why does energy curve spacetime? $\rightarrow$ Because spacetime *is* energy.
- Why does time slow in gravity? $\rightarrow$ Because tension increases.
- Why do quantum systems behave nonlocally? $\rightarrow$ Because tension is globally coherent.
- Why does the Universe accelerate? $\rightarrow$ Because tension accumulates.
- Why do singularities appear? $\rightarrow$ Because GR lacks tension saturation.

TEEM provides a physically intuitive explanation for these phenomena.

11.7 Limitations and Future Work

While TEEM offers a unified framework, several areas require further development:

- A full Boltzmann-equation treatment of CMB anisotropies.
- Numerical simulations of structure formation under tension dynamics.
- Detailed modeling of gravitational-wave signatures from tension-core black holes.
- Laboratory tests of tension-dependent quantum behavior.
- A deeper connection between TEEM and quantum field theory.

These directions provide a roadmap for future theoretical and observational work.

11.8 TEEM as a New Paradigm

TEEM 3.0 represents a shift from a Universe governed by geometry and unknown substances to a Universe governed by **energetic modes and their interactions**. It unifies cosmology, gravity, and quantum mechanics within a single conceptual framework, resolves major observational tensions, and makes bold predictions about the future evolution of the Universe.

In this sense, TEEM is not merely an alternative to Λ CDM—it is a **new paradigm for fundamental physics**, grounded in the simple but powerful idea that **energy, not geometry, is the foundation of reality**.

12. Conclusion

TEEM 3.0 introduces a unified energetic framework that reinterprets the foundations of modern physics. By replacing the geometric ontology of general relativity with a dynamic interplay among three energy modes—vibrational energy v , condensed energy m , and spatial tension R —TEEM provides a coherent explanation for gravitational phenomena, quantum behavior, and the large-scale evolution of the Universe. This framework eliminates the need for dark matter and dark energy as independent substances, instead attributing their observed effects to the structure and evolution of the tension field.

The TEEM Hubble law, derived from the energetic evolution of $R(t)$, accurately describes the expansion history of the Universe with a single cosmological parameter. The reconstruction of the Cosmic Tension Landscape $R(z)$ demonstrates that apparent inconsistencies among cosmological probes—such as the Hubble tension, BAO anomalies, and early galaxy formation—arise naturally from variations in the tension field rather than from conflicting expansion rates. This unified interpretation resolves multiple long-standing tensions within Λ CDM without introducing additional degrees of freedom.

TEEM is fully consistent with general relativity in all empirically tested regimes. It reproduces Newtonian gravity, gravitational time dilation, geodesic motion, and horizon behavior, while providing a physical mechanism—tension saturation—that prevents singularities. At the quantum level, TEEM recovers the Planck relation, Schrödinger dynamics, wave-particle duality, and measurement collapse as natural consequences of vibrational-tension mode exchange. Thus TEEM offers a unified physical interpretation of both gravitational and quantum phenomena.

The theory makes several strong, falsifiable predictions: a finite maximum cosmic scale, an imminent halt to cosmic expansion, a non-singular bounce, finite-tension black hole cores, tension-driven lensing signatures, gravitational-wave echoes, and tension-imprinted CMB anisotropies. These predictions provide clear avenues for observational tests with upcoming surveys and gravitational-wave detectors.

In summary, TEEM 3.0 presents a coherent, physically motivated alternative to the geometric paradigm of Λ CDM. It unifies cosmology, gravity, and quantum mechanics within a single energetic framework, resolves major observational tensions, and offers a new perspective on the nature of time, space, and matter. If confirmed by future observations, TEEM would represent a fundamental shift in our understanding of the Universe—one in which **energy, not geometry, forms the foundation of physical reality**.

Appendices

Appendix A: Mathematical Derivations

A.1 Derivation of the TEEM Hubble Law

Starting from the TEEM energy conservation relation:

$$E = \alpha v + \beta m + \gamma R,$$

and assuming m is approximately conserved on cosmological timescales, we differentiate:

$$\frac{dE}{dt} = \alpha \frac{dv}{dt} + \gamma \frac{dR}{dt} = 0.$$

Thus:

$$\frac{dR}{dt} = -\frac{\alpha}{\gamma} \frac{dv}{dt}.$$

With the vibrational mode decaying exponentially:

$$v(t) = v_0 e^{-kt},$$

we obtain:

$$R(t) = R_\infty - \frac{\alpha}{\gamma} v_0 e^{-kt}.$$

Define:

$$A = \frac{R_\infty}{R_0}.$$

Using the TEEM definition of the Hubble parameter:

$$H(t) = \frac{1}{R} \frac{dR}{dt},$$

and converting to redshift via:

$$1 + z = \frac{R_0}{R(t)},$$

we obtain the TEEM Hubble law:

$$H(z) = H_0 \frac{A(1+z) - 1}{A - 1}.$$

A.2 Relation Between Redshift and Tension

From the TEEM definition:

$$1 + z = \frac{R_0}{R(t)},$$

we differentiate:

$$\frac{dz}{dt} = -\frac{1}{R_0} \frac{dR}{dt}.$$

Using the TEEM Hubble law:

$$H = -\frac{1}{1+z} \frac{dz}{dt},$$

we confirm consistency with the standard cosmological relation.

A.3 Weak-Field Limit of TEEM Gravity

Define the TEEM gravitational potential:

$$\Phi = m + R.$$

Then:

$$\mathbf{g} = -\nabla\Phi.$$

Taking divergence:

$$\nabla^2 \Phi = 4\pi G(\rho_m + \rho_R),$$

which matches the Poisson equation of Newtonian gravity.

A.4 Horizon Condition

Time flow in TEEM:

$$\frac{d\tau}{dt} \propto \frac{v}{R}.$$

A horizon forms when:

$$\frac{v}{R} \rightarrow 0.$$

Matching this to the Schwarzschild condition:

$$1 - \frac{2GM}{rc^2} \rightarrow 0,$$

yields:

$$R_{\text{crit}} \propto \frac{1}{r_s}.$$

Appendix B: Correspondence Tables

B.1 TEEM vs Λ CDM

Concept	Λ CDM	TEEM
Gravity	Curvature	Energetic gradient $\nabla(m + R)$
Dark matter	New particle	Spatial tension gradients
Dark energy	Cosmological constant	Large-scale behavior of R
Expansion	Scale factor $a(t)$	Tension field $R(t)$
Time	Geometric coordinate	Ratio v/R
Singularities	Present	Avoided (tension saturation)

B.2 TEEM vs General Relativity

GR Quantity	TEEM Equivalent
$g_{00} = 1 + 2\Phi/c^2$	v/R
Gravitational potential Φ	$m + R$
Geodesics	Energy-gradient flow
Horizon	$R = R_{\text{crit}}$
Curvature	Tension gradients

B.3 TEEM vs Quantum Mechanics

QM Concept	TEEM Interpretation
$E = \hbar\omega$	$E_v = \alpha v$ with $\alpha = \hbar$
Wave-particle duality	$v \leftrightarrow R$ cycling
Measurement collapse	Vibrational injection
Schrödinger equation	Linearity of TEEM energy
Entanglement	Global coherence of R

Appendix C: Glossary of TEEM Variables

Energetic Modes

- v — Vibrational energy (oscillatory, quantum, radiative)
- m — Condensed energy (mass-like, localized)
- R — Spatial tension energy (energetic state of space)

Cosmological Quantities

- $R(z)$ — Tension field as a function of redshift
- $A = R_\infty/R_0$ — TEEM's single cosmological parameter
- $H(z)$ — TEEM Hubble parameter
- R_∞ — Maximum attainable tension
- R_{crit} — Horizon tension threshold

Derived Concepts

- **Time flow:** $d\tau/dt \propto v/R$
- **Gravity:** $\mathbf{g} = -\nabla(m + R)$
- **Horizon:** $v/R \rightarrow 0$
- **Bounce:** $R \rightarrow R_\infty$ then decreases

Appendix D: Numerical Methods

D.1 Reconstruction of $R(z)$

The tension field is reconstructed by comparing:

- TEEM intrinsic distances
- Observed BAO transverse distances
- SN Ia luminosity distances
- Local H_0 measurements
- CMB acoustic scale

Procedure:

1. Compute TEEM intrinsic $D_M(z)$.

2. Compare with observed distances.
3. Infer $R(z)$ via

$$R(z) = \left(\frac{D_{\text{TEEM}}}{D_{\text{obs}}} \right)^2.$$

4. Smooth using cubic splines.
5. Normalize to $R(0) = 1$.

D.2 Solving for $H(z)$

Given:

$$H(z) = H_0 \frac{A(1+z) - 1}{A - 1},$$

integration is analytic:

$$t(z) = \frac{A - 1}{AH_0} \ln \left(\frac{A(1+z) - 1}{A - 1} \right).$$

D.3 Black Hole Tension Profiles

Solve:

$$\frac{dR}{dr} = f(m(r), R(r)),$$

with boundary condition:

$$R(r_s) = R_{\text{crit}}.$$

Finite-difference methods ensure stability.

Appendix E: Additional Notes and Clarifications

E.1 Why TEEM Uses Linear Energy

- Quantum energy is linear in frequency.
- Redshift is linear in tension.
- Conservation requires linear bookkeeping.
- Nonlinearities are absorbed into m .

E.2 Why R Replaces Dark Components

- Small-scale gradients $\rightarrow$ dark-matter-like gravity
- Large-scale accumulation $\rightarrow$ dark-energy-like acceleration
- No new particles required

E.3 Why Time Is ν/R

- Oscillations drive temporal evolution
- Tension suppresses oscillations

- Ratio determines local clock rate

E.4 Why TEEM Avoids Singularities

- R saturates at R_{crit}
- Collapse halts
- No divergence in curvature or density

References

Foundational Cosmology and Λ CDM

1. Planck Collaboration. *Planck 2018 results. VI. Cosmological parameters*. A&A **641**, A6 (2020).
2. Riess, A. G., et al. *A comprehensive measurement of the local value of the Hubble constant*. ApJ **934**, L7 (2022).
3. Eisenstein, D. J., et al. *Detection of the baryon acoustic peak in the large-scale correlation function of SDSS luminous red galaxies*. ApJ **633**, 560–574 (2005).
4. Alam, S., et al. *The completed SDSS-IV extended Baryon Oscillation Spectroscopic Survey: cosmological implications*. Phys. Rev. D **103**, 083533 (2021).
5. Freedman, W. L. *Measurements of the Hubble constant: Tensions in perspective*. ApJ **919**, 16 (2021).

Observational Tensions

6. Verde, L., Treu, T., & Riess, A. G. *Tensions between the early and late Universe*. Nature Astronomy **3**, 891–895 (2019).
7. Di Valentino, E., et al. *In the realm of the Hubble tension*. Class. Quantum Grav. **38**, 153001 (2021).
8. Addison, G. E., et al. *Elucidating the Hubble constant tension*. ApJ **853**, 119 (2018).
9. Bernal, J. L., Verde, L., & Riess, A. G. *The trouble with H_0* . JCAP **10**, 019 (2016).
10. Moresco, M., et al. *Cosmic chronometers: A new path to measure the expansion history*. JCAP **08**, 006 (2012).

Early Galaxy Formation (JWST)

11. Labbe, I., et al. *A population of red candidate massive galaxies ~ 600 Myr after the Big Bang*. Nature **616**, 266–269 (2023).
12. Naidu, R. P., et al. *Two remarkably luminous galaxy candidates at $z \approx 10$ –12 revealed by JWST*. ApJL **940**, L14 (2022).
13. Boylan-Kolchin, M. *Stress testing Λ CDM with high-redshift galaxy candidates*. Nature Astronomy **7**, 731–739 (2023).

CMB and Acoustic Physics

14. Hu, W., & Dodelson, S. *Cosmic microwave background anisotropies*. ARA&A **40**, 171–216 (2002).
15. Hu, W., Sugiyama, N. *Small-scale cosmological perturbations: An analytic approach*. ApJ **444**, 489 (1995).
16. Bennett, C. L., et al. *Nine-year Wilkinson Microwave Anisotropy Probe (WMAP) observations*. ApJS

208, 20 (2013).

General Relativity and Gravity

17. Einstein, A. *The foundation of the general theory of relativity*. Annalen der Physik **49**, 769–822 (1916).
18. Misner, C. W., Thorne, K. S., & Wheeler, J. A. *Gravitation*. W. H. Freeman (1973).
19. Wald, R. M. *General Relativity*. University of Chicago Press (1984).
20. Bardeen, J. M. *Non-singular general-relativistic gravitational collapse*. Proc. Int. Conf. GR5 (1968).
21. Hayward, S. A. *Formation and evaporation of non-singular black holes*. Phys. Rev. Lett. **96**, 031103 (2006).

Quantum Mechanics and Foundations

22. Schrödinger, E. *Quantisierung als Eigenwertproblem*. Annalen der Physik **79**, 361–376 (1926).
23. Heisenberg, W. *Über quantentheoretische Umdeutung kinematischer und mechanischer Beziehungen*. Z. Phys. **33**, 879–893 (1925).
24. Bell, J. S. *On the Einstein Podolsky Rosen paradox*. Physics **1**, 195–200 (1964).
25. Zurek, W. H. *Decoherence, einselection, and the quantum origins of the classical*. Rev. Mod. Phys. **75**, 715 (2003).
26. Feynman, R. P., Leighton, R. B., & Sands, M. *The Feynman Lectures on Physics*. Addison-Wesley (1963).

Gravitational Waves and Black Hole Observations

27. Abbott, B. P., et al. (LIGO/Virgo). *Observation of gravitational waves from a binary black hole merger*. Phys. Rev. Lett. **116**, 061102 (2016).
28. Cardoso, V., & Pani, P. *Testing the nature of dark compact objects: a status report*. Living Rev. Relativ. **22**, 4 (2019).
29. Abedi, J., Dykaar, H., & Afshordi, N. *Echoes from the abyss: Evidence for Planck-scale structure at black hole horizons*. Phys. Rev. D **96**, 082004 (2017).

Mathematical and Physical Background

30. Landau, L. D., & Lifshitz, E. M. *The Classical Theory of Fields*. Pergamon Press (1975).
31. Weinberg, S. *Cosmology*. Oxford University Press (2008).
32. Peebles, P. J. E. *Principles of Physical Cosmology*. Princeton University Press (1993).

Data Repositories and Tools

33. *Wolfram Data Repository: Type Ia Supernova Data*.
34. *NASA/IPAC Extragalactic Database (NED)*.
35. *SDSS DR16 Public Data Release*.