

# The Triphasic Energy Exchange Medium :

## —A Unified Physical Origin of Spacetime, Gravity, and Quantum Dynamics—

NS(2026 June)

### Abstract

We introduce the Triphasic Energy Exchange Medium (TEEM), a unified physical framework in which spacetime, gravity, quantum evolution, and cosmology emerge from the dynamics of a single underlying substrate. In TEEM, spacetime is modeled as a digital medium whose density and update rate determine the effective metric, the flow of time, and the propagation speed of waves. The theory consists of three interacting phases—an analog wave field  $V$ , a condensed matter field  $M$ , and the spacetime substrate  $\rho_{ETR}$ —governed by a unified Lagrangian. From this Lagrangian, TEEM reproduces the Einstein field equations in the continuum limit, with curvature arising from second derivatives of the ETR density, and yields modified Schrödinger and Klein–Gordon equations in which quantum evolution is controlled by the medium’s update rate.

Cosmologically, TEEM explains dark energy as continuous ETR generation by background wave energy, and dark matter as ETR deficit pressure produced by matter-induced depletion of the substrate. This mechanism naturally yields flat galaxy rotation curves, MOND-like low-acceleration behavior, and full consistency with  $\Lambda$ CDM on large scales. The Big Bang corresponds to a collapse of the ETR medium below a critical density, eliminating singularities and producing a cyclic universe in which wave energy, medium density, and condensed matter evolve through repeating phases.

TEEM makes concrete, testable predictions including dispersion in gravitational waves, deviations in strong-field time dilation, non-circular black hole shadows, medium-induced shifts in quantum energy levels, and CMB anomalies from previous cycles. Together, these results position TEEM as a viable candidate for a unified quantum gravity theory that provides a physical origin for spacetime, gravity, quantum mechanics, dark components, and cosmic evolution.

### 1. Introduction

Modern physics is built upon two extraordinarily successful frameworks: **General Relativity (GR)**, describing gravitation and the geometry of spacetime, and **Quantum Mechanics (QM)**, governing the dynamics of matter and radiation at microscopic scales. Each theory has been verified with remarkable precision within its respective domain. Yet, when gravity and quantum phenomena coexist—near singularities, in the early universe, or at the Planck scale—the two frameworks become mutually incompatible.

GR treats spacetime as a smooth geometric manifold whose curvature is determined by the distribution of

energy and momentum. QM, in contrast, assumes a fixed background time parameter and a linear Hilbert-space evolution. Attempts to merge these descriptions have led to a variety of approaches—string theory, loop quantum gravity, emergent spacetime models—none of which provide a simple, physically intuitive mechanism that simultaneously explains gravity, quantum discreteness, cosmological evolution, and the origin of time.

This motivates the search for a **medium-based description of spacetime**, in which geometry, quantum behavior, and cosmological dynamics arise from the properties of an underlying physical substrate. Such a substrate must reproduce the successes of GR and QM while offering a unified origin for their apparently disparate principles.

In this work we introduce the **Triphasic Energy Exchange Medium (TEEM)**, a unified physical framework in which spacetime is modeled as a digital-analog medium composed of three interacting phases:

- **V-phase:** an analog wave field, corresponding to radiation and oscillatory energy,
- **M-phase:** a condensed field representing matter and inertia,
- **ETR-phase:** a digital substrate whose density and update rate determine spacetime structure, time flow, and gravitational interaction.

The central idea of TEEM is that **gravity, quantum evolution, and cosmological expansion are emergent phenomena arising from the dynamics of the ETR medium**. Within this framework, time corresponds to the local update rate of the medium, gravity arises from gradients in its density, and the speed of light is fixed by its fundamental update step.

The main results of this paper are summarized as follows:

1. **TEEM reproduces Einstein’s field equations.** Curvature emerges from second derivatives of the ETR density, and the energy–momentum tensor arises from the V, M, and ETR fields.
2. **TEEM reproduces the Schrödinger and Klein–Gordon equations.** Quantum evolution follows from the medium’s update rate, and relativistic wave propagation is modified by the local ETR density.
3. **TEEM explains dark matter, dark energy, and galaxy rotation curves.** ETR deficit pressure produces flat rotation curves without additional mass, and ETR generation acts as an effective cosmological constant.
4. **TEEM predicts a cyclic universe.** When the ETR density falls below a critical threshold, condensed energy collapses into wave energy, producing a bounce analogous to the Big Bang.
5. **TEEM provides a physical origin for time, gravity, and the speed of light.** These quantities arise from intrinsic properties of the medium rather than geometric postulates.

Together, these results suggest that TEEM offers a coherent and physically motivated foundation for a unified description of gravity, quantum mechanics, and cosmology. The remainder of this paper develops the mathematical structure of TEEM, derives its field equations, and explores its observational consequences.

## 2. The TEEM Framework

The Triphasic Energy Exchange Medium (TEEM) is built upon the idea that spacetime is not a geometric background but a physical substrate whose internal dynamics give rise to gravity, quantum behavior, and cosmological evolution. In TEEM, all observable phenomena emerge from the interactions among three distinct phases of the medium. This section introduces the structure of the medium, the fundamental dynamical variables, and the physical interpretation that connects TEEM to established physics.

### 2.1 The Three Phases

#### V-field: Analog Wave Phase

The V-field represents the oscillatory, wave-like component of the medium. It corresponds to radiation, quantum wavefunctions, and all forms of propagating disturbances. The V-phase is continuous and analog, supporting interference, superposition, and wave propagation. Its dynamics resemble those of classical field theory but are modulated by the properties of the underlying ETR substrate.

#### M-field: Condensed Phase

The M-field represents the condensed, memory-like component of the medium. It corresponds to matter, inertia, and stable localized structures. The M-phase forms when V-energy accumulates beyond a threshold, producing a condensed configuration that stores information and interacts strongly with the ETR substrate. Mass, inertia, and gravitational sources arise from the distribution of M.

#### ETR-field: Digital Medium (Spacetime Substrate)

The ETR-field is the foundational substrate of TEEM. It is a digital medium composed of discrete update cells whose density and update rate determine the effective geometry of spacetime. The ETR-phase governs:

- the flow of time (via its update rate),
- the curvature of spacetime (via its density gradients),
- the propagation speed of waves (via its update step),
- and the stability of matter (via its interaction with M).

The ETR-phase is the central element that unifies gravity, quantum mechanics, and cosmology within a single physical framework.

### 2.2 Fundamental Variables

The TEEM framework is defined by four dynamical fields:

$$\mathbf{V}(\mathbf{x}, t)$$

Analog wave field representing radiation, oscillatory energy, and quantum wavefunctions.

$$\mathbf{M}(\mathbf{x}, t)$$

Condensed field representing matter, inertia, and stable localized structures.

$$\rho_{ETR}(\mathbf{x}, t)$$

Density of the ETR medium. This quantity determines the effective metric of spacetime and acts as the source of gravitational interaction.

$$U_{ETR}(\mathbf{x}, t)$$

Update rate of the ETR medium. This quantity determines the local flow of time and modifies the temporal evolution of all fields.

Together, these variables form a closed dynamical system whose interactions generate the phenomena traditionally attributed to geometry, quantum mechanics, and cosmology.

### 2.3 Physical Interpretation

#### Spacetime = ETR Medium

In TEEM, spacetime is not a geometric manifold but the physical ETR substrate. The metric  $g_{\mu\nu}$  emerges as an effective description of the ETR density field:

$$g_{\mu\nu} = f(\rho_{ETR}) \eta_{\mu\nu}.$$

Curvature corresponds to second derivatives of  $\rho_{ETR}$ , reproducing Einstein's equations in the continuum limit.

#### Time = Update Rate of ETR

The flow of time is determined by the local update rate of the medium:

$$dt = \beta U_{ETR}(\mathbf{x}, t).$$

Regions with low ETR update rate experience gravitational time dilation, providing a physical origin for relativistic effects.

#### Gravity = Gradient of ETR Density

Gravitational acceleration arises from spatial gradients in the ETR density:

$$\vec{g} = -\nabla(k\rho_{ETR}).$$

This reproduces Newtonian gravity in the weak-field limit and Einstein gravity in the continuum limit.

#### Light Speed = Ratio of ETR Cell Size to Update Step

The speed of light is fixed by the discrete structure of the medium:

$$c = \frac{a}{\Delta t},$$

where  $a$  is the spatial cell size and  $\Delta t$  is the fundamental update step. This provides a physical explanation for the invariance of  $c$  in relativity.

### 3. Lagrangian Formulation of TEEM

A unified physical theory requires a single variational principle from which all dynamical equations can be derived. In TEEM, the dynamics of the three phases—V, M, and ETR—are encoded in a composite Lagrangian density. This section introduces the individual contributions of each phase and the interaction terms that couple them. The resulting unified Lagrangian serves as the foundation for the gravitational, quantum, and cosmological field equations developed in later sections.

#### 3.1 V-field Lagrangian

The V-field represents the analog, wave-like component of the medium. Its dynamics resemble those of a classical scalar field, modified later by the ETR substrate. The free V-field Lagrangian is

$$\mathcal{L}_V = \frac{1}{2}(\partial_\mu V)(\partial^\mu V) - \frac{1}{2}m_V^2 V^2.$$

This term governs wave propagation, interference, and oscillatory energy. In the continuum limit, it reduces to the standard Klein–Gordon form.

#### 3.2 M-field Lagrangian

The M-field represents the condensed phase, corresponding to matter, inertia, and stable localized structures. Its dynamics are governed by a self-interaction potential that stabilizes condensed configurations:

$$\mathcal{L}_M = \frac{1}{2}(\partial_\mu M)(\partial^\mu M) - \lambda(M^2 - M_0^2)^2.$$

The quartic potential  $\lambda(M^2 - M_0^2)^2$  ensures that the M-field condenses around  $M = M_0$ , providing a physical origin for mass and inertia. This structure parallels the Higgs mechanism but arises from the internal dynamics of the TEEM medium rather than gauge symmetry breaking.

#### 3.3 ETR-field Lagrangian

The ETR-field is the digital substrate of spacetime. Its density determines the effective metric and gravitational interaction. The free ETR Lagrangian is

$$\mathcal{L}_{ETR} = \frac{1}{2}(\partial_\mu \rho_{ETR})(\partial^\mu \rho_{ETR}) - k\rho_{ETR}^2.$$

The quadratic term  $k\rho_{ETR}^2$  acts as a restoring force for the medium, analogous to pressure in a fluid or curvature energy in emergent spacetime models. Gradients of  $\rho_{ETR}$  generate gravitational acceleration in TEEM.

#### 3.4 Interaction Terms

The three phases interact through energy exchange processes that govern condensation, wave generation, and medium depletion. These interactions are encoded in the Lagrangian

$$\mathcal{L}_{int} = -\alpha M \rho_{ETR} + \xi V \rho_{ETR} + \eta VM.$$

Each term has a clear physical interpretation:

- $-\alpha M \rho_{ETR}$ : condensed matter depletes the ETR medium, producing gravitational wells.
- $+\xi V \rho_{ETR}$ : wave energy generates ETR density, acting as an effective cosmological constant.
- $+\eta VM$ : wave energy condenses into matter, providing a mechanism for mass formation.

These interactions ensure that the three phases form a closed dynamical system capable of reproducing gravitational, quantum, and cosmological phenomena.

### 3.5 Full TEEM Lagrangian

Combining the contributions of the  $V$ ,  $M$ , and  $ETR$  fields with their interaction terms yields the unified Lagrangian density:

$$\boxed{\mathcal{L}_{TEEM} = \mathcal{L}_V + \mathcal{L}_M + \mathcal{L}_{ETR} + \mathcal{L}_{int}}$$

Explicitly,

$$\begin{aligned} \mathcal{L}_{TEEM} = & \frac{1}{2}(\partial_\mu V)(\partial^\mu V) + \frac{1}{2}(\partial_\mu M)(\partial^\mu M) + \frac{1}{2}(\partial_\mu \rho_{ETR})(\partial^\mu \rho_{ETR}) - \frac{1}{2}m_V^2 V^2 - \lambda(M^2 - M_0^2)^2 - k\rho_{ETR}^2 \\ & - \alpha M \rho_{ETR} + \xi V \rho_{ETR} + \eta VM. \end{aligned}$$

This Lagrangian forms the mathematical core of TEEM. All subsequent field equations—including the TEEM versions of Einstein’s equation, Schrödinger’s equation, and the cosmological Friedmann equation—follow from this variational principle.

## 4. TEEM Field Equations

Starting from the unified Lagrangian  $\mathcal{L}_{TEEM}$ , the dynamics of the three phases  $V$ ,  $M$ , and  $\rho_{ETR}$  follow from the Euler–Lagrange equations. In this section we derive the coupled field equations and show that the resulting theory conserves total energy and momentum.

### 4.1 Euler–Lagrange Equations

For a generic field  $\Phi \in \{V, M, \rho_{ETR}\}$ , the Euler–Lagrange equation is

$$\frac{\partial \mathcal{L}_{TEEM}}{\partial \Phi} - \partial_\mu \left( \frac{\partial \mathcal{L}_{TEEM}}{\partial (\partial_\mu \Phi)} \right) = 0.$$

#### V-field equation

From  $\mathcal{L}_V + \mathcal{L}_{int}$ ,

$$\frac{\partial \mathcal{L}_{TEEM}}{\partial V} = -m_V^2 V + \xi \rho_{ETR} + \eta M,$$

$$\frac{\partial \mathcal{L}_{TEEM}}{\partial (\partial_\mu V)} = \partial^\mu V.$$

Thus,

$$\boxed{\partial_\mu \partial^\mu V + m_V^2 V = \xi \rho_{ETR} + \eta M}$$

which is a sourced Klein–Gordon–type equation for the V-field.

### M-field equation

From  $\mathcal{L}_M + \mathcal{L}_{int}$ ,

$$\frac{\partial \mathcal{L}_{TEEM}}{\partial M} = -4\lambda M(M^2 - M_0^2) - \alpha \rho_{ETR} + \eta V,$$

$$\frac{\partial \mathcal{L}_{TEEM}}{\partial(\partial_\mu M)} = \partial^\mu M.$$

Thus,

$$\boxed{\partial_\mu \partial^\mu M + 4\lambda M(M^2 - M_0^2) = \alpha \rho_{ETR} - \eta V}$$

which governs condensation, mass formation, and coupling to the ETR medium.

### ETR-field equation

From  $\mathcal{L}_{ETR} + \mathcal{L}_{int}$ ,

$$\frac{\partial \mathcal{L}_{TEEM}}{\partial \rho_{ETR}} = -2k \rho_{ETR} - \alpha M + \xi V,$$

$$\frac{\partial \mathcal{L}_{TEEM}}{\partial(\partial_\mu \rho_{ETR})} = \partial^\mu \rho_{ETR}.$$

Thus,

$$\boxed{\partial_\mu \partial^\mu \rho_{ETR} + 2k \rho_{ETR} = -\alpha M + \xi V}$$

which describes the evolution of the spacetime substrate and its coupling to matter and radiation.

## 4.2 Conservation Laws

Because  $\mathcal{L}_{TEEM}$  is invariant under spacetime translations, Noether's theorem guarantees conservation of total energy and momentum. The canonical energy–momentum tensor is

$$T_{\mu\nu}^{TEEM} = \sum_{\Phi \in \{V, M, \rho_{ETR}\}} \frac{\partial \mathcal{L}_{TEEM}}{\partial(\partial^\mu \Phi)} \partial_\nu \Phi - g_{\mu\nu} \mathcal{L}_{TEEM}.$$

The field equations derived above imply

$$\boxed{\partial^\mu T_{\mu\nu}^{TEEM} = 0}$$

showing that TEEM conserves total energy and momentum across all three phases of the medium. This conservation property is essential for interpreting TEEM as a physically viable unified field theory.

## 5. TEEM Version of Einstein's Equation

In TEEM, spacetime geometry is not fundamental but emerges from the physical properties of the ETR medium. The metric, curvature, and gravitational dynamics arise from variations in the density of the substrate. This section develops the TEEM analogue of Einstein's field equation by relating the ETR density to an effective metric and deriving the corresponding curvature tensor.

### 5.1 ETR Density as Effective Metric

In General Relativity, the metric  $g_{\mu\nu}$  encodes the geometry of spacetime. In TEEM, geometry arises from the density of the ETR medium. The simplest and most natural correspondence is

$$g_{\mu\nu} = f(\rho_{ETR}) \eta_{\mu\nu}$$

where

- $\eta_{\mu\nu}$  is the Minkowski metric,
- $f(\rho_{ETR})$  is a scalar function describing how the medium density modifies local spacetime intervals.

Regions of low ETR density correspond to gravitational wells, producing effective metric contraction. This identification provides a physical origin for spacetime curvature.

### 5.2 Curvature from ETR Density

Because the metric depends on  $\rho_{ETR}$ , curvature arises from spatial and temporal variations in the medium density. The Einstein tensor  $G_{\mu\nu}$  becomes a functional of  $\rho_{ETR}$ :

$$G_{\mu\nu} = G_{\mu\nu}[\rho_{ETR}].$$

To leading order, the curvature generated by the medium can be expressed as

$$G_{\mu\nu}[\rho_{ETR}] = A \partial_\mu \partial_\nu \rho_{ETR} + B g_{\mu\nu} \square \rho_{ETR}$$

where

- $A$  and  $B$  are constants determined by the medium's elastic properties,
- $\square = \partial_\alpha \partial^\alpha$  is the d'Alembert operator.

This form shows that **spacetime curvature is directly proportional to second derivatives of the ETR density**, providing a physical interpretation of gravitational tidal forces.

### 5.3 Energy–Momentum Tensor from V, M, and ETR

The total energy–momentum tensor in TEEM arises from contributions of all three phases:

$$T_{\mu\nu}^{TEEM} = T_{\mu\nu}^{(V)} + T_{\mu\nu}^{(M)} + T_{\mu\nu}^{(ETR)}$$

Each component is defined by the standard field-theoretic expression

$$T_{\mu\nu}^{(\Phi)} = \partial_\mu \Phi \partial_\nu \Phi - g_{\mu\nu} \mathcal{L}_\Phi, \Phi \in \{V, M, \rho_{ETR}\}.$$

- The **V-field** contributes wave energy and radiation pressure.
- The **M-field** contributes mass, inertia, and condensed energy.
- The **ETR-field** contributes medium stress, density gradients, and substrate pressure.



Together, these terms form a complete description of energy and momentum within the TEEM medium.

#### 5.4 TEEM Einstein Equation

Combining the curvature generated by the ETR density with the total energy–momentum tensor yields the TEEM analogue of Einstein’s field equation:

$$G_{\mu\nu}[\rho_{ETR}] = 8\pi G T_{\mu\nu}^{TEEM}$$

This equation states:

- **Left-hand side:** curvature of spacetime, arising from variations in the ETR medium.
- **Right-hand side:** energy and momentum stored in the V, M, and ETR fields.

In the continuum limit where  $\rho_{ETR}$  varies smoothly and  $f(\rho_{ETR})$  approaches unity, this equation reduces exactly to Einstein’s original field equation. Thus, **General Relativity is recovered as the macroscopic limit of TEEM**, while TEEM provides the microscopic physical origin of spacetime geometry.

### 6. TEEM Version of Quantum Wave Equations

Quantum theory describes the evolution of wavefunctions on a fixed spacetime background. In TEEM, however, the background is not fixed: it is the ETR medium itself. The flow of time, the propagation of waves, and the effective mass of fields all arise from the density and update rate of the substrate. This section develops the TEEM analogues of the Schrödinger and Klein–Gordon equations by incorporating the physical properties of the ETR medium into the dynamics of quantum fields.

#### 6.1 Time as ETR Update Rate

In TEEM, the flow of time is not an external parameter but a physical property of the medium. The local time increment is determined by the update rate of the ETR substrate:

$$dt = \beta U_{ETR}(x, t)$$

where

- $U_{ETR}(x, t)$  is the local update rate of the medium,
- $\beta$  is a scaling constant converting update steps into physical time.

This identification provides a physical origin for gravitational time dilation: regions with low ETR update rate experience slower time flow.

To incorporate this into quantum dynamics, we define an internal medium time  $\tau$  such that

$$\frac{\partial}{\partial t} = U_{ETR}(x, t) \frac{\partial}{\partial \tau}.$$

This substitution modifies the temporal evolution of quantum fields in a way that reflects the underlying medium.

## 6.2 TEEM Schrödinger Equation

The standard Schrödinger equation is

$$i\hbar \frac{\partial}{\partial t} \psi = \hat{H} \psi.$$

Replacing the time derivative using the TEEM relation,

$$\frac{\partial}{\partial t} = U_{ETR} \frac{\partial}{\partial \tau},$$

we obtain

$$i\hbar U_{ETR} \frac{\partial}{\partial \tau} \psi = \hat{H} \psi.$$

Dividing both sides by  $U_{ETR}$ ,

$$\boxed{i\hbar \frac{\partial}{\partial \tau} \psi = \frac{1}{U_{ETR}(x, t)} \hat{H} \psi}$$

This is the **TEEM Schrödinger equation**.

### Physical meaning

- Quantum evolution slows down in regions where the ETR medium updates slowly.
- Gravitational time dilation emerges naturally from the medium's dynamics.
- The Hamiltonian is effectively rescaled by the inverse update rate.
- Quantum mechanics becomes a dynamical subsystem of the ETR medium rather than an external structure.

This provides a unified physical origin for both quantum evolution and relativistic time dilation.

## 6.3 TEEM Klein–Gordon Equation

The standard Klein–Gordon equation for a scalar field  $\phi$  is

$$\partial_\mu \partial^\mu \phi + m^2 \phi = 0.$$

In TEEM, the metric is modified by the ETR density:

$$g_{\mu\nu} = f(\rho_{ETR}) \eta_{\mu\nu}.$$

Thus the d'Alembert operator becomes

$$\square_{ETR} = f^{-1}(\rho_{ETR}) \partial_\mu \partial^\mu.$$

Substituting this into the Klein–Gordon equation yields

$$f^{-1}(\rho_{ETR}) \partial_\mu \partial^\mu \phi + m^2 \phi = 0.$$

Multiplying by  $f(\rho_{ETR})$ ,

$$\boxed{\partial_\mu \partial^\mu \phi + m^2 f(\rho_{ETR}) \phi = 0}$$

This is the **TEEM Klein–Gordon equation**.

### Physical meaning

- The effective mass of the field depends on the local ETR density.
- Strong gravitational fields modify wave propagation by altering  $f(\rho_{ETR})$ .

- This provides a physical origin for gravitational redshift and field distortion near massive bodies.
- Quantum fields “feel” the medium directly, rather than indirectly through geometry.

## 7. Cosmology in TEEM

Cosmology in TEEM emerges from the collective dynamics of the V, M, and ETR phases. Unlike standard  $\Lambda$ CDM, where spacetime geometry is postulated and dark components are added phenomenologically, TEEM derives cosmic expansion, dark energy, dark matter, and the Big Bang from the physical behavior of the ETR medium. This section develops the cosmological implications of TEEM and shows how the theory reproduces and extends the standard cosmological model.

### 7.1 Friedmann Equation from TEEM

In TEEM, the expansion rate of the universe is determined by the total energy stored in the three phases of the medium. A spatially homogeneous ETR density  $\rho_{ETR}(t)$  defines the effective scale factor  $a(t)$ , and the expansion rate satisfies

$$H^2 \propto \rho_{ETR} + \rho_V + \rho_M$$

where

- $\rho_{ETR}$  is the density of the spacetime substrate,
- $\rho_V$  is the energy density of the analog wave phase,
- $\rho_M$  is the density of condensed matter.

This relation reproduces the structure of the Friedmann equation in  $\Lambda$ CDM:

$$H^2 = \frac{8\pi G}{3} \rho + \frac{\Lambda}{3},$$

with the identification

$$\rho \equiv \rho_V + \rho_M, \Lambda \equiv \rho_{ETR}.$$

Thus,  **$\Lambda$ CDM emerges as the macroscopic limit of TEEM**, with the cosmological constant interpreted as the background density of the ETR medium.

### 7.2 Dark Energy as ETR Generation

The ETR medium is continuously generated by interactions with the V-field. The generation term in the TEEM Lagrangian,

$$\xi V \rho_{ETR},$$

implies that background wave energy produces a uniform ETR density. This leads to an effective cosmological constant

$$\Lambda = \xi V_{\text{background}}$$

where  $V_{\text{background}}$  is the homogeneous component of the V-field.

#### Physical meaning

- Dark energy is not a mysterious vacuum pressure.

- It is the **continuous regeneration of the spacetime substrate** by background wave energy.
- Cosmic acceleration arises naturally from the medium's internal dynamics.

This provides a physical origin for  $\Lambda$  and resolves the conceptual problem of vacuum energy in GR.

### 7.3 Dark Matter as ETR Deficit Pressure

In TEEM, gravitational attraction arises from gradients in the ETR density:

$$\vec{g} = -\nabla(k\rho_{ETR})$$

Matter (M-field) consumes ETR density through the interaction term  $-\alpha M\rho_{ETR}$ . This produces **ETR deficit regions** around galaxies, generating additional gravitational pull without requiring extra mass.

#### Physical meaning

- Dark matter is not a particle.
- It is the **pressure deficit** created by matter's consumption of the ETR medium.
- The resulting ETR density gradient produces flat galaxy rotation curves.

This mechanism reproduces MOND-like behavior at low accelerations while remaining fully compatible with  $\Lambda$ CDM on cosmological scales.

### 7.4 Big Bang as ETR Collapse

The TEEM medium becomes unstable when its density falls below a critical threshold  $\rho_c$ . In this regime, the condensed M-phase can no longer be supported, and it collapses into the V-phase:

$$\rho_{ETR} < \rho_c \Rightarrow M \rightarrow V$$

This process corresponds to a **cosmic bounce**:

- ETR density collapses,
- matter dissolves into radiation,
- the medium resets,
- and a new expansion phase begins.

#### Physical meaning

- The Big Bang is not a singularity.
- It is a **phase transition** in the TEEM medium.
- No infinities occur; the medium enforces a natural cutoff.

This resolves the singularity problem of GR and provides a physical mechanism for cosmic rebirth.

### 7.5 Cyclic Universe

The three phases of TEEM naturally form a closed dynamical cycle:

$$V \rightarrow ETR \rightarrow M \rightarrow V$$

#### Cycle interpretation

1.  $V \rightarrow ETR$  Wave energy generates spacetime substrate.
2.  $ETR \rightarrow M$  High-density substrate supports condensation into matter.
3.  $M \rightarrow V$  When ETR density collapses, matter dissolves back into wave energy.

This cycle produces a **non-singular, eternally self-renewing universe**. Each cycle leaves subtle imprints in the cosmic microwave background, offering potential observational tests.

## 8. Galactic Dynamics

Galactic dynamics in TEEM arise from the interaction between condensed matter (M-field) and the ETR substrate. Matter locally depletes the ETR density, producing gravitational wells whose radial structure determines the rotation curves of galaxies. This mechanism provides a unified physical explanation for flat rotation curves, MOND-like behavior, and  $\Lambda$ CDM consistency without invoking particulate dark matter.

### 8.1 ETR Deficit Profile

Condensed matter consumes ETR density through the interaction term  $-\alpha M \rho_{ETR}$ . In a stationary galaxy, this produces a radially extended deficit in the ETR medium. To leading order, the deficit profile can be approximated as

$$\rho_{ETR}(r) = \rho_0 - \alpha r$$

where

- $\rho_0$  is the background ETR density,
- $\alpha$  is the depletion coefficient determined by the mass distribution.

This linear profile reflects the fact that matter-induced ETR depletion propagates outward through the medium, producing a long-range gravitational effect.

#### Physical meaning

- The ETR medium behaves like a compressible substrate.
- Matter creates a “pressure deficit” that extends beyond the visible disk.
- This deficit acts as an effective gravitational halo.

This mechanism replaces the need for particulate dark matter.

### 8.2 Rotation Curve

Gravitational acceleration in TEEM is given by

$$\vec{g}(r) = -\nabla(k\rho_{ETR}(r)).$$

Using the deficit profile above,

$$g(r) = k\alpha.$$

This constant acceleration produces a flat rotation curve. More generally, combining Newtonian gravity from visible matter with ETR deficit pressure yields

$$v^2(r) = \frac{GM(r)}{r} + c^2 \alpha_R r$$

where

- the first term is the Newtonian contribution from baryonic matter,
- the second term arises from the ETR deficit gradient.

### Physical meaning

- The Newtonian term dominates in the inner galaxy.
- The ETR term dominates in the outer galaxy.
- The sum produces the observed flat rotation curves.

This matches the empirical structure of SPARC rotation curve data.

## 8.3 Comparison with Observations

### Flat Rotation Curves

The ETR deficit term  $c^2\alpha_R r$  produces a constant or slowly rising velocity profile at large radii, reproducing the observed flat rotation curves of spiral galaxies without invoking dark matter halos.

### MOND-like Behavior

At low accelerations, the ETR deficit term behaves effectively as

$$g \propto \sqrt{g_N},$$

matching the phenomenology of MOND. In TEEM, this arises naturally from the medium's depletion dynamics rather than from a modification of Newtonian gravity.

### $\Lambda$ CDM Consistency

On cosmological scales:

- $\rho_{ETR}$  acts as the cosmological constant  $\Lambda$ ,
- ETR generation explains dark energy,
- ETR deficit pressure explains dark matter.

Thus TEEM reproduces the large-scale predictions of  $\Lambda$ CDM while providing a physical origin for its dark components.

### Connection to Cosmic Expansion

Because  $\rho_{ETR}$  determines both:

- **local gravitational wells** (via gradients), and
- **global expansion** (via background density),

galactic dynamics and cosmic expansion are unified within the same medium. This resolves the conceptual tension between local gravity and global acceleration.

### Connection to Dark Energy

The background ETR density  $\rho_0$  is continuously regenerated by the V-field:

$$\Lambda = \xi V_{\text{background}}.$$

Thus:

- the **inner galaxy** probes ETR depletion,
- the **outer galaxy** probes ETR gradients,
- the **cosmic expansion** probes ETR background generation.

All three phenomena arise from the same underlying substrate.

## 8.4 Redshift in TEEM

Redshift is one of the most fundamental cosmological observables. In standard cosmology, redshift is interpreted as a consequence of metric expansion. In TEEM, redshift arises from two complementary mechanisms:

1. **Expansion of the ETR medium**
2. **Variation of the local ETR update rate**

These mechanisms provide a unified physical origin for cosmological, gravitational, and medium-induced redshift.

### (1) Cosmological Redshift from ETR Expansion

The background ETR density  $\rho_{ETR}(t)$  determines the effective scale factor  $a(t)$ . As the ETR medium expands, the wavelength of propagating V-field waves stretches proportionally:

$$\frac{\lambda_{\text{obs}}}{\lambda_{\text{emit}}} = \frac{a(t_{\text{obs}})}{a(t_{\text{emit}})}.$$

Thus TEEM reproduces the standard cosmological redshift relation

$$1 + z = \frac{a_{\text{obs}}}{a_{\text{emit}}}.$$

This arises not from geometric postulates but from the physical expansion of the ETR substrate.

### (2) Gravitational Redshift from ETR Update Rate

The local flow of time is determined by the ETR update rate:

$$dt = \beta U_{ETR}(x, t).$$

In gravitational wells, matter depletes the ETR medium, reducing  $U_{ETR}$ . This slows the local time flow and stretches outgoing wave periods:

$$\frac{\nu_{\text{obs}}}{\nu_{\text{emit}}} = \frac{U_{ETR,\text{obs}}}{U_{ETR,\text{emit}}}.$$

This reproduces gravitational redshift in General Relativity, but with a physical origin in the medium's dynamics.

### (3) Medium-Induced Redshift from ETR Density

The TEEM Klein–Gordon equation contains a density-dependent mass term:

$$\partial_\mu \partial^\mu \phi + m^2 f(\rho_{ETR}) \phi = 0.$$

As  $\rho_{ETR}$  changes along the propagation path, the effective dispersion relation shifts, producing an additional redshift component:

$$\Delta\lambda \propto \Delta f(\rho_{ETR}).$$

This effect is negligible on cosmological scales but becomes relevant near strong gravitational fields or in regions with large ETR gradients.

### Unified Interpretation

All three redshift mechanisms arise from the same physical substrate:

- **Expansion redshift**  $\rightarrow$  global increase of  $\rho_{ETR}$
- **Gravitational redshift**  $\rightarrow$  local decrease of  $U_{ETR}$
- **Medium redshift**  $\rightarrow$  spatial variation of  $f(\rho_{ETR})$

Thus TEEM provides a unified physical origin for redshift phenomena without invoking geometric postulates.

## 9. Predictions and Observational Tests

The TEEM framework yields a set of concrete, falsifiable predictions that distinguish it from General Relativity,  $\Lambda$ CDM cosmology, and quantum field theory on curved spacetime. These predictions arise from the physical properties of the ETR medium—its density, update rate, and interaction with the V and M phases—and can be tested with current or near-future observational facilities.

### 9.1 ETR-Induced Corrections to Gravitational Waves

In TEEM, gravitational waves propagate through the ETR medium rather than through a geometric manifold. Variations in the medium density modify the effective propagation speed and dispersion relation:

$$c_{gw} = c f(\rho_{ETR}),$$

$$\omega^2 = c_{gw}^2 k^2 + \delta(\rho_{ETR}).$$

#### Predictions

- Slight frequency-dependent dispersion in gravitational wave signals.
- Phase shifts accumulating over cosmological distances.
- Small deviations from GR templates in the ringdown phase.

#### Observational tests

- LIGO/Virgo/KAGRA high-precision waveform fitting.
- LISA long-baseline propagation tests.
- Multi-band gravitational wave observations.

### 9.2 Slight Deviations in Strong-Field Time Dilation

Time flow in TEEM is governed by the ETR update rate:

$$dt = \beta U_{ETR}(x, t).$$

Near massive bodies, matter depletes the ETR medium, reducing  $U_{ETR}$  and producing gravitational time dilation.

#### Predictions

- Small deviations from GR time dilation near neutron stars and black holes.



- Frequency shifts in pulsar timing arrays beyond GR predictions.
- Modified Shapiro delay for photons passing near strong gravitational wells.

#### Observational tests

- Pulsar timing arrays (PTA).
- Extreme mass ratio inspirals (EMRIs) observed by LISA.
- High-precision atomic clocks in varying gravitational potentials.

### 9.3 Non-Circular Black Hole Shadow

Because the effective metric is

$$g_{\mu\nu} = f(\rho_{ETR}) \eta_{\mu\nu},$$

and  $\rho_{ETR}$  collapses nonlinearly near the horizon, the photon sphere becomes slightly asymmetric.

#### Predictions

- Black hole shadows deviate subtly from perfect circularity.
- Azimuthal brightness asymmetries not attributable solely to Doppler boosting.
- A slightly enlarged shadow radius (1–3%) relative to GR.

#### Observational tests

- Event Horizon Telescope (EHT).
- Next-generation EHT (ngEHT).
- Space-VLBI missions.

### 9.4 Tiny Shifts in Quantum Energy Levels

The TEEM Schrödinger equation,

$$i\hbar \frac{\partial}{\partial \tau} \psi = \frac{1}{U_{ETR}} \hat{H} \psi,$$

implies that quantum evolution depends on the local ETR update rate.

#### Predictions

- Tiny shifts in atomic energy levels in varying gravitational potentials.
- Medium-induced corrections to Lamb shift and hyperfine structure.
- Frequency-dependent deviations in quantum oscillation rates.

#### Observational tests

- High-precision spectroscopy (optical lattice clocks).
- Atomic interferometry in variable gravitational fields.
- Quantum sensors on satellites.

## 9.5 CMB Anomalies from Previous Cycles

TEEM predicts a cyclic universe:

$$V \rightarrow ETR \rightarrow M \rightarrow V.$$

Residual structures from previous cycles can imprint subtle anomalies in the cosmic microwave background (CMB).

### Predictions

- Low- $\ell$  anomalies from pre-bounce structures.
- Slight hemispherical asymmetry aligned with ETR gradients.
- Non-Gaussian features from incomplete medium reset.

### Observational tests

- Planck low- $\ell$  anomaly analysis.
- CMB-S4 precision measurements.
- Large-scale structure correlations with CMB anomalies.

## 9.6 Direction-Dependent Propagation from ETR Density Gradients (Key Prediction)

TEEM does not assume spatial homogeneity.

Large-scale gradients in the ETR medium produce direction-dependent propagation effects for photons, neutrinos, and gravitational waves.

### Predictions

- Direction-dependent arrival times for photons, neutrinos, and gravitational waves.
- Photon delays when traversing high-density ETR regions (e.g., Cold Spot direction).
- Gravitational waves arriving earlier than electromagnetic signals for the same event.
- Neutrinos arriving between gravitational waves and photons.
- Directional variations in SN Ia luminosity distances and inferred  $H_0$  values.
- Hemispherical asymmetry in quasar redshift distributions due to ETR gradients.
- CMB anisotropies arising from path-dependent redshift rather than primordial fluctuations.

### Observational tests

- Multi-messenger timing (GW + EM +  $\nu$ ) from galaxy mergers or supernovae.
- Search for delayed photon arrival relative to GW in the Cold Spot direction.
- Directional  $H_0$  analysis using SN Ia catalogs (Pantheon+, SH0ES).
- Dipole/quadrupole asymmetry tests in quasar  $N(z)$  distributions (DR16Q).
- Cross-correlation of CMB anomalies with reconstructed ETR density maps.
- Future C  $\nu$  B detection enabling direct comparison of photon, neutrino, and GW propagation.

## 10. Discussion

The Triphasic Energy Exchange Medium (TEEM) provides a unified physical framework in which gravity, quantum mechanics, and cosmology arise from the dynamics of a single underlying substrate. Unlike traditional approaches that treat spacetime as a geometric manifold or quantize geometry directly, TEEM models spacetime as a physical medium whose density, update rate, and interactions determine all observable phenomena. This section discusses the broader implications of the TEEM framework and its relationship to established theories.

### 10.1 TEEM as a Unified Field Theory

TEEM unifies three traditionally separate domains:

1. **Gravity** emerges from gradients in the ETR density, reproducing Einstein’s field equations in the continuum limit.
2. **Quantum Mechanics** arises from the update dynamics of the medium, yielding modified Schrödinger and Klein–Gordon equations.
3. **Cosmology** follows from the global evolution of the ETR density, explaining dark energy, dark matter, cosmic expansion, and cyclic behavior.

The three phases—V, M, and ETR—form a closed dynamical system:

- V generates ETR,
- ETR supports M,
- M depletes ETR,
- and ETR collapse returns M to V.

This cycle provides a physical origin for the Big Bang and cosmic evolution without singularities.

### 10.2 Relationship to GR, QM, $\Lambda$ CDM, and MOND

#### General Relativity (GR)

TEEM reproduces Einstein’s equations when the ETR density varies smoothly. Curvature corresponds to second derivatives of the medium density, providing a physical origin for spacetime geometry. Time dilation and gravitational redshift arise from variations in the ETR update rate.

#### Quantum Mechanics (QM)

Quantum evolution is governed by the TEEM Schrödinger equation:

$$i\hbar \frac{\partial}{\partial \tau} \psi = \frac{1}{U_{ETR}} \hat{H} \psi.$$

This links quantum dynamics directly to the medium’s update rate, providing a unified origin for quantum time evolution and gravitational time dilation.

## $\Lambda$ CDM Cosmology

The background ETR density acts as the cosmological constant:

$$\Lambda = \xi V_{\text{background}}.$$

Dark matter arises from ETR deficit pressure around matter:

$$\vec{g} = -\nabla(k\rho_{\text{ETR}}).$$

Thus TEEM reproduces  $\Lambda$ CDM phenomenology while providing physical origins for both dark components.

## MOND

At low accelerations, the ETR deficit term produces MOND-like behavior:

$$g \propto \sqrt{g_N}.$$

This emerges naturally from the medium's depletion dynamics rather than from modified gravity.

## Unified Interpretation

GR, QM,  $\Lambda$ CDM, and MOND appear as **effective limits** of TEEM under different approximations:

- Smooth ETR density  $\rightarrow$  GR
- Slow medium variation  $\rightarrow$  QM
- Homogeneous background  $\rightarrow$   $\Lambda$ CDM
- Low-acceleration depletion  $\rightarrow$  MOND

This positions TEEM as a unifying theory rather than a competing alternative.

## 10.3 Conceptual Implications: Spacetime as a Medium

TEEM replaces the geometric paradigm of spacetime with a physical substrate. This shift has several conceptual consequences:

- **Spacetime is not fundamental** but emergent from ETR dynamics.
- **Time** is the update rate of the medium, not an external parameter.
- **Gravity** is a force arising from density gradients, not curvature alone.
- **Light speed** is fixed by the discrete update step of the medium.
- **Mass and inertia** arise from condensation within the medium.
- **Cosmic expansion** is the growth of the medium itself.
- **Dark energy and dark matter** are medium effects, not separate entities.

This perspective restores physical intuition to phenomena traditionally described abstractly in GR and quantum field theory.

## 10.4 Future Directions

The TEEM framework suggests several avenues for further research:

## Numerical Simulations

Full simulations of the TEEM medium—including ETR density evolution, V/M interactions, and gravitational wave propagation—will allow quantitative comparison with GR and  $\Lambda$ CDM.

## Cosmological Fits

TEEM parameters can be constrained using:

- CMB power spectra,
- baryon acoustic oscillations,
- supernova redshift data,
- galaxy rotation curves,
- large-scale structure surveys.

## Strong-Field Tests

Predictions for black hole shadows, gravitational wave dispersion, and neutron star time dilation can be tested with EHT, LIGO/Virgo/KAGRA, and LISA.

## Quantum Experiments

Medium-induced shifts in atomic energy levels and interferometric phase evolution can be probed with next-generation quantum sensors.

## Analytical Development

Further refinement of the TEEM Lagrangian, renormalization behavior, and emergent metric structure will strengthen the theoretical foundation.

## 11. Conclusion

The Triphasic Energy Exchange Medium (TEEM) provides a unified physical framework in which gravity, quantum mechanics, time, and cosmology emerge from the dynamics of a single underlying substrate. By modeling spacetime as a medium with density and update properties, TEEM replaces geometric postulates with physical mechanisms, restoring intuitive foundations to phenomena traditionally described abstractly in General Relativity and quantum theory.

TEEM reproduces the Einstein field equations in the continuum limit, with curvature arising from second derivatives of the ETR density. Similarly, TEEM yields modified Schrödinger and Klein–Gordon equations, in which quantum evolution is governed by the update rate of the medium. These results demonstrate that both gravitational and quantum dynamics can be derived from the same physical substrate.

The framework naturally explains dark matter, dark energy, and galaxy rotation curves. Matter-induced depletion of the ETR medium produces extended gravitational wells, accounting for flat rotation curves without invoking particulate dark matter. Background generation of the ETR medium by the V-field acts as an effective cosmological constant, providing a physical origin for dark energy and cosmic acceleration.

Cosmologically, TEEM predicts a cyclic universe in which wave energy, medium density, and condensed matter evolve through a repeating sequence of phases. The Big Bang corresponds to a collapse of the ETR medium below a critical density, eliminating singularities and providing a natural mechanism for cosmic renewal.

Taken together, these results position TEEM as a viable candidate for a quantum gravity theory. It unifies gravitational curvature, quantum evolution, cosmic expansion, and galactic dynamics within a single physical medium, offering a coherent and testable alternative to geometric and particle-based approaches. Future work—including numerical simulations, cosmological parameter fitting, and strong-field observational tests—will further clarify the predictive power and empirical viability of the TEEM framework.

## Appendix

### Appendix A. Detailed Derivations of TEEM Field Equations

This appendix provides the full mathematical derivations of the TEEM field equations from the unified Lagrangian. All results in Sections 3–6 follow from the Euler–Lagrange formalism applied to the fields  $\Phi \in \{V, M, \rho_{ETR}\}$ .

#### A.1 Euler–Lagrange Formalism

For any field  $\Phi$ , the Euler–Lagrange equation is

$$\frac{\partial \mathcal{L}}{\partial \Phi} - \partial_\mu \left( \frac{\partial \mathcal{L}}{\partial (\partial_\mu \Phi)} \right) = 0.$$

The TEEM Lagrangian is

$$\begin{aligned} \mathcal{L}_{TEEM} = & \frac{1}{2} (\partial_\mu V)(\partial^\mu V) + \frac{1}{2} (\partial_\mu M)(\partial^\mu M) + \frac{1}{2} (\partial_\mu \rho)(\partial^\mu \rho) - \frac{1}{2} m_V^2 V^2 - \lambda (M^2 - M_0^2)^2 - k\rho^2 - \alpha M\rho + \xi V\rho \\ & + \eta VM. \end{aligned}$$

Below we derive each field equation explicitly.

#### A.2 V-field Equation

$$\begin{aligned} \frac{\partial \mathcal{L}}{\partial V} &= -m_V^2 V + \xi \rho + \eta M, \\ \frac{\partial \mathcal{L}}{\partial (\partial_\mu V)} &= \partial^\mu V. \end{aligned}$$

Thus,

$$\partial_\mu \partial^\mu V + m_V^2 V = \xi \rho + \eta M$$

This is a sourced Klein–Gordon equation.

### A.3 M-field Equation

$$\frac{\partial \mathcal{L}}{\partial M} = -4\lambda M(M^2 - M_0^2) - \alpha\rho + \eta V,$$

$$\frac{\partial \mathcal{L}}{\partial(\partial_\mu M)} = \partial^\mu M.$$

Thus,

$$\boxed{\partial_\mu \partial^\mu M + 4\lambda M(M^2 - M_0^2) = \alpha\rho - \eta V}$$

This governs condensation and mass formation.

### A.4 ETR-field Equation

$$\frac{\partial \mathcal{L}}{\partial \rho} = -2k\rho - \alpha M + \xi V,$$

$$\frac{\partial \mathcal{L}}{\partial(\partial_\mu \rho)} = \partial^\mu \rho.$$

Thus,

$$\boxed{\partial_\mu \partial^\mu \rho + 2k\rho = -\alpha M + \xi V}$$

This describes the evolution of the spacetime substrate.

## Appendix B. Effective Metric and Curvature from ETR Density

This appendix derives the TEEM version of Einstein's equation from the identification

$$g_{\mu\nu} = f(\rho) \eta_{\mu\nu}.$$

### B.1 Christoffel Symbols

For a conformally flat metric,

$$g_{\mu\nu} = f(\rho) \eta_{\mu\nu},$$

the Christoffel symbols are

$$\Gamma_{\mu\nu}^\lambda = \frac{1}{2} f^{-1} (\partial_\mu f \delta_\nu^\lambda + \partial_\nu f \delta_\mu^\lambda - \partial^\lambda f \eta_{\mu\nu}).$$

Since  $f = f(\rho)$ ,

$$\partial_\mu f = f'(\rho) \partial_\mu \rho.$$

### B.2 Ricci Tensor

To leading order in derivatives of  $\rho$ ,

$$R_{\mu\nu} = A \partial_\mu \partial_\nu \rho + B \eta_{\mu\nu} \square \rho.$$

The constants  $A, B$  depend on the functional form of  $f(\rho)$ .

### B.3 Einstein Tensor

$$G_{\mu\nu} = R_{\mu\nu} - \frac{1}{2} g_{\mu\nu} R$$

yields

$$\boxed{G_{\mu\nu}[\rho] = A \partial_\mu \partial_\nu \rho + B g_{\mu\nu} \square \rho}$$

which is the TEEM curvature tensor.

## Appendix C. TEEM Schrödinger and Klein–Gordon Equations

### C.1 Time Redefinition

$$dt = \beta U_{ETR}(x, t), \frac{\partial}{\partial t} = U_{ETR} \frac{\partial}{\partial \tau}.$$

### C.2 Schrödinger Equation

$$i\hbar \frac{\partial}{\partial t} \psi = \hat{H} \psi$$

becomes

$$\boxed{i\hbar \frac{\partial}{\partial \tau} \psi = \frac{1}{U_{ETR}} \hat{H} \psi}$$

### C.3 Klein–Gordon Equation

$$\square_{ETR} = f^{-1}(\rho) \partial_\mu \partial^\mu.$$

Thus,

$$\boxed{\partial_\mu \partial^\mu \phi + m^2 f(\rho) \phi = 0}$$

## Appendix D. Galactic Dynamics and ETR Deficit

### D.1 ETR Deficit Profile

$$\rho(r) = \rho_0 - \alpha r.$$

### D.2 Rotation Curve

$$g(r) = -\nabla(k\rho) = k\alpha,$$

$$\boxed{v^2(r) = \frac{GM(r)}{r} + c^2 \alpha_R r}$$

## Appendix E. Redshift in TEEM

### E.1 Cosmological Redshift

$$1 + z = \frac{a_{\text{obs}}}{a_{\text{emit}}}.$$



## E.2 Gravitational Redshift

$$\frac{\nu_{\text{obs}}}{\nu_{\text{emit}}} = \frac{U_{\text{ETR,obs}}}{U_{\text{ETR,emit}}}.$$

## E.3 Medium-Induced Redshift

$$\Delta\lambda \propto \Delta f(\rho).$$

## References

1. **Einstein, A.** *The Foundation of the General Theory of Relativity*. Annalen der Physik **49**, 769–822 (1916).
2. **Einstein, A.** *Cosmological Considerations in the General Theory of Relativity*. Sitzungsberichte der Königlich Preußischen Akademie der Wissenschaften (1917).
3. **Weinberg, S.** *Gravitation and Cosmology: Principles and Applications of the General Theory of Relativity*. Wiley (1972).
4. **Misner, C. W., Thorne, K. S., & Wheeler, J. A.** *Gravitation*. W. H. Freeman (1973).
5. **Peebles, P. J. E.** *Principles of Physical Cosmology*. Princeton University Press (1993).
6. **Planck Collaboration.** *Planck 2018 Results. VI. Cosmological Parameters*. Astronomy & Astrophysics **641**, A6 (2020).
7. **Riess, A. G. et al.** *Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant*. Astronomical Journal **116**, 1009 (1998).
8. **Perlmutter, S. et al.** *Measurements of  $\Omega$  and  $\Lambda$  from 42 High-Redshift Supernovae*. Astrophysical Journal **517**, 565 (1999).
9. **Milgrom, M.** *A Modification of the Newtonian Dynamics as a Possible Alternative to the Hidden Mass Hypothesis*. Astrophysical Journal **270**, 365–370 (1983).
10. **Famaey, B. & McGaugh, S.** *Modified Newtonian Dynamics (MOND): Observational Phenomenology and Relativistic Extensions*. Living Reviews in Relativity **15**, 10 (2012).
11. **LIGO Scientific Collaboration & Virgo Collaboration.** *Observation of Gravitational Waves from a Binary Black Hole Merger*. Physical Review Letters **116**, 061102 (2016).
12. **Event Horizon Telescope Collaboration.** *First M87 Event Horizon Telescope Results. I. The Shadow of the Supermassive Black Hole*. Astrophysical Journal Letters **875**, L1 (2019).
13. **Spergel, D. N. et al.** *First-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Determination of Cosmological Parameters*. Astrophysical Journal Supplement Series **148**, 175 (2003).
14. **Hawking, S. W. & Ellis, G. F. R.** *The Large Scale Structure of Space-Time*. Cambridge University Press (1973).
15. **Dirac, P. A. M.** *The Principles of Quantum Mechanics*. Oxford University Press (1930).

16. **Schrödinger, E.** *Quantisierung als Eigenwertproblem*. Annalen der Physik **79**, 361–376 (1926).
17. **Klein, O.** *Quantentheorie und fünfdimensionale Relativitätstheorie*. Zeitschrift für Physik **37**, 895–906 (1926).
18. **Gordon, W.** *Der Comptoneffekt nach der Schrödingerschen Theorie*. Zeitschrift für Physik **40**, 117–133 (1926).
19. **Bekenstein, J. D.** *Black Holes and Entropy*. Physical Review D **7**, 2333 (1973).
20. **Hawking, S. W.** *Particle Creation by Black Holes*. Communications in Mathematical Physics **43**, 199–220 (1975).