Power BI – data cleaning, measures, calculations

- **Data Transformation**

/*Data Transformation - pizza size presented as S, M, L, XL,XXL in data,

we need to transform it to S= small, M= Medium, L=Large, XL = XLarge , XXL = XXLarge)*/

--we will transform the values before loading the data.

Go to he power query editor → select the pizza_size column →right click →replace the value → S= small, M= Medium, L=Large, XL = XLarge , XXL = XXLarge.





- **Calculations- Additional columns**

  Conditional Column _ **Day Column**

  Transform→ Add column→Conditional column→ add logic



- **From Order Date we will create another column, Order Day column :**

  Order Day = UPPER(LEFT(pizza_sales[Day Name],3))

- **From Order Date we will create another column, Order Month column :**

  Order Month = UPPER(LEFT(pizza_sales[Month Name],3))



- **Create Measures table:**
  - Creating separate measures table & add all the measures inside the table. Following is the image to create measures table.

    Home → Enter data → Create Table → name table as Measures Table → Load



- under the measures table column1 will be created.



- When we create our first measure, we need to delete the empty column1. Click to column1 & delete from the model.



- **Dax & Measures:**

1. Total Orders = DISTINCTCOUNT(pizza_sales[order_id])
2. Total Revenue = sum(pizza_sales[total_price])
3. Total Pizza Sold = sum(pizza_sales[quantity])
4. Average Order Value = DIVIDE([Total Revenue],[Total Orders])
5. Average Pizzas Per Order = DIVIDE([Total Pizza Sold],[Total Orders])