

Upload group files to Galaxy : BurkholderiaegtB

Auto Build List on fastqsanger.gz files to create transcriptome collection

Falco

Tool: (Galaxy Version 1.2.4+galaxy0)

Parameters: Default

Fastp

Tool: (Galaxy Version 1.3.2+galaxy0)

Parameters: Paired-end Collection

HISAT2

Tool: (Galaxy Version: 2.2.2+galaxy0)

Parameters: Use a genome from history- 2:burkholderia.fasta
Pair-end Dataset Collection - fastp collection pair-end output

StringTie

Tool: (Galaxy Version: 2.2.3+galaxy0)

Parameters: Default

StringTie merge

Tool: (Galaxy Version: 2.2.3+galaxy0)

Parameters: Assembled transcript

Reference annotation to include in the merging

Feature Counts

Tool: (Galaxy Version 2.1.1+galaxy0)

Parameters: transcript_id

yes, paired end and count them as 1 fragment

DESeq2

Tool: (Galaxy Version 2.11.40.8+galaxy2)

Parameters: Advanced- beta priors yes

Output: check normalize data

Filter data on any column using simple expression

Tool: (Galaxy Version 1.1.1)

Parameters: $c7 < 0.05$

Filter data on any column using simple expression

Tool:(Galaxy Version 1.1.1)

Parameters: $\text{abs}(c3) > 1$

Header

Upload: tabular format

geneID	Base mean	log2(FC)	STDERR	Waldstats	P-value	P-adjust
--------	-----------	----------	--------	-----------	---------	----------

Concatenate multiple datasets or collections

Tool:(Galaxy Version 1.0.0)

Parameters: Select Filtered Dataset and change to tabular in details

Volcano Plot

Tool: (Galaxy Version 4.0.3+galaxy0)

Parameter: **FDR (adjusted P value) column number ***

Column: 7

P value (raw) column number *

Column: 6

Log Fold Change column number *

Column: 3

Labels column number *

Column: 1

TOP UP & DOWN

Tool:Excel

Parameter: Sort and filter log2(FC) smallest to largest

Pick top 10 and bottom 10

Convert from csv to tabular under data attributes

Join two Datasets side by side on specified field

Tool: (Galaxy Version 2.1.3.)

Parameters: Default

Cut columns from a table

Tool: (Galaxy Version 1.0.2)

Parameters: cut c8-14

Heatmap2

Tool:(Galaxy Version 3.3.0+galaxy0)

Parameter:

Data transformation

Log2(value+1) transform my data

Compute z-scores prior to clustering

none

Scale data on the plot (after clustering)

Do not scale my data

Enable data clustering

true

Type of colormap to use

palettes

Name of the colormap

PiYG

Output format

PDF

Filter data on any column using simple expression

Tool: (Galaxy Version 1.1.1)

Parameter: within the following conditions c3=='CDS'

Cut columns from a table

Tool: (Galaxy Version 1.0.2)

Parameter: cut columns : c9

Convert delimiters to TAB

Tool:(Galaxy Version 1.0.1)

Parameter: convert all semicolons

Replace Text in a specific column

Tool: (Galaxy Version 9.5+galaxy3)

Parameter: in column: c2

Find pattern: Parent=

Cut columns from a table

Tool:(Galaxy Version 1.0.2)

Parameter: cut columns: c2, c8

Join two Datasets side by side on specified field

Tool: (Galaxy Version 2.1.3)

Parameter: cut columns: Default