

How I Used Bootstrap 5

1 Bootstrap 5 Components

○ Card

I used cards for the experience section since I wanted to use logos of the companies I have worked for along with a description and cards seemed like a flexible option to display content.

I used the Grid Cards code to be able to control how many cards to show per row. I left part of the original code but added:

- Breakpoint for lg screens or bigger to display all 3 cards in the same row
- Width to re-size the images.
- h-100 to have equal height on the cards.
- border-4 to make borders thicker.

○ Progress

Progress bars were used in the Skills section to display in a bar the language level.

- Added strips.
- Added animated features.
- Accessibility features included aria-label and aria-value which were in the original Bootstrap code for the bars.

○ Badge

Badges were used in the Skills section to contain each hard and soft skill. Pill badges were used to get a more rounded effect.

○ Form

For the contact information area, a form was used. Form-control class was used.

Used vertical and horizontal gutter with different values to create gaps between column content, displaying more space horizontally between the input boxes and to create gaps in between rows, displaying a bigger gap vertically.

○ Button

Bootstrap button was used for the submit option of the form.

From medium breakpoints or bigger, the button will be aligned in the center, otherwise it displays on the left side.

2 Layout structure

The header was written inside a container-fluid class to ensure the title and navigation bar will always use 100% of the width screen without worrying about breakpoints.

A default container was used for the title in the header to change its width at different screen sizes.

Flex container used in the about section to make the content responsive at xs, sm and lg breakpoints, alternating the order of the content depending on the screen size.

Flex container used in the experience section to manage horizontal alignment of the content.

Flex container was used in the language section to create 3 columns with different breakpoints based on whether screen is md or larger.

The hard / soft skills section was each used in a container-fluid for auto sizing on breakpoints. I used offset on the row so the badges wouldn't start at the edge of the page.

A default container used in the form section to center the content and apply responsive max-widths at break-points.

The footer section uses a default container to center the footer horizontally and have a fixed width.

3 Custom CSS

Inline CSS was used to give a background color to the navigation bar and the footer and customize the h1 title located in the header.

4 Challenges

It was challenging to know whether elements should be wrapped in rows or columns. I continuously checked the code from bootstrap docs, examples or checked YouTube to figure out the best way to structure.

Another challenge was forgetting to use gutter values and just adding padding in y. When there was a breakpoint and the content would use the full width instead of positioning next to each other, it looked cramped, so I checked the code and saw that the gutter would fix this.

5 Learning points

Learning about bootstrap helped me create effectively a responsive website that still looks neat from different screen sizes. The breakpoints are easy to understand and helpful to test. I learned that with the inspect option you can copy the code from bootstrap examples to use it on your own website and modify it to your needs.