

```

1 #include <stdio.h>
2 #include <stdlib.h>
3 struct Node {
4     int data;
5     struct Node* left;
6     struct Node* right;
7 };
8 struct Node* createNode(int value) {
9     struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
10    newNode->data=value;
11    newNode->left=newNode->right=NULL;
12    return newNode;
13 }
14 struct Node* insert(struct Node* root,int value) {
15     if (root==NULL) return createNode(value);
16     if (value<root->data)
17         root->left=insert(root->left,value);
18     else
19         root->right=insert(root->right,value);
20     return root;
21 }
22 void inorder(struct Node* root) {
23     if (root==NULL) return;
24     inorder(root->left);
25     printf("%d ",root->data);
26     inorder(root->right);
27 }
28 void preorder(struct Node* root) {
29     if (root==NULL) return;
30     printf("%d ",root->data);
31     preorder(root->left);
32     preorder(root->right);
33 }
34 void postorder(struct Node* root) {
35     if (root==NULL) return;
36     postorder(root->left);
37     postorder(root->right);
38     printf("%d ", root->data);
39 }
40 int main() {
41     struct Node* root=NULL;
42     int n, value;
43     printf("Enter number of elements to insert: ");
44     scanf("%d", &n);
45     printf("Enter %d values:\n",n);
46     for(int i=0;i<n;i++) {
47         scanf("%d",&value);
48         root=insert(root,value);
49     }

```

Activate Windows
Go to Settings to activate Windows.

Ln 7, Col 3 Spaces: 4 UTF-8 CRLF [] C Win32



Search



ENG
IN

10:54:21
01-12-2025

```
40 int main() {
41     struct Node* root=NULL;
42     int n, value;
43     printf("Enter number of elements to insert: ");
44     scanf("%d", &n);
45     printf("Enter %d values:\n",n);
46     for(int i=0;i<n;i++) {
47         scanf("%d",&value);
48         root=insert(root,value);
49     }
50     printf("\nInorder traversal: ");
51     inorder(root);
52     printf("\nPreorder traversal: ");
53     preorder(root);
54     printf("\nPostorder traversal: ");
55     postorder(root);
56     printf("\n");
57     return 0;
58 }
59
```

Activate Windows
Go to Settings to activate Windows.

Ln 7, Col 3 Spaces: 4 UTF-8 CRLF {} C Win32



```
Enter number of elements to insert: 8
Enter 8 values:
50 30 70 20 40 60 80 65

Inorder traversal: 20 30 40 50 60 65 70 80
Preorder traversal: 50 30 20 40 70 60 65 80
Postorder traversal: 20 40 30 65 60 80 70 50
PS C:\Users\admin\Desktop\Malluri Sindhuja>
```

Activate Windows
Go to Settings to activate Windows.

Ln 46, Col 27 Spaces 4 UTF-8 CRLF {} C Win32

Search



ENG
IN

10:48:16
01-12-2025