

Recon-ng Demo

1. First, we need a target....Let's pick a company with a website. Write it down:
 - SOURCE: _____
2. Boot your Kali Linux Machine up
3. Open the Terminal Application
4. Type **recon-ng** and press return
5. OSINT requires scouring the internet for data. Recon-ng makes use of this by deploying modules....some modules require a subscription for an Advanced Programming Interface (API)
 - View the default recon-ng API keys by typing **show keys** and pressing return
6. Now we will begin to collect our data
7. Let's try searching google
 - Use **recon/domains-hosts/google_site_web** [press return]
 - **show options** [press return]
 - We need to tell recon-ng what to target, this is the SOURCE field
 - **set SOURCE =** [Whatever we picked in step 1] [press return]
 - **run** [press return]
 - **show hosts** [press return]
8. Let's try searching bing
 - Use **recon/domains-hosts/bing_site_web** [press return]
 - **show options** [press return]
 - We need to tell recon-ng what to target, this is the SOURCE field
 - **set SOURCE =** [Whatever we picked in step 1] [press return]
 - **run** [press return]
 - **show hosts** [press return]
9. That gave us some results, but often there are other ways to get more data...lots of people use similar words to describe services that they run...we can exploit that
 - Use **recon/domains-hosts/brute_hosts** [press return]
 - **show options** [press return]
 - We need to tell recon-ng what to target, this is the SOURCE field
 - **set SOURCE =** [Whatever we picked in step 1] [press return]
 - Notice the text file.....this is a list of keywords to try
 - **run** [press return]
 - **show hosts** [press return]
10. We may also want IP addresses, luckily the internet has to know how to find these which is why you type www.google.com instead of <http://173.194.66.104>
 - Use **recon/hosts-hosts/resolve** [press return]
 - **run** [press return]
 - **show hosts** [press return]
11. Now, we may want to see where these machines live
 - Use **recon/hosts-hosts/freegeoip** [press return]
 - **run** [press return]
 - **show hosts** [press return]

TURN PAGE OVER, PLEASE

12. Now, we may also want to see if they may have vulnerabilities

- **Use recon/domains-vulnerabilities/ghdb** [press return]
 - **Run** [press return]
 - **Use recon/domains-vulnerabilities/xssposed** [press return]
 - **Run** [press return]
 - **show vulnerabilities** [press return]
13. We may also want to look for people at the company
- **Use recon/domains-contacts/pgp_search** [press return]
 - **set SOURCE =** [Whatever we picked in step 1] [press return]
 - **Run** [press return]
 - **Use recon/domains-contacts/whois_pocs** [press return]
 - **set SOURCE =** [Whatever we picked in step 1] [press return]
 - **Run** [press return]
 - **show contacts** [press return]
14. Have these people ever used their user id for a service that had a data breach?
- **Use recon/contacts-credentials/hipb_breach** [press return]
 - **Run** [press return]
 - **show credentials** [press return]
15. How can I learn more about these contacts?
- **Use recon/profiles-profiles/profiler** [press return]
 - **set SOURCE =** [Whatever we picked in step 1] [press return]
 - **Run** [press return]
 - **show profiles** [press return]
16. Let's investigate some of these
17. Let's discuss ethics again
18. Now, let me show you what you can do with some programming