FETCH-A-THON 3.0 · GCET EDITION · ROUND 1

Kavach



A multi-agent scam shield for students. Paste a suspicious offer, UPI request or "digital arrest" script into **ASI:One**, get a verdict, the evidence and a complaint that's ready to file.

Team CodeStirs · Raj Vardhan Singh · Naman Rai · Divyansh Verma

01 · PROBLEM

Students are the easiest target for India’s cyber-fraud industry, and the warning signs are checkable.

₹22,849 cr

lost to cyber fraud in India in 2024, across **19.2 lakh** complaints (I4C)

1.23 lakh

"digital arrest" cases in 2024, costing **₹1,935 cr**. No real agency arrests anyone on a video call.

0

real employers who charge a **"refundable deposit"**. Fake internship and task scams still trap freshers every placement season.


The red flags are well known: a new lookalike domain, a fee before joining, a UPI ID, WhatsApp-only HR, urgency, "don't tell your family". But a panicked student has **no fast way to check them** before paying.

Sources: I4C / MHA data via ThePrint, Moneylife; parliamentary replies on digital arrest


02 · SOLUTION

Ask ASI:One ”is this a scam?” and a team of agents investigates.

- **Verdict + 0–100 risk score** with every piece of evidence explained
- **Real actions:** don't pay, hang up, freeze the bank, call **1930**
- **Pre-filled cybercrime.gov.in complaint** with the suspect's UPI, number and domain pulled out
- **Interactive verdict card** inside ASI:One. No app to install.



One orchestrator, two specialists working in parallel, all on the Agent Chat Protocol



If a specialist misses the 20 s timeout, the verdict uses the evidence that arrived and says so.

04 · TECH STACK & FLOW

Built entirely on the Fetch.ai stack

`uAgents 0.26 (Python)` `Agent Chat Protocol` `Agentverse mailbox`
`ASI:One discovery` `ASI1 Interactive Card` `ASI:One LLM API`
`uAgents Bureau` `RDAP (rdap.org)` `pydantic message models`

Typed messages between agents (`CheckRequest → Report[Finding]`). Each finding carries a weight, a category and a plain-English reason, so **every verdict can be explained**. Without an LLM key it still works on rules alone.

Primary flow, all inside ASI:One

1. User pastes the message or asks "is this a scam?"
2. ASI:One routes to **kavach** (Chat Protocol), which sends an acknowledgement
3. kavach sends a **CheckRequest** to both specialists in parallel
4. Specialists call tools (RDAP, regex playbooks, ASI:One LLM) and return a **Report**
5. kavach merges and scores the evidence, then replies with markdown, a verdict card and EndSession

```
✓ python main.py --selftest: SELFTEST PASS
```

05 · IMPACT

A check that takes seconds, between ”pay ₹1,999 now” and the student paying.

Prevents loss

Flags fee-first jobs, task scams and digital arrest scripts **before money moves**, the only point where recovery is cheap.

Speeds up reporting

A pre-filled complaint with the suspect's identifiers turns panic into a **1930 call or a cybercrime.gov.in filing** within the first hour.

Reaches people

Lives in ASI:One with no app to install. Colleges and placement cells can share one agent link with **every student**.

Who it's for: **students and freshers** during placement season, **their parents** (the main digital arrest targets), and **campus T&P cells** checking offers that come in.

06 · WHAT'S NEXT · LINKS

More specialists can plug into the same protocol

- **Screenshot agent:** OCR on WhatsApp and SMS screenshots
- **Number-reputation agent:** phone and UPI IDs reported by other users
- **Community registry agent:** every confirmed scam strengthens the next check
- **Hindi and regional-language replies** for parents
- **Payment Protocol:** bulk offer checks for placement cells

Try it

GitHub: `github.com/n0tdivyansh/kavach`

Agentverse agent:
`agent1qvs08a4fwv7f5vmnreqnrpuncepa5gvgp3320sk669x0pqmzpeqrww5h702`

Demo video: `youtu.be/QQWuZ74vaOs`

On ASI:One: `@kavach`

Run locally: `python main.py --selftest`

Team CodeStirs: Raj Vardhan Singh, Naman Rai, Divyansh Verma