```
No.     Time           Source                Destination           Protocol Length Info
    225 8.141212       202.141.182.222       202.141.180.1         DNS      86     Standard query 0x0001 PTR
1.180.141.202.in-addr.arpa
Frame 225: 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF_{8F4CCA7D-037E-4F4A-
A903-982EA39577AF}, id 0
    Section number: 1
    Interface id: 0 (\Device\NPF_{8F4CCA7D-037E-4F4A-A903-982EA39577AF})
        Interface name: \Device\NPF_{8F4CCA7D-037E-4F4A-A903-982EA39577AF}
        Interface description: WLAN
    Encapsulation type: Ethernet (1)
    Arrival Time: Oct  6, 2023 14:07:03.985893000 中国标准时间
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1696572423.985893000 seconds
    [Time delta from previous captured frame: 0.033383000 seconds]
    [Time delta from previous displayed frame: 0.033922000 seconds]
    [Time since reference or first frame: 8.141212000 seconds]
    Frame Number: 225
    Frame Length: 86 bytes (688 bits)
    Capture Length: 86 bytes (688 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:udp:dns]
    [Coloring Rule Name: UDP]
    [Coloring Rule String: udp]
Ethernet II, Src: LiteonTe_9d:af:b3 (74:4c:a1:9d:af:b3), Dst: VMware_9f:00:7f (00:50:56:9f:00:7f)
    Destination: VMware_9f:00:7f (00:50:56:9f:00:7f)
        Address: VMware_9f:00:7f (00:50:56:9f:00:7f)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Source: LiteonTe_9d:af:b3 (74:4c:a1:9d:af:b3)
        Address: LiteonTe_9d:af:b3 (74:4c:a1:9d:af:b3)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 202.141.182.222, Dst: 202.141.180.1
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 72
    Identification: 0x8ddd (36317)
    000. .... = Flags: 0x0
        0... .... = Reserved bit: Not set
        .0.. .... = Don't fragment: Not set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 128
    Protocol: UDP (17)
    Header Checksum: 0xaccc [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 202.141.182.222
    Destination Address: 202.141.180.1
User Datagram Protocol, Src Port: 49246, Dst Port: 53
    Source Port: 49246
    Destination Port: 53
    Length: 52
    Checksum: 0x8350 [unverified]
    [Checksum Status: Unverified]
    [Stream index: 6]
    [Timestamps]
        [Time since first frame: 0.000000000 seconds]
        [Time since previous frame: 0.000000000 seconds]
    UDP payload (44 bytes)
Domain Name System (query)
    Transaction ID: 0x0001
    Flags: 0x0100 Standard query
        0... .... .... .... = Response: Message is a query
        .000 0... .... .... = Opcode: Standard query (0)
        .... ..0. .... .... = Truncated: Message is not truncated
        .... ...1 .... .... = Recursion desired: Do query recursively
        .... .... .0.. .... = Z: reserved (0)
        .... .... ...0 .... = Non-authenticated data: Unacceptable
    Questions: 1
    Answer RRs: 0
```

Authority RRs: 0
        Additional RRs: 0
        Queries
            1.180.141.202.in-addr.arpa: type PTR, class IN
                Name: 1.180.141.202.in-addr.arpa
                [Name Length: 26]
                [Label Count: 6]
                Type: PTR (domain name PoinTeR) (12)
                Class: IN (0x0001)
        [Response In: 226]
No.   Time   Source   Destination   Protocol Length Info
    226 8.144186   202.141.180.1   202.141.182.222   DNS   141   Standard query response 0x0001 No
such name PTR 1.180.141.202.in-addr.arpa SOA ns.ustc.edu.cn
Frame 226: 141 bytes on wire (1128 bits), 141 bytes captured (1128 bits) on interface \Device\NPF_{8F4CCA7D-037E-4F4A-
A903-982EA39577AF}, id 0
        Section number: 1
        Interface id: 0 (\Device\NPF_{8F4CCA7D-037E-4F4A-A903-982EA39577AF})
            Interface name: \Device\NPF_{8F4CCA7D-037E-4F4A-A903-982EA39577AF}
            Interface description: WLAN
        Encapsulation type: Ethernet (1)
        Arrival Time: Oct 6, 2023 14:07:03.988867000 中国标准时间
        [Time shift for this packet: 0.000000000 seconds]
        Epoch Time: 1696572423.988867000 seconds
        [Time delta from previous captured frame: 0.002974000 seconds]
        [Time delta from previous displayed frame: 0.002974000 seconds]
        [Time since reference or first frame: 8.144186000 seconds]
        Frame Number: 226
        Frame Length: 141 bytes (1128 bits)
        Capture Length: 141 bytes (1128 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:udp:dns]
        [Coloring Rule Name: UDP]
        [Coloring Rule String: udp]
Ethernet II, Src: VMware_9f:00:7f (00:50:56:9f:00:7f), Dst: LiteonTe_9d:af:b3 (74:4c:a1:9d:af:b3)
        Destination: LiteonTe_9d:af:b3 (74:4c:a1:9d:af:b3)
            Address: LiteonTe_9d:af:b3 (74:4c:a1:9d:af:b3)
            .... ..0. .... = LG bit: Globally unique address (factory default)
            ....0 .... = IG bit: Individual address (unicast)
        Source: VMware_9f:00:7f (00:50:56:9f:00:7f)
            Address: VMware_9f:00:7f (00:50:56:9f:00:7f)
            .... ..0. .... = LG bit: Globally unique address (factory default)
            ....0 .... = IG bit: Individual address (unicast)
        Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 202.141.180.1, Dst: 202.141.182.222
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            0000 00.. = Differentiated Services Codepoint: Default (0)
            .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
        Total Length: 127
        Identification: 0xfacd (64205)
        000. .... = Flags: 0x0
            0... .... = Reserved bit: Not set
            .0.. .... = Don't fragment: Not set
            ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment Offset: 0
        Time to Live: 64
        Protocol: UDP (17)
        Header Checksum: 0x7fa5 [validation disabled]
        [Header checksum status: Unverified]
        Source Address: 202.141.180.1
        Destination Address: 202.141.182.222
User Datagram Protocol, Src Port: 53, Dst Port: 49246
        Source Port: 53
        Destination Port: 49246
        Length: 107
        Checksum: 0x5fc0 [unverified]
        [Checksum Status: Unverified]
        [Stream index: 6]
        [Timestamps]
            [Time since first frame: 0.002974000 seconds]
            [Time since previous frame: 0.002974000 seconds]
        UDP payload (99 bytes)
Domain Name System (response)

Transaction ID: 0x0001
Flags: 0x8183 Standard query response, No such name
    1... .... = Response: Message is a response
    .000 0... .... = Opcode: Standard query (0)
    .... .0.. .... = Authoritative: Server is not an authority for domain
    .... ..0. .... = Truncated: Message is not truncated
    ....1 .... = Recursion desired: Do query recursively
    .... 1... .... = Recursion available: Server can do recursive queries
    .... .0.. .... = Z: reserved (0)
    ....0. .... = Answer authenticated: Answer/authority portion was not authenticated by the server
    ....0 .... = Non-authenticated data: Unacceptable
    .... 0011 = Reply code: No such name (3)
Questions: 1
Answer RRs: 0
Authority RRs: 1
Additional RRs: 0
Queries
    1.180.141.202.in-addr.arpa: type PTR, class IN
        Name: 1.180.141.202.in-addr.arpa
        [Name Length: 26]
        [Label Count: 6]
        Type: PTR (domain name PoinTeR) (12)
        Class: IN (0x0001)
Authoritative nameservers
    180.141.202.in-addr.arpa: type SOA, class IN, mname ns.ustc.edu.cn
        Name: 180.141.202.in-addr.arpa
        Type: SOA (Start Of a zone of Authority) (6)
        Class: IN (0x0001)
        Time to live: 3010 (50 minutes, 10 seconds)
        Data length: 43
        Primary name server: ns.ustc.edu.cn
        Responsible authority's mailbox: root.ustc.edu.cn
        Serial Number: 11
        Refresh Interval: 10800 (3 hours)
        Retry Interval: 1800 (30 minutes)
        Expire limit: 3600000 (41 days, 16 hours)
        Minimum TTL: 86400 (1 day)
[Request In: 225]
[Time: 0.002974000 seconds]