

Reporting Period 2025 Q1 Jan - March 2025

Dedicated Interface

Availability Statistics

| Date | % Uptime | % Downtime | Average in ms for AISP | Average in ms for PISP | Average in ms for CBPII | % errors |
|------------|----------|------------|------------------------|------------------------|-------------------------|----------|
| 2025-01-01 | 100.000% | 0.000% | 40.648 | 93.183 | - | 0.005% |
| 2025-01-02 | 100.000% | 0.000% | 40.588 | 93.281 | - | 0.005% |
| 2025-01-03 | 100.000% | 0.000% | 40.061 | 89.197 | - | 0.000% |
| 2025-01-04 | 100.000% | 0.000% | 39.957 | 88.224 | - | 0.000% |
| 2025-01-05 | 99.931% | 0.069% | 39.769 | 86.044 | - | 0.000% |
| 2025-01-06 | 100.000% | 0.000% | 43.834 | 89.719 | - | 0.003% |
| 2025-01-07 | 100.000% | 0.000% | 39.472 | 92.782 | - | 0.001% |
| 2025-01-08 | 99.965% | 0.035% | 40.818 | 88.068 | - | 0.002% |
| 2025-01-09 | 100.000% | 0.000% | 38.690 | 100.179 | - | 0.005% |
| 2025-01-10 | 99.965% | 0.035% | 38.878 | 96.569 | - | 0.000% |
| 2025-01-11 | 100.000% | 0.000% | 38.678 | 97.336 | - | 0.000% |
| 2025-01-12 | 100.000% | 0.000% | 39.054 | 96.347 | - | 0.000% |
| 2025-01-13 | 99.931% | 0.069% | 40.738 | 100.863 | - | 0.005% |
| 2025-01-14 | 99.965% | 0.035% | 42.612 | 103.022 | - | 0.003% |
| 2025-01-15 | 100.000% | 0.000% | 42.086 | 96.449 | - | 0.001% |
| 2025-01-16 | 99.965% | 0.035% | 38.500 | 92.255 | - | 0.000% |
| 2025-01-17 | 100.000% | 0.000% | 48.017 | 92.954 | - | 0.412% |
| 2025-01-18 | 99.965% | 0.035% | 37.742 | 91.563 | - | 0.000% |
| 2025-01-19 | 100.000% | 0.000% | 38.176 | 92.334 | - | 0.000% |
| 2025-01-20 | 100.000% | 0.000% | 43.080 | 95.078 | - | 0.006% |
| 2025-01-21 | 99.931% | 0.069% | 40.694 | 106.265 | - | 0.014% |
| 2025-01-22 | 99.965% | 0.035% | 38.630 | 92.781 | - | 0.000% |
| 2025-01-23 | 99.896% | 0.104% | 41.319 | 95.886 | - | 0.000% |
| 2025-01-24 | 100.000% | 0.000% | 37.660 | 92.759 | - | 0.000% |
| 2025-01-25 | 100.000% | 0.000% | 36.840 | 94.879 | - | 0.000% |
| 2025-01-26 | 100.000% | 0.000% | 36.842 | 92.246 | - | 0.000% |
| 2025-01-27 | 99.931% | 0.069% | 40.187 | 94.706 | - | 0.000% |
| 2025-01-28 | 99.896% | 0.104% | 41.150 | 97.384 | - | 0.005% |
| 2025-01-29 | 100.000% | 0.000% | 38.422 | 94.960 | - | 0.001% |
| 2025-01-30 | 99.931% | 0.069% | 39.752 | 98.895 | - | 0.002% |
| 2025-01-31 | 100.000% | 0.000% | 40.053 | 99.137 | - | 0.001% |

| Date | % Uptime | % Downtime | Average in ms for AISP | Average in ms for PISP | Average in ms for CBPII | % errors |
|------------|----------|------------|------------------------|------------------------|-------------------------|----------|
| 2025-02-01 | 100.000% | 0.000% | 40.017 | 96.412 | - | 0.000% |
| 2025-02-02 | 100.000% | 0.000% | 39.281 | 94.341 | - | 0.001% |
| 2025-02-03 | 99.931% | 0.069% | 48.205 | 98.428 | - | 0.012% |
| 2025-02-04 | 100.000% | 0.000% | 39.255 | 93.594 | - | 0.001% |
| 2025-02-05 | 99.931% | 0.069% | 39.129 | 95.236 | - | 0.001% |
| 2025-02-06 | 99.965% | 0.035% | 40.172 | 94.779 | - | 0.001% |
| 2025-02-07 | 99.931% | 0.069% | 40.627 | 94.992 | - | 0.000% |
| 2025-02-08 | 100.000% | 0.000% | 40.100 | 97.964 | - | 0.000% |
| 2025-02-09 | 100.000% | 0.000% | 41.239 | 95.129 | - | 0.000% |
| 2025-02-10 | 99.965% | 0.035% | 44.597 | 97.214 | - | 0.001% |
| 2025-02-11 | 99.896% | 0.104% | 45.351 | 94.762 | - | 0.011% |
| 2025-02-12 | 99.965% | 0.035% | 40.257 | 94.137 | - | 0.000% |
| 2025-02-13 | 99.931% | 0.069% | 42.070 | 93.677 | - | 0.005% |
| 2025-02-14 | 99.931% | 0.069% | 41.037 | 90.520 | - | 0.002% |
| 2025-02-15 | 99.965% | 0.035% | 39.012 | 91.655 | - | 0.000% |
| 2025-02-16 | 100.000% | 0.000% | 39.589 | 92.040 | - | 0.000% |
| 2025-02-17 | 99.931% | 0.069% | 42.583 | 93.127 | - | 0.005% |
| 2025-02-18 | 99.931% | 0.069% | 40.529 | 93.586 | - | 0.001% |
| 2025-02-19 | 100.000% | 0.000% | 40.206 | 90.831 | - | 0.000% |
| 2025-02-20 | 99.896% | 0.104% | 39.516 | 89.861 | - | 0.000% |
| 2025-02-21 | 99.931% | 0.069% | 40.651 | 93.632 | - | 0.000% |
| 2025-02-22 | 100.000% | 0.000% | 40.979 | 92.107 | - | 0.000% |
| 2025-02-23 | 100.000% | 0.000% | 40.256 | 93.634 | - | 0.000% |
| 2025-02-24 | 99.931% | 0.069% | 43.668 | 92.565 | - | 0.003% |
| 2025-02-25 | 99.931% | 0.069% | 41.721 | 94.863 | - | 0.000% |
| 2025-02-26 | 99.896% | 0.104% | 43.921 | 98.019 | - | 0.001% |
| 2025-02-27 | 99.931% | 0.069% | 43.924 | 99.072 | - | 0.002% |
| 2025-02-28 | 99.931% | 0.069% | 42.882 | 98.080 | - | 0.002% |
| 2025-03-01 | 100.000% | 0.000% | 39.524 | 91.594 | - | 0.000% |
| 2025-03-02 | 100.000% | 0.000% | 39.105 | 93.780 | - | 0.000% |
| 2025-03-03 | 99.896% | 0.104% | 40.034 | 95.443 | - | 0.001% |
| 2025-03-04 | 99.931% | 0.069% | 41.467 | 95.237 | - | 0.002% |
| 2025-03-05 | 99.965% | 0.035% | 37.452 | 93.974 | - | 0.001% |
| 2025-03-06 | 100.000% | 0.000% | 39.739 | 95.466 | - | 0.001% |
| 2025-03-07 | 99.896% | 0.104% | 38.981 | 92.589 | - | 0.001% |

| Date | % Uptime | % Downtime | Average in ms for AISP | Average in ms for PISP | Average in ms for CBPII | % errors |
|------------|----------|------------|------------------------|------------------------|-------------------------|----------|
| 2025-03-08 | 100.000% | 0.000% | 35.805 | 91.339 | - | 0.000% |
| 2025-03-09 | 100.000% | 0.000% | 35.344 | 91.287 | - | 0.000% |
| 2025-03-10 | 99.896% | 0.104% | 34.886 | 86.982 | - | 0.000% |
| 2025-03-11 | 99.931% | 0.069% | 34.802 | 93.209 | - | 0.001% |
| 2025-03-12 | 99.931% | 0.069% | 36.482 | 91.573 | - | 0.000% |
| 2025-03-13 | 99.931% | 0.069% | 39.766 | 93.372 | - | 0.000% |
| 2025-03-14 | 99.931% | 0.069% | 41.535 | 98.057 | - | 0.001% |
| 2025-03-15 | 100.000% | 0.000% | 39.697 | 97.473 | - | 0.000% |
| 2025-03-16 | 100.000% | 0.000% | 39.460 | 97.678 | - | 0.000% |
| 2025-03-17 | 99.931% | 0.069% | 39.201 | 93.917 | - | 0.000% |
| 2025-03-18 | 100.000% | 0.000% | 38.910 | 94.890 | - | 0.000% |
| 2025-03-19 | 99.896% | 0.104% | 38.760 | 94.892 | - | 0.000% |
| 2025-03-20 | 100.000% | 0.000% | 39.139 | 92.092 | - | 0.000% |
| 2025-03-21 | 99.931% | 0.069% | 40.198 | 93.922 | - | 0.000% |
| 2025-03-22 | 99.965% | 0.035% | 39.928 | 93.995 | - | 0.000% |
| 2025-03-23 | 99.965% | 0.035% | 39.414 | 93.370 | - | 0.000% |
| 2025-03-24 | 100.000% | 0.000% | 38.661 | 92.630 | - | 0.000% |
| 2025-03-25 | 100.000% | 0.000% | 36.979 | 94.126 | - | 0.000% |
| 2025-03-26 | 99.965% | 0.035% | 36.046 | 90.366 | - | 0.000% |
| 2025-03-27 | 99.931% | 0.069% | 35.230 | 94.409 | - | 0.000% |
| 2025-03-28 | 100.000% | 0.000% | 35.557 | 94.830 | - | 0.000% |
| 2025-03-29 | 100.000% | 0.000% | 35.337 | 94.301 | - | 0.000% |
| 2025-03-30 | 100.000% | 0.000% | 36.053 | 94.000 | - | 0.000% |
| 2025-03-31 | 99.965% | 0.035% | 37.330 | 100.025 | - | 0.002% |

PSU Interface

Availability Statistics

| Date | % Uptime | % Downtime | Average in ms for AISP | Average in ms for PISP |
|------------|----------|------------|------------------------|------------------------|
| 2025-01-01 | 100.000% | 0.000% | 58.921 | 129.850 |
| 2025-01-02 | 100.000% | 0.000% | 67.506 | 125.053 |
| 2025-01-03 | 100.000% | 0.000% | 64.184 | 126.809 |
| 2025-01-04 | 100.000% | 0.000% | 59.084 | 137.553 |
| 2025-01-05 | 100.000% | 0.000% | 57.202 | 132.893 |
| 2025-01-06 | 100.000% | 0.000% | 66.603 | 137.472 |

| Date | % Uptime | % Downtime | Average in ms for AISP | Average in ms for PISP |
|------------|----------|------------|------------------------|------------------------|
| 2025-01-07 | 100.000% | 0.000% | 62.766 | 141.961 |
| 2025-01-08 | 100.000% | 0.000% | 66.171 | 131.775 |
| 2025-01-09 | 100.000% | 0.000% | 61.807 | 133.105 |
| 2025-01-10 | 100.000% | 0.000% | 63.723 | 139.931 |
| 2025-01-11 | 100.000% | 0.000% | 58.235 | 132.095 |
| 2025-01-12 | 100.000% | 0.000% | 57.220 | 133.745 |
| 2025-01-13 | 100.000% | 0.000% | 65.742 | 151.349 |
| 2025-01-14 | 100.000% | 0.000% | 63.729 | 143.711 |
| 2025-01-15 | 100.000% | 0.000% | 63.165 | 140.186 |
| 2025-01-16 | 100.000% | 0.000% | 63.700 | 142.374 |
| 2025-01-17 | 100.000% | 0.000% | 64.181 | 133.723 |
| 2025-01-18 | 100.000% | 0.000% | 59.001 | 118.702 |
| 2025-01-19 | 100.000% | 0.000% | 55.658 | 114.974 |
| 2025-01-20 | 100.000% | 0.000% | 70.479 | 134.971 |
| 2025-01-21 | 100.000% | 0.000% | 67.457 | 153.268 |
| 2025-01-22 | 100.000% | 0.000% | 64.420 | 128.916 |
| 2025-01-23 | 100.000% | 0.000% | 67.301 | 129.892 |
| 2025-01-24 | 100.000% | 0.000% | 71.499 | 128.662 |
| 2025-01-25 | 100.000% | 0.000% | 64.477 | 119.766 |
| 2025-01-26 | 100.000% | 0.000% | 61.145 | 110.701 |
| 2025-01-27 | 100.000% | 0.000% | 71.440 | 112.244 |
| 2025-01-28 | 100.000% | 0.000% | 69.333 | 115.365 |
| 2025-01-29 | 100.000% | 0.000% | 66.883 | 107.856 |
| 2025-01-30 | 100.000% | 0.000% | 67.525 | 118.682 |
| 2025-01-31 | 100.000% | 0.000% | 71.448 | 113.701 |
| 2025-02-01 | 100.000% | 0.000% | 65.380 | 108.671 |
| 2025-02-02 | 100.000% | 0.000% | 60.305 | 105.299 |
| 2025-02-03 | 100.000% | 0.000% | 74.430 | 109.929 |
| 2025-02-04 | 100.000% | 0.000% | 64.733 | 112.266 |
| 2025-02-05 | 100.000% | 0.000% | 66.670 | 102.251 |
| 2025-02-06 | 100.000% | 0.000% | 65.977 | 110.832 |
| 2025-02-07 | 100.000% | 0.000% | 65.333 | 113.023 |
| 2025-02-08 | 100.000% | 0.000% | 63.121 | 116.674 |
| 2025-02-09 | 100.000% | 0.000% | 59.545 | 110.259 |
| 2025-02-10 | 100.000% | 0.000% | 70.567 | 116.455 |
| 2025-02-11 | 100.000% | 0.000% | 67.986 | 119.378 |

| Date | % Uptime | % Downtime | Average in ms for AISP | Average in ms for PISP |
|------------|----------|------------|------------------------|------------------------|
| 2025-02-12 | 100.000% | 0.000% | 66.196 | 116.028 |
| 2025-02-13 | 100.000% | 0.000% | 65.949 | 118.701 |
| 2025-02-14 | 100.000% | 0.000% | 66.831 | 110.931 |
| 2025-02-15 | 100.000% | 0.000% | 61.037 | 114.700 |
| 2025-02-16 | 100.000% | 0.000% | 59.136 | 113.865 |
| 2025-02-17 | 100.000% | 0.000% | 66.326 | 113.604 |
| 2025-02-18 | 100.000% | 0.000% | 64.177 | 111.280 |
| 2025-02-19 | 100.000% | 0.000% | 64.036 | 115.805 |
| 2025-02-20 | 100.000% | 0.000% | 64.369 | 111.683 |
| 2025-02-21 | 100.000% | 0.000% | 66.067 | 127.047 |
| 2025-02-22 | 100.000% | 0.000% | 60.605 | 114.435 |
| 2025-02-23 | 100.000% | 0.000% | 58.416 | 108.570 |
| 2025-02-24 | 100.000% | 0.000% | 68.184 | 115.212 |
| 2025-02-25 | 100.000% | 0.000% | 71.396 | 119.907 |
| 2025-02-26 | 100.000% | 0.000% | 70.337 | 107.898 |
| 2025-02-27 | 100.000% | 0.000% | 70.788 | 105.736 |
| 2025-02-28 | 100.000% | 0.000% | 82.770 | 119.256 |
| 2025-03-01 | 100.000% | 0.000% | 65.267 | 101.330 |
| 2025-03-02 | 100.000% | 0.000% | 62.603 | 107.574 |
| 2025-03-03 | 100.000% | 0.000% | 69.829 | 111.163 |
| 2025-03-04 | 100.000% | 0.000% | 71.502 | 115.788 |
| 2025-03-05 | 100.000% | 0.000% | 64.377 | 110.671 |
| 2025-03-06 | 100.000% | 0.000% | 64.906 | 117.156 |
| 2025-03-07 | 100.000% | 0.000% | 65.297 | 129.051 |
| 2025-03-08 | 100.000% | 0.000% | 60.626 | 114.529 |
| 2025-03-09 | 100.000% | 0.000% | 58.230 | 111.745 |
| 2025-03-10 | 100.000% | 0.000% | 65.104 | 116.000 |
| 2025-03-11 | 100.000% | 0.000% | 63.821 | 120.350 |
| 2025-03-12 | 100.000% | 0.000% | 63.326 | 139.030 |
| 2025-03-13 | 100.000% | 0.000% | 70.827 | 138.966 |
| 2025-03-14 | 100.000% | 0.000% | 65.878 | 148.011 |
| 2025-03-15 | 100.000% | 0.000% | 60.396 | 140.721 |
| 2025-03-16 | 100.000% | 0.000% | 59.751 | 145.655 |
| 2025-03-17 | 100.000% | 0.000% | 66.109 | 143.190 |
| 2025-03-18 | 100.000% | 0.000% | 63.119 | 140.477 |
| 2025-03-19 | 100.000% | 0.000% | 61.919 | 134.226 |

| Date | % Uptime | % Downtime | Average in ms for AISP | Average in ms for PISP |
|------------|----------|------------|------------------------|------------------------|
| 2025-03-20 | 100.000% | 0.000% | 63.735 | 134.361 |
| 2025-03-21 | 100.000% | 0.000% | 64.564 | 143.459 |
| 2025-03-22 | 100.000% | 0.000% | 60.433 | 140.386 |
| 2025-03-23 | 100.000% | 0.000% | 58.601 | 133.478 |
| 2025-03-24 | 100.000% | 0.000% | 64.597 | 141.381 |
| 2025-03-25 | 100.000% | 0.000% | 66.220 | 138.749 |
| 2025-03-26 | 100.000% | 0.000% | 66.796 | 127.767 |
| 2025-03-27 | 100.000% | 0.000% | 67.324 | 123.890 |
| 2025-03-28 | 100.000% | 0.000% | 70.788 | 129.874 |
| 2025-03-29 | 100.000% | 0.000% | 63.669 | 127.025 |
| 2025-03-30 | 100.000% | 0.000% | 63.010 | 123.533 |
| 2025-03-31 | 100.000% | 0.000% | 74.127 | 134.449 |