Reporting Period 2023 Q2 Apr - Jun 2023						
Dedicated Interface						
Availability Statistics						
Date	% Uptime	% Downtime	Average in ms for AISP	Average in ms for PISP	Average in ms for CBPII	% errors
1	100,00%	0,00%	38,019	121,952	-	0,00%
2	100,00%	0,00%	38,251	107,368	-	0,00%
3	100,00%	0,00%	58,429	117,619	-	0,18%
4	100,00%	0,00%	37,545	113,968	-	0,00%
5	100,00%	0,00%	61,363	112,903	-	0,49%
6	100,00%	0,00%	38,786	112,709	-	0,00%
7	100,00%	0,00%	39,139	106,191	-	0,00%
8	100,00%	0,00%	39,467	105,553	-	0,00%
9	100,00%	0,00%	39,345	101,181	-	0,00%
10	100,00%	0,00%	39,213	101,793	-	0,00%
11	100,00%	0,00%	38,506	106,587	-	0,00%
12	99,97%	0,04%	39,327	108,116	-	0,00%
13	100,00%	0,00%	40,227	116,222	-	0,00%
14	100,00%	0,00%	38,586	111,412	-	0,00%
15	100,00%	0,00%	39,032	105,502	-	0,00%
16	100,00%	0,00%	38,787	103,992	-	0,00%
17	100,00%	0,00%	38,645	109,263	-	0,00%
18	100,00%	0,00%	39,325	110,112	-	0,01%
19	100,00%	0,00%	39,379	104,712	-	0,00%
20	100,00%	0,00%	39,47	105,186	-	0,00%
21	100,00%	0,00%	39,908	107,964	-	0,00%
22	100,00%	0,00%	39,946	106,905	-	0,00%
23	100,00%	0,00%	40,538	103,749	-	0,00%
24	100,00%	0,00%	40,077	113,007	-	0,00%
25	99,97%	0,04%	37,695	113,025	-	0,00%
26	100,00%	0,00%	39,654	108,812	-	0,03%
27	100,00%	0,00%	39,103	107,76	-	0,02%

28	99,97%	0,04%	37,632	108,618 -	0,00%
29	100,00%	0,00%	37,122	105,247 -	0,00%
30	100,00%	0,00%	37,203	105,81 -	0,00%
31	99,97%	0,04%	37,646	110,781 -	0,00%
32	100,00%	0,00%	37,911	117,808 -	0,00%
33	100,00%	0,00%	46,315	141,428 -	0,12%
34	100,00%	0,00%	39,045	106,176 -	0,00%
35	100,00%	0,00%	38,119	111,119 -	0,00%
36	100,00%	0,00%	38,361	105,44 -	0,00%
37	100,00%	0,00%	38,415	102,253 -	0,00%
38	99,97%	0,04%	38,146	106,986 -	0,00%
39	99,97%	0,04%	39,229	110,37 -	0,01%
40	100,00%	0,00%	39,775	110,128 -	0,01%
41	100,00%	0,00%	38,429	109,262 -	0,00%
42	99,97%	0,04%	39,771	110,32 -	0,02%
43	99,93%	0,07%	38,715	100,861 -	0,01%
44	100,00%	0,00%	38,344	100,54 -	0,00%
45	100,00%	0,00%	38,153	114,497 -	0,00%
46	100,00%	0,00%	38,678	110,426 -	0,00%
47	100,00%	0,00%	39,046	127,618 -	0,01%
48	100,00%	0,00%	38,9	106,824 -	0,00%
49	100,00%	0,00%	39,264	109,527 -	0,02%
50	100,00%	0,00%	38,433	100,122 -	0,00%
51	100,00%	0,00%	38,297	101,739 -	0,00%
52	100,00%	0,00%	38,374	111,004 -	0,00%
53	99,97%	0,04%	38,436	108,812 -	0,00%
54	100,00%	0,00%	37,103	107,478 -	0,00%
55	100,00%	0,00%	37,011	110,653 -	0,00%
56	99,97%	0,04%	37,281	116,246 -	0,00%
57	100,00%	0,00%	37,561	108,327 -	0,00%
58	100,00%	0,00%	37,06	106,861 -	0,00%
59	99,97%	0,04%	37,121	113,167 -	0,00%

60	100,00%	0,00%	37,217	113,976	- 0,00%
61	100,00%	0,00%	36,451	116,924	- 0,00%
62	100,00%	0,00%	53,935	149,573	- 0,09%
63	100,00%	0,00%	36,293	112,109	- 0,00%
64	100,00%	0,00%	34,707	100,637	- 0,00%
65	100,00%	0,00%	35,416	99,31	- 0,00%
66	100,00%	0,00%	37,962	110,552	- 0,00%
67	100,00%	0,00%	40,599	114,528	- 0,00%
68	99,97%	0,04%	40,089	111,483	- 0,00%
69	100,00%	0,00%	41,579	106,548	- 0,00%
70	100,00%	0,00%	43,348	107,706	- 0,01%
71	100,00%	0,00%	41,417	104,153	- 0,00%
72	99,93%	0,07%	41,349	103,502	- 0,00%
73	100,00%	0,00%	40,308	116,996	- 0,00%
74	100,00%	0,00%	38,782	111,114	- 0,00%
75	100,00%	0,00%	38,48	109,267	- 0,00%
76	99,97%	0,04%	40,346	116,107	- 0,01%
77	100,00%	0,00%	42,102	114,164	- 0,03%
78	100,00%	0,00%	38,844	107,884	- 0,00%
79	100,00%	0,00%	39,701	107,095	- 0,00%
80	100,00%	0,00%	38,758	119,799	- 0,00%
81	100,00%	0,00%	38,077	107,937	- 0,00%
82	100,00%	0,00%	38,617	114,379	- 0,00%
83	99,97%	0,04%	38,723	110,268	- 0,01%
84	99,97%	0,04%	37,347	108,314	- 0,00%
85	99,97%	0,04%	37,596	103,674	- 0,00%
86	99,97%	0,04%	37,198	101,478	- 0,00%
87	99,97%	0,04%	38,344	111,743	- 0,00%
88	99,93%	0,07%	37,492	114,136	- 0,01%
89	100,00%	0,00%	38,252	118,404	- 0,00%
90	100,00%	0,00%	37,928	119,84	- 0,00%
91	100,00%	0,00%	38,334	124,926	- 0,00%

DOLL lister for a			
PSU Interface			
Availability Statistics	0/ 11 /	0/ 5 //	
Date	% Uptime	% Downtime	Average in ms
1		0.00%	
2			
3			
4			
5			
6			
7	100.00%	0.00%	21.525
8	100.00%	0.00%	20.56
9	100.00%	0.00%	19.891
10	100.00%	0.00%	20.367
11	100.00%	0.00%	21.678
12	100.00%	0.00%	21.789
13	100.00%	0.00%	22.324
14	100.00%	0.00%	21.686
15	100.00%	0.00%	20.341
16		0.00%	20.049
17		0.00%	
18			
19		0.00%	
20			
21			
22			
23			
23		0.00%	
25			
26		0.00%	
27		0.00%	
28	100.00%	0.00%	22.398

29	100.00%	0.00%	20.19	
30	100.00%	0.00%	19.504	
31	100.00%	0.00%	19.651	
32	100.00%	0.00%	24.961	
33	100.00%	0.00%	23.042	
34	100.00%	0.00%	23.075	
35	100.00%	0.00%	22.4	
36	100.00%	0.00%	18.734	
37	100.00%	0.00%	18.768	
38	100.00%	0.00%	22.182	
39	100.00%	0.00%	21.238	
40	100.00%	0.00%	21.137	
41	100.00%	0.00%	20.425	
42	100.00%	0.00%	20.262	
43	100.00%	0.00%	19.068	
44	100.00%	0.00%	18.712	
45	100.00%	0.00%	22.342	
46	100.00%	0.00%	21.929	
47	100.00%	0.00%	21.895	
48	100.00%	0.00%	19.066	
49	100.00%	0.00%	20.508	
50	100.00%	0.00%	18.836	
51	100.00%	0.00%	19.056	
52	100.00%	0.00%	22.409	
53	100.00%	0.00%	20.417	
54	100.00%	0.00%	20.728	
55	100.00%	0.00%	24.013	
56	100.00%	0.00%	23.543	
57	100.00%	0.00%	20.711	
58	100.00%	0.00%	19.944	
59	100.00%	0.00%	20.136	
60	100.00%	0.00%	23.354	

61	100.00%	0.00%	25.509		
62	100.00%	0.00%	20.057		
63	100.00%	0.00%	17.914		
64	100.00%	0.00%	15.084		
65	100.00%	0.00%	15.525		
66	100.00%	0.00%	17.949		
67	100.00%	0.00%	18.151		
68	100.00%	0.00%	17.918		
69	100.00%	0.00%	17.32		
70	100.00%	0.00%	16.831		
71	100.00%	0.00%	15.986		
72	100.00%	0.00%	16.497		
73	100.00%	0.00%	17.28		
74	100.00%	0.00%	18.765		
75	100.00%	0.00%	19.195		
76	100.00%	0.00%	20.019		
77	100.00%	0.00%	20.396		
78	100.00%	0.00%	19.317		
79	100.00%	0.00%	20.585		
80	100.00%	0.00%	20.165		
81	100.00%	0.00%	22.457		
82	100.00%	0.00%	21.707		
83	100.00%	0.00%	19.306		
84	100.00%	0.00%	19.462		
85	100.00%	0.00%	17.819		
86	100.00%	0.00%	18.03		
87	100.00%	0.00%	17.012		
88	100.00%	0.00%	15.952		
89	100.00%	0.00%	15.968		
90	100.00%	0.00%	15.464		
91	100.00%	0.00%	18.272		