Meditrac Partner API

Step-by-step guide for Wellness Pharmacy: upload and update your stock from your own system

What you need	Value
API address	`https://meditrac-api.onrender.com`
Your API key	Sent to you separately by the Meditrac team. Keep it private, never share it or put it in public code.
Your login	Your Wellness Pharmacy email and password (you get a login token from them, see step 1)
Your pharmacy	Wellness Pharmacy, Tom Mboya Street, Nairobi. Map pin -1.2833, 36.8219. Open daily 7am-10pm.

Before you start

Every request must carry your API key in the `X-API-Key` header. Requests that change data also need your login token in `Authorization: Bearer <token>`. All requests and replies are JSON. The examples use Windows PowerShell with `curl.exe`; replace the two placeholders in angle brackets.

First call can be slow. The server sleeps when nobody has used it for a while, so your first request after a quiet spell can take up to a minute. Make one harmless request first (step 2 below), wait for the reply, then continue.

```
$API = "https://meditrac-api.onrender.com"
$KEY = "<your-api-key>"
```

Step 1. Log in and get your token

Save this as `login.json` (use your own password):

```
{ "accountType": "pharmacy", "email": "wellness@example.com", "password": "<your-password>" }
```

Send it, and keep the token from the reply:

```
$r = curl.exe -s -X POST "$API/api/auth/login" -H "X-API-Key: $KEY" `
       -H "Content-Type: application/json" -d "@login.json" | ConvertFrom-Json
$TOKEN = $r.token
```

The token works for 7 days; log in again to get a new one. Treat it like a password. If your pharmacy does not exist yet, register it once with `POST /api/auth/register` (same fields plus `name`, optionally phone, address, opening_hours, latitude, longitude).

Step 2. Check you are connected

```
curl.exe -s "$API/api/medications/mine" -H "X-API-Key: $KEY" -H "Authorization: Bearer $TOKEN"
```

You should see your current listings. An empty list `[]` is fine if you have not uploaded any yet.

Step 3. Upload your stock (POST)

Save this as `stock.json`. These are Wellness Pharmacy's current products. Give each product your own `sku` so it is updated, not duplicated, next time:

```
{ "medications": [
  { "sku": "PCM-500", "name": "Paracetamol 500mg", "form": "Tablets • 10x10 pack",
    "category": "Analgesic / Pain Relief", "quantity": 60, "unit": "Boxes",
    "price": 55, "branch": "CBD Branch" },
  { "sku": "AMX-500", "name": "Amoxicillin 500mg", "form": "Capsules • 10x10 pack",
    "category": "Antibiotic", "quantity": 12, "unit": "Boxes",
    "price": 620, "branch": "CBD Branch" },
  { "sku": "VEN-200", "name": "Ventolin Inhaler", "form": "Inhaler • 200 doses",
    "category": "Respiratory", "quantity": 30, "unit": "Inhalers",
    "price": 950, "branch": "CBD Branch" }
] }
```

```
curl.exe -s -X POST "$API/api/medications/bulk" -H "X-API-Key: $KEY" `
  -H "Authorization: Bearer $TOKEN" -H "Content-Type: application/json" -d "@stock.json"
```

A successful reply says what happened to each item:

```
{ "created": 3, "updated": 0,
  "results": [ { "id": "...", "sku": "PCM-500", "action": "created" }, ... ] }
```

Safe to repeat. Send the whole list again whenever stock changes: items are matched by `sku` and updated, otherwise created. **All or nothing:** if any item is invalid, nothing is saved and the `400` reply lists every problem. Limits: 1 to 500 items and 1 MB per request. Uploading never deletes anything.

Step 4. Small changes

Use the `id` of a listing from step 2. Example: Amoxicillin sold down to 9 boxes:

```
curl.exe -s -X PATCH "$API/api/medications/<listing-id>/stock" -H "X-API-Key: $KEY" `
  -H "Authorization: Bearer $TOKEN" -H "Content-Type: application/json" -d '{\"quantity\": 9}'
```

Request	Does
`POST /api/medications`	Add one listing (409 if that sku already exists)
`PATCH /api/medications/{id}/stock`	Change only the quantity
`PUT /api/medications/{id}`	Replace a listing (send the whole record)
`DELETE /api/medications/{id}`	Remove a listing (or upload it with quantity 0 to show out of stock)

What happens next

Once your pharmacy has a map pin, your name, phone, address, opening hours and each listing's name, form, category, quantity, unit, price and branch appear in the public search. Your email, password and sku values are never public.

If something goes wrong

Status	Meaning and what to do
400	Invalid input. The reply lists exactly what to fix.
401	API key missing or wrong, or your token is missing or expired. Check the key; log in again.
403 / 404	The token is for a patient account or another pharmacy; or the listing id does not exist or is not yours.
409	You already use that sku.
429	More than 100 requests a minute on your key. Wait the number of seconds in the `Retry-After` header, then continue.
5xx or no answer	The server is busy or waking up. Wait a few seconds and try again; after a quiet spell it can take up to a minute.

If your system retries failed requests

Retrying is fine for reads and for stock uploads, because the bulk upload is safe to repeat. Retry only on timeouts, connection errors, 429 and 5xx; wait a little longer each time (for example 1 s, then 2 s) and stop after 2 or 3 retries. Do not retry on 400, 401, 403 or 404: the request itself needs fixing. Avoid retrying single-item `POST /api/medications` calls blindly, since a timed-out request may already have been saved (check with step 2 first).

Keep it secure

Never put your API key or token in code you share or publish. If you think either has leaked, tell the Meditrac team straight away and we will issue a new key. Questions? Contact the Meditrac team.