

- Home
- Docs
- API Reference
- FAQs
- Release Notes
- Request Access
- Login to My Apps



 Search operations

---

Form

**GET** {tenant}/forms

FormSubmission

**GET** {tenant}/submissions

Jobs

**GET** {tenant}/jobs/attachment/{id}

**POST** {tenant}/jobs/{id}/attachments

**GET** {tenant}/jobs/{jobId}/attachments

# Forms

API definition 

## Form\_GetForms

Retrieve Form data

# Request

## Production Environment

**GET**

```
https://api.servicetitan.io/forms/v2/tenant/{tenant}/forms[?  
hasConditionalLogic][&hasTriggers][&name][&status][&ids]  
[&active][&createdBefore][&createdOnOrAfter][&modifiedBefore]  
[&modifiedOnOrAfter][&page][&pageSize][&includeTotal][&sort]
```

## Integration Environment

**GET** `https://api-integration.servicetitan.io/forms/v2/tenant/{tenant}/forms[?`  
`hasConditionalLogic][&hasTriggers][&name][&status][&ids]`  
`[&active][&createdBefore][&createdOnOrAfter][&modifiedBefore]`  
`[&modifiedOnOrAfter][&page][&pageSize][&includeTotal][&sort]`

## Request parameters

Name	In	Required	Type	Descrip
tenant	template	true	integer	Format ·
hasConditionalLogic	query	false	boolean	
hasTriggers	query	false	boolean	
name	query	false	string	
status	query	false		Values:
ids	query	false	string	
active	query	false		Values:
createdBefore	query	false	string	Format ·
createdOnOrAfter	query	false	string	Format ·
modifiedBefore	query	false	string	Format ·
modifiedOnOrAfter	query	false	string	Format ·
page	query	false	integer	Format ·
pageSize	query	false	integer	Format ·

includeTotal	query	false	boolean
sort	query	false	string

## Response: 200 OK

The request has succeeded

application/json

### PaginatedResponse\_Of\_Forms.V2.FormResponse

Represents paginated API response.



Name	Required	Type	Description
page	true	integer (int32)	From which page started
pageSize	true	integer (int32)	Page size for the number of records to return
hasMore	true	boolean	True if there are more results for the query than the current page
totalCount	false	integer (int32)	Total count of records for the query (can be null)
data	true	<a href="#">Forms.V2.FormResponse</a>	The collection of form responses. The collection never have more than 100 items

### default

DEFAULT - JSON

Copy

```
{
  "page": 0,
  "pageSize": 0,
  "hasMore": true,
```

```
"totalCount": 0,
"data": [{
  "id": 0,
  "active": true,
  "name": "string",
  "published": true,
  "hasConditionalLogic": true,
  "hasTriggers": true,
  "createdById": 0,
  "createdOn": "string",
  "modifiedOn": "string"
}]
}
```

## Response: 400 Bad Request

The request cannot be processed, check validation errors or request format

application/json

### ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (<https://tools.ietf.org/html/rfc7807>).



Name	Required	Type	Description
type	true	string	A URI reference problem type
title	true	string	A short, human-readable title of the problem
status	true	integer (int32)	The HTTP status code
traceId	true	string	Internal trace identifier for diagnostics
errors	true	object	Provides more details about the error, which can be used for visualization

data                      true                      object

Provides addit  
for programm

## default

DEFAULT - JSON

 Copy

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "traceId": "string",
  "errors": {},
  "data": {}
}
```

## Definitions

Name	Description
<a href="#">PaginatedResponse_Of...</a>	Represents paginated API response.
<a href="#">Forms.V2.FormResponse</a>	
<a href="#">ApiErrorResponse</a>	Detailed error response, following RFC 7807 recommendations ( <a href="https://tools.ietf.org/html/rfc7807">https://tools.ietf.org/html/rfc7807</a> ).

## PaginatedResponse\_Of\_Forms.V2.FormResponse

Represents paginated API response.



Name	Required	Type	Description
page	true	integer (int32)	From which page tl started
pageSize	true	integer (int32)	Page size for this q many records were

return)

hasMore	true	boolean	True if there are more items in the query than returned in the result
totalCount	false	integer (int32)	Total count of records returned by the query (can optionally be omitted)
data	true	Forms.V2.FormResponse[]	The collection of records returned by the query. The number of items returned can be limited by the query, but will never have more than 100 items

## Forms.V2.FormResponse



Name	Required	Type	Description
id	true	integer (int64)	Unique identifier for the form response
active	true	boolean	Whether the form response is active
name	false	string	Name of the form response
published	true	boolean	Whether the form response is published
hasConditions	true	boolean	Whether the form response has conditions
hasTriggers	true	boolean	Whether the form response has triggers
createdById	true	integer (int64)	Id of the user who created the form response
createdOn	true	string (date-time)	Date and time when the form response was created
modifiedOn	true	string (date-time)	Date and time when the form response was last modified

## ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (<https://tools.ietf.org/html/rfc7807>).



Name	Required	Type	Description
------	----------	------	-------------

type	true	string	A URI reference the problem type
title	true	string	A short, human-readable title of the problem type
status	true	integer (int32)	The HTTP status code returned by the server
traceId	true	string	Internal trace ID for diagnostics
errors	true	object	Provides more details about the error that occurred, which can be used for visual display
data	true	object	Provides additional information for programmatic use