

[Home](#)[Docs](#)[API Reference](#)[FAQs](#)[Release Notes](#)[Request Access](#)[Login to My Apps](#)

⚲ Search operations

[Export](#)

GET {tenant}/export/activity-codes

GET {tenant}/export/gross-pay-items

GET {tenant}/export/jobs/splits

GET {tenant}/export/jobs/timesheets

GET {tenant}/export/payroll-adjustments

GET {tenant}/export/payroll-settings

GET {tenant}/export/timesheet-codes

[ActivityCodes](#)

GET {tenant}/activity-codes

GET {tenant}/activity-codes/{id}

[GrossPayItems](#)

GET {tenant}/gross-pay-items

POST {tenant}/gross-pay-items

PUT {tenant}/gross-pay-items/{id}

DEL {tenant}/gross-pay-items/{id}

JobSplits

GET {tenant}/jobs/splits

GET {tenant}/jobs/{job}/splits

LocationLaborType

GET {tenant}/locations/rates

PayrollAdjustments

GET {tenant}/payroll-adjustments

POST {tenant}/payroll-adjustments

GET {tenant}/payroll-adjustments/{id}

Payrolls

GET {tenant}/employees/{employee}/payrolls

GET {tenant}/payrolls

GET {tenant}/technicians/{technician}/payrolls

PayrollSettings

PUT {tenant}/employees/{employee}/payroll-settings

GET {tenant}/employees/{employee}/payroll-settings

GET {tenant}/payroll-settings

PUT {tenant}/technicians/{technician}/payroll-settings

GET {tenant}/technicians/{technician}/payroll-settings

TimesheetCodes

GET {tenant}/timesheet-codes

GET {tenant}/timesheet-codes/{id}

Timesheets

- GET** {tenant}/jobs/timesheets
- GET** {tenant}/jobs/{job}/timesheets
- GET** {tenant}/non-job-timesheets

Payroll

API definition ▾

Export_ActivityCodes

Provides export feed for activity codes

Request

Production Environment

GET

`https://api.servicetitan.io/payroll/v2/tenant/{tenant}/export/activity-codes[?from][&includeRecentChanges]`

Integration Environment

GET `https://api-`

`integration.servicetitan.io/payroll/v2/tenant/{tenant}/export/activity-codes[?from][&includeRecentChanges]`

Request parameters

Name	In	Required	Type	Description
tenant	template	true	integer	Tenant ID
from	query	false	string	Continuation token for request. If specified, the results begin after the specified point. Use custom values for the continuation token.
includeRecentChanges	query	false	boolean	Use "true" to include recent changes in the results of a request.

Response: 200 OK

The request has succeeded

application/json

ExportResponse_Of_Payroll.V2.PayrollActivityCodes....

Represents export API response.



{ }

Name	Required	Type	Description
hasMore	true	boolean	Indicates whether there is more data available. This means the current request is part of a larger collection and another request is needed to continue it. It also means there is still time left for the export, and the client should wait for a few minutes (before sending the next request).
continueFrom	true	string	Continuation token for the export operation. It should be used as the value of the 'from' parameter of the next request.
data	true	Payroll.V2.PayrollActivityCodes	The collection of payroll activity codes, usually sorted based on modification date.

default

DEFAULT - JSON

Copy

```
{
  "hasMore": true,
  "continueFrom": "string",
  "data": [
    {
      "id": 0,
      "name": "string",
      "code": "string",
      "earningCategory": {}
    }
  ]
}
```

```
        "createdOn": "string",
        "modifiedOn": "string",
        "active": true
    } ]
}
```

Response: 400 Bad Request

The request cannot be processed, check validation errors or request format

application/json

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations
(<https://tools.ietf.org/html/rfc7807>).



{ }

Name	Required	Type	Description
type	true	string	A URI reference to the problem type
title	true	string	A short, human-readable summary of the problem type
status	true	integer (int32)	The HTTP status code returned by the server
traceId	true	string	Internal trace identifier for diagnostics
errors	true	object	Provides more details about the errors that occurred, which can be used for visualizations
data	true	object	Provides additional information for programs

default

DEFAULT - JSON

 Copy

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "traceId": "string",
  "errors": {},
  "data": {}
}
```

Definitions

Name	Description
ApiErrorResponse	Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).
ExportResponse.Of_Payroll	Represents export API response.
Payroll.V2.PayrollActivity	
Payroll.V2.PayrollEarnings	

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (<https://tools.ietf.org/html/rfc7807>).



{ }

Name	Required	Type	Description
type	true	string	A URI reference that identifies the problem type
title	true	string	A short, human-readable summary of the problem type
status	true	integer (int32)	The HTTP status code returned by the server

traceld	true	string	Internal trace ID for diagnostics
errors	true	object	Provides more details occurred, which can be used for visual display.
data	true	object	Provides additional information for programmatic access.

ExportResponse.Of.Payroll.V2.PayrollActivityCodes.PayrollActivityCodeExport

Represents export API response.



Name	Required	Type	Description
hasMore	true	boolean	Indicates whether the log has reached its limit. If there is more to export, it means the consumer should make another request right away using a new continuation token. It means there is now a new continuation token for the export, and the consumer should wait for some time (e.g., 5 minutes) before making the next request.
continueFrom	true	string	Continuation token for the export operation. It should be used in the 'continuationToken' parameter of the function.
data	true	Payroll.V2.PayrollActivityCodes.PayrollActivityCodeExport	The collection of payroll activity codes, usually sorted chronologically based on modification date.

Payroll.V2.PayrollActivityCodes.PayrollActivityCodeExport



Name	Required	Type	Description
------	----------	------	-------------

<code>id</code>	true	<code>integer (int64)</code>	ID of the payroll ac
<code>name</code>	true	<code>string</code>	Name of the payro
<code>code</code>	true	<code>string</code>	Code of the payroll
<code>earningCateg...</code>	true	One of: Payroll.V2.PayrollEarnings	Earning category or activity code
<code>createdOn</code>	true	<code>string (date-time)</code>	Date/time (on UTC) payroll activity code
<code>modifiedOn</code>	true	<code>string (date-time)</code>	Date/time (on UTC) payroll activity code
<code>active</code>	true	<code>boolean</code>	Indicates whether the activity code is active

Payroll.V2.PayrollEarningCategory



Type	Values
<code>string</code>	Timesheet, Commission, Reimbursement