



[Home](#)

[Docs](#)

[API Reference](#)

[FAQs](#)

[Release Notes](#)

[Request Access](#)

[Login to My Apps](#)



Search operations

[Export](#)

GET {tenant}/export/categories

GET {tenant}/export/equipment

GET {tenant}/export/materials

GET {tenant}/export/services

[Categories](#)

POST {tenant}/categories

GET {tenant}/categories

GET {tenant}/categories/{id}

PATCH {tenant}/categories/{id}

DEL {tenant}/categories/{id}

[ClientSpecificPricing](#)

GET {tenant}/clientspecificpricing

PATCH {tenant}/clientspecificpricing/{rateSheetId}

DiscountAndFees

POST {tenant}/discounts-and-fees

GET {tenant}/discounts-and-fees

GET {tenant}/discounts-and-fees/{id}

PATCH {tenant}/discounts-and-fees/{id}

DEL {tenant}/discounts-and-fees/{id}

Equipment

POST {tenant}/equipment

GET {tenant}/equipment

GET {tenant}/equipment/{id}

PATCH {tenant}/equipment/{id}

DEL {tenant}/equipment/{id}

Images

POST {tenant}/images

GET {tenant}/images

Materials

GET {tenant}/materials

POST {tenant}/materials

GET {tenant}/materials/costtypes

GET {tenant}/materials/{id}

PATCH {tenant}/materials/{id}

DEL {tenant}/materials/{id}

MaterialsMarkup

GET {tenant}/materialsmarkup

POST {tenant}/materialsmarkup

PUT {tenant}/materialsmarkup/{id}

GET {tenant}/materialsmarkup/{id}

PricebookBulk

PATCH {tenant}/pricebook

POST {tenant}/pricebook

Services

POST {tenant}/services

GET {tenant}/services

GET {tenant}/services/{id}

PATCH {tenant}/services/{id}

DEL {tenant}/services/{id}

Pricebook

API definition



Export_Categories

Provides export feed for categories

Request

Production Environment

GET

`https://api.servicetitan.io/pricebook/v2/tenant/{tenant}/export/categories[?from][&includeRecentChanges]`

Integration Environment

GET `https://api-`

`integration.servicetitan.io/pricebook/v2/tenant/{tenant}/export/categories[?from][&includeRecentChanges]`

Request parameters

Name	In	Required	Type	Description
tenant	template	true	integer	Tenant ID

from	query	false	string	Continues a request with a specified continuation token. Use custom values for the export.
includeRecentChanges	query	false	boolean	Use "true" to include recent changes in the results of a request.

Response: 200 OK

The request has succeeded

application/json			
ExportResponse_Of_Pricebook.V2.ExportCategoryRequest			
Represents export API response.			
 { }			
Name	Required	Type	Description
hasMore	true	boolean	Indicates whether the current page has reached its end. If true, there is more data available. This means the continuation token can be used in another request to fetch the next page. If false, new continuation tokens are not needed. This means there is no more data available for the export, and the client should wait for a few minutes before making another request.
continueFrom	true	string	Continuation token for the export operation. It should be used as the value for the <code>from</code> parameter of the next request.
data	true	Pricebook.V2.ExportCategoryResponse	The collection of categories, usually sorted by name.

Response: 400 Bad Request

The request cannot be processed, check validation errors or request format

application/json

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations
(<https://tools.ietf.org/html/rfc7807>).



{ }

Name	Required	Type	Description
type	true	string	A URI reference to the problem type
title	true	string	A short, human-readable summary of the problem
status	true	integer (int32)	The HTTP status code returned by the server
traceId	true	string	Internal trace identifier for diagnostics
errors	true	object	Provides more information about what went wrong, which can be used for visualization
data	true	object	Provides additional data for programmatic use

default

DEFAULT - JSON

| Copy

```
{
  "type": "string",
```

```

    "title": "string",
    "status": 0,
    "traceId": "string",
    "errors": {},
    "data": {}
}

```

Definitions

Name	Description
ApiErrorResponse	Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).
Pricebook.V2.Category...	
Pricebook.V2.Category...	
ExportResponse.Of_Pri...	Represents export API response.
Pricebook.V2.ExportCa...	

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (<https://tools.ietf.org/html/rfc7807>).



{ }

Name	Required	Type	Description
type	true	string	A URI reference that identifies the problem type
title	true	string	A short, human-readable summary of the problem type
status	true	integer (int32)	The HTTP status code returned by the server
traceId	true	string	Internal trace ID for diagnostics

errors	true	object	Provides more detail about errors that occurred, which can be used for visual display.
data	true	object	Provides additional information for programmatic access.

Pricebook.V2.CategoryResponse



Name	Required	Type	Description
id	true	integer (int64)	The id for the category.
name	true	string	The name of the category.
active	true	boolean	Active shows if this category is currently active.
description	false	string	A description that can be associated with this category.
image	false	string	The image to display for this category.
parentId	false	integer (int64)	The id of the category's parent or the item it belongs to.
position	true	integer (int32)	The position location of this category.
categoryType	true	One of: Pricebook.V2.CategoryType	The category type. Service or Material.
subcategories	false	Pricebook.V2.CategoryResponse	The array of the sub categories.
businessUnitIds	false	integer[]	The business units associated with this category.
skulimages	false	string[]	The images that will be used for SKUs under this category.

skuVideos	false	string[]	The videos that will be associated with this category. This field is required if the category has been imported from a catalog.
source	false	string	The source of the category. This field is required if the category has been imported from a catalog.
externalId	false	string	External id is the id of the item in the source of the item from a catalog.
hideInMobile	true	boolean	If a category is available or not.

Pricebook.V2.CategoryType



Type	Values
string	Services, Materials

ExportResponse.Of_Pricebook.V2.ExportCategoryResponse

Represents export API response.



Name	Required	Type	Description
hasMore	true	boolean	Indicates whether the current page has reached its logical end. If there is more to export, it means the consumer should issue another request right away using the new continuation token. It means there is now more data to be consumed in the export, and the consumer should wait for some time (e.g., 5 minutes) before making the next request.
continueFrom	true	string	Continuation token for the export operation.

should be used in "parameter of the fo

data	true	Pricebook.V2.ExportCategoryResponse	The collection of export categories, usually sorted chronologically based on modification date.
------	------	---	---

Pricebook.V2.ExportCategoryResponse



Name	Required	Type	Description
id	true	integer (int64)	The id for the category.
name	true	string	The name of the category.
active	true	boolean	Active shows if this category is currently active.
description	false	string	A description that can be associated with this category.
image	false	string	The image to display for this category.
parentId	false	integer (int64)	The id of the category's parent of this item.
position	true	integer (int32)	The position location of this category.
categoryType	true	One of: Pricebook.V2.CategoryType	The category type. Service or Material.
subcategories	false	Pricebook.V2.CategoryResponse	The array of the sub-categories.
businessUnitIds	false	integer[]	The business units associated with this category.
skulImages	false	string[]	The images that will be displayed for SKUs under this category.

skuVideos	false	string[]	The videos that will be associated with this category. This can be a direct link or a reference to a video library.
source	false	string	The source of the category. This is typically used for imported categories from a catalog.
externalId	false	string	External id is the id of the item in the source system. It is used to identify the item from a catalog.
hideInMobile	true	boolean	If a category is available for mobile devices or not.
modifiedOn	true	string (date-time)	The date and time when the category was last modified.

• [ServiceTitan Inc](#) • [Privacy Policy](#) • [API Terms](#) •