

ai-os-new

Leak Re-Audit Report

Verification audit after bug fixes. Original: 14 findings. Remaining: 14 findings.

Severity	Count
CRITICAL	1
HIGH	6
MEDIUM	6
LOW	1
Total	14

L-0 1	CRITICAL	VoiceButton: SpeechRecognition never stopped on unmount
----------	----------	--

Files: VoiceButton.tsx

Problem: When recording and navigating away, SpeechRecognition continues. No cleanup useEffect exists.

Fix: Add cleanup useEffect that calls recognition.stop() and nulls callbacks.

L-0 2	HIGH	DebateWorkspacePanel: Recursive setTimeout chain never cleaned
----------	------	---

Files: DebateWorkspacePanel.tsx

Problem: check() uses recursive setTimeout(check, 500) but timeout IDs are never stored. On unmount, chain keeps firing.

Fix: Track timeout ID in ref and clearTimeout on unmount.

L-0 3	HIGH	SREAgentPanel: Recursive tryRefresh setTimeout not cleaned
----------	------	---

Files: SREAgentPanel.tsx

Problem: tryRefresh uses recursive setTimeout(tryRefresh, 500) without tracking. Cleanup only handles interval and unsubs, not recursive setTimeout.

Fix: Store retry timer in ref and clear in cleanup.

L-0 4	HIGH	CrossTabStateSync: localStorage storage event listener never removed
----------	------	---

Files: cross-tab-state.ts

Problem: initLocalStorageFallback adds window.addEventListener('storage') but destroy() never removes it.

Fix: Store handler reference and removeEventListener in destroy().

L-0 5	HIGH	BrowserSTT: Module-level singleton with no destroy, constructor side effects
----------	------	---

Files: browser-stt.ts

Problem: Instantiated at module scope, init() runs at load time. No destroy() method for recognition, listeners, or errorListeners.

Fix: Defer init() to first start(). Add destroy(). Guard with typeof window check.

L-0 6	HIGH	ConfigHistoryService: Unbounded history array, no destroy
----------	------	--

Files: config-history.ts

Problem: history.push grows without limit. Each commit deep-clones config. No max size, no destroy method.

Fix: Add MAX_HISTORY=100 limit. Add destroy() method.

L-0 7	HIGH	ProviderCatalogService: No destroy() on module singleton
----------	------	---

Files: provider-catalog-service.ts

Problem: Module-level singleton with no destroy(). catalog Map and autoDetectedProviders never cleaned. probe() fetches lack AbortController.

Fix: Add destroy() method with AbortController for in-flight requests.

L-0 8	MEDIUM	HealthPanel: Dynamic style element never removed from DOM
----------	--------	--

Files: HealthPanel.tsx

Problem: useEffect creates style element and appends to head. Never removes on unmount. Duplicate check prevents more but element leaks.

Fix: Store reference and remove element in cleanup (with ref counting for shared usage).

L-0 9	MEDIUM	useAquariumScene: setTimeout for ripple cleanup not cancelled
----------	--------	--

Files: useAquariumScene.ts

Problem: handleContainerClick and feedAllFishies use setTimeout(1000) for ripple cleanup. Not tracked or cancelled on unmount.

Fix: Track timeout IDs in ref array. Clear all on unmount.

L - 1 0	MEDIUM	ChatPanel: setTimeout in saveEditing not cleaned
------------	--------	---

Files: ChatPanel.tsx

Problem: saveEditing calls setTimeout() => setUndoText(null), 5000). Not tracked or cleared on unmount.

Fix: Track in ref. Clear on unmount.

L - 1 1	MEDIUM	AgentsPanelContainer: setTimeout in handleResetAllStats not cleaned
------------	--------	--

Files: AgentsPanelContainer.tsx

Problem: handleResetAllStats uses setTimeout(5000) for confirmation. Not tracked or cleared on unmount.

Fix: Track in ref. Clear on unmount.

L - 1 2	MEDIUM	DebateLiveStore: destroy() exists but never called by consumers
------------	--------	--

Files: debateLiveStore.ts

Problem: destroy() properly unsubscribes all events but DebateRuntimePanel never calls it on unmount.

Fix: Add useEffect cleanup in consuming component.

L - 1 3	MEDIUM	MetricsService: destroy() doesn't clear recentLatencies/throughput Maps
------------	--------	--

Files: metrics-service.ts

Problem: destroy() clears unsubs and interval but not recentLatencies and throughput Maps. Agent entries accumulate over time.

Fix: Add this.recentLatencies.clear() and this.throughput.clear() to destroy().

L - 1 4	LOW	ResumableStream: No destroy() for singleton, completed streams linger
------------	-----	--

Files: resumable-stream.ts

Problem: Module-level singleton. streams and chunkBuffer Maps accumulate. Completed streams stay up to 1 hour. No destroy().

Fix: Add destroy() that aborts active streams and clears Maps.