

HCL AppScan Report

Report Type: Security Report

Scan Name: Supply Chain Rapid Diagnostics Factory_2026-05-26_08-08-28

Technology: SAST

Report created at: Tuesday, May 26, 2026

This report was generated by HCL AppScan

Summary of security issues

Critical severity issues:	1
High severity issues:	6
Medium severity issues:	136
Low severity issues:	18
Total security issues:	161

Scan Information

Scan started: Tuesday, May 26, 2026 8:09:42 AM (UTC)

Table of Contents

Summary

- Issues

Fix-Groups

- Common API Call: [Authentication.Credentials.Unprotected](#): `response = await fetch(` $`
- Common API Call: [Configuration](#): Insecure use of base image version detected in Dockerfile
- Common API Call: [Cross-Site Scripting](#): `formData.append("file", file)`
- Common API Call: [Cross-Site Scripting](#): `interval = setInterval(checkExpiry, 5 * 60 * 1000)`
- Common API Call: [Cross-Site Scripting](#): `return createPortal(loaderContent, document.body);`
- Common API Call: [Improper Handling of Exceptional Conditions](#): Exposure of confidential information through print or logging methods in python code
- Common API Call: [Improper Handling of Exceptional Conditions](#): Exposure of confidential information through print or logging methods in python code
- Common API Call: [PrototypePollution](#): `if (fyMatch) acc[fyMatch[1]] = v;`
- Common API Call: [SSRF](#): `fetch(` $`
- Common API Call: [SSRF](#): `resp = await fetch(` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch( ` $`
- Common API Call: [SSRF](#): `response = await fetch(url)`
- Common API Call: [URL Validation Required](#): `navigate(` ?tab=$`
- Common API Call: [Open Redirect](#): `a.href = url`
- Common Fix Point: [Cross-Site Scripting](#): `(build) =>`
- Common Fix Point: [Cross-Site Scripting](#): `fetch(` $`
- Common Fix Point: [SSRF](#): `response = await fetch( ` $`
- Common Fix Point: [SSRF](#): `response = await fetch( ` $`
- Common Fix Point: [SSRF](#): `url = queryString ? ` $`
- Common Fix Point: [URL Validation Required](#): `tabConfig = getTabConfig(`
- Common Fix Point: [URL Validation Required](#): `unlockedTabs = useSelector((state) => state.tabAccess.unlockedTabs)`


How to Fix

- [Authentication.Credentials.Unprotected](#)
- [Configuration](#) - Insecure use of base image version detected in Dockerfile
- [Cross-Site Scripting](#)
- [Improper Handling of Exceptional Conditions](#) - Exposure of confidential information through print or logging methods in python code
- [Open Redirect](#)
- [PrototypePollution](#)
- [SSRF](#)
- [URL Validation Required](#)

Summary

Total security issues: **161**

Issue Types: **8**



Issues - By Fix Groups:

M	Common API Call: Authentication.Credentials.Unprotected: response = await fetch(` \$
Fix Group ID:	a48f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(` \$
How to Fix:	Authentication.Credentials.Unprotected

Issue 1 of 4

Issue ID:	08905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a48f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:11
Line	11
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	522
Source:	async (message, threadId, token) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:10
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 1

Issue 1 of 4 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js 5
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:10 async (message, threadId, token) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:11 fetch(`\${BASE_URL}/chat`, {...token...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:11 response = await fetch(`\${BASE_URL}/chat`, {...})

Issue 1 of 4 - Audit Trail

05/26/2026 08:12:03	Issue type: Authentication.Credentials.Unprotected Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:11 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 2 of 4

Issue ID:	17905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a48f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:29
Line	29
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	522
Source:	async (token) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:28
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:29

Issue 2 of 4 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
8
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:28
  async (token) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:29
  fetch(`${BASE_URL}/chat/history/threads`, {...token...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:29
  response = await fetch(`${BASE_URL}/chat/history/threads`, {...})
```

Issue 2 of 4 - Audit Trail

05/26/2026 08:12:03	Issue type: Authentication.Credentials.Unprotected Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:29 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 3 of 4

Issue ID:	1d905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a48f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:45
Line	45
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	522
Source:	async (threadId, token) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:43
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:45

Issue 3 of 4 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
3
  async (threadId, token) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:4
5
  fetch(`${BASE_URL}/chat/history/${safeThreadId}`, {...token...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:45
  response = await fetch(`${BASE_URL}/chat/history/${safeThreadId}`, {...})

```

Issue 3 of 4 - Audit Trail

05/26/2026 08:12:03	Issue type: Authentication.Credentials.Unprotected Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:45 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 4 of 4

Issue ID:	23905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a48f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:61
Line	61
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	522
Source:	async (threadId, token) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:59
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:61

Issue 4 of 4 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
9
  async (threadId, token) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:6
1
  fetch(`${BASE_URL}/chat/history/${safeThreadId}`, {...token...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:61
  response = await fetch(`${BASE_URL}/chat/history/${safeThreadId}`, {...})

```

Issue 4 of 4 - Audit Trail

05/26/2026 08:12:03	Issue type: Authentication.Credentials.Unprotected Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:61 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M Common API Call: Configuration: Insecure use of base image version detected in Dockerfile

Fix Group ID:	6a415b92-5b53-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-19 08:20:27Z
API:	Insecure use of base image version detected in Dockerfile
How to Fix:	Insecure use of base image version detected in Dockerfile

Issue 1 of 1

Issue ID:	4d9382a5-5b53-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	6a415b92-5b53-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory\backend-python\Dockerfile:5
Line	5
Source File	Supply Chain Rapid Diagnostics Factory\backend-python\Dockerfile
Date Created	Tuesday, May 19, 2026
Last Updated	Tuesday, May 19, 2026
CWE:	16
API:	Insecure use of base image version detected in Dockerfile
Caller:	Supply Chain Rapid Diagnostics Factory\backend-python\Dockerfile: 5

Issue 1 of 1 - Details

Call

FROM python:3.12-slim

Issue 1 of 1 - Audit Trail

05/19/2026 08:20:28	Issue type: Configuration Location: SupplyChainRapidDiagnosticsFactory\backend-python\Dockerfile:5 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: Cross-Site Scripting: formData.append("file", file)
Fix Group ID:	988f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	formData.append("file", file)
How to Fix:	Cross-Site Scripting

Issue 1 of 1

Issue ID:	b48f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	988f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:166
Line	166
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (e) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:150
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:166

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.js x
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:150 0 async (e) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:151 1 file = e.target.files[0]
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:152 2 if (!file) return;
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:166 6 formData.append("file", file)

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/FileUploadContainer.jsx:166 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: Cross-Site Scripting: interval = setInterval(checkExpiry, 5 * 60 * 1000)
Fix Group ID:	9a8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	interval = setInterval(checkExpiry, 5 * 60 * 1000)
How to Fix:	Cross-Site Scripting

Issue 1 of 1

Issue ID:	ae8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9a8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js:85
Line	85
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	persisted = localStorage.getItem("persist:root") <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js:69
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js:85

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js:69 persisted = localStorage.getItem("persist:root")
Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js:68 () => { ... }
Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js:68 checkExpiry = () => { ... }
Supply Chain Rapid Diagnostics Factory/FrontEnd/App.js:85 interval = setInterval(checkExpiry , 5 * 60 * 1000)

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/App.js:85 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

C	Common API Call: Cross-Site Scripting: return createPortal(loaderContent, document.body);
Fix Group ID:	958f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	return createPortal(loaderContent, document.body);
How to Fix:	Cross-Site Scripting

Issue 1 of 1

Issue ID:	ff8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Critical
Status	Open
Fix Group ID:	958f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/common/BotLoader.jsx:39
Line	39
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/common/BotLoader.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	createPortal(loaderContent, document.body) <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/common/BotLoader.jsx:39
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/common/BotLoader.jsx:39

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/common/BotLoader.js x
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/common/BotLoader.jsx:39 createPortal(loaderContent, document.body)
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/common/BotLoader.jsx:39 return createPortal(loaderContent, document.body);

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/common/BotLoader.jsx:39 Severity: Critical Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: Improper Handling of Exceptional Conditions: Exposure of confidential information through print or logging m...
Fix Group ID:	6b415b92-5b53-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-19 08:20:27Z
API:	Exposure of confidential information through print or logging methods in python code
How to Fix:	Improper Handling of Exceptional Conditions

Issue 1 of 1

Issue ID:	7b9482a5-5b53-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	6b415b92-5b53-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory\backend-python\graph_bot_code_new\nodes_new.py:89
Line	89
Source File	Supply Chain Rapid Diagnostics Factory\backend-python\graph_bot_code_new\nodes_new.py
Date Created	Tuesday, May 19, 2026
Last Updated	Tuesday, May 19, 2026
CWE:	497
API:	Exposure of confidential information through print or logging methods in python code
Caller:	Supply Chain Rapid Diagnostics Factory\backend-python\graph_bot_code_new\nodes_new.py:89

Issue 1 of 1 - Details

Call

<code>logger.info("[TRACE] %s %.Ofms llm_calls=%d tokens=%d ok=%s",node_name,span.duration_ms,span.llm_call_count,span.tokens_used,span.success,)</code>
--

Issue 1 of 1 - Audit Trail

05/19/2026 08:20:28	Issue type: ImproperHandlingofExceptionalConditions Location: SupplyChainRapidDiagnosticsFactory\backend-python\graph_bot_code_new\nodes_new.py:89 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: Improper Handling of Exceptional Conditions: Exposure of confidential information through print or logging m...
Fix Group ID:	a88f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	Exposure of confidential information through print or logging methods in python code
How to Fix:	Improper Handling of Exceptional Conditions

Issue 1 of 2

Issue ID:	8e505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a88f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory\backend-python\app\agent\financial_peers_overview.py:457
Line	457
Source File	Supply Chain Rapid Diagnostics Factory\backend-python\app\agent\financial_peers_overview.py
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	497
API:	Exposure of confidential information through print or logging methods in python code
Caller:	Supply Chain Rapid Diagnostics Factory\backend-python\app\agent\financial_peers_overview.py:457

Issue 1 of 2 - Details

Call

```
log.info(f"Facts JSON keys.")
```

Issue 1 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: ImproperHandlingofExceptionalConditions Location: SupplyChainRapidDiagnosticsFactory\backend-python\app\agent\financial_peers_overview.py:457 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 2 of 2

Issue ID:	92505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a88f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory\backend-python\graph_bot_code_new\nodes_new.py:474
Line	474
Source File	Supply Chain Rapid Diagnostics Factory\backend-python\graph_bot_code_new\nodes_new.py
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	497
API:	Exposure of confidential information through print or logging methods in python code
Caller:	Supply Chain Rapid Diagnostics Factory\backend-python\graph_bot_code_new\nodes_new.py:474

Issue 2 of 2 - Details

Call
<pre>logger.info(f"[ROUTING] Meta-information query detected by keywords.")</pre>

Issue 2 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: ImproperHandlingofExceptionalConditions Location: SupplyChainRapidDiagnosticsFactory\backend-python\graph_bot_code_new\nodes_new.py:474 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

L	Common API Call: PrototypePollution: if (fyMatch) acc[fyMatch[1]] = v;
Fix Group ID:	a28f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	if (fyMatch) acc[fyMatch[1]] = v;
How to Fix:	PrototypePollution

Issue 1 of 1

Issue ID:	fc8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	a28f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:207
Line	207
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	1321
Source:	function getTabConfig({ state = {}, handlers = {}, meta = {}, user, } = {}) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:25
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:207

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:2

5

function getTabConfig({

state = {},

handlers = {},

meta = {},

user,

} = {}) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:3

2

selectedKPI

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:7

4

peerFinancialData

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:15

2

rawPeerData = peerFinancialData?.data || peerFinancialData || {}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:20

2

block = rawPeerData[blockKey] || {}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:20

3

Object.entries(block)

.filter(([,k]) => /^PeerMedian\s+FY-/i.test(k))

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:20

5

(acc, [,k, v]) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:20

6

k.match(/(FY-\d{2}\d{4})/i)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:20

6

fyMatch = k.match(/(FY-\d{2}\d{4})/i)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/assessmentTabs.jsx:20

7

if (fyMatch) acc[fyMatch[1]] = v;

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: PrototypePollution Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/assessmentTabs.jsx:207 Severity: Low Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: SSRF: fetch(` \$
Fix Group ID:	a78f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	fetch(` \$
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	05905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a78f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:112
Line	112
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/logout`, {...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:112
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:112

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:112
fetch(`\${ <b>process.env</b> .REACT_APP_API_URL}/logout`, {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:112
fetch(`\${process.env.REACT_APP_API_URL}/logout`, {...})

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/usecontext/UserContext.js:112 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

M	Common API Call: SSRF: resp = await fetch(` \$
Fix Group ID:	a58f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	resp = await fetch(` \$
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	02905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a58f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:77
Line	77
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/me`, {...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:77
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:77

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:77
fetch(`\${process.env.REACT_APP_API_URL}/me`, {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/usecontext/UserContext.js:77
resp = await fetch(`\${process.env.REACT_APP_API_URL}/me`, {...})

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/usecontext/UserContext.js:77 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: SSRF: response = await fetch(` \$
Fix Group ID:	948f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(` \$
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	324f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	948f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useHeatmapData.js:24
Line	24
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useHeatmapData.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/heatmap`) <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useHeatmapData.js:24
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useHeatmapData.js:24

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useHeatmapData.js 5 Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useHeatmapData.js:24 4 fetch(`\${process.env.REACT_APP_API_URL}/heatmap`) Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useHeatmapData.js:24 4 response = await fetch(`\${process.env.REACT_APP_API_URL}/heatmap`)
--

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useHeatmapData.js:24 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: SSRF: response = await fetch(`\${
Fix Group ID:	a08f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(`\${
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	3e4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a08f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerFinancialData.js:31
Line	31
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerFinancialData.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/cogschart`) via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerFinancialData.js:31
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerFinancialData.js:31

Issue 1 of 1 - Details

Trace

```
Supply Chain Rapid Diagnostics
Factory/FrontEnd/hooks/usePeerFinancialData.js

Supply Chain Rapid Diagnostics
Factory/FrontEnd/hooks/usePeerFinancialData.js:31
fetch(
  `${process.env.REACT_APP_API_URL}/cogschart`
)

Supply Chain Rapid Diagnostics
Factory/FrontEnd/hooks/usePeerFinancialData.js:31
response = await fetch(
  `${process.env.REACT_APP_API_URL}/cogschart`
)
```

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/usePeerFinancialData.js:31 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: SSRF: response = await fetch(` \$
Fix Group ID:	978f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(` \$
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	414f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	978f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerInventoryData.js:31
Line	31
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerInventoryData.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/inventory`) via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerInventoryData.js:31
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerInventoryData.js:31

Issue 1 of 1 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerInventoryData.js
1
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerInventoryData.js:3
1
fetch(
  `${process.env.REACT_APP_API_URL}/inventory`
)

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerInventoryData.js:3
1
response = await fetch(
  `${process.env.REACT_APP_API_URL}/inventory`
)
```

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/usePeerInventoryData.js:31 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: SSRF: response = await fetch(` \$
Fix Group ID:	9d8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(` \$
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	454f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9d8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerSGADData.js:30
Line	30
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerSGADData.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/sgnachart`) via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerSGADData.js:30
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerSGADData.js:30

Issue 1 of 1 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerSGADData.js
30
    fetch(
      `${process.env.REACT_APP_API_URL}/sgnachart`
    )

    Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usePeerSGADData.js:30
    0
    response = await fetch(
      `${process.env.REACT_APP_API_URL}/sgnachart`
    )
```

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/usePeerSGADData.js:30 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

M	Common API Call: SSRF: response = await fetch(` \$
Fix Group ID:	a98f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(` \$
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	4a4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a98f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useTrendlineData.js:43
Line	43
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useTrendlineData.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/trendline`) <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useTrendlineData.js:43
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useTrendlineData.js:43

Issue 1 of 1 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useTrendlineData.js
3
    fetch(
      `${process.env.REACT_APP_API_URL}/trendline`
    )

    Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useTrendlineData.js:43
    response = await fetch(
      `${process.env.REACT_APP_API_URL}/trendline`
    )
```

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useTrendlineData.js:43 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: SSRF: response = await fetch(`\$
Fix Group ID:	9f8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(`\$
How to Fix:	SSRF

Issue 1 of 4

Issue ID:	0e905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9f8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:11
Line	11
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	BASE_URL = process.env.REACT_APP_API_URL <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:7
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 1

Issue 1 of 4 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js 5
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js: 7 BASE_URL = process.env .REACT_APP_API_URL
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 1 fetch(`\${ <b>BASE_URL</b> }/chat`, {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 1 response = await fetch (`\${ <b>BASE_URL</b> }/chat`, {...})

Issue 1 of 4 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:11 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 2 of 4

Issue ID:	14905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9f8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:29
Line	29
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	BASE_URL = process.env.REACT_APP_API_URL <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:7
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:2 9

Issue 2 of 4 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:
7
BASE_URL = process.env.REACT_APP_API_URL
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:2
9
fetch(`${BASE_URL}/chat/history/threads`, {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:2
9
response = await fetch(`${BASE_URL}/chat/history/threads`, {...})
```

Issue 2 of 4 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:29 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 3 of 4

Issue ID:	1a905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9f8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:45
Line	45
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	BASE_URL = process.env.REACT_APP_API_URL via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:7
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:45

Issue 3 of 4 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:
7
BASE_URL = process.env.REACT_APP_API_URL
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:4
5
fetch(`${BASE_URL}/chat/history/${safeThreadId}`, {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:45
response = await fetch(`${BASE_URL}/chat/history/${safeThreadId}`, {...})
```

Issue 3 of 4 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:45 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 4 of 4

Issue ID:	20905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9f8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:61
Line	61
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	BASE_URL = process.env.REACT_APP_API_URL <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/ho oks/useChatApi.js:7
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:6 1

Issue 4 of 4 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js 5
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js: 7 BASE_URL = process.env .REACT_APP_API_URL
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:6 1 fetch(`\${ <b>BASE_URL</b> }/chat/history/\${safeThreadId}`, {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:61 response = await fetch (`\${ <b>BASE_URL</b> }/chat/history/\${safeThreadId}`, {...})

Issue 4 of 4 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:61 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: SSRF: response = await fetch(`\$
Fix Group ID:	968f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(`\$
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	3b4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	968f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useOTIFData.js:28
Line	28
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useOTIFData.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/2024`) via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useOTIFData.js:28
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useOTIFData.js:28

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useOTIFData.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useOTIFData.js:28
fetch(`\${process.env.REACT_APP_API_URL}/2024`)
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useOTIFData.js:28
response = await fetch(`\${process.env.REACT_APP_API_URL}/2024`)

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useOTIFData.js:28 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

M	Common API Call: SSRF: response = await fetch(`\${process.env.REACT_APP_API_URL}/2024`)
Fix Group ID:	998f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(`\${process.env.REACT_APP_API_URL}/2024`)
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	4d4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	998f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usefetchKpiData.js:26
Line	26
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usefetchKpiData.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	API_BASE = process.env.REACT_APP_API_URL 'http://localhost:8000' via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usefetchKpiData.js:25
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usefetchKpiData.js:26

Issue 1 of 1 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usefetchKpiData.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usefetchKpiData.js:2
5
API_BASE = process.env.REACT_APP_API_URL || 'http://localhost:8000'

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usefetchKpiData.js:2
6
fetch(`${API_BASE}/kpi-calculation`, {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/usefetchKpiData.js:2
6
response = await fetch(`${API_BASE}/kpi-calculation`, {...})
```

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/usefetchKpiData.js:26 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

M	Common API Call: SSRF: response = await fetch(`\$
Fix Group ID:	a68f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(`\$
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	594f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a68f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:30
Line	30
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	API_BASE = process.env.REACT_APP_API_BASE_URL `\${process.env.REACT_APP_API_URL}/api` via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:30

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1 API_BASE = process.env.REACT_APP_API_BASE_URL `\${process.env.REACT_APP_API_URL}/api`
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:30 fetch(`\${API_BASE}/capabilities`)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:30 response = await fetch(`\${API_BASE}/capabilities`)

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/api.js:30 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

M	Common API Call: SSRF: response = await fetch(url)
Fix Group ID:	a38f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	response = await fetch(url)
How to Fix:	SSRF

Issue 1 of 1

Issue ID:	26905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a38f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useDropdownStructure .js:30
Line	30
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useDropdownStructure .js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	url = `\${process.env.REACT_APP_API_URL}/api/kpi_structure` via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useDropdownStructure .js:28
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useDropdownStructure .js:30

Issue 1 of 1 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useDropdownStructure .js
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useDropdownStructure .js:28
url = `\${process.env.REACT_APP_API_URL}/api/kpi_structure`
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useDropdownStructure .js:30
0 response = await fetch(url)

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useDropdownStructure.js:30 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

H	Common API Call: URL Validation Required: navigate(`?tab=\$
Fix Group ID:	ac8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	navigate(`?tab=\$
How to Fix:	URL Validation Required

Issue 1 of 1

Issue ID:	d88f5b90-da58-f111-8fcb-0022484e63bd
Severity:	High
Status	Open
Fix Group ID:	ac8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:673
Line	673
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	selectedTab = params.get("tab") "Templates" via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:673

Issue 1 of 1 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:4
  8
  selectedTab = params.get("tab") || "Templates"

  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  5
  if (!unlockedTabs.includes(selectedTab)) {...}

  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:67
  3
  navigate(`?tab=${selectedTab}`)
```

Issue 1 of 1 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:673 Severity: High Scanner: AppScan Static Analyzer
---------------------	--

M	Common API Call: Open Redirect: a.href = url
Fix Group ID:	a18f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
API:	a.href = url
How to Fix:	Open Redirect

Issue 1 of 2

Issue ID:	b18f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a18f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:125
Line	125
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	601
Source:	url = URL.createObjectURL(fileObj.file) <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:123
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:125

Issue 1 of 2 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.js x
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:123 url = URL.createObjectURL(fileObj.file)
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/FileUploadContainer.jsx:125 a.href = url

Issue 1 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: OpenRedirect Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/FileUploadContainer.jsx:125 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 2 of 2

Issue ID:	8a505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	a18f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:438
Line	438
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	601
Source:	url = window.URL.createObjectURL(blob) <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:436
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:438

Issue 2 of 2 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:43
6
    url = window.URL.createObjectURL(blob)
    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:43
8
    a.href = url

```

Issue 2 of 2 - Audit Trail

05/26/2026 08:12:03

Issue type: OpenRedirect
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:438
Severity: Medium
Scanner: AppScan Static Analyzer

M Common Fix Point:Cross-Site Scripting: (build) =>

Fix Group ID: 9c8f5b90-da58-f111-8fcb-0022484e63bd

Status: Open

Date: 2026-05-26 08:12:02Z

Location of fix: (build) =>

How to Fix: [Cross-Site Scripting](#)

Issue 1 of 100

Issue ID: 5c4f5296-da58-f111-8fcb-0022484e63bd

Severity: **Medium**

Status: Open

Fix Group ID: [9c8f5b90-da58-f111-8fcb-0022484e63bd](#)

Location: Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121

Line: 121

Source File: Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

Date Created: Tuesday, May 26, 2026

Last Updated: Tuesday, May 26, 2026

CWE: 79

Source: (headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:31

Sink: via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121

Issue 1 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
5
return headers;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
fetchBaseQuery({...headers) => {
  if (token) {
    headers.set("Authorization", `Bearer ${token}`);
  }
  return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
baseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
0
(Array.isArray(month) ? month : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
1
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 1 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:121

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 2 of 100

Issue ID:	5f4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121
Line	121
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	extractRehydrationInfo(action, { reducerPath }) { ... } via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:542
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121

Issue 2 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
2
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
2 extractRehydrationInfo(action, { reducerPath }) { ...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
4 return action.payload?.[reducerPath] ?? undefined;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9 createApi({...extractRehydrationInfo(action, { reducerPath }) {
    if (action.type === REHYDRATE) {
      return action.payload?.[reducerPath] ?? undefined;
    }
    return undefined;
  }})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7 (build) => { ...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7 build.query({ ...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8 ({ month, channel, productH1, brandH2 } = {}) => { ...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
0 (Array.isArray(month) ? month : { ...}).forEach((val) => { ...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
1 if (val && val !== "Overall" && val !== "All") q.append("month", val);
```

Issue 2 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:121 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:121
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 4 of 100

Issue ID:	654f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121
Line	121
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4 8
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12 1

Issue 4 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({... (headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
0
(Array.isArray(month) ? month : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
1
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 4 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:121

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 5 of 100

Issue ID:	6b4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121
Line	121
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121

Issue 5 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:117
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:118
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:120
(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 5 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:121
Severity: Medium
Scanner: AppScan Static Analyzer

Issue ID:	6e4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121
Line	121
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121

Issue 6 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
1
return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({... (headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
    query: ({ month, channel, productH1, brandH2 } = {}) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All") q.append("month", val)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All")
                q.append("channel", val);
        });
        (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
0
(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
1
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 6 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:121

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 7 of 100

Issue ID:	714f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124

Issue 7 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
7
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
3
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
4
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 7 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:124
Severity: Medium
Scanner: AppScan Static Analyzer

Issue ID:	744f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124

Issue 8 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
1
return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({... (headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
    query: ({ month, channel, productH1, brandH2 } = {}) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All") q.append("month", val)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All")
                q.append("channel", val);
        });
        (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
3
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
4
if (val && val !== "Overall" && val !== "All")
    q.append("channel", val);

```

Issue 8 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:124

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 9 of 100

Issue ID:	774f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(getAccessToken) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:10
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124

Issue 9 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
0
(getAccessToken) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
1
globalGetAccessToken = getAccessToken

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
3
refreshedToken = await globalGetAccessToken()

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
  }...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
3
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
4
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);
```

Issue 9 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:124

Severity: Medium

Scanner: AppScan Static Analyzer

Issue ID:	7a4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3 1
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12 4

Issue 10 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1 (headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
5 return headers;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1 (headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8 fetchBaseQuery({...headers) => {
  if (token) {
    headers.set("Authorization", `Bearer ${token}`);
  }
  return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8 baseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7 async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7 baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9 createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7 (build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7 build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8 ({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
3 (Array.isArray(channel) ? channel : {...}).forEach((val) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
4 if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 10 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:124 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 11 of 100

Issue ID:	7d4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpi Api.js:28
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12 4

Issue 11 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
8 fetchBaseQuery({...process.env...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2 8 baseQuery = fetchBaseQuery ({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1 7 async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1 7 baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6 9 createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9 7 (build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11 7 build .query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 {... build .query(query: ({ month, channel, productH1, brandH2 } = {}) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("month", val) }); (Array.isArray(channel) ? channel : [channel]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("channel", val); }); (Array.isArray(productH1) ? ... }); });
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11 8 ({ month, channel , productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12 3 (Array.isArray(channel) ? channel : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12 4 if (val && val !== "Overall" && val !== "All") q.append("channel", val);

Issue 11 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:124
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue 12 of 100

Issue ID:	804f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5

4

result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

3

return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

9

createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11

7

build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

{...build.query({

query: ({ month, channel, productH1, brandH2 } = {}) => {

const q = new URLSearchParams();

(Array.isArray(month) ? month : [month]).forEach((val) => {

if (val && val !== "Overall" && val !== "All") q.append("month", val)

;

});

(Array.isArray(channel) ? channel : [channel]).forEach((val) => {

if (val && val !== "Overall" && val !== "All")

q.append("channel", val);

});

(Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11

8

({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12

3

(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12

4

if (val && val !== "Overall" && val !== "All")

q.append("channel", val);

Issue 12 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location:
	SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:124
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue ID:	834f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124

Issue 13 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:117
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:118
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:123
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 13 of 100 - Audit Trail

Issue 14 of 100

Issue ID:	864f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4 8
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12 4

Issue 14 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
0
headers.set("Content-Type", "application/json")

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
 headers.set("Authorization", `Bearer \${refreshedToken}`);
 headers.set("Content-Type", "application/json");
 return headers;
 }...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
 query: ({ month, channel, productH1, brandH2 } = {}) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All") q.append("month", val)
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All")
 q.append("channel", val);
 });
 (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
3
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
4
if (val && val !== "Overall" && val !== "All")
 q.append("channel", val);

Issue 14 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:124

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 15 of 100

Issue ID:	894f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:124
Line	124
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4 8
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12 4

Issue 15 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
3
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
4
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 15 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:124

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 16 of 100

Issue ID:	8c4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128
Line	128
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4 8
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12 8

Issue 16 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

```
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
1
return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)


Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
7
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
8
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);
```

Issue 16 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:128

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 17 of 100

Issue ID:	8f4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128
Line	128
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128

Issue 17 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
 async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
 result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
 async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
 baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
 createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
 (build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:117
 build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
 {...build.query({
 query: ({ month, channel, productH1, brandH2 } = {}) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All") q.append("month", val)
 ;
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All")
 q.append("channel", val);
 });
 (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:118
 ({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:127
 (Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128
 if (val && val !== "Overall" && val !== "All")
 q.append("product_h1", val);

Issue 17 of 100 - Audit Trail

Issue 18 of 100

Issue ID:	924f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128
Line	128
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(getAccessToken) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:10
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128

Issue 18 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
0
(getAccessToken) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
1
globalGetAccessToken = getAccessToken

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
3
refreshedToken = await globalGetAccessToken()

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
  }...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
7
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
8
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);
```

Issue 18 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:128

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 19 of 100

Issue ID:	954f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128
Line	128
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128

Issue 19 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api , extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54 result = await retryBaseQuery(args, api , extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63 return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69 createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 (build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:117 build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 {...build.query({ query: ({ month, channel, productH1, brandH2 } = {}) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("month", val) }); (Array.isArray(channel) ? channel : [channel]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("channel", val); }); (Array.isArray(productH1) ? ... }); });
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:118 ({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:127 (Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128 if (val && val !== "Overall" && val !== "All") q.append("product_h1", val);

Issue 19 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:128
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue 20 of 100

Issue ID:	984f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128
Line	128
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128

Issue 20 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
0
headers.set("Content-Type", "application/json")
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
7
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
8
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);

```

Issue 20 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:128

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 21 of 100

Issue ID:	9b4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128
Line	128
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128

Issue 21 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:117
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:118
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:127
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:128
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);

```

Issue 21 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:128
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 22 of 100

Issue ID:	9e4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132
Line	132
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132

Issue 22 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
1
return headers;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({... (headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
    query: ({ month, channel, productH1, brandH2 } = {}) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All") q.append("month", val)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All")
                q.append("channel", val);
        });
        (Array.isArray(productH1) ? ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
1
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
2
if (val && val !== "Overall" && val !== "All")
    q.append("brand_h2", val);

```

Issue 22 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:132

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 23 of 100

Issue ID:	a14f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132
Line	132
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132

Issue 23 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
7
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
1
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
2
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);

```

Issue 23 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:132
Severity: Medium
Scanner: AppScan Static Analyzer

Issue ID:	a74f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132
Line	132
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:28
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132

Issue 24 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
8
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
baseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
1
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
2
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);
```

Issue 24 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:132
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue 25 of 100

Issue ID:	aa4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132
Line	132
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132

Issue 25 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
9
result = await baseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
1
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
2
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);
```

Issue 25 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:132 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 26 of 100

Issue ID:	ad4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155
Line	155
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:28
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155

Issue 26 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js 8 fetchBaseQuery({...process.env...}) 8 baseQuery = fetchBaseQuery({...}) 7 async (args, api, extraOptions) => {...} 7 baseQueryWithAuth = async (args, api, extraOptions) => {...} 9 createApi({...baseQuery: baseQueryWithAuth...}) 7 (build) => {...} 1 build.query({...}) 97 {...build.query({ query: ({ month, channel, productH1, brandH2 }) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("month", val) }); (Array.isArray(channel) ? channel : [channel]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("channel", val); }); (Array.isArray(productH1) ? produ... 15 ({ month, channel, productH1, brandH2 }) => {...} 15 (Array.isArray(month) ? month : {...}).forEach((val) => {...}) 15 if (val && val !== "Overall" && val !== "All") q.append("month", val);
--

Issue 26 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:155 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 27 of 100

Issue ID:	b04f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155
Line	155
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4 8
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15 5

Issue 27 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
1
return headers;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({... (headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
    query: ({ month, channel, productH1, brandH2 }) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All") q.append("month", val)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All")
                q.append("channel", val);
        });
        (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
4
(Array.isArray(month) ? month : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
5
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 27 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:155

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 28 of 100

Issue ID:	b34f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155
Line	155
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155

Issue 28 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:151
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:152
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:154
(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155
if (val && val !== "Overall" && val !== "All") q.append("month", val);
```

Issue 28 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:155 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 29 of 100

Issue ID:	b64f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155
Line	155
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155

Issue 29 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
7
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
4
(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
5
if (val && val !== "Overall" && val !== "All") q.append("month", val);
```

Issue 29 of 100 - Audit Trail

Issue 30 of 100

Issue ID:	b94f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155
Line	155
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	extractRehydrationInfo(action, { reducerPath }) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:542
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:155

Issue 30 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
2
extractRehydrationInfo(action, { reducerPath }) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
4
return action.payload?.[reducerPath] ?? undefined;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...extractRehydrationInfo(action, { reducerPath }) {
  if (action.type === REHYDRATE) {
    return action.payload?.[reducerPath] ?? undefined;
  }
  return undefined;
}})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
4
(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
5
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 30 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:155 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 31 of 100

Issue ID:	bc4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158
Line	158
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158

Issue 31 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
1
return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({... (headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
    query: ({ month, channel, productH1, brandH2 }) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All") q.append("month", val)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All")
                q.append("channel", val);
        });
        (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
7
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
8
if (val && val !== "Overall" && val !== "All")
    q.append("channel", val);

```

Issue 31 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:158

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 32 of 100

Issue ID:	bf4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158
Line	158
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158

Issue 32 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:151
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:152
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:157
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 32 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:158
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 33 of 100

Issue ID:	c24f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158
Line	158
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4 8
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15 8

Issue 33 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
0
headers.set("Content-Type", "application/json")

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
 headers.set("Authorization", `Bearer \${refreshedToken}`);
 headers.set("Content-Type", "application/json");
 return headers;
 }...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
 query: ({ month, channel, productH1, brandH2 }) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All") q.append("month", val)
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All")
 q.append("channel", val);
 });
 (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
7
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
8
if (val && val !== "Overall" && val !== "All")
 q.append("channel", val);

Issue 33 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:158

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 34 of 100

Issue ID:	c54f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158
Line	158
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:31
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158

Issue 34 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
1
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1 (headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
5 return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1 (headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8 fetchBaseQuery(({...(headers) => {
  if (token) {
    headers.set("Authorization", `Bearer ${token}`);
  }
  return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8 baseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7 async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7 baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9 createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7 (build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1 build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  })
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2 ({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
7 (Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
8 if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 34 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:158 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 35 of 100

Issue ID:	c84f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158
Line	158
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158

Issue 35 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
7
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
8
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);
```

Issue 35 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:158

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 36 of 100

Issue ID:	cb4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158
Line	158
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158

Issue 36 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:151
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  })
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:152
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:157
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:158
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 36 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:158
Severity: Medium
Scanner: AppScan Static Analyzer

Issue ID:	ce4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162
Line	162
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162

Issue 37 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
1
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
2
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);
```

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:162
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 38 of 100

Issue ID:	d14f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162
Line	162
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162

Issue 38 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
1
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
2
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);

```

Issue 38 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:162

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 39 of 100

Issue ID:	d44f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162
Line	162
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162

Issue 39 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

```
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
0
headers.set("Content-Type", "application/json")

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  });
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
1
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
2
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);
```

Issue 39 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:162

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 40 of 100

Issue ID:	d74f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162
Line	162
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	extractRehydrationInfo(action, { reducerPath }) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:542
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162

Issue 40 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
2
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
2 extractRehydrationInfo(action, { reducerPath }) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
4 return action.payload?.[reducerPath] ?? undefined;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9 createApi({...extractRehydrationInfo(action, { reducerPath }) {
    if (action.type === REHYDRATE) {
      return action.payload?.[reducerPath] ?? undefined;
    }
    return undefined;
  }})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7 (build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1 build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2 ({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
1 (Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
2 if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);
```

Issue 40 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:162 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue ID:	da4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162
Line	162
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(getAccessToken) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:10
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162

Issue 41 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
0
(getAccessToken) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
1
globalGetAccessToken = getAccessToken

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
3
refreshedToken = await globalGetAccessToken()

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
  }...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  });
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
1
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
2
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);
```

Issue 41 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:162

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 42 of 100

Issue ID:	dd4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162
Line	162
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162

Issue 42 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api , extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39 result = await baseQuery(args, api , extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69 createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 (build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:151 build .query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 {...build.query({ query: ({ month, channel, productH1, brandH2 }) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("month", val) }; (Array.isArray(channel) ? channel : [channel]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("channel", val); }); (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:152 ({ month, channel, productH1 , brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:161 (Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162 if (val && val !== "Overall" && val !== "All") q.append("product_h1", val);

Issue 42 of 100 - Audit Trail

Issue 43 of 100

Issue ID:	e34f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166
Line	166
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166

Issue 43 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
9
result = await baseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
5
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
6
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);

```

Issue 43 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:166
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue 44 of 100

Issue ID:	e64f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166
Line	166
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	extractRehydrationInfo(action, { reducerPath }) {...} via Supply Chain Rapid Diagnostics Factory/Front End/services/kpiApi.js:542
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166

Issue 44 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54 2 extractRehydrationInfo(action, { reducerPath }) {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54 4 return action.payload?.[reducerPath] ?? undefined;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6 9 createApi({...extractRehydrationInfo(action, { reducerPath }) { if (action.type === REHYDRATE) { return action.payload?.[reducerPath] ?? undefined; } return undefined; }})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9 7 (build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15 1 build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 {...build.query({ query: ({ month, channel, productH1, brandH2 }) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("month", val) }); (Array.isArray(channel) ? channel : [channel]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("channel", val); }); (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15 2 ({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16 5 (Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16 6 if (val && val !== "Overall" && val !== "All") q.append("brand_h2", val);

Issue 44 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:166 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 45 of 100

Issue ID:	e94f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166
Line	166
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166

Issue 45 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
5
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
6
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);

```

Issue 45 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:166

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 46 of 100

Issue ID:	ec4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166
Line	166
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5

4

result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

3

return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

9

createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15

1

build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

{...build.query({

query: ({ month, channel, productH1, brandH2 }) => {

const q = new URLSearchParams();

(Array.isArray(month) ? month : [month]).forEach((val) => {

if (val && val !== "Overall" && val !== "All") q.append("month", val)

;

});

(Array.isArray(channel) ? channel : [channel]).forEach((val) => {

if (val && val !== "Overall" && val !== "All")

q.append("channel", val);

});

(Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15

2

({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16

5

(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16

6

if (val && val !== "Overall" && val !== "All")

q.append("brand_h2", val);

Issue 46 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location:
	SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:166
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue 47 of 100

Issue ID:	ef4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:166
Line	166
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3 1
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16 6

Issue 47 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
1
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1 (headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
5 return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1 (headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8 fetchBaseQuery({... (headers) => {
  if (token) {
    headers.set("Authorization", `Bearer ${token}`);
  }
  return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8 baseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7 async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7 baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9 createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7 (build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1 build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  })
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2 ({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
5 (Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
6 if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);

```

Issue 47 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:166 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 48 of 100

Issue ID:	f24f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182
Line	182
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpi Api.js:28
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18 2

Issue 48 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
baseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  })
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
1
(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
2
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 48 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:182

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 49 of 100

Issue ID:	f54f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182
Line	182
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182

Issue 49 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  });
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
1
(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
2
if (val && val !== "Overall" && val !== "All") q.append("month", val);
```

Issue 49 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:182

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 50 of 100

Issue ID:	f84f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182
Line	182
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3

9

result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

9

createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

8

build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

{...build.query({

query: ({ month, channel, productH1, brandH2 }) => {

const q = new URLSearchParams();

(Array.isArray(month) ? month : [month]).forEach((val) => {

if (val && val !== "Overall" && val !== "All") q.append("month", val)

;

});

(Array.isArray(channel) ? channel : [channel]).forEach((val) => {

if (val && val !== "Overall" && val !== "All")

q.append("channel", val);

});

(Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

9

({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18

1

(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18

2

if (val && val !== "Overall" && val !== "All") q.append("month", val);

Issue 50 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location:
	SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:182
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue ID:	fb4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182
Line	182
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182

Issue 51 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
  async (args, api, extraOptions) => {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
  result = await baseQuery(args, api, extraOptions)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
  async (args, api, extraOptions) => {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
  baseQueryWithAuth = async (args, api, extraOptions) => {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
  createApi({...baseQuery: baseQueryWithAuth...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
  (build) => {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:178
  build.query({...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
  {...build.query({
    query: ({ month, channel, productH1, brandH2 }) => {
      const q = new URLSearchParams();
      (Array.isArray(month) ? month : [month]).forEach((val) => {
        if (val && val !== "Overall" && val !== "All") q.append("month", val)
      });
      (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
        if (val && val !== "Overall" && val !== "All") q.append("channel", val);
      });
      (Array.isArray(productH1) ? produ...
  });
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:179
  ({ month, channel, productH1, brandH2 }) => {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:181
  (Array.isArray(month) ? month : {...}).forEach((val) => {...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182
  if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 51 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:182
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 52 of 100

Issue ID:	fe4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182
Line	182
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182

Issue 52 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({... (headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
    query: ({ month, channel, productH1, brandH2 }) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All") q.append("month", val)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All")
                q.append("channel", val);
        });
        (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
1
(Array.isArray(month) ? month : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
2
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

Issue 52 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:182

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 53 of 100

Issue ID:	01505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182
Line	182
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182

Issue 53 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:178
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  })
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:179
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:181
(Array.isArray(month) ? month : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:182
if (val && val !== "Overall" && val !== "All") q.append("month", val);
```

Issue 53 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:182 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue ID:	04505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185
Line	185
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	extractRehydrationInfo(action, { reducerPath }) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:542
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185

Issue 54 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:542

extractRehydrationInfo(action, { reducerPath }) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:544

return action.payload?.[reducerPath] ?? undefined;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69

createApi({...extractRehydrationInfo(action, { reducerPath }) } {

if (action.type === REHYDRATE) {

return action.payload?.[reducerPath] ?? undefined;

}

return undefined;

}}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:178

build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

{...build.query({

query: ({ month, channel, productH1, brandH2 }) => {

const q = new URLSearchParams();

(Array.isArray(month) ? month : [month]).forEach((val) => {

if (val && val !== "Overall" && val !== "All") q.append("month", val)

};

(Array.isArray(channel) ? channel : [channel]).forEach((val) => {

if (val && val !== "Overall" && val !== "All")

q.append("channel", val);

});

(Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:179

({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:184

(Array.isArray(channel) ? channel : {...}).forEach((val) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185

if (val && val !== "Overall" && val !== "All")

q.append("channel", val);

Issue 55 of 100

Issue ID:	07505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185
Line	185
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185

Issue 55 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54

result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63

return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69

createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:178

build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

```
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:179

({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:184

(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185

if (val && val !== "Overall" && val !== "All")
 q.append("channel", val);

Issue 55 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:185 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 56 of 100

Issue ID:	0a505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185
Line	185
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(getAccessToken) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:10
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185

Issue 56 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
0
(**getAccessToken**) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
1
globalGetAccessToken = **getAccessToken**

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
3
refreshedToken = await **globalGetAccessToken**()

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer \${**refreshedToken**}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(**headers**) => {
 headers.set("Authorization", `Bearer \${refreshedToken}`);
 headers.set("Content-Type", "application/json");
 return headers;
 }...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = **fetchBaseQuery**({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await **retryBaseQuery**(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = **async** (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(**build**) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...**build**.query({
 query: ({ month, channel, productH1, brandH2 }) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All") q.append("month", val)
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All")
 q.append("channel", val);
 });
 (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, **channel**, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
4
(Array.isArray(**channel**) ? **channel** : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
5
if (**val** && **val** !== "Overall" && **val** !== "All")
 q.append("channel", **val**);

Issue 56 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:185

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 57 of 100

Issue ID:	0d505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185
Line	185
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:31
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185

Issue 57 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
5
return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
fetchBaseQuery({... (headers) => {
    if (token) {
        headers.set("Authorization", `Bearer ${token}`);
    }
    return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
baseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
    query: ({ month, channel, productH1, brandH2 }) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All") q.append("month", val)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
            if (val && val !== "Overall" && val !== "All")
                q.append("channel", val);
        });
        (Array.isArray(productH1) ? produ...
    })
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
4
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
5
if (val && val !== "Overall" && val !== "All")
    q.append("channel", val);

```

Issue 57 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:185
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 58 of 100

Issue ID:	10505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185
Line	185
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185

Issue 58 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:178
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:179
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:184
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 58 of 100 - Audit Trail

Issue 59 of 100

Issue ID:	13505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185
Line	185
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:185

Issue 59 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
9
result = await baseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
4
(Array.isArray(channel) ? channel : {...}).forEach((val) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
5
if (val && val !== "Overall" && val !== "All")
  q.append("channel", val);

```

Issue 59 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:185 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 60 of 100

Issue ID:	16505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:189
Line	189
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:189

Issue 60 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer \${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
 headers.set("Authorization", `Bearer \${refreshedToken}`);
 headers.set("Content-Type", "application/json");
 return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
 query: ({ month, channel, productH1, brandH2 }) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All") q.append("month", val)
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
 if (val && val !== "Overall" && val !== "All")
 q.append("channel", val);
 });
 (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
8
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
9
if (val && val !== "Overall" && val !== "All")
 q.append("product_h1", val);

Issue 60 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:189

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 61 of 100

Issue ID:	19505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:189
Line	189
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:45
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:189

Issue 61 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  })
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
8
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
9
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);

```

Issue 61 of 100 - Audit Trail

Issue 62 of 100

Issue ID:	1c505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:189
Line	189
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:189

Issue 62 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
9
result = await baseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
8
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:18
9
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);

```

Issue 62 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:189
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue 63 of 100

Issue ID:	1f505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193
Line	193
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193

Issue 63 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api, extraOptions) => {...} Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39 result = await baseQuery(args, api, extraOptions) Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api, extraOptions) => {...} Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 baseQueryWithAuth = async (args, api, extraOptions) => {...} Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69 createApi({...baseQuery: baseQueryWithAuth...}) Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 (build) => {...} Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:178 build.query({...}) Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 {...build.query(query: ({ month, channel, productH1, brandH2 }) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("month", val) }); (Array.isArray(channel) ? channel : [channel]).forEach((val) => { if (val && val !== "Overall" && val !== "All") q.append("channel", val); }); (Array.isArray(productH1) ? produ... Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:179 ({ month, channel, productH1, brandH2 }) => {...} Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:192 (Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...}) Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193 if (val && val !== "Overall" && val !== "All") q.append("brand_h2", val);

Issue 63 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:193 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 64 of 100

Issue ID:	22505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193
Line	193
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193

Issue 64 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:19
2
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:19
3
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);

```

Issue 64 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:193

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 65 of 100

Issue ID:	25505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193
Line	193
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:45
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...
  })
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:19
2
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:19
3
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);
```

Issue 65 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:193
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue ID:	28505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193
Line	193
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193

Issue 66 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:178
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:179
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:192
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);

```

Issue 66 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:193
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 67 of 100

Issue ID:	2b505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193
Line	193
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3 1
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:19 3

Issue 67 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
5
return headers;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1
(headers) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
fetchBaseQuery({...headers) => {
  if (token) {
    headers.set("Authorization", `Bearer ${token}`);
  }
  return headers;
}...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
baseQuery = fetchBaseQuery({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
8
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
9
({ month, channel, productH1, brandH2 }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:19
2
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:19
3
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);
```

Issue 67 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:193 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 68 of 100

Issue ID:	2e505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193
Line	193
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193

Issue 68 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
7  async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
4  result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63
3  return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
7  async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
7  baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
9  createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
7  (build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:178
8  build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:179
9  ({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:192
2  (Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:193
3  if (val && val !== "Overall" && val !== "All")
    q.append("brand_h2", val);

```

Issue 68 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:193
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 69 of 100

Issue ID:	31505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:230
Line	230
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:230

Issue 69 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:22
6
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
{...build.query({
  query: ({ month } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/dropdown/channel${suffix}`;
  },
  providesTags: ["Channels"],
  transformResponse: (resp) =>
    Array.isArray(resp?.options) ? resp.options : [],
  })......
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:22
7
({ month } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:22
9
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:23
0
if (m && m !== "Overall" && m !== "All") q.append("month", m);

```

Issue 69 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:230 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 70 of 100

Issue ID:	34505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:230
Line	230
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:230

Issue 70 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
1
return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:22
6
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
{...build.query({
  query: ({ month } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/dropdown/channel${suffix}`;
  },
  providesTags: ["Channels"],
  transformResponse: (resp) =>
    Array.isArray(resp?.options) ? resp.options : [],
  }).....

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:22
7
({ month } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:22
9
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:23
0
if (m && m !== "Overall" && m !== "All") q.append("month", m);
```

Issue 70 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:230

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 71 of 100

Issue ID:	37505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:230
Line	230
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:28
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:230

Issue 71 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
8
  fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:28
baseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:226
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/dropdown/channel${suffix}`;
  },
  providesTags: ["Channels"],
  transformResponse: (resp) =>
    Array.isArray(resp?.options) ? resp.options : [],
})}.....

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:227
({ month } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:229
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:230
0
if (m && m !== "Overall" && m !== "All") q.append("month", m);

```

Issue 71 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:230
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 72 of 100

Issue ID:	3a505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
Line	244
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244

Issue 72 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
0
headers.set("Content-Type", "application/json")
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
}...})
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
0
build.query({...})
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
{...build.query({
    query: ({ month, channel } = {}) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((m) => {
            if (m && m !== "Overall" && m !== "All") q.append("month", m)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
            if (c && c !== "Overall" && c !== "All") q.append("channel", c);
        });
        const suffix = q.toString() ? `?${q.toString()}` : "";
        return `/kpi/drop...
    }
});
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
1
({ month, channel } = {}) => {...}
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
3
(Array.isArray(month) ? month : {...}).forEach((m) => {...})
```

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
4
if (m && m !== "Overall" && m !== "All") q.append("month", m);
```

Issue 72 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:244

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 73 of 100

Issue ID:	3d505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
Line	244
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244

Issue 73 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
  async (args, api, extraOptions) => {...}

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
  result = await baseQuery(args, api, extraOptions)

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
  async (args, api, extraOptions) => {...}

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
  baseQueryWithAuth = async (args, api, extraOptions) => {...}

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
  createApi({...baseQuery: baseQueryWithAuth...})

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
  (build) => {...}

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:240
  build.query({...})

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
  {...build.query({
    query: ({ month, channel } = {}) => {
      const q = new URLSearchParams();
      (Array.isArray(month) ? month : [month]).forEach((m) => {
        if (m && m !== "Overall" && m !== "All") q.append("month", m)
      });
      (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
        if (c && c !== "Overall" && c !== "All") q.append("channel", c);
      });
      const suffix = q.toString() ? `?${q.toString()}` : "";
      return `/kpi/drop...

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:241
  ({ month, channel } = {}) => {...}

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:243
  (Array.isArray(month) ? month : {...}).forEach((m) => {...})

  Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
  if (m && m !== "Overall" && m !== "All") q.append("month", m);

```

Issue 73 of 100 - Audit Trail

Issue 74 of 100

Issue ID:	40505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
Line	244
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:28
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244

Issue 74 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

s

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:28

fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:28

baseQuery = **fetchBaseQuery**(...)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

baseQueryWithAuth = **async** (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69

createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:240

build.query(...)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

```
{...build.query({
  query: ({ month, channel } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m);
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/drop...`
  })
});
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:241

({ **month**, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:243

(Array.isArray(**month**) ? **month** : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244

if (**m** && **m** !== "Overall" && **m** !== "All") q.append("month", **m**);

Issue 74 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:244 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 75 of 100

Issue ID:	43505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
Line	244
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244

Issue 75 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
0
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
{...build.query({
  query: ({ month, channel } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/drop...
;
  });
  (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
    if (c && c !== "Overall" && c !== "All") q.append("channel", c);
  });
  const suffix = q.toString() ? `?${q.toString()}` : "";
  return `/kpi/drop...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
1
({ month, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
3
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
4
if (m && m !== "Overall" && m !== "All") q.append("month", m);
```

Issue 75 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:244

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 76 of 100

Issue ID:	46505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
Line	244
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244

Issue 76 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:240
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/drop...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:241
({ month, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:243
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
if (m && m !== "Overall" && m !== "All") q.append("month", m);

```

Issue 76 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:244
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 77 of 100

Issue ID:	49505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
Line	244
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(getAccessToken) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:10
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244

Issue 77 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
0
(getAccessToken) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
1
globalGetAccessToken = getAccessToken

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
3
refreshedToken = await globalGetAccessToken()

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
  }...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(**build**) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
0
build.query({...})

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
{...build.query({
  query: ({ month, channel } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/drop...
;
  });
  (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
    if (c && c !== "Overall" && c !== "All") q.append("channel", c);
  });
  const suffix = q.toString() ? `?${q.toString()}` : "";
  return `/kpi/drop...
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
1
({ **month**, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
3
(Array.isArray(**month**) ? **month** : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
4
if (m && m !== "Overall" && m !== "All") q.append("month", m);

Issue 77 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:244

Severity: Medium

Scanner: AppScan Static Analyzer

Issue ID:	4c505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
Line	244
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244

Issue 78 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5

4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

0
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

```
7
{...build.query({
  query: ({ month, channel } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/drop...
;
});
(Array.isArray(channel) ? channel : [channel]).forEach((c) => {
  if (c && c !== "Overall" && c !== "All") q.append("channel", c);
});
const suffix = q.toString() ? `?${q.toString()}` : "";
return `/kpi/drop...
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

1
({ month, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

3
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

4
if (m && m !== "Overall" && m !== "All") q.append("month", m);

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:244
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 79 of 100

Issue ID:	4f505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:244
Line	244
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3 1
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24 4

Issue 79 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
5
return headers;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
1
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
fetchBaseQuery({...headers) => {
  if (token) {
    headers.set("Authorization", `Bearer ${token}`);
  }
  return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:2
8
baseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
0
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
{...build.query({
  query: ({ month, channel } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/drop...
;
});
(Array.isArray(channel) ? channel : [channel]).forEach((c) => {
  if (c && c !== "Overall" && c !== "All") q.append("channel", c);
});
const suffix = q.toString() ? `?${q.toString()}` : "";
return `/kpi/drop...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
1
({ month, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
3
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
4
if (m && m !== "Overall" && m !== "All") q.append("month", m);
```

Issue 79 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:244 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue ID:	52505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247
Line	247
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247

Issue 80 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:240
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    const suffix = q.toString() ? `?${q.toString()}` : "";
    return `/kpi/drop...
  });
});
const suffix = q.toString() ? `?${q.toString()}` : "";
return `/kpi/drop...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:241
({ month, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:246
(Array.isArray(channel) ? channel : {...}).forEach((c) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247
if (c && c !== "Overall" && c !== "All") q.append("channel", c);
```

Issue 80 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:247 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue ID:	55505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247
Line	247
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:45
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247

Issue 81 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4

fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4

5

retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5

4

result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

3

return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7

baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

9

createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

0

build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7

{...build.query({

query: ({ month, channel } = {}) => {

const q = new URLSearchParams();

(Array.isArray(month) ? month : [month]).forEach((m) => {

if (m && m !== "Overall" && m !== "All") q.append("month", m)

;

});

(Array.isArray(channel) ? channel : [channel]).forEach((c) => {

if (c && c !== "Overall" && c !== "All") q.append("channel", c);

});

const suffix = q.toString() ? `?\${q.toString()}` : "";

return `/kpi/drop...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

1

({ month, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

6

(Array.isArray(channel) ? channel : {...}).forEach((c) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

7

if (c && c !== "Overall" && c !== "All") q.append("channel", c);

Issue 82 of 100

Issue ID:	58505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247
Line	247
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247

Issue 82 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3

9
result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

0
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7
{...build.query({
 query: ({ month, channel } = {}) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((m) => {
 if (m && m !== "Overall" && m !== "All") q.append("month", m)
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
 if (c && c !== "Overall" && c !== "All") q.append("channel", c);
 });
 const suffix = q.toString() ? ` \${q.toString()}` : "";
 return `/kpi/drop...`
 });
});

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

1
({ month, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

6
(Array.isArray(channel) ? channel : {...}).forEach((c) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24

7
if (c && c !== "Overall" && c !== "All") q.append("channel", c);

Issue 82 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:247 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 83 of 100

Issue ID:	5b505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247
Line	247
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(getAccessToken) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:10
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:247

Issue 83 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
0
(getAccessToken) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
1
globalGetAccessToken = getAccessToken

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
3
refreshedToken = await globalGetAccessToken()

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(headers) => {
    headers.set("Authorization", `Bearer ${refreshedToken}`);
    headers.set("Content-Type", "application/json");
    return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
0
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
{...build.query({
    query: ({ month, channel } = {}) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((m) => {
            if (m && m !== "Overall" && m !== "All") q.append("month", m)
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
            if (c && c !== "Overall" && c !== "All") q.append("channel", c);
        });
        const suffix = q.toString() ? `?${q.toString()}` : "";
        return `/kpi/drop...
    });
});
const suffix = q.toString() ? `?${q.toString()}` : "";
return `/kpi/drop...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
1
({ month, channel } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
6
(Array.isArray(channel) ? channel : {...}).forEach((c) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:24
7
if (c && c !== "Overall" && c !== "All") q.append("channel", c);
```

Issue 83 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:247

Severity: Medium

Scanner: AppScan Static Analyzer

Issue ID:	5e505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261
Line	261
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261

Issue 84 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api , extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39 result = await baseQuery(args, api , extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69 createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 (build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:257 build .query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 {... build .query({ query: ({ month, channel, productH1 } = {}) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((m) => { if (m && m !== "Overall" && m !== "All") q.append("month", m); }); (Array.isArray(channel) ? channel : [channel]).forEach((c) => { if (c && c !== "Overall" && c !== "All") q.append("channel", c); }); (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:258 ({ month , channel, productH1 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:260 (Array.isArray(month) ? month : {...}).forEach((m) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261 if (m && m !== "Overall" && m !== "All") q.append("month", m);

Issue 84 of 100 - Audit Trail

Issue 85 of 100

Issue ID:	61505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261
Line	261
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(getAccessToken) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:10
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261

Issue 85 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
0
(getAccessToken) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
1
globalGetAccessToken = getAccessToken

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
3
refreshedToken = await globalGetAccessToken()

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
9
headers.set("Authorization", `Bearer ${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...(headers) => {
  headers.set("Authorization", `Bearer ${refreshedToken}`);
  headers.set("Content-Type", "application/json");
  return headers;
}})})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m);
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...
  }

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
8
({ month, channel, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
0
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
1
if (m && m !== "Overall" && m !== "All") q.append("month", m);
```

Issue 85 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:261

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 86 of 100

Issue ID:	64505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261
Line	261
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261

Issue 86 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54 result = await retryBaseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63 return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69 createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 (build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:257 build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 {...build.query({ query: ({ month, channel, productH1 } = {}) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((m) => { if (m && m !== "Overall" && m !== "All") q.append("month", m); }); (Array.isArray(channel) ? channel : [channel]).forEach((c) => { if (c && c !== "Overall" && c !== "All") q.append("channel", c); }); (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:258 ({ month, channel, productH1 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:260 (Array.isArray(month) ? month : {...}).forEach((m) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261 if (m && m !== "Overall" && m !== "All") q.append("month", m);

Issue 86 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:261 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue ID:	67505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261
Line	261
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261

Issue 87 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:257
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
 query: ({ month, channel, productH1 } = {}) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((m) => {
 if (m && m !== "Overall" && m !== "All") q.append("month", m);
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
 if (c && c !== "Overall" && c !== "All") q.append("channel", c);
 });
 (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:258
({ month, channel, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:260
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261
if (m && m !== "Overall" && m !== "All") q.append("month", m);

Issue 87 of 100 - Audit Trail

Issue 88 of 100

Issue ID:	6a505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261
Line	261
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	extractRehydrationInfo(action, { reducerPath }) {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/Front End/services/kpiApi.js:542
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:261

Issue 88 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
2
extractRehydrationInfo(action, { reducerPath }) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
4
return action.payload?.[reducerPath] ?? undefined;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...extractRehydrationInfo(action, { reducerPath }) } {
  if (action.type === REHYDRATE) {
    return action.payload?.[reducerPath] ?? undefined;
  }
  return undefined;
}})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m);
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
8
({ month, channel, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
0
(Array.isArray(month) ? month : {...}).forEach((m) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
1
if (m && m !== "Overall" && m !== "All") q.append("month", m);

```

Issue 88 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:261
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 89 of 100

Issue ID:	6d505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264
Line	264
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	(headers) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4 8
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26 4

Issue 89 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4

8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4

9
headers.set("Authorization", `Bearer \${refreshedToken}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4

8
(headers) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4

5
fetchBaseQuery({...headers) => {
 headers.set("Authorization", `Bearer \${refreshedToken}`);
 headers.set("Content-Type", "application/json");
 return headers;
}...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4

5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5

4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1

7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6

9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9

7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25

7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

{...build.query({
 query: ({ month, channel, productH1 } = {}) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((m) => {
 if (m && m !== "Overall" && m !== "All") q.append("month", m);
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
 if (c && c !== "Overall" && c !== "All") q.append("channel", c);
 });
 (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25

8
({ month, channel, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26

3
(Array.isArray(channel) ? channel : {...}).forEach((c) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26

4
if (c && c !== "Overall" && c !== "All") q.append("channel", c);

Issue 89 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:264

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 90 of 100

Issue ID:	70505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264
Line	264
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264

Issue 90 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api , extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54 result = await retryBaseQuery(args, api , extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63 return result;
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17 baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69 createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 (build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:257 build .query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97 {...build.query({ query: ({ month, channel, productH1 } = {}) => { const q = new URLSearchParams(); (Array.isArray(month) ? month : [month]).forEach((m) => { if (m && m !== "Overall" && m !== "All") q.append("month", m); }); (Array.isArray(channel) ? channel : [channel]).forEach((c) => { if (c && c !== "Overall" && c !== "All") q.append("channel", c); }); (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:258 ({ month, channel, productH1 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:263 (Array.isArray(channel) ? channel : {...}).forEach((c) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264 if (c && c !== "Overall" && c !== "All") q.append("channel", c);

Issue 90 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:264
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue ID:	73505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264
Line	264
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264

Issue 91 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
    7
    async (args, api, extraOptions) => {...}

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
    9
    result = await baseQuery(args, api, extraOptions)

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
    7
    async (args, api, extraOptions) => {...}

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
    7
    baseQueryWithAuth = async (args, api, extraOptions) => {...}

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
    9
    createApi({...baseQuery: baseQueryWithAuth...})

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
    7
    (build) => {...}

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
    7
    build.query({...})

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
    {...build.query({
      query: ({ month, channel, productH1 } = {}) => {
        const q = new URLSearchParams();
        (Array.isArray(month) ? month : [month]).forEach((m) => {
          if (m && m !== "Overall" && m !== "All") q.append("month", m);
        });
        (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
          if (c && c !== "Overall" && c !== "All") q.append("channel", c);
        });
        (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
    8
    ({ month, channel, productH1 } = {}) => {...}

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
    3
    (Array.isArray(channel) ? channel : {...}).forEach((c) => {...}

    Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
    4
    if (c && c !== "Overall" && c !== "All") q.append("channel", c);
```

Issue 91 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:264
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue ID:	76505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264
Line	264
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264

Issue 92 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

async (args, api, **extraOptions**) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54

result = await retryBaseQuery(args, api, **extraOptions**)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63

return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

baseQueryWithAuth = **async (args, api, extraOptions) => {...}**

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69

createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:257

build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

```
{...build.query({
  query: ({ month, channel, productH1 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m);
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => { ...
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:258

({ month, **channel**, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:263

(Array.isArray(**channel**) ? **channel** : {...}).forEach((c) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:264

if (**c** && **c** !== "Overall" && **c** !== "All") q.append("channel", **c**);

Issue 92 of 100 - Audit Trail

Issue 93 of 100

Issue ID:	79505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267
Line	267
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267

Issue 93 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54

result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:63

return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17

baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69

createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:257

build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97

```
{...build.query({
  query: ({ month, channel, productH1 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m);
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => { ...
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:258

({ month, channel, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:266

(Array.isArray(productH1) ? productH1 : {...}).forEach((p) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267

if (p && p !== "Overall" && p !== "All") q.append("product_h1", p);

Issue 93 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:267 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 94 of 100

Issue ID:	7e505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267
Line	267
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpi Api.js:45
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26 7

Issue 94 of 100 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = **fetchBaseQuery**({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await **retryBaseQuery**(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = **async (args, api, extraOptions) => {...}**

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(**build**) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...**build**.query({
 query: ({ month, channel, productH1 } = {}) => {
 const q = new URLSearchParams();
 (Array.isArray(month) ? month : [month]).forEach((m) => {
 if (m && m !== "Overall" && m !== "All") q.append("month", m);
 });
 (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
 if (c && c !== "Overall" && c !== "All") q.append("channel", c);
 });
 (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
8
({ month, channel, **productH1** } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
6
(Array.isArray(**productH1**) ? **productH1** : {...}).forEach((p) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
7
if (**p** && **p** !== "Overall" && **p** !== "All") q.append("product_h1", **p**);

Issue 94 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:267

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 95 of 100

Issue ID:	81505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267
Line	267
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	extractRehydrationInfo(action, { reducerPath }) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:542
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267

Issue 95 of 100 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
2 extractRehydrationInfo(action, { reducerPath }) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:54
4 return action.payload?.[reducerPath] ?? undefined;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9 createApi({...extractRehydrationInfo(action, { reducerPath }) {
  if (action.type === REHYDRATE) {
    return action.payload?.[reducerPath] ?? undefined;
  }
  return undefined;
}})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7 (build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
7 build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m);
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
8 ({ month, channel, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
6 (Array.isArray(productH1) ? productH1 : {...}).forEach((p) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
7 if (p && p !== "Overall" && p !== "All") q.append("product_h1", p);
```

Issue 95 of 100 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting
	Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:267
	Severity: Medium
	Scanner: AppScan Static Analyzer

Issue ID:	84505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267
Line	267
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267

Issue 96 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
7
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
9
result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m);
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:25
8
({ month, channel, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
6
(Array.isArray(productH1) ? productH1 : {...}).forEach((p) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:26
7
if (p && p !== "Overall" && p !== "All") q.append("product_h1", p);

```

Issue 96 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:267
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 97 of 100

Issue ID:	87505296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267
Line	267
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267

Issue 97 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:39
result = await baseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:69
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:257
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((m) => {
      if (m && m !== "Overall" && m !== "All") q.append("month", m);
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((c) => {
      if (c && c !== "Overall" && c !== "All") q.append("channel", c);
    });
    (Array.isArray(productH1) ? productH1 : [productH1]).forEach((p) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:258
({ month, channel, productH1 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:266
(Array.isArray(productH1) ? productH1 : {...}).forEach((p) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:267
if (p && p !== "Overall" && p !== "All") q.append("product_h1", p);

```

Issue 97 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
 Location:
 SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:267
 Severity: Medium
 Scanner: AppScan Static Analyzer

Issue ID:	684f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121
Line	121
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:121

Issue 98 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
s
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:3
9
result = await baseQuery(args, api, extraOptions)
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
0
(Array.isArray(month) ? month : {...}).forEach((val) => {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:12
1
if (val && val !== "Overall" && val !== "All") q.append("month", val);

```

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:121
Severity: Medium
Scanner: AppScan Static Analyzer

Issue 99 of 100

Issue ID:	a44f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:132
Line	132
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	fetchBaseQuery({...process.env...}) <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpi Api.js:45
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13 2

Issue 99 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
fetchBaseQuery({...process.env...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:4
5
retryBaseQuery = fetchBaseQuery({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
7
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 } = {}) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All")
        q.append("channel", val);
    });
    (Array.isArray(productH1) ? ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:11
8
({ month, channel, productH1, brandH2 } = {}) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
1
(Array.isArray(brandH2) ? brandH2 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:13
2
if (val && val !== "Overall" && val !== "All")
  q.append("brand_h2", val);

```

Issue 99 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:132

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 100 of 100

Issue ID:	e04f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9c8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162
Line	162
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (args, api, extraOptions) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:17
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:162

Issue 100 of 100 - Details

Trace

```

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js
7
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:5
4
result = await retryBaseQuery(args, api, extraOptions)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
3
return result;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:1
7
baseQueryWithAuth = async (args, api, extraOptions) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:6
9
createApi({...baseQuery: baseQueryWithAuth...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:9
7
(build) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
1
build.query({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:97
{...build.query({
  query: ({ month, channel, productH1, brandH2 }) => {
    const q = new URLSearchParams();
    (Array.isArray(month) ? month : [month]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("month", val)
    });
    (Array.isArray(channel) ? channel : [channel]).forEach((val) => {
      if (val && val !== "Overall" && val !== "All") q.append("channel", val);
    });
    (Array.isArray(productH1) ? produ...

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:15
2
({ month, channel, productH1, brandH2 }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
1
(Array.isArray(productH1) ? productH1 : {...}).forEach((val) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/kpiApi.js:16
2
if (val && val !== "Overall" && val !== "All")
  q.append("product_h1", val);

```

Issue 100 of 100 - Audit Trail

05/26/2026 08:12:03

Issue type: Cross-SiteScripting
Location:
SupplyChainRapidDiagnosticsFactory/FrontEnd/services/kpiApi.js:162
Severity: Medium
Scanner: AppScan Static Analyzer

L	Common Fix Point:Cross-Site Scripting: fetch(` \$
Fix Group ID:	9e8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
Location of fix:	fetch(` \$
How to Fix:	Cross-Site Scripting

Issue 1 of 2

Issue ID:	0b905b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	9e8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:11
Line	11
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (message, threadId, token) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks /useChatApi.js:10
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 1

Issue 1 of 2 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js s
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 0 async (message, threadId , token) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 7 JSON.stringify({...threadId...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 1 fetch(`\${BASE_URL}/chat`, {... JSON.stringify({ user_message: message, thread_id: threadId undefined, })... })
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1 1 response = await fetch(`\${BASE_URL}/chat`, {...})

Issue 1 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:11 Severity: Low Scanner: AppScan Static Analyzer
---------------------	---

Issue 2 of 2

Issue ID:	11905b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	9e8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:11
Line	11
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	79
Source:	async (message, threadId, token) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:10
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:11

Issue 2 of 2 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js
0
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1
0
async (message, threadId, token) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1
7
JSON.stringify({...user_message: message...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1
1
fetch(`${BASE_URL}/chat`, {...JSON.stringify({
  user_message: message,
  thread_id: threadId || undefined,
})...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useChatApi.js:1
1
response = await fetch(`${BASE_URL}/chat`, {...})
```

Issue 2 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: Cross-SiteScripting Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useChatApi.js:11 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

M	Common Fix Point:SSRF: response = await fetch(` \$
Fix Group ID:	ad8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
Location of fix:	response = await fetch(` \$
How to Fix:	SSRF

Issue 1 of 2

Issue ID:	354f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	ad8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40
Line	40
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	fetch(`\${process.env.REACT_APP_API_URL}/2024/\${month}`) via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40

Issue 1 of 2 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js
5
    Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40
0
    fetch(
      `${process.env.REACT_APP_API_URL}/2024/${month}`
    )

    Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40
0
    response = await fetch(
      `${process.env.REACT_APP_API_URL}/2024/${month}`
    )
```

Issue 1 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useMonthlyMetrics.js:40 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 2 of 2

Issue ID:	384f5296-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	ad8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40
Line	40
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	function useMonthlyMetrics(month) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:5
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40

Issue 2 of 2 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js5

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:5function useMonthlyMetrics(month) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40fetch(`\${process.env.REACT\_APP\_API\_URL}/2024/\${month}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useMonthlyMetrics.js:40response = await fetch(`\${process.env.REACT\_APP\_API\_URL}/2024/\${month}`)

Issue 2 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useMonthlyMetrics.js:40 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

H	Common Fix Point:SSRF: response = await fetch(` \$
Fix Group ID:	9b8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
Location of fix:	response = await fetch(` \$
How to Fix:	SSRF

Issue 1 of 3

Issue ID:	504f5296-da58-f111-8fcb-0022484e63bd
Severity:	High
Status	Open
Fix Group ID:	9b8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:14
Line	14
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	response = await fetch(`\${API_BASE}/capabilities`) via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:30
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:14

Issue 1 of 3 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:3
0
response = await fetch(`${API_BASE}/capabilities`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:2
9
async () => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
2
export const apiService = {...async () => {
  const response = await fetch(`${API_BASE}/capabilities`);
  return handleResponse(response);
}...};

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
3
async (year = "2024") => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
4
fetch(`${API_BASE}/${year}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
4
response = await fetch(`${API_BASE}/${year}`)
```

Issue 1 of 3 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/api.js:14 Severity: High Scanner: AppScan Static Analyzer
---------------------	---

Issue 2 of 3

Issue ID:	564f5296-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	9b8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:14
Line	14
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	API_BASE = process.env.REACT_APP_API_BASE_URL `\${process.env.REACT_APP_API_URL}/api` via S upply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1 4

Issue 2 of 3 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
API_BASE =
process.env.REACT_APP_API_BASE_URL || `${process.env.REACT_APP_API_URL}/api

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
4
fetch(`${API_BASE}/${year}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
4
response = await fetch(`${API_BASE}/${year}`)
```

Issue 2 of 3 - Audit Trail

Issue 3 of 3

Issue ID:	534f5296-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	9b8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:14
Line	14
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	async (year) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:3 7
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1 4

Issue 3 of 3 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js
5
Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:3
7
async (year) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:3
9
cache = await apiService.getOTIFData(year)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:4
1
return cache;

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:3
7
async (year) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:3
7
return async (year) => {...};

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:3
5
() => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:3
5
(() => {...})();

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
2
export const apiService = {...(() => {
let cache = null;
return async (year) => {
if (!cache) {
cache = await apiService.getOTIFData(year);
}
return cache;
};
})();

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
3
async (year = "2024") => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
4
fetch(`${API_BASE}/${year}`)

Supply Chain Rapid Diagnostics Factory/FrontEnd/services/api.js:1
4
response = await fetch(`${API_BASE}/${year}`)
```

Issue 3 of 3 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/services/api.js:14 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

M	Common Fix Point:SSRF: url = queryString ? ` \$
Fix Group ID:	aa8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
Location of fix:	url = queryString ? ` \$
How to Fix:	SSRF

Issue 1 of 2

Issue ID:	29905b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	aa8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:23
Line	23
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	API_URL = `\${process.env.REACT_APP_API_URL}/financial-analyze` via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:3
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:23

Issue 1 of 2 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:3 API_URL = `\${process.env.REACT_APP_API_URL}/financial-analyze`
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:16 url = queryString ? `\${API_URL}?\${queryString}` : API_URL
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:23 response = await fetch(url, {...})

Issue 1 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useFinancialAnalysis.js:23 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 2 of 2

Issue ID:	2f4f5296-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	aa8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:23
Line	23
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	918
Source:	(user, getAccessToken) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:5
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:23

Issue 2 of 2 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:5 (user, getAccessToken) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:10 useCallback(async (params = {}) => {...}, {getAccessToken})
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:10 fetchAnalysis = useCallback(async (params = {}) => {...}, {...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:10 async (params = {}) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:15 new URLSearchParams(params).toString()
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:15 queryString = new URLSearchParams(params).toString()
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:16 url = queryString ? `\${API_URL}?\${queryString}` : API_URL
Supply Chain Rapid Diagnostics Factory/FrontEnd/hooks/useFinancialAnalysis.js:23 response = await fetch(url , {...})

Issue 2 of 2 - Audit Trail

05/26/2026 08:12:03	Issue type: SSRF Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/hooks/useFinancialAnalysis.js:23 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

H	Common Fix Point:URL Validation Required: tabConfig = getTabConfig(
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
Location of fix:	tabConfig = getTabConfig(
How to Fix:	URL Validation Required

Issue ID:	c68f5b90-da58-f111-8fcb-0022484e63bd
Severity:	High
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589
Line	589
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	selectedTab = params.get("tab") "Templates" <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:48
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589

Issue 1 of 16 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:4
  8
  selectedTab = params.get("tab") || "Templates"
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:13
  8
  isKpiCalcActive = selectedTab === "KPI-calculation"
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:18
  5
  isWaterfallPage = isKpiCalcActive && currentPage === 2
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:19
  7
  useGetKpiWaterfallDataQuery(waterfallArgs, {...isWaterfallPage...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:19
  3
  waterfallData
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7
  getTabConfig({...waterfallData...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7
  tabConfig = getTabConfig({...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1
  tabContent
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1
  tabPages
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  9
  tabs = Object.keys(tabPages)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
  4
  nextTab = tabs[nextIndex]
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
  6
  if (!unlockedTabs.includes(nextTab)) {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
  7
  dispatch(unlockTab(nextTab))
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
  9
  navigate(`?tab=${nextTab}`)
```

Issue 1 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:589 Severity: High Scanner: AppScan Static Analyzer
---------------------	---

Issue ID:	c98f5b90-da58-f111-8fcb-0022484e63bd
Severity:	High
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591
Line	591
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	selectedTab = params.get("tab") "Templates" via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591

Issue 2 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:48

selectedTab = params.get("tab") || "Templates"

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:138

isKpiCalcActive = selectedTab === "KPI-calculation"

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:185

isWaterfallPage = isKpiCalcActive && currentPage === 2

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:197

useGetKpiWaterfallDataQuery(waterfallArgs, {...isWaterfallPage...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:193

waterfallData

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:497

getTabConfig({...waterfallData...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:497

tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:571

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:571

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:579

tabs = Object.keys(tabPages)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591

navigate(`?tab=\${tabs[currentIndex]}`)

Issue 2 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:591 Severity: High Scanner: AppScan Static Analyzer
---------------------	--

Issue ID:	de8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	High
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778
Line	778
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	selectedTab = params.get("tab") "Templates" <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:48
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778

Issue 3 of 16 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:4
  8 selectedTab = params.get("tab") || "Templates"
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:13
  8 isKpiCalcActive = selectedTab === "KPI-calculation"
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:18
  5 isWaterfallPage = isKpiCalcActive && currentPage === 2
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:19
  7 useGetKpiWaterfallDataQuery(waterfallArgs, {...isWaterfallPage...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:19
  3 waterfallData
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7 getTabConfig({...waterfallData...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7 tabConfig = getTabConfig({...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1 tabContent
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1 tabPages
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:77
  5 tabs = Object.keys(tabPages)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:77
  8 navigate(`?tab=${tabs[prevIndex]}`)
```

Issue 3 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:778 Severity: High Scanner: AppScan Static Analyzer
---------------------	---

Issue 4 of 16

Issue ID:	f38f5b90-da58-f111-8fcb-0022484e63bd
Severity:	High
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869
Line	869
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	selectedTab = params.get("tab") "Templates" via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:48
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869

Issue 4 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:48

8

selectedTab = **params.get("tab")** || "Templates"

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:138

8

isKpiCalcActive = **selectedTab** === "KPI-calculation"

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:185

5

isWaterfallPage = **isKpiCalcActive** && currentPage === 2

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:197

7

useGetKpiWaterfallDataQuery(waterfallArgs, {...isWaterfallPage...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:193

3

waterfallData

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:497

7

getTabConfig({...waterfallData...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:497

7

tabConfig = **getTabConfig({...})**

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:571

1

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:571

1

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:855

5

Object.keys(**tabPages**).map((tab) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:855

5

(**tab**) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:858

8

isVisited = visitedTabs.has(**tab**) && selectedTab !== **tab**

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869

9

navigate(`?**tab**=\${**tab**}`)

Issue 4 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:869 Severity: High Scanner: AppScan Static Analyzer
---------------------	---

Issue 5 of 16

Issue ID:	bd8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589
Line	589
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	({ kpi, function: func }) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:461
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589

Issue 5 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46

1

({ kpi, function: func }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46

4

setSelectedFunction(func || "")

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46

1

({ kpi, function: func }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46

1

handleKPIChange = ({ kpi, function: func }) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

getTabConfig({...handleKPIChange...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

9

tabs = Object.keys(tabPages)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58

4

nextTab = tabs[nextIndex]

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58

6

if (!unlockedTabs.includes(nextTab)) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58

7

dispatch(unlockTab(nextTab))

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58

9

navigate(`?tab=\${nextTab}`)

Issue 5 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:589 Severity: Low Scanner: AppScan Static Analyzer
---------------------	---

Issue 6 of 16

Issue ID:	c08f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589
Line	589
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(e) => showTooltip(e, downloadedScreenshots[selectedTab] ? "Tab already marked" : "Mark this tab f or PDF export") <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js x:708
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58 9

Issue 6 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:70
8
(e) =>
  showTooltip(
    e,
    downloadedScreenshots[selectedTab]
      ? "Tab already marked"
      : "Mark this tab for PDF export"
  )

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:70
9
showTooltip(
  e,
  downloadedScreenshots[selectedTab]
    ? "Tab already marked"
    : "Mark this tab for PDF export"
)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10
6
(e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10
7
e.target.getBoundingClientRect()

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10
7
rect = e.target.getBoundingClientRect()

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10
6
(e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10
6
showTooltip = (e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
7
getTabConfig({...showTooltip...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
7
tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
1
tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
1
tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
9
tabs = Object.keys(tabPages)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
4
nextTab = tabs[nextIndex]

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
6
if (!unlockedTabs.includes(nextTab)) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
7
dispatch(unlockTab(nextTab))

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
9
navigate(`?tab=${nextTab}`)
```

Issue 6 of 16 - Audit Trail

05/26/2026 08:12:03

Issue type: URLValidationRequired

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssess

ment.jsx:589

Severity: Low

Scanner: AppScan Static Analyzer

Issue 7 of 16

Issue ID:	c38f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589
Line	589
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	function ViewAssessment({ user }) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:43
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589

Issue 7 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:4

3

function ViewAssessment({ user }) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

getTabConfig({...user...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

9

tabs = Object.keys(tabPages)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58

4

nextTab = tabs[nextIndex]

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58

6

if (!unlockedTabs.includes(nextTab)) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58

7

dispatch(unlockTab(nextTab))

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58

9

navigate(`?tab=\${nextTab}`)

Issue 7 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:589 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

Issue 8 of 16

Issue ID:	cc8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591
Line	591
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	function ViewAssessment({ user }) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:43
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591

Issue 8 of 16 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:4
  3 function ViewAssessment({ user }) {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7 getTabConfig({...user,...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7 tabConfig = getTabConfig({...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1 tabContent
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1 tabPages
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  9 tabs = Object.keys(tabPages)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:59
  1 navigate(`?tab=${tabs[currentIndex]}`)
```

Issue 8 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:591 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

Issue 9 of 16

Issue ID:	d28f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591
Line	591
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(e) => showTooltip(e, downloadedScreenshots[selectedTab] ? "Tab already marked" : "Mark this tab for PDF export") via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:708
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591

Issue 9 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:70

8

(e) =>

showTooltip(

e,

downloadedScreenshots[selectedTab]

? "Tab already marked"

: "Mark this tab for PDF export"

)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:70

9

showTooltip(

e,

downloadedScreenshots[selectedTab]

? "Tab already marked"

: "Mark this tab for PDF export"

)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

6

(e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

7

e.target.getBoundingClientRect()

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

7

rect = e.target.getBoundingClientRect()

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

6

(e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

6

showTooltip = (e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

getTabConfig({...showTooltip...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

9

tabs = Object.keys(tabPages)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:59

1

navigate(`?tab=\${tabs[currentIndex]}`)

Issue 9 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:591 Severity: Low Scanner: AppScan Static Analyzer
---------------------	---

Issue 10 of 16

Issue ID:	d58f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591
Line	591
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	({ kpi, function: func }) => {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:461
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591

Issue 10 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:461 ({ kpi, function: func }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:464 setSelectedFunction(func "")
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:461 ({ kpi, function: func }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:461 handleKPIChange = ({ kpi, function: func }) => {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:497 getTabConfig({...handleKPIChange...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:497 tabConfig = getTabConfig({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:571 tabContent
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:571 tabPages
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:579 tabs = Object.keys(tabPages)
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591 navigate(`?tab=\${tabs[currentIndex]}`)

Issue 10 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:591 Severity: Low Scanner: AppScan Static Analyzer
---------------------	---

Issue 11 of 16

Issue ID:	e48f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778
Line	778
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(e) => showTooltip(e, downloadedScreenshots[selectedTab] ? "Tab already marked" : "Mark this tab f or PDF export") <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js x:708
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778

Issue 11 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:70

8

(e) =>

showTooltip(

e,

downloadedScreenshots[selectedTab]

? "Tab already marked"

: "Mark this tab for PDF export"

)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:70

9

showTooltip(

e,

downloadedScreenshots[selectedTab]

? "Tab already marked"

: "Mark this tab for PDF export"

)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

6

(e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

7

e.target.getBoundingClientRect()

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

7

rect = e.target.getBoundingClientRect()

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

6

(e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

6

showTooltip = (e, message) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

getTabConfig({...showTooltip...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:77

5

tabs = Object.keys(tabPages)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:77

8

navigate(`?tab=\${tabs[prevIndex]}`)

Issue 11 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired
	Location:
	SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:778
	Severity: Low
	Scanner: AppScan Static Analyzer

Issue 12 of 16

Issue ID:	e78f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778
Line	778
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	({ kpi, function: func }) => { ... } <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:461
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778

Issue 12 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js x
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46 1 ({ kpi, function: func }) => { ... }
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46 4 setSelectedFunction(func "")
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46 1 ({ kpi, function: func }) => { ... }
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46 1 handleKPIChange = ({ kpi, function: func }) => { ... }
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49 7 getTabConfig({ ...handleKPIChange... })
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49 7 tabConfig = getTabConfig ({ ... })
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57 1 tabContent
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57 1 tabPages
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:77 5 tabs = Object.keys(tabPages)
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:77 8 navigate(`?tab=\${ <b>tabs</b> [prevIndex]} `)

Issue 12 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:778 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

Issue 13 of 16

Issue ID:	ed8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869
Line	869
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	({ kpi, function: func }) => { ... } via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:461
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869

Issue 13 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46

1

({ kpi, function: func }) => { ... }

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46

4

setSelectedFunction(func || "")

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46

1

({ kpi, function: func }) => { ... }

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:46

1

handleKPIChange = ({ kpi, function: func }) => { ... }

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

getTabConfig(...handleKPIChange...)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

tabConfig = getTabConfig({ ... })

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

5

Object.keys(tabPages).map((tab) => { ... })

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

5

(tab) => { ... }

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

8

isVisited = visitedTabs.has(tab) && selectedTab !== tab

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:86

9

navigate(`?tab=\${tab}`)

Issue 13 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:869 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

Issue 14 of 16

Issue ID:	f68f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869
Line	869
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(e) => showTooltip(e, downloadedScreenshots[selectedTab] ? "Tab already marked" : "Mark this tab f or PDF export") <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js x:708
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:86 9

Issue 14 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:70

```
8
(e) =>
  showTooltip(
    e,
    downloadedScreenshots[selectedTab]
      ? "Tab already marked"
      : "Mark this tab for PDF export"
  )
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:70

```
9
showTooltip(
  e,
  downloadedScreenshots[selectedTab]
    ? "Tab already marked"
    : "Mark this tab for PDF export"
)
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

```
6
(e, message) => {...}
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

```
7
e.target.getBoundingClientRect()
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

```
7
rect = e.target.getBoundingClientRect()
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

```
6
(e, message) => {...}
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:10

```
6
showTooltip = (e, message) => {...}
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

```
7
getTabConfig({...showTooltip...})
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

```
7
tabConfig = getTabConfig({...})
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

```
1
tabContent
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

```
1
tabPages
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

```
5
Object.keys(tabPages).map((tab) => {...})
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

```
5
(tab) => {...}
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

```
8
isVisited = visitedTabs.has(tab) && selectedTab !== tab
```

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:86

```
9
navigate(`?tab=${tab}`)
```

Issue 14 of 16 - Audit Trail

05/26/2026 08:12:03

Issue type: URLValidationRequired

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:869

Severity: Low

Scanner: AppScan Static Analyzer

Issue 15 of 16

Issue ID:	f98f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869
Line	869
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	function ViewAssessment({ user }) {...} via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:43
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869

Issue 15 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js

x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:4

3

function ViewAssessment({ user }) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

getTabConfig({...user...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

5

Object.keys(tabPages).map((tab) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

5

(tab) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

8

isVisited = visitedTabs.has(tab) && selectedTab !== tab

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:86

9

navigate(`?tab=\${tab}`)

Issue 15 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:869 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

Issue ID:	ea8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Low
Status	Open
Fix Group ID:	938f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778
Line	778
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	function ViewAssessment({ user }) {...} <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:43
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778

Issue 16 of 16 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js x
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:43 function ViewAssessment({ user }) {...}
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:497 getTabConfig({...user...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:497 tabConfig = getTabConfig({...})
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:571 tabContent
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:571 tabPages
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:775 tabs = Object.keys(tabPages)
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778 navigate(`?tab=\${ <b>tabs</b> [prevIndex]}`)

Issue 16 of 16 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:778 Severity: Low Scanner: AppScan Static Analyzer
---------------------	--

M	Common Fix Point:URL Validation Required: unlockedTabs = useSelector((state) => state.tabAccess.unlockedT...
Fix Group ID:	ab8f5b90-da58-f111-8fcb-0022484e63bd
Status:	Open
Date:	2026-05-26 08:12:02Z
Location of fix:	unlockedTabs = useSelector((state) => state.tabAccess.unlockedTabs)
How to Fix:	URL Validation Required

Issue 1 of 6

Issue ID:	b78f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	ab8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:409
Line	409
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(state) => state.tabAccess.unlockedTabs via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:56
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:409

Issue 1 of 6 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  (state) => state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  (state) => state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  useSelector((state) => state.tabAccess.unlockedTabs)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  unlockedTabs = useSelector((state) => state.tabAccess.unlockedTabs)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  6
  lastUnlocked =
    unlockedTabs[unlockedTabs.length - 1] || "Templates"
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  9
  navigate(`?tab=${lastUnlocked}`, {...})
```

Issue 1 of 6 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:409 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 2 of 6

Issue ID:	ba8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	ab8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589
Line	589
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(state) => state.tabAccess.unlockedTabs <i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:56
Sink:	<i>via</i> Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:589

Issue 2 of 6 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  (state) => state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  (state) => state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  useSelector((state) => state.tabAccess.unlockedTabs)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  unlockedTabs = useSelector((state) => state.tabAccess.unlockedTabs)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  5
  unlockedTabs.includes(selectedTab)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  5
  if (!unlockedTabs.includes(selectedTab)) {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:41
  5
  useMemo(() => {...}, [selectedTab...])
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:41
  5
  columns
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7
  getTabConfig({...columns...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7
  tabConfig = getTabConfig({...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1
  tabContent
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1
  tabPages
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  9
  tabs = Object.keys(tabPages)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
  4
  nextTab = tabs[nextIndex]
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
  6
  if (!unlockedTabs.includes(nextTab)) {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
  7
  dispatch(unlockTab(nextTab))
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:58
  9
  navigate(`?tab=${nextTab}`)
```

Issue 2 of 6 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:589 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	--

Issue 3 of 6

Issue ID:	cf8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	ab8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591
Line	591
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(state) => state.tabAccess.unlockedTabs via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:56
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:591

Issue 3 of 6 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
6
(state) => state.tabAccess.unlockedTabs

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
6
state.tabAccess.unlockedTabs

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
6
(state) => state.tabAccess.unlockedTabs

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
6
useSelector((state) => state.tabAccess.unlockedTabs)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
6
unlockedTabs = useSelector((state) => state.tabAccess.unlockedTabs)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
5
unlockedTabs.includes(selectedTab)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
5
if (!unlockedTabs.includes(selectedTab)) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:41
5
useMemo(() => {...}, [selectedTab...])

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:41
5
columns

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
7
getTabConfig({...columns...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
7
tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
1
tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
1
tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
9
tabs = Object.keys(tabPages)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:59
1
navigate(`?tab=${tabs[currentIndex]}`)
```

Issue 3 of 6 - Audit Trail

05/26/2026 08:12:03

Issue type: URLValidationRequired

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:591

Severity: Medium

Scanner: AppScan Static Analyzer

Issue 4 of 6

Issue ID:	db8f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	ab8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:673
Line	673
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(state) => state.tabAccess.unlockedTabs via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:56
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:673

Issue 4 of 6 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  (state) => state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  (state) => state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  useSelector((state) => state.tabAccess.unlockedTabs)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  unlockedTabs = useSelector((state) => state.tabAccess.unlockedTabs)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  5
  unlockedTabs.includes(selectedTab)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  5
  if (!unlockedTabs.includes(selectedTab)) {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:67
  3
  navigate(`?tab=${selectedTab}`)
```

Issue 4 of 6 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:673 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 5 of 6

Issue ID:	e18f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	ab8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778
Line	778
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(state) => state.tabAccess.unlockedTabs via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:56
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:778

Issue 5 of 6 - Details

Trace

```
Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  (state) => state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  (state) => state.tabAccess.unlockedTabs
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  useSelector((state) => state.tabAccess.unlockedTabs)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5
  6
  unlockedTabs = useSelector((state) => state.tabAccess.unlockedTabs)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  5
  unlockedTabs.includes(selectedTab)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40
  5
  if (!unlockedTabs.includes(selectedTab)) {...}
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:41
  5
  useMemo(() => {...}, [selectedTab...])
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:41
  5
  columns
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7
  getTabConfig({...columns...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49
  7
  tabConfig = getTabConfig({...})
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1
  tabContent
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57
  1
  tabPages
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:77
  5
  tabs = Object.keys(tabPages)
  Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:77
  8
  navigate(`?tab=${tabs[prevIndex]}`)
```

Issue 5 of 6 - Audit Trail

05/26/2026 08:12:03	Issue type: URLValidationRequired Location: SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:778 Severity: Medium Scanner: AppScan Static Analyzer
---------------------	---

Issue 6 of 6

Issue ID:	f08f5b90-da58-f111-8fcb-0022484e63bd
Severity:	Medium
Status	Open
Fix Group ID:	ab8f5b90-da58-f111-8fcb-0022484e63bd
Location	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869
Line	869
Source File	Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx
Date Created	Tuesday, May 26, 2026
Last Updated	Tuesday, May 26, 2026
CWE:	425
Source:	(state) => state.tabAccess.unlockedTabs via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:56
Sink:	via Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:869

Issue 6 of 6 - Details

Trace

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.js
x

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5

6

(state) => state.tabAccess.unlockedTabs

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5

6

state.tabAccess.unlockedTabs

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5

6

(state) => state.tabAccess.unlockedTabs

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5

6

useSelector((state) => state.tabAccess.unlockedTabs)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:5

6

unlockedTabs = useSelector((state) => state.tabAccess.unlockedTabs)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40

5

unlockedTabs.includes(selectedTab)

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:40

5

if (!unlockedTabs.includes(selectedTab)) {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:41

5

useMemo(() => {...}, [selectedTab...])

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:41

5

columns

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

getTabConfig({...columns...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:49

7

tabConfig = getTabConfig({...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabContent

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:57

1

tabPages

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

5

Object.keys(tabPages).map((tab) => {...})

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

5

(tab) => {...}

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:85

8

isVisited = visitedTabs.has(tab) && selectedTab !== tab

Supply Chain Rapid Diagnostics Factory/FrontEnd/components/ViewAssessment.jsx:86

9

navigate(`?tab=\${tab}`)

Issue 6 of 6 - Audit Trail

05/26/2026 08:12:03

Issue type: URLValidationRequired

Location:

SupplyChainRapidDiagnosticsFactory/FrontEnd/components/ViewAssessment.jsx:869

Severity: Medium

Scanner: AppScan Static Analyzer

How to Fix

M Authentication.Credentials.Unprotected

Cause

When the application transmits or stores authentication credentials, it uses an insecure method that is susceptible to unauthorized interception and/or retrieval. Attackers are potentially able to bypass authentication mechanisms, hijack a victim's account, and obtain the role and respective access level of the accounts.

Fix recommendation

Protect all authentication credentials at all times. Only transmit authentication credentials over secure channels such as SSL and stored in encrypted format.

CWE

522

M Configuration - Insecure use of base image version detected in Dockerfile

Cause

Using non-specific versions for base images in Dockerfiles leads to security vulnerabilities by allowing the use of insecure or unstable images. This compromises the security and stability of the container and the host system.

Fix recommendation

Use three-level versioning (major.minor.patch) or SHA256 digests for base images in Dockerfiles.

Avoid using non-specific versions (such latest, alpine, slim, or buster) without specifying a fixed version, as well as single-point (such as, 14), two-point (such as, 14.17), or no versions specified.

External references

- [Docker: Best practices for writing Dockerfiles](#)
- [Docker: Image Digest](#)
- [OWASP Top 10 2010 "A6-Security Misconfiguration"](#)

[Go to Table of Contents](#)

C Cross-Site Scripting

Cause

Cross-site scripting (XSS) vulnerabilities arise when an attacker sends malicious code to the victim's browser, mostly

using JavaScript. A vulnerable web application might embed untrusted data in the output, without filtering or encoding it. In this way, an attacker can inject a malicious script to the application, and the script will be returned in the response. This will then run on the victim's browser.
In particular, sanitization of hazardous characters was not performed correctly on user input or untrusted data.

Risk

XSS attacks can expose the user's session cookie, allowing the attacker to hijack the user's session and gain access to the user's account, which could lead to impersonation of users.

An attacker could modify and view the users' records and perform transactions as those users. The attacker may be able to perform privileged operations on behalf of the user, or gain access to any sensitive data belonging to the user. This would be especially dangerous if the user has administrator permissions.

The attacker could even run a malicious script on the victim's browser which would redirect the user to other pages or sites, modify content presentation, or even make it possible to run malicious software or a crypto miner.

Exploit example

The following example shows a script that returns a parameter value in the response. The parameter value is sent to the script using a GET request, and then returned in the response embedded in the HTML.

```
GET /index.aspx?name=JSmith HTTP/1.1
```

```
HTTP/1.1 200 OK
Server: SomeServer
Date: Sun, 01 Jan 2002 00:31:19 GMT
Content-Type: text/html
Accept-Ranges: bytes
Content-Length: 27

<HTML>
Hello JSmith
</HTML>
```

An attacker might leverage the attack like this. In this case, the JavaScript code will be executed by the browser.

```
GET /index.aspx?name=>"><script>alert('XSS')</script> HTTP/1.1
```

```
HTTP/1.1 200 OK
Server: SomeServer
Date: Sun, 01 Jan 2002 00:31:19 GMT
Content-Type: text/html
Accept-Ranges: bytes
Content-Length: 83

<HTML>
Hello >"><script>alert('XSS')</script>
</HTML>
```

Fix recommendation

Fully encode all dynamic data from an untrusted source that is inserted into the webpage, to ensure it is treated as literal text and not as a script that could be executed or markup that could be rendered.

Consider the context in which your data will be used, and contextually encode the data as close as possible to the actual output: e.g. HTML encoding for HTML content; HTML Attribute encoding for data output to attribute values; JavaScript encoding for dynamically generated JavaScript. For example, when HTML encoding non-alphanumeric characters into HTML entities, `<` and `>` would become `<` and `>`.

As an extra defensive measure, validate all external input on the server, regardless of source. Carefully check each input parameter against a rigorous positive specification (allowlist) defining data type; size; range; format; and acceptable values. Regular expressions or framework controls may be useful in some cases, though this is not a replacement for output encoding.

Output encoding and data validation must be done on all untrusted data, wherever it comes from: e.g. form fields, URL parameters, web service arguments, cookies, any data from the network, environment variables, reverse DNS lookups, query results, request headers, URL components, e-mail, files and filenames, databases, and any external systems that provide data to the application. Remember that such inputs may be obtained indirectly through API calls.

For every web page that is returned by the server, explicitly set the `Content-Type` HTTP response header. This header value should define a specific character encoding (charset), such as `ISO-8859-1` or `UTF-8`. When an encoding is not specified, the web browser may choose a different encoding by guessing which encoding is actually being used by the web page, which would allow a potential attacker to bypass XSS protections.

Additionally, set the `httpOnly` flag on the session cookie, to prevent any XSS exploits from stealing a user's cookie.

Prefer using a framework or standard library that prevents this vulnerability by automatically encoding all dynamic output based on context, or at least that provides constructs that make it easier to avoid.

For every web page that is returned by the server, explicitly set the `Content-Security-Policy` HTTP response header, in order to make it significantly more difficult for the attacker to actually exploit the XSS attack.

External references

- [Cross-site Scripting \(XSS\)](#)
- [OWASP XSS Cheat Sheet](#)

[Go to Table of Contents](#)

M Improper Handling of Exceptional Conditions - Exposure of confidential information through print or logging methods in python code

Cause

An attacker can cause errors to occur by submitting unusual requests to the web application. The response to these errors can reveal detailed system information, deny service, cause security mechanisms to fail, or crash the server. An attacker can use error messages that reveal technologies, operating systems, and product versions to tune the attack against known vulnerabilities in these technologies.

The application uses diagnostic methods that provide significant implementation details such as stack traces as part of its error handling mechanism.

Production applications should never use methods that generate internal details such as stack traces and error messages unless that information is directly committed to a log that is not viewable by the end user. All error message text should be HTML entity encoded before being written to the log file to protect against potential cross-site scripting attacks against the viewer of the logs.

Fix recommendation

Rather than providing full details including stack traces to the user of your application, log the full details privately, and display a generic message to the user. The following example shows a caught exception being logged to a log file and a simple error message displayed to the user.

```
try
{
    //something here
} catch (Exception e) {
    // full details in log file
    Utils.logExceptions("Some note here", e);

    // rethrow with generic message
    throw new Exception("Generic user message");
}
```

M Open Redirect

Cause

The web application redirects users to an external site based on untrusted data.

In particular, the submitted request was found to include a URL as a parameter. The web application uses this value to redirect the user's browser to the specified URL.

An attacker can modify this URL value to an arbitrary address. The attacker would then cause the victim to submit the altered request, thus being redirected to a site of the attacker's choosing.

Risk

This vulnerability can allow an attacker to take advantage of the trust the user holds for the application, causing them to trust an arbitrary site under control of the attacker as well. This would often be leveraged through the use of phishing techniques.

Phishing is a social engineering technique where an attacker masquerades as a legitimate entity with which the victim might do business in order to prompt the user to reveal some confidential information (frequently authentication credentials) that can later be used by an attacker. Phishing is essentially a form of information gathering or "fishing" for information.

An attacker may successfully launch a phishing scam and steal user credentials or other sensitive information such as credit card number, social security number, and more.

It can also be possible to redirect the user to install malware that could infect the user's computer.

Exploit example

The following example shows a URL redirection to untrusted site.
The `redir` parameter is used to redirect the user to a different page automatically.

```
GET /MyPage.php?redir=/AnotherPage.php HTTP/1.1
```

An attacker might trick the GET parameter used to redirect the user to an external site

```
GET /MyPage.php?redir=https://www.malware.com HTTP/1.1
```

Fix recommendation

Avoid redirecting requests based on untrusted data if possible.

If relying on user input cannot be avoided, the URL should first be validated before redirection. Data that a user can modify must be treated as untrusted data.

A unique token, linked to the current user session, should be sent along with the redirect field value. This unique token should then be verified by the server before the actual redirect takes place. This ensures that attackers would have a harder time using the redirect field to propagate their malicious activities, since they cannot guess the user's session token.

Sanitize input by comparing to a predefined list of trusted URLs, based on an allow-list.

Force all redirects to first go through a page notifying users that they are about to leave your site, with the destination clearly displayed, and have them click a link to confirm.

CWE

601

External references

- [Unvalidated Redirects and Forwards Cheat Sheet](#)

[Go to Table of Contents](#)

L PrototypePollution

Cause

Prototype Pollution occurs when an attacker is able to modify the prototype of a base object (such as `Object.prototype`) in JavaScript, affecting all objects that inherit from it.

This vulnerability typically arises when user input is merged into objects without proper validation, allowing properties like `__proto__`, `constructor`, or `prototype` to be overwritten.

Risk

Prototype Pollution can lead to unexpected application behavior, denial of service, security bypasses, and even remote code execution depending on how polluted objects are used.

It can affect data integrity, application logic, and may allow attackers to escalate privileges or tamper with security controls.

Exploit example

Example Prototype Pollution via Object Merge.

Vulnerable code using Object.assign:

```
const obj = {};  
Object.assign(obj, userInput); // userInput = { __proto__: { isAdmin: true } }
```

Result: All objects now inherit isAdmin=true from Object.prototype.

```
if ({}.isAdmin) { /* attacker is admin */ }
```

Fix recommendation

Disallow merging or assigning user input containing __proto__, constructor, or prototype properties.

Use libraries that protect against prototype pollution (e.g., lodash >=4.17.5).

Validate and sanitize all object keys from user input before merging or assignment.

CWE

1321

External references

- [OWASP Prototype Pollution Cheat Sheet](#)
- [CWE-1321: Prototype Pollution](#)
- [Prototype Pollution Explained](#)

[Go to Table of Contents](#)

H SSRF

Cause

Server-Side Request Forgery (SSRF) occurs when an application fetches a remote resource based on user input without proper validation.

Attackers can manipulate the target URL to make the server perform unintended requests, potentially accessing internal resources or services not intended to be exposed.

Risk

SSRF can lead to unauthorized access to internal systems, data exfiltration, port scanning, and even remote code execution depending on the server's privileges and network configuration.

Exploit example

Example SSRF attack via manipulated URL input.
Expected data from front end service:

```
POST /fetch HTTP/1.1  
Host: vulnerable-app.com  
Content-Type: application/json  
{ "url": "https://example.com/image.png" }
```

What an attacker can craft over the same connection:

```
POST /fetch HTTP/1.1  
Host: vulnerable-app.com  
Content-Type: application/json  
{ "url": "http://localhost:8080/admin" }
```

Fix recommendation

Validate and sanitize all user-supplied URLs before making server-side requests.

Implement allow-lists for permitted domains and block requests to internal IP ranges (e.g., 127.0.0.1, 169.254.169.254, etc.).

Disable unnecessary network protocols and restrict outbound traffic from the application server.

CWE

918

External references

- [OWASP SSRF Prevention Cheat Sheet](#)
- [CWE-918: Server-Side Request Forgery \(SSRF\)](#)
- [SSRF Explained](#)

[Go to Table of Contents](#)

H URL Validation Required

Cause

This API accepts a URL that is supplied by an outside source. If an attacker is able to manipulate the URL, that attacker could cause legitimate users to fall victim to phishing attacks by redirecting the user to a seemingly legitimate website. If the user thinks that this impostor website is valid, the user may be tricked into submitting login credentials or other type of user information. The impostor website would then send this data to the attacker.

Another attack vector would be for an attacker to submit a URL that points to a website that hosts Trojans and other types of malware. If a user is tricked into browsing to this URL, or somehow submitting an HTTP request to this URL, the user's computer may be infected with the Trojans or other malware.

Fix recommendation

It is critical that the URL is validated to point to a legitimate resource. This can be accomplished with a hard coded whitelist of acceptable url paths as well as sanitizing the URL query parameters.

CWE

425