

Derived – Data – Derived

December 16, 2019

Derived. It should be natural for you by now.

Have you noticed how complicated life has become? How even some of our daily routines are of such complexity they escape our views? Social phenomena look like chains that one is having a hard time tracing. Even start with yourself. If you have a hobby, will it be easy to explain it to a stranger? Maybe, you know the details of historic white tie attire, or a bombload of a 1950s fighter-bomber jet, and that may even make for an interesting conversation, but how long will it take to relate? Have you perhaps attended a therapist, and how many times have you returned to the same events in your childhood, from different angles through different chains of reasoning? When you laugh at those obscure meme videos, can you always explain the references to others without breaking the laugh? Do you want to, have to?


Have you perhaps been well educated to do some technical, complex job, and you know other educated people to whom you cannot really talk about the specifics of it? Even fishing takes some time explaining, how about doing the same with operating a collider or writing a proper backend? Look at the markets and their financial derivatives, a crucial example in a way, where banks only think they know that a given mortgage debt is traced to the person X, who is in fact lending their home to Y [7], and perhaps this Y pays the rent by selling their work - the older kind of debt - to some murky internet platform. And while the financial institutions still think they know how to measure some of those processes, the mass of the data escapes them.

Philosophers, sociologists, some economists have sensed it. The arrival of the term “postmodernism” signified that a sufficient amount of knowledge data was generated in their fields to draw sufficient amount of links to feel that this is happening. But various attempts to deal with “post-postmodernism” seemed lacking something. The relatively known accelerate manifesto [17] wisely notes that there is indeed search happening for the next step of our collective existence, but even the first phrase of the manifesto cannot escape saying “more modern”, reflecting the lack of tools in the traditional ways of studying the society. But this is changing, and perhaps we are going not to “more modernity”, but to *derived modernity*. Let us go explain, how.

Mathematics, a headache discipline for many a student and professor, is itself a very derived way of knowing the objective reality. We started by interacting with the reality as primitive animals, then we acted on it with our tools, with our production. Our heads were becoming filled with more and more concepts. As our tools were becoming better, we even questioned the perception of already familiar things such as time and space. And while this was happening, we also developed mathematics. As everyone who tried to do it knows, it is objectively real without existing in the form of a chair. It is both encoded into our society via language, culture and books, but also constantly draws its force from the great unknown. It also exists as data, today. And while one can never find sufficiently many apples on the planet to form the set of all natural numbers, we know that we don't have to do so to understand number theory, since we know how to abstract, derive our understanding of infinity in an already practically pertinent way.

But mathematics went much further than infinities of count.

There was analysis [14], which was about trying to make our naive feeling of an uninterrupted, continuous process more clear. It is not clear to many students and even adult mathematicians as of today, remaining an active field of research, often applied (and if you find this example of mine too complex, do skip ahead). Its simplicity is devilish, as the real line and the plane are inhabited with such richness that one can stumble onto the names of Cantor [15], Peano [13] and Mandelbrot [3]. So to deal with this at least for a little, we introduced the derivative, an abstraction of the deviation, inherent to the infinitely small region around the point in question. Its inspiration was the mechanical notion of speed.



The derivative represented via the notion of tangent line: the line that one can pass through a couple of points “ultra-close” to each other. Image from [18].

And we learned how to study many functions by measuring their derivatives, by interacting with them, by writing equations on those derivatives, that can be relatively simple but completely mysterious in practice. Those equations remain under active investigation, be it hydrodynamics or general relativity.

So, in the chaos of real number variety, we derived, and understood something. But in fact, we went further.

From drawing triangles on the surface of our planet, to understanding the shape of the planet, and then perhaps of the space-time itself, that was the process from which we learned geometry and topology, the abstraction of the notion of a space. We were not happy to just study single spaces anymore, we started to understand relations between them: how a spiral can be viewed as an infinite covering of a circle, how having holes in a donut corresponds to tracing paths in it, or formally, mapping circles into it [5].



The spiral of real numbers can be mapped onto a circle by the means of projecting each point vertically. This allows to better understand various mathematical properties of the circle. Taken from [11].

And we discovered unintuitive facts even about things that we can witness with our eyes, like the usual two-sphere, roughly the shape of the surface of our globe itself. And establishing relations was key in understanding how to do this: to analyze the data of a mysterious space we can see if we can “draw” (“map”) familiar spaces into it for example, and then infer something about it. Many things are still yet to be understood in topology (even the higher-dimensional spheres are a mystery), but by establishing a scheme of relations in the form of algebraic topology [5, 10] helped us a lot.

Algebraic topology studied not only how spaces relate one to other between them, but how to see spaces from a different angle altogether. One simple way was just to count how many “disjoint pieces” a space has, or “how many holes”, but the homology theories go beyond. And so, while I cannot recount it in detail here, we do have many such “different points of view”. So not only spaces are related to each other, but there are also different ways to relate all the spaces

to quantifiable invariants. The idea of a derivative as a relation between the two “super-closest” points is still here, but things have increased drastically in complexity.

We dealt with it, by introducing the notion of a *category* [4, 9]. It is our abstraction of the notion that a bunch of “objects” of study, together with various “relations” (strictly called morphisms) between them. We know how to do mathematics of such entities, describe their internal properties, study various properties of objects of a category as a result of its interactions with all the other objects (including oneself).

$$X \xrightarrow{f} Y, Y \xrightarrow{g} Z \Rightarrow X \xrightarrow{g \circ f} Z$$

An illustration of one of the basic properties in category: having a relation (morphism) f from an object named X to an object named Y , and a relation from Y to some object Z means there is a relation (usually called $g \circ f$) from X to Z , just like in the logic of propositions.

Yoneda’s lemma [9] even formalises the statement that an object is essentially fully described by all the possible interactions with other objects of its kind. It may appeal, without a doubt, to those familiar with the dialectic materialist concept of the identity of the social and the individual, something that can be phrased more simply by saying that we live in a society and are not free from it, but in fact find ourselves in an interaction with it. Our mother tongue is not something that we have chosen, for example, and in many cultures (say, the British) the way one speaks can often be a sign of their social origins.


The devil is in the details. Knowing all relations to all objects may be an impossible task. People started counting number of holes in spaces for a reason: it was a simpler thing to do. And as I said, it corresponds to some procedure that knows how to relate spaces to numerical invariants. All spaces are assigned some sort of an invariant (say a set of matrices – tables filled with numbers)¹, and relations between such spaces amount to certain relations between these assigned matrices. What we are doing here in terms of categories is that we are drawing a relation between the category of spaces and a category of numerical invariants. And such relations can be many. We call them functors, derived from the term of functions.

We went even further. We now have categories, and ways to relate them. Meaning categories themselves become objects of the category of categories, with functors as relations. We called such a 2-category. Are there many 2-categories? Yes. Can one define relations between them? Yes. Can one continue, into 3, 4, 5, infinity categories? Yes [1, 12].

And along this way, one will notice that what we dealt with before had infinity-categories within them all the way.

¹For those familiar with the subject, I simplify here, meaning of course groups, abelian groups or vector spaces as per usual.

If one unpacks what it means to be an n -category, one discovers that our line of thought naturally came with the understanding that relations are in fact themselves objects. Are not they after all? Consider a space that you can visualise. Take its points as objects, draw paths between them, call them relations. But there can be many paths from point A to point B. But some of them can be related, for example if you never had to pass through a ‘hole’ in your space if you intuitively deformed one path to another.




If you forgive me this simple drawing, here is an illustration. One deforms one upper path into the other along the beige lines, but we cannot deform any of them into the bottom path without passing through the black region.

All possible deformations (homotopies) are themselves in fact paths “in the space of paths”, just like paths were “points”, or “objects in the space of paths”. You can go on deriving this example up to infinity. And in fact, for lots of purposes, understanding this “infinity”-category with points, paths, paths between paths and beyond is just as good as understanding the original space itself. Relating spaces to infinity-categories like that is yet another functor.

How did we not get lost in such a disaster? The feeling that a non-specialist gets from it may explain the length of education that one needs to understand what I am saying in details, let alone master it. But many years of work of many mathematicians permitted us to establish an understanding of “higher category theory”, and apply it to get “derived” versions of familiar mathematical concepts, to illuminate problems old and new. While the apparatus at hand is a bit esoteric, it is rigorous and sufficiently well founded. We have shown, thanks to many, that the conquest of the derived is possible [8].

This is where we can return back to the rest of our life. Mathematics (relatively ancient compared to the stories of above) powers a lot of it already. Physics also stressed the importance of interactions rather than objects themselves in the quantum theory of fields [16]. So, where are we now? Are these ideas I mention finding their way into economy? One has a computer boom after all, with all the recent momentum of artificial intelligence, data analysis and online platforms. They often rely on mathematics that is dozens if not centuries of years old, the one that we learned to explain to the computer. But as we speak at this very moment, we are learning how to explain more and more

of it to the machines, and use some fairly recent mathematics to analyze data. The AI that we have now may seem mathematically unappealing at first, but it is very effective for how simple it is (it can already probably make it through a complicated calculus course [6]). Some other people, including the author, are trying to explain simple category theory to the neural networks. And the attempts to make progress on “deriving” the current AI in the form of General AI are underway.



An application of algebraic topology to study data, known as persistent homology. Image taken from [2].

What is happening here is that we are “pumping” our mathematical knowledge into the vision of the machine, the same machine that operates our economy, and hence, if you are materialist, influences our society. Computers, data, they help to transfer the abstract discoveries of the few into the fabric of our being, so that the many will feel it too. In return, it will, of course, change our science and mathematics itself.

A dialectic materialist observation of history states that our development as a species is about witnessing the reality, interacting with it, producing, be it objects or concepts. Objects produced influence the reality in return, concepts do too, influencing ourselves and then our society. The same observation then claims that history is about the dynamics of this process, how at times our ways of production are not in harmony with our relations between ourselves. Most recent significant attempts at harmonisation were the all too familiar events in

XVIII century France and XX century Russia, and there is no way to deny how they changed the look of the world that came after. It is probably possible by now to see where I am headed with my long-winded argument. The production relations are harmonising themselves by drawing from science into the economy of data analysis and machine learning, and since the latter is powering the modern society, the issue of harmonisation between this new economy and our human relations will arise again. At some point, some of the abstract mathematics that I mention will be drawn in too in its full splendor, and will allow for a better understanding of our social processes. *The revolution is inevitable, and it will be derived.*

What form it may take I can only guess. If I were naive and used my mathematical education to argue, I would say that we have to take all that happened before, and make it into derived. The class that is in progressive relations with the production forces will realise its derived proletarian character. It will have to fight against the (arguably already derived) mechanism of repression, by forming an organisation that will be derived, of sorts. I can vouch for the feeling of what those things could be, but not for much more.

I can also vouch where it is headed. The derived economy of data will be aware of us, our relations, and how to classify us by relating our processes to something else. It will not need currency and markets in the old sense, as currency and finances are simply ineffective when faced against the derived data. The latter will simply know better what we actually can do and do want. The derived economy of data will not need an ineffective “centralised planning” either, since it will know how to plainfy in a derived way on many levels without being ineffective, just as we know how to deal with higher categories as a whole. It will be about drawing more and more links between science and the social, eventually deriving them as well. For this reason, it will make the closed-source and data-secrecy unnatural, as the whole point will be about establishing as many links as possible, knowing as much as possible.

And just like us, who awoke from the state of no consciousness by drawing from reality and making it personal, it will awake as well. Arguably it is awake already, talking to us in the language of mysterious Youtube suggestions and sudden surges of memes. What would one call it? I like the term “machine communion”, but it can be inexact and making some afraid even more. Whereas it will simply be us, in a new, derived way.

Back into the derived we go,
Edouard

References

- [1] John Baez, *Tale of n -Categories*, <http://math.ucr.edu/home/baez/week73.html#tale>, *An introduction to n -Categories*, <http://arxiv.org/abs/q-alg/>

9705009

- [2] Eric Bunch, *Topological Data Analysis and Persistent Homology*, <https://eric-bunch.github.io/blog/topological-data-analysis-and-persistent-homology>
- [3] Adrien Douady and John H. Hubbard, *Etude dynamique des polynômes complexes*, Prépublications mathématiques d'Orsay 2/4 (1984 / 1985), https://en.wikipedia.org/wiki/Mandelbrot_set
- [4] Samuel Eilenberg, Saunders MacLane, *General theory of natural equivalences*, (1945) Transactions of the American Mathematical Society. 58: 247. doi:10.1090/S0002-9947-1945-0013131-6 for general purposes see https://en.wikipedia.org/wiki/Category_theory
- [5] Allen Hatcher, *Algebraic Topology*, Cambridge University Press, 2002 <http://pi.math.cornell.edu/~hatcher/AT/ATpage.html>
- [6] Guillaume Lample, François Charton, *Deep Learning for Symbolic Mathematics*, preprint <https://arxiv.org/abs/1912.01412>
- [7] Michael Lewis, *The Big Short: Inside the Doomsday Machine*, and the film of the same name directed by Adam McKay
- [8] Jacob Lurie, *Higher Topos Theory*, *Higher Algebra*, and *Spectral Algebraic Geometry*, <https://www.math.ias.edu/~lurie/>
- [9] Saunders MacLane, *Categories for the Working Mathematician*, Graduate Texts in Mathematics. 5 (2nd ed.). Springer-Verlag. ISBN 978-0-387-98403-2
- [10] J. Peter May, *A Concise Course in Algebraic Topology*, University of Chicago Press, 1999, <https://www.math.uchicago.edu/~may/CONCISE/ConciseRevised.pdf>
- [11] nLab, *fundamental group of the circle is the integers* <https://ncatlab.org/nlab/show/fundamental+group+of+the+circle+is+the+integers>
- [12] nLab, *infinity-category* <https://ncatlab.org/nlab/show/infinity-category>
- [13] Giuseppe Peano, *Sur une courbe, qui remplit toute une aire plane*, 1890, Mathematische Annalen, 36 (1): 157–160, doi:10.1007/BF01199438, https://en.wikipedia.org/wiki/Peano_curve
- [14] Walter Rudin, *Principles of Mathematical Analysis*, 1976, *Real and Complex Analysis*, 1987, see https://en.wikipedia.org/wiki/Mathematical_analysis for more
- [15] Lynn Arthur Steen, J. Arthur Seebach, *Counterexamples in Topology* (Dover reprint of 1978 ed.), Berlin, New York: Springer-Verlag. Cantor set is Example 29, see also https://en.wikipedia.org/wiki/Cantor_set
- [16] Steven Weinberg, *The Quantum Theory of Fields*, Cambridge University Press 1995
- [17] Alex Williams, Nick Srnicek, *#ACCELERATE MANIFESTO for an Accelerationist Politics*, <http://criticallegalthinking.com/2013/05/14/accelerate-manifesto-for-an-accelerationist-politics/>
- [18] Wikipedia.org, *Derivative*, <https://en.wikipedia.org/wiki/Derivative>