

Family Aegithalidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.75 -0.00 -0.75 -0.50 -0.25 -0.50 -0.25 -1.00 -0.75 -0.50 -0.25 -

1.00 0.00

0.25

0.50

0.75

1.00

0.25

0.00

0.50

Family Alaudidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.50 -0.25 -0.00 -1.00 -0.75 -0.25 -

1.00 0.00

0.50

0.75

1.00

0.25

0.50 -

0.75 -

0.50 -

0.25 -

0.00

0.25

0.50

Family Alcedinidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -

	\supset
0.25 - · · · · · · · · · · · · · · · · · · ·	
0.00	
1.00 -	

0.00	 	 	
1.00	 	 	
0.75	 	 	

1.00	 	 	
0.75 - · · · · · · · · · · · · · · · · · ·	 	 	
0.50 -	 	 	100m
0.05			

0.75 -	
0.50 -	100m
0.25 -	
0.00 -	

0.00	
1.00 -	
0.75 -	
0.50 -	200m
0.25 -	

1.00 0.00

0.50

0.75

1.00

0.25

1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.00

0.25

0.50

Famil	y Apodid	lae (n = :	3)							
	On	-Road Surv	/ey			Of	f-road Surv	/ey		
1.00 -										
0.75 -										
0.50										50m
0.25 -										
0.00										
1.00 - · · · · · ·										
0.75 - · · · · · ·									<u></u>	
0.50 -										100m
0.25 -										
0.00										
1.00 - · · · · ·										
0.75										
0.50										200m
0.25 -										
0.00										
1.00 - · · · · · ·										
0.75										
0.50										400m
0.25 -										
0.00 -	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·							
0.00	0.25	0.50	0.75	1.00	0.00	0.25	0.50	0.75	1.00	

Family Bombycillidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -0.25 -0.00 -1.00 -0.75 -

0.50 -	100
	3
0.25 -	
0.00 -	
1.00-	

0.25	 		 	
0.00	 	 	 	
1.00 -	 	 	 	
0.75	 	 	 	

0.25 -	
0.00 -	
1.00	
0.75	
0.50	

0.00 -	
1.00	
0.75 - · · · · · · · · · · · · · · · · · · ·	
0.50 -	200m
0.25	

0.75	
0.50	200m
0.25 -	
0.00 -	

0.25 -	-
0.00 -	
1.00 -	

0.00 - 0.00	· · · · · · · · · · · · · · · · · · ·	
1.00 -		

75	-

1.00 0.00

0.50

0.25

0.75

1.00

0.50 -

0.25 -

0.00 -

0.00


0.25

0.50

Family Calcariidae (n = 1)		
On-Road Survey	Off-road Survey	
1.00 -		
0.75 -		
0.50 -		50m
0.25 -		
0.00 -		
0.75 -		
0.50 -		100m
0.25		
0.00 -		
1.00 -		
0.75 -		
0.50 -		200m
0.25 -	<u></u>	
0.00 -		
1.00 -		
0.75 -		
0.50 -		400m
0.25 -		
0.00	0.00 0.25 0.50 0.75 1.00	

Family Caprimulgidae (n = 0)	
On-Road Survey	Off-road Survey
1.00 -	
0.75	
0.50	50m
0.25	
0.00	
1.00 -	
0.75 - · · · · · · · · · · · · · · · · · · ·	
0.50 -	100m
0.25 - · · · · · · · · · · · · · · · · · · ·	
0.00-	
1.00 -	
0.75	
0.50	200m
0.25	
0.00 -	
1.00	
0.75 - · · · · · · · · · · · · · · · · · · ·	
0.50	400m
0.25	
0.00	

Family Cardinalidae (n = 11)



Family Cathartidae (n = 2)		
On-Road Survey	Off-road Survey	
1.00 -	··· <u>·····</u> ···	
0.75 -		
0.50 -		50m
0.25 -		
0.00 -		
0.75 -		
0.50 -		100m
0.25 -		
0.00 -		
1.00 -		
0.75 -		
0.50 -		200m
0.25 -		٦
0.00 -		
1.00 -		
0.75		
0.50 -		400m
0.25		
0.00 -		
0.00 0.25 0.50 0.75 1.00	0.00 0.25 0.50 0.75 1.00	

Family Certhiidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.25 -0.00 -0.75 -0.50 -0.50 -0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

1.00 0.00

0.25

0.00

0.50

0.75

0.50

0.75

1.00

Family Cinclidae (n = 0)	
On-Road Survey	Off-road Survey
1.00 -	
0.75	
0.50	50m
0.25	
0.00	
1.00 -	
0.75	
0.50 -	100m
0.25	
0.00	
1.00 -	
0.75	
0.50 -	200m
0.25	
0.00	
1.00	
0.75	
0.50 -	400m
0.25	
0.00 -	

Family Columbidae (n = 4)On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -0.25 -0.00 -1.00 -0.25 -

0.75 -1.00 -

0.75 -0.50 -

1.00 0.00

0.50

0.25

0.75

1.00

0.25 -


0.00 -

0.00

0.25

0.50

Family Corvidae (n = 10)



On-Road Survey Off-road Survey 0.75 -

Family Cuculidae (n = 4)

0.50 -

0.25 -

0.00 -1.00 -

0.00 -

0.00

0.25

0.50

0.75

0.25 -

0.50 -

0.75 -

0.50 -

1.00 0.00

0.50

0.25

1.00

On-Road Survey 1.00 -

0.75 -

Family Falconidae (n = 1)

0.50 -

0.25 -

0.00 -1.00 -

0.75 -

0.50 -

0.25 -

0.75 -

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.00

0.25

0.50

0.75


1.00 0.00

Off-road Survey

0.50

0.75

0.25



Family Gruidae (n = 1)Off-road Survey On-Road Survey 1.00 -0.75 -

0.50 -

0.25 -

0.00 -

0.75 -0.50 -

0.25 -

0.50 -

0.25 -

1.00 -

0.75 -

0.25 -

1.00 0.00

0.50

0.25

1.00

0.75

0.50

0.75

0.25

0.00 -

Family Hirundinidae (n = 7)On-Road Survey 1.00 -0.75 -

0.50 -

0.25 -

0.00 -1.00 -

0.75 -

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

0.00

0.25

0.50

0.75

1.00 0.00

Off-road Survey


0.50

0.25

0.75

Family Icteridae (n = 15)

On-Road Survey



Family Icteriidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.50 -0.25 -0.00 -1.00 -0.75 -0.25 -0.50 -0.75 -

1.00 0.00

0.50

0.75

1.00

0.25

0.50 -

0.25 -

0.00

0.25

0.50

Family Laniidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.50 -

0.25 -

0.00 -1.00 -

0.75 -0.25 -

0.50 -

0.25 -

1.00 -

0.75 -0.50 -

0.25 -

0.25

0.00

0.50


0.75

1.00 0.00

0.50

0.25

0.75



Off-road Survey On-Road Survey 1.00 -0.75 -0.50 -0.25 -0.00 -1.00 -

Family Motacillidae (n = 2)

0.25 -

0.00 -

0.00

0.25

0.50

0.75



0.00 -	
1.00 -	
1.00 -	
0.75	
	N3
0.50 -	200m
0.50	ρm
0.25 -	· ·
0.00 -	
0.00	
1 00 -	

0.50 -	 200m
0.25 -	
1.00 -	
0.75 -	

0.00 -	
1.00 -	
0.75 -	
0.50 -	400r

1.00 0.00

0.50

0.75

1.00

Family Odontophoridae (n = 4)On-Road Survey Off-road Survey 0.75 -0.50 -0.25 -0.00 -1.00 -0.25 -0.75 -0.50 -

1.00 -

0.75 -0.50 -

1.00 0.00

0.50

0.25

1.00

0.75

0.25 -

0.00 -

0.00

0.25

0.50

Family Pandionidae (n = 1)On-Road Survey Off-road Survey 0.75 -0.50 -0.25 -0.00 -1.00 -0.50 -0.25 -0.75 -0.50 -

1.00 0.00

0.50

0.75

0.25

1.00

1.00 -

0.75 -

0.50 -

0.25 -


0.00 -

0.00

0.25


0.50

Family Paridae (n = 8)




Family Parulidae (n = 37)

On-Road Survey



Family Passerellidae (n = 24)

On-Road Survey



Family Passeridae (n = 1)On-Road Survey Off-road Survey 1.00 -0.50 -

0.25 -

0.00 -

1.00 -	
0.75	
0.50 -	100m
0.25 -	

0.50 -	100m
0.25 -	
0.00 -	
4.00	

1.00 0.00

0.25

0.50

0.75

1.00

0.75

0.75 -

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.00

0.25

Family Peucedramidae (n = 0)		
On-Road Survey	Off-road Survey	
1.00 -		
0.75		
0.50		50m
0.25		
0.00 -		
1.00 -		
0.75 - · · · · · · · · · · · · · · · · · · ·		
0.50 -		100m
0.25		
0.00		
1.00 -		
0.75		
0.50 -		200m
0.25 -		
0.00		
1.00 -		
0.75		
0.50 -		400m
0.25		
0.00 -		

Family Phasianidae (n = 6) On-Road Survey Off-road Survey 0.75 -0.25 -0.00 -0.75 -0.50 -0.25 -

0.25 -

0.75 -0.50 -

1.00 0.00

0.25

0.50

0.75


1.00

0.25

0.50

0.75

Family Picidae (n = 12)



Family Polioptilidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.75 -0.25 -0.00 -0.75 -0.50 -0.50 -0.25 -1.00 -0.75 -0.50 -0.25 -0.25 0.50 0.25 0.50 0.75 0.75 1.00 0.00 1.00 0.00

Family Ptiliogonatidae (n = 1)Off-road Survey On-Road Survey 1.00 -0.75 -

0.50 -

0.25 -

0.00 -1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.75 -

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.00

0.25

0.50

0.75

1.00 0.00

0.50

0.25

0.75

Family Regulidae (n = 2) On-Road Survey Off-road Survey 1.00 -

0.25 -

0.75 -

0.50 -

0.50 -0.25 -

1.00 -

0.75 -0.50 -

0.25

0.00

0.50

0.75

0.25 -

1.00 0.00

0.25

0.50

0.75

Family Remizidae (n = 0)		
On–Road Survey	Off-road Survey	
1.00 -		
0.75		
0.50		50m
0.25		
0.00		
1.00 -		
0.75 - · · · · · · · · · · · · · · · · · · ·		
0.50 - · · · · · · · · · · · · · · · · · · ·		100m
0.25 - · · · · · · · · · · · · · · · · · · ·		
0.00 -		
1.00 -		
0.75 - · · · · · · · · · · · · · · · · · · ·		
0.50 -		200m
0.25 - · · · · · · · · · · · · · · · · · · ·		
0.00		
1.00 -		
0.75		
0.50		400m
0.25 - · · · · · · · · · · · · · · · · · · ·		
0.00		

F	amily Sittidae (n = 3)		
	On-Road Survey	Off-road Survey	
1.00 -			
0.75 -			
0.50 -			50m
0.25 -			
0.00			
0.75 -			
0.50 -			100m
0.25 -	······································		
0.00			
0.75 -			
0.50 -			200m
0.25 -			_
0.00 - ·			
0.75 -			
0.50 -			400m
0.25 -		······································	
0.00 - 0	.00 0.25 0.50 0.75 1.00	0.00 0.25 0.50 0.75 1.00	

Family Strigidae (n = 3)On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -0.25 -0.00 -1.00 -



0.00 -	
1.00 -	
0.75	
0.50 -	j
0.25 -	
0.00 -	
1.00 -	

 	200m
 	400

1.00 0.00

0.50

0.75

1.00

0.25

0.25 -

0.00 -

0.00

0.25

0.50

Family Sturnidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -

0.25 -	 	 	 	
0.00	 	 	 	
1.00	 	 	 	
0.75 -	 	 	 	

1.00	
0.75	
0.50 -	100m
0.05	

0.75 -	
0.50 -	100m
0.25 -	
0.00 -	
1.00 - · · · · · · · · · · · · · · · · · · ·	

	ゴ
0.25 -	
0.00-	
1.00 -	
0.75 - · · · · · · · · · · · · · · · · · · ·	
	20

0.25 -	
0.00 -	
1.00 -	
0.75	N
0.50	200m
0.25 -	

0.00		
1.00		
0.75 -		
0.50 -	200m)
0.25 -		
0.00		

0.75 -	
0.50 -	200m
0.25 -	
0.00 -	
1.00 -	

1.00 0.00

0.50

0.75

0.25

1.00

0.75

0.50

0.75 -

0.50 -

0.25 -

0.00

0.00

Family Sylviidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -

0.00 -	
1.00 -	
0.75 -	

1.00 -	
0.75 -	
0.50 -	00m
0.25 -	

0.50 -	100m
0.25 -	
0.00 -	
1.00 -	

0.25	
0.00 -	
1.00 -	
0.75 -	
0.50 -	200m

0.25	
0.00 -	
1.00 -	
0.75	
0.50 -	200m
0.25	

0.00 -	
1.00 -	
0.75	
0.50 -	
0.25 -	
0.00-	
1.00 -	ĺ

1.00 0.00

0.50

0.25

1.00

0.75

0.75 -

0.50 -

0.25 -

0.00 -

0.00

0.25

0.50

Family Trochilidae (n = 5)On-Road Survey Off-road Survey 1.00 -0.75 -

1

).50 - · · · · · · · · · · · · · · · · · · ·	
0.25 -	
0.00 -	
1.00 -	
0.75	
20	

0.00 -			
1.00			
0.75 -			
0.50 -		200m	
0.25 -			
0.00 -		.	

0.50	300m
0.25 - · · · · · · · · · · · · · · · · · · ·	
0.00 -	
1.00 -	

0.20	
0.00 -	
1.00 -	
0.75 -	
0.50-	400

1.00 0.00

0.25

0.50

0.75

1.00

0.25 -

0.00 -

0.00

0.25

0.50

Off-road Survey On-Road Survey 0.50 -

Family Troglodytidae (n = 7)

0.25

0.00

0.50

0.75

0.25 -0.00 -1.00 -

0.25 -

0.75 -1.00 -

0.75 -


0.50 -0.25 -

1.00 0.00

0.25

0.50

0.75



Family Tyrannidae (n = 17)

