
## Family Accipitridae (n = 14)



## Family Aegithalidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.75 -0.00 -0.75 -0.50 -0.25 -0.50 -0.25 -1.00 -0.75 -0.50 -0.25 -0.25

1.00 0.00

0.25

0.50

0.75

1.00

0.50

0.00

#### Family Alaudidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.50 -0.25 -0.00 -1.00 -0.75 -0.25 -

0.50 -

0.75 -0.50 -

0.25 -

1.00 0.00

0.50

0.75

1.00

0.25

0.25

0.00

0.50

#### Family Alcedinidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -

0.25 -0.00 -

0100	
1.00 -	
0.75	
0.50 -	100m
0.25 -	

0.50 -	100m
0.25 -	
0.00 -	
1.00 -	

0.25	
0.00	
1.00 -	
0.75 -	
	20

1.00 -	
0.75 <b>-</b> · · · · · · · · · · · · · · · · · · ·	
0.50	200m
0.25 -	
0.00 -	

0.50 -	m Om
0.25 -	
0.00 -	
1.00 -	

25 -	
00	
00	

0.75 -

5.110
0.50 <del>-</del>
).25 <del>-</del> · · · · · · · · · · · · · · · · · · ·

0.25

0.00

0.50


0.75

1.00 0.00

0.25

0.50

0.75



#### Family Bombycillidae (n = 1)Off-road Survey On-Road Survey 1.00 -0.75 -0.50 -0.25 -0.00 -

0.75	
0.50 <b>-</b>	100m
0.25 <del>-</del> · · · · · · · · · · · · · · · · · · ·	<u></u>
0.00 -	

0.50 -	00m
0.25 -	
0.00 -	
1.00 <del>-</del> · · · · · · · · · · · · · · · · · · ·	

0.30	m
0.25 -	
0.00 -	
1.00 -	
0.75	

1.00 0.00

0.25

0.50

0.75

1.00

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.00


0.25

0.50


## Family Calcariidae (n.

Family Calcariidae (n = 3)	
On-Road Survey	Off-road Survey
1.00 -	
0.75 - ·	
0.50 -	50m
0.25	
0.00	
1.00 -	
0.75 -	
0.50 -	100m
0.25 - · · · · · · · · · · · · · · · · · ·	
0.00	
1.00 -	
0.75 -	
0.50 -	200m
0.25 -	··· <u></u> ··
0.00 -	
1.00 -	
0.75	
0.50	400m
0.25 -	
0.00 -	
0.00 0.25 0.50 0.75 1.00	0.00 0.25 0.50 0.75 1.00

#### Family Caprimulgidae (n = 3)On-Road Survey



# Family Cardinalidae (n = 13) On–Road Survey



Family Cathartidae (n = 2)		
On-Road Survey	Off-road Survey	
1.00 -		
0.75 -		
0.50 -		50m
0.25 -		
0.00 <b>-</b>		
0.75 -		
0.50 -		100m
0.25		ם
0.00 -		
1.00 -		
0.75 -	<u></u>	
0.50 -		200m
0.25 -		
0.00		
1.00 -		
0.75		
0.50		400m
0.25		
0.00 -		
0.00 0.25 0.50 0.75 1.00	0.00 0.25 0.50 0.75 1.00	

## Family Certhiidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.25 -0.00 -0.75 -0.50 -0.50 -0.25 -1.00 -

0.75 -

0.50 -

0.25 -

1.00 0.00

0.50

0.75

1.00

0.25

0.25

0.00

0.50

## Family Cinclidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.25 -0.00 -0.75 -0.50 -0.50 -0.25 -1.00 -0.75 -

0.50 -

0.25 -

1.00 0.00

0.50

0.75

1.00

0.25

0.25

0.00

0.50

#### Family Columbidae (n = 5)On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -0.25 -0.00 -1.00 -0.75 -0.25 -0.00 -0.75 -

0.25 -

1.00 -0.75 -

0.50 -0.25 -

1.00 0.00

0.50

0.25

0.75

1.00


0.00 -

0.00

0.25

0.50

Family Corvidae (n = 14)



On-Road Survey Off-road Survey 0.75 -

Family Cuculidae (n = 4)

0.50 -

0.25 -

0.00 -1.00 -

0.00 -

0.00

0.25

0.50

0.75

0.25 -

0.75 -

0.50 -

1.00 -

0.75 -

0.50 -

1.00 0.00

0.50

0.25

1.00

#### On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -

Family Falconidae (n = 4)

0.25

0.00

0.50

0.75

0.25 -0.00 -

1.00 -0.75 -0.50 -

0.25 -

0.75 -

1.00 -0.75 -

0.50 -

0.25 -0.00 -


1.00 0.00

0.25

0.50

0.75

## Family Fringillidae (n = 14)



#### Family Gruidae (n = 1)Off-road Survey On-Road Survey 1.00 -0.75 -

0.50 -0.25 -

0.00 -

0.75 -

0.25 -

0.50 -

0.25 -

1.00 -

0.75 -

1.00 0.00

0.50

0.25

1.00

0.75

0.75


0.25 -

0.50

0.25


0.50 -

0.00 -



Family Icteridae (n = 16)

On-Road Survey



Off-road Survey

## Family Icteriidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.50 -0.25 -0.00 -1.00 -0.75 -0.25 -0.50 -0.75 -

1.00 0.00

0.50

0.75

1.00

0.25

0.50 -

0.25 -

0.00

0.25

0.50

#### Family Laniidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.50 -

	-
0.25	
0.00 -	
1.00 -	

0.00	 	 
1.00	 	 
0.75 -	 	 

0.00 -	
1.00 -	
0.75 <b>-</b> · · · · · · · · · · · · · · · · · · ·	
0.50 -	100m

0.75	
0.50 -	100m
0.25 -	

0.50 -	
0.25 -	
0.00 -	
1.00 -	
0.75 -	

1.00 0.00

0.50

0.75

1.00

0.25

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -


0.00 -

0.00

0.25

0.50

## Family Mimidae (n = 7)



On-Road Survey Off-road Survey 1.00 -0.50 -0.25 -0.00 -1.00 -

Family Motacillidae (n = 2)

0.25

0.00

0.50

0.75

0.75 -0.25 -

0.75 -0.50 -

1.00 -

0.75 -

0.50 -0.25 -

0.00 -


1.00 0.00

0.50

0.25

0.75

#### Family Odontophoridae (n = 5)On-Road Survey



## Family Pandionidae (n = 1)On-Road Survey Off-road Survey 0.75 -0.50 -0.25 -0.00 -1.00 -0.50 -0.25 -0.75 -0.50 -

1.00 0.00

0.50

0.75

0.25

1.00

1.00 -

0.75 -

0.50 -

0.25 -


0.00 -

0.00

0.25


0.50

Family Paridae (n = 9)




On-Road Survey

Family Parulidae (n = 44)



Family Passerellidae (n = 34)

On–Road Survey



#### Family Passeridae (n = 1)On-Road Survey Off-road Survey 1.00 -0.50 -

0.25 -

0.00 -

1.00 -	
0.75 <b>-</b> · · · · · · · · · · · · · · · · · · ·	
0.50 -	100m
0.25 <b>-</b>	

0.50	100m
0.25 -	
0.00 -	
1.00 =	

1.00 0.00

0.25

0.50

0.75

1.00

0.75

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.00

0.25

## Family Peucedramidae (n = 1)On-Road Survey Off-road Survey 1.00 -0.50 -0.25 -0.00 -1.00 -0.75 -0.50 -0.25 -0.75 -0.50 -1.00 -0.75 -0.50 -0.25 -

1.00 0.00

0.25

0.00

0.50

0.75


0.50

0.75

1.00


On–Road Survey

Family Phasianidae (n = 12)



Off-road Survey

## Family Picidae (n = 19)



#### Family Polioptilidae (n = 2)On-Road Survey Off-road Survey 1.00 -0.75 -0.25 -0.00 -0.75 -0.50 -0.50 -0.25 -1.00 -0.75 -0.50 -0.25 -0.25 0.50 0.75 0.25 0.50 0.75 1.00 0.00 1.00 0.00

# Family Ptiliogonatidae (n = 1) On-Road Survey Off-road Survey 0.75

0.50 -

0.25 -

0.00 **-** ·

0.75 -

0.50 -

0.25 -

0.00 -

0.75 -

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.00

0.25

0.50

0.75

1.00 0.00

. . . .

....

0.50

0.25

0.75

## Family Regulidae (n = 2) On-Road Survey Off-road Survey 1.00 -

0.25 -

0.75 -0.50 -

0.50 -0.25 -1.00 -

0.75 -

0.50 -0.25 -

0.25 0.50 0.25 0.50 0.75 1.00 0.75

0.00

1.00 0.00

## Family Remizidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.75 - • 0.50 -0.25 -0.00 - -0.75 -0.50 -0.25 -1.00 -0.75 -

0.50

0.75

1.00

0.25

0.50 -

0.25 -


0.00

0.25

0.50

0.75

1.00 0.00



Family Strigidae (n = 4)On-Road Survey Off-road Survey 0.75 -0.50 -0.25 -0.00 -0.25 -

0.75 -0.50 -

1.00 0.00

0.50

0.75

1.00

0.25

0.25

0.00

0.50

#### Family Sturnidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -0.2

).25	5 <b>-</b>	-			 						 					 		-					٠						 			-				
0.00																																				
.00	) -				 	•												-								 -										

0.00 -	
1.00 -	
0.75	
0.50 -	00

1.00 -	
0.75 - · · · · · · · · · · · · · · · · · ·	
0.50 -	100m
0.25 -	

0.50	100m
0.25 <del>-</del>	
0.00	
1.00 -	

1.00 0.00

0.50

0.75

1.00

0.25

0.75 -

0.50 -

0.25 -

1.00 -

0.75 -

0.50 -

0.25 -

0.00 -

0.00

0.25

0.50

#### Family Sylviidae (n = 1) On-Road Survey Off-road Survey 1.00 -0.75 -0.50 -0.25 -0.00 -

1.00 -	
0.75 <b>-</b>	
0.50 <b>-</b>	100m
0.25	

0.50 -	
0.25 -	
0.00 -	
4.00	

	$\supset$
).25 <del>-</del> · · · · · · · · · · · · · · · · · · ·	
0.00 -	
1.00 -	
).75 <b>-</b> · · · · · · · · · · · · · · · · · · ·	

0.25 -		
0.00	 	
1.00	 	
0.75	 	

0.00 -	
1.00 -	
0.75 <b>-</b>	
0.50 -	· · · · · · · · · · · · · · · · · · ·

1.00 -	
0.75	
0.50 -	
0.25 -	

0.75	 															
0.50	 	70011														
0.25 -		 	 	 	 	 				 	 	 	 	 	 	

0.50	11007
0.25	
0.00	

1.00 -	
0.75 <b>-</b> · · · · · · · · · · · · · · · · · · ·	

1.00 0.00

0.50 -

0.25 -

0.00 -

0.00

0.25

0.50

0.75

400m

1.00

0.50

0.75

# Family Trochilidae (n = 7)On-Road Survey Off-road Survey 1.00 -0.00 -0.75 -0.50 -0.50 -

0.25 -

1.00 -0.75 -

0.50 -

0.25 -

1.00 0.00

0.25

0.50

0.75


1.00

0.25


0.00

0.50


## Family Troglodytidae (n = 10) On-Road Survey



## Family Turdidae (n = 11)



## Family Tyrannidae (n = 22)



## Family Vireonidae (n = 12)

